



Tuesday, March 21, 2023

Fibertec Project Number: A14009
Project Identification: FCA/Stellantis Project (23001494-01) /23001494-01
Submittal Date: 03/15/2023

Mr. Bhushan Modi
NTH Consultants, Ltd. - Northville
41780 Six Mile Road
Suite 200
Northville, MI 48168-3459

Dear Mr. Modi,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at ()

Sincerely,

By Jacob Sutherland at 1:31 PM, Mar 21, 2023

For Daryl P. Strandbergh
Laboratory Director

Enclosures

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14009
Laboratory Sample Number: A14009-001

Order: A14009
 Date: 03/21/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-13	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14009-001** Matrix: **Air**
 Method: **EPA TO-15** Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
2. Benzene	U		µg/m3	2.9	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
5. Bromoform	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
14. Chloromethane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
33. n-Heptane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
35. n-Hexane	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-13	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14009-001** Matrix: **Air**
Method: EPA TO-15 Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
41. MTBE	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
43. Styrene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
47. Toluene	U		µg/m3	5.7	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
59. o-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/20/23	VN23C20A	03/20/23 15:16	VN23C20A	CY

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	101	%	80-120	VN	VN23C20A	3/20/2023 15:16	1	VN400

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14009
Laboratory Sample Number: A14009-002

Order: A14009
 Date: 03/21/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-23	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14009-002** Matrix: **Air**
 Method: **EPA TO-15** Description: **3870 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
2. Benzene	U		µg/m3	2.9	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
5. Bromoform	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
14. Chloromethane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
33. n-Heptane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
35. n-Hexane	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14009
Laboratory Sample Number: A14009-002

Order: A14009
 Date: 03/21/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-23	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14009-002** Matrix: **Air**
 Method: **EPA TO-15** Description: **3870 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			Init.
						P. Date	P. Batch	A. Date	A. Batch		
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
41. MTBE	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
43. Styrene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
47. Toluene	U		µg/m3	5.7	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
59. o-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/20/23	VN23C20A	03/20/23 16:15	VN23C20A		CY

Surrogate Summary				<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	102	%		80-120	VN	VN23C20A	3/20/2023 16:15	1	VN400

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14009
Laboratory Sample Number: A14009-003

Order: A14009
 Date: 03/21/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-33	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa)

Method: EPA TO-15

Aliquot ID: A14009-003 **Matrix: Air**
Description: 4642 Cope

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
2. Benzene	U		µg/m3	2.9	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
5. Bromoform	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
14. Chloromethane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
33. n-Heptane	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
35. n-Hexane	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14009
Laboratory Sample Number: A14009-003

Order: A14009
 Date: 03/21/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216846
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-33	Collect Date: 03/14/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14009-003** Matrix: **Air**
 Method: **EPA TO-15** Description: **4642 Cope**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
41. MTBE	U		µg/m3	5.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
43. Styrene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
47. Toluene	U		µg/m3	5.7	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
59. o-Xylene	U		µg/m3	13	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/20/23	VN23C20A	03/20/23 17:14	VN23C20A	CY

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	99	%	80-120	VN	VN23C20A	3/20/2023 17:14	1	VN400

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Definitions/ Qualifiers:

- A:** Spike recovery or precision unusable due to dilution.
- B:** The analyte was detected in the associated method blank.
- E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- J:** The concentration is an estimated value.
- M:** Modified Method
- U:** The analyte was not detected at or above the reporting limit.
- X:** Matrix Interference has resulted in a raised reporting limit or distorted result.
- W:** Results reported on a wet-weight basis.
- ***: Value reported is outside QC limits
- D:** The sample or extract was analyzed at a DF greater than 1.

Exception Summary:

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-23-15 (TX)

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C20A: Method Blank (MB)

EPA TO-15

Run Time: VN23C20A.MB 03/20/2023 14:17 [VN23C20A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Acetone	U		36
Benzene	U		2.9
Benzyl Chloride	U		0.41
Bromodichloromethane	U		0.80
Bromoform	U		15
Bromomethane	U		3.5
1,3-Butadiene	U		0.66
2-Butanone	U		8.8
Carbon Disulfide	U		19
Carbon Tetrachloride	U		0.75
Chlorobenzene	U		14
Chloroethane	U		4.0
Chloroform	U		0.59
Chloromethane	U		12
Cyclohexane	U		10
Dibromochloromethane	U		0.68
1,2-Dichlorobenzene	U		9.0
1,3-Dichlorobenzene	U		1.8
1,4-Dichlorobenzene	U		1.8
Dichlorodifluoromethane	U		15
1,1-Dichloroethane	U		6.1
1,2-Dichloroethane	U		0.49
1,1-Dichloroethene	U		5.9
cis-1,2-Dichloroethene	U		5.9
trans-1,2-Dichloroethene	U		5.9
1,2-Dichloropropane	U		1.4
cis-1,3-Dichloropropene	U		1.4
trans-1,3-Dichloropropene	U		1.4
1,4-Dioxane	U		5.4
Ethyl Acetate	U		11
Ethylbenzene	U		6.5
Ethylene Dibromide	U		0.23
n-Heptane	U		12

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C20A: Method Blank (MB)

EPA TO-15

Run Time: VN23C20A.MB 03/20/2023 14:17 [VN23C20A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Hexachlorobutadiene	U		1.3
n-Hexane	U		11
2-Hexanone	U		12
Isopropanol	U		15
4-Me hyl-2-pentanone	U		12
Methylene Chloride	U		21
2-Me hyl-naphthalene	U		35
MTBE	U		5.4
Naph halene	U		1.6
Styrene	U		13
1,1,2,2-Tetrachloroethane	U		0.21
Tetrachloro e hene	U		6.1
Tetrahydrofuran	U		4.4
Toluene	U		5.7
1,2,4-Trichlorobenzene	U		22
1,1,1-Trichloroethane	U		8.2
1,1,2-Trichloroethane	U		0.65
Trichloroethene	U		0.16
Trichlorofluoromethane	U		8.4
1,1,2-Trichlorotrifluoroethane	U		23
1,2,4-Trimethylbenzene	U		4.4
1,3,5-Trimethylbenzene	U		4.4
Vinyl Acetate	U		11
Vinyl Chloride	U		0.77
m&p-Xylene	U		13
o-Xylene	U		13
4-Bromofluorobenzene(S)	98		80-120

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C20A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C20A.LCS: 03/20/2023 11:28 [VN23C20A] VN23C20A.LCSD: 03/20/2023 12:24 [VN23C20A]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%	%	
Acetone	30.0	28.2	94	70-130		30.0	28.1	94		0	20	
Benzene	41.9	41.8	100	70-130		41.9	41.5	99		1	20	
Benzyl Chloride	66.0	68.5	104	70-150		66.0	68.0	103		1	20	
Bromodichloromethane	87.1	94.4	108	70-130		87.1	93.2	107		1	20	
Bromoform	134	147	109	70-138		134	146	109		0	20	
Bromomethane	50.5	46.5	92	70-133		50.5	46.5	92		0	20	
1,3-Butadiene	28.7	25.9	90	70-134		28.7	25.4	88		2	20	
2-Butanone	38.3	36.9	96	70-130		38.3	37.4	98		2	20	
Carbon Disulfide	41.2	35.5	86	70-130		41.2	35.8	87		1	20	
Carbon Tetrachloride	83.3	91.8	110	70-131		83.3	91.0	109		1	20	
Chlorobenzene	60.4	63.8	106	70-130		60.4	63.3	105		1	20	
Chloroethane	34.3	29.2	85	70-130		34.3	29.1	85		0	20	
Chloroform	63.4	68.5	108	70-130		63.4	68.2	108		0	20	
Chloromethane	27.1	24.4	90	70-130		27.1	23.8	88		2	20	
Cyclohexane	44.3	46.4	105	70-130		44.3	46.1	104		1	20	
Dibromochloromethane	110	123	112	70-135		110	122	111		1	20	
1,2-Dichlorobenzene	78.1	82.1	105	70-130		78.1	81.9	105		0	20	
1,3-Dichlorobenzene	77.4	85.5	111	70-131		77.4	85.4	110		1	20	
1,4-Dichlorobenzene	78.1	83.7	107	70-134		78.1	83.5	107		0	20	
Dichlorodifluoromethane	64.9	66.6	103	70-132		64.9	66.7	103		0	20	
1,1-Dichloroethane	52.6	53.7	102	70-130		52.6	54.6	104		2	20	
1,2-Dichloroethane	53.1	56.5	106	70-130		53.1	57.3	108		2	20	
1,1-Dichloroethene	52.0	54.3	104	70-133		52.0	53.9	104		0	20	
cis-1,2-Dichloroethene	52.0	54.6	105	70-130		52.0	54.8	105		0	20	
trans-1,2-Dichloroethene	51.0	53.9	106	70-130		51.0	54.6	107		1	20	
1,2-Dichloropropane	60.6	66.4	109	70-130		60.6	65.7	108		1	20	
cis-1,3-Dichloropropene	59.0	65.0	110	70-131		59.0	63.9	108		2	20	
trans-1,3-Dichloropropene	59.0	62.7	106	70-134		59.0	62.1	105		1	20	
1,4-Dioxane	46.8	50.1	107	70-130		46.8	49.1	105		2	20	
Ethyl Acetate	46.4	49.6	107	70-130		46.4	51.3	111		4	20	
Ethylbenzene	57.0	58.9	103	70-130		57.0	58.5	103		0	20	
Ethylene Dibromide	98.9	107	108	70-130		98.9	105	106		2	20	
n-Heptane	52.7	53.4	101	70-132		52.7	52.8	100		1	20	

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C20A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C20A.LCS: 03/20/2023 11:28 [VN23C20A] VN23C20A.LCSD: 03/20/2023 12:24 [VN23C20A]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%	%	
Hexachlorobutadiene	144	152	105	70-134		144	152	106		1	20	
n-Hexane	45.4	40.0	88	70-130		45.4	40.0	88		0	20	
2-Hexanone	52.7	59.0	112	70-139		52.7	58.6	111		1	20	
Isopropanol	32.9	33.2	101	54-144		32.9	33.2	101		0	20	
4-Me hyl-2-pentanone	52.7	57.5	109	70-130		52.7	57.0	108		1	20	
Methylene Chloride	45.1	39.8	88	70-132		45.1	39.6	88		0	20	
2-Me hyl-naphthalene	83.6	113	136	70-146		83.6	113	136		0	20	
MTBE	46.8	47.6	102	70-130		46.8	47.8	102		0	20	
Naph halene	74.7	87.4	117	70-148		74.7	87.0	117		0	20	
Styrene	55.4	57.5	104	70-130		55.4	56.9	103		1	20	
1,1,2,2-Tetrachloroethane	90.1	93.8	104	70-130		90.1	93.0	103		1	20	
Tetrachloroethene	88.1	96.1	109	70-130		88.1	94.9	108		1	20	
Tetrahydrofuran	38.0	37.3	98	70-138		38.0	37.5	99		1	20	
Toluene	49.4	51.8	105	70-130		49.4	50.9	103		2	20	
1,2,4-Trichlorobenzene	102	129	127	70-140		102	129	127		0	20	
1,1,1-Trichloroethane	70.9	78.5	111	70-130		70.9	78.1	110		1	20	
1,1,2-Trichloroethane	70.9	75.0	106	70-130		70.9	75.0	106		0	20	
Trichloroethene	70.5	71.5	101	70-130		70.5	70.4	100		1	20	
Trichlorofluoromethane	72.3	76.8	106	70-132		72.3	77.3	107		1	20	
1,1,2-Trichlorotrifluoroethane	101	104	103	70-130		101	104	103		0	20	
1,2,4-Trimethylbenzene	64.5	66.5	103	70-132		64.5	66.0	102		1	20	
1,3,5-Trimethylbenzene	64.5	66.5	103	70-131		64.5	65.7	102		1	20	
Vinyl Acetate	48.0	54.3	113	70-131		48.0	54.2	113		0	20	
Vinyl Chloride	33.2	31.0	93	70-131		33.2	30.9	93		0	20	
m&p-Xylene	114	118	103	70-130		114	118	103		0	20	
o-Xylene	56.4	58.7	104	70-130		56.4	58.2	103		1	20	
4-Bromofluorobenzene(S)			107	80-120				105				

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Jacob Sutherland at 1:35 PM, Mar 21, 2023

Client Name: <u>NTH Consultants</u>				MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOCs (10-15)	PARAMETERS										Matrix Code			Deliverables	
Contact Person: <u>Bhushan Modi</u>							HOLD SAMPLE	S	Soil	GW	Ground Water	SW	Surface Water	WW	Waste Water	X	Other: Specify	<input type="checkbox"/>	Level 2		
Project Name/ Number: <u>23001494-01 / FCA - Stellantis Project</u>																		<input checked="" type="checkbox"/>	Air	<input type="checkbox"/>	Level 3
Email distribution list: <u>bmodi@nthconsultants.com</u>																		<input type="checkbox"/>	Oil	<input type="checkbox"/>	Level 4
Quote# <u>1392</u>																		<input type="checkbox"/>	P Wipe	<input type="checkbox"/>	EDD
Purchase Order#				Remarks: 1. Sampling times are on the canisters 2. IP & FP are recorded on field cards affixed to the canisters. Received By Lab MAR 15 2023 Initials: <u>PG</u>																	
Date	Time	Sample #	Client Sample Descriptor																		
<u>3/14</u>		<u>A-13</u>	[REDACTED]																		
<u>3/14</u>		<u>A-23</u>	[REDACTED]																		
<u>3/14</u>		<u>A-33</u>	[REDACTED]																		
Comments:																					
Sampled/Relinquished By: <u>[Signature]</u>				Date/ Time	Received By: <u>[Signature]</u>										3-15-23 11:50						
Relinquished By: <u>[Signature]</u>				Date/ Time	Received By: <u>[Signature]</u>										3-15-23 14:00						
Relinquished By: <u>[Signature]</u>				Date/ Time	Received By Laboratory: <u>[Signature]</u>																
Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY <input type="checkbox"/> 1 bus. day <input type="checkbox"/> 2 bus. days <input type="checkbox"/> 3 bus. days <input type="checkbox"/> 4 bus. days <input checked="" type="checkbox"/> 5-7 bus. days (standard) Other (specify time/date requirement): _____												LAB USE ONLY Fibertec project number: <u>A14009</u> Temperature upon receipt at Lab: <u>Room Temp</u>									
Please see back for terms and conditions																					