# DHDC 22-7658

#### APPROVAL DOCUMENT - POST AT WORK LOCATION

CITY OF DETROIT HISTORIC DISTRICT COMMISSION 2 WOODWARD, SUITE 808 DETROIT, MICHIGAN 48226

3/15/22

#### **CERTIFICATE OF APPROPRIATENESS**

Kevin Kendrick 1925 Chicago St. Detroit, MI 48206

RE: Application Number 22-7658; 1925 Chicago; Boston-Edison Historic District

Dear Applicant,

At the Regular Meeting that was held on March 9, 2022, the Detroit Historic District Commission ("DHDC") reviewed the above-referenced application. Pursuant to Section 5(1) of the Michigan Local Historic District Act, as amended, being MCL 399.205 (1) and Sections 21-2-73/21-2-78 of the 2019 Detroit City Code; the DHDC hereby issues a Certificate of Appropriateness ("COA") for the following work, effective on March 15, 2022, as it meets the Secretary of Interior's Standards for Rehabilitation and the district's Elements of Design:

The proposed 22'x 20' detached garage with new concrete footing/floor slab.

The Certificate of Appropriateness is issued with the following conditions:

- Applicant shall replace the vinyl siding, vinyl soffits, aluminum trim and vinyl window with a historically compatible material approvable by staff.
- Applicant shall exchange the color white for windows, siding, soffits, trim and gutter with off-white or a color found in Color System D or E. This color choice shall be reviewed by staff.

Please retain this COA for your files and post it at the subject property until work is complete. It is important to note that approval by the DHDC does not waive the applicant's responsibility to comply with any other applicable ordinances or statutes. If you have any questions regarding the foregoing, please contact staff at 313-224-1762 or hdc@detroitmi.gov.

For the Commission:

V. Kiese

Daniel Rieden

**Detroit Historic District Commission** 

## HISTORIC DISTRICT COMMISSION PROJECT REVIEW REQUEST

City of Detroit - Planning & Development Department 2 Woodward Avenue, Suite 808 Detroit, Michigan 48226

Detroit, Michigan	48226	Date.
PROPERTY IN	NFORMATION	
ADDRESS: 19	25 CHICAGO AKA:	
HISTORIC DISTR	ICT: BOSTON EDISON	
SCOPE OF WORI	I IDOOR I ICHIMNEV I IDEC	
	New Construction Demolition Add	dition Other: DETACHED GARAGE
APPLICANT I	DENTIFICATION	
Property Ov Homeowne	er Contractor Business C	•
NAME: FRANK	CMASTROIANNI COMPANY NAME: ITA	ALY AMERICAN CONSTRUCTION
ADDRESS: 8401	1 N. TELEGRAPH RD CITY: DEARBORN HGTS	S <sub>STATE:</sub> MI ZIP: 48127
PHONE: (313) 2	278-7500 MOBILE:	EMAIL: PERMITS@IAC1954.COM
PROJECT REV	/IEW REQUEST CHECKLIST	
	e following documentation to your request:	
*PLEASE KEEP FIL	E SIZE OF ENTIRE SUBMISSION UNDER 30MB*	NOTE:
Complete	d Building Permit Application (highlighted portio	ns only) Based on the scope of work, additional documentation may
A / I	ermit Number (only applicable if you've already app s through ePLANS) BLD2021-07422	lied be required.
	ohs of ALL sides of existing building or site	See www.detroitmi.gov/hdc for scope-specific requirements.
Detailed p (photograp	ohotographs of location of proposed work phs to show existing condition(s), design, color, & material)	
Descriptio	on of existing conditions (including materials and c	design)
Description replacement	on of project (if replacing any existing material(s), inclentrather than repairof existing and/or construction of	
Detailed s	cope of work (formatted as bulleted list)	
Brochure/o	cut sheets for proposed replacement material(s) and	l/or product(s), as applicable

Upon receipt of this documentation, staff will review and inform you of the next steps toward obtaining your building permit from the Buildings, Safety Engineering and Environmental Department (BSEED) to perform the work.

Data: 1/10/22

#### **P2 - BUILDING PERMIT APPLICATION**

			• Da	<sub>ite:</sub> <u>1/10/22</u>
PROPERTY INFORMATION	J			
Address: 1925 CHICAGO		Floor:	Suite#:	Stories:
AKA:				
Parcel ID#(s):				
Current Legal Use of Property: _				
Are there any existing buildings o		_		No
PROJECT INFORMATION				
Permit Type: V New	Alteration Addition	on De	emolition $\square$	Correct Violation
Foundation Only Chang	_		_	Correct violation
Revision to Original Permit #:	<del></del> ·	_		n issued and is activ
Description of Work (Describe in				rissaea arra is aetiv
BUILD 22' X 20' DETACHED GARA				
		MBC use ch	ange No	MBC use chang
ncluded Improvements (Check	all applicable; these trade a	reas require s	eparate permit ap	plications)
HVAC/Mechanical Ele	ctrical Plumbing	Fire S	prinkler Systen	n Fire Alar
 Structure Type				
New Building Existing	Structure Tenant S	Space [	Garage/Acce	essory Building
Other: Size			_	
 Construction involves changes to	,	Yes	No	
e.g. interior demolition or construction	•			
Jse Group: Type	e of Construction (per cui	rrent MI Bldg	Code Table 601)_	
Estimated Cost of Construction	n \$		\$	
Structure Use	By Contractor	r	Ву	Department
Residential-Number of Units:	Office-Gross Floor Ar	ea	Industrial-Gro	oss Floor Area
Commercial-Gross Floor Area:	Institutional-Gross Flo	oor Area	Other-Gro	ss Floor Area
Proposed No. of Employees:	List materials to be stored	in the building	g:	
PLOT PLAN SHALL BE submitted	-			
must be correct and in detail). SH existing and proposed distances to				_
	For Building Departme	nt Use Onl	у	
ntake By:	Date:	Fees	Due:	DngBld? N
Permit Description:				<u> </u>
Current Legal Land Use:		Proposed U	se:	
Permit#:				
Zoning District:				
	No (attach zon			
Revised Cost (revised permit applications)	ations only) Old \$		New \$	
Structural:				
Zoning:				
Other:		 No		

P2 - BUILDING PERMIT

Page 1 of 2

IDENTIFICATION Property Owner/Hor	·	Property Ov	vner/Homeow	ner is Permit	Applicant
Name: KEVIN KENDR			pany Name:		
Address: 1925 CHICAG					IZip: 48206
Phone: (312) 533-5444			oile:		
Driver's License #:					
	Contractor is Permi				
Representative Name			ompany Name	e: ITALY AMER	ICAN CONSTRUCTIO
Address: 8401 N. TEL				'	
Phone: (313) 278-750	0 Mobile:		Email: <u>F</u>	PERMITS@IA	C1954.COM
City of Detroit License	e #: LIC2001-01717	7			
TENANT OR BUS	INESS OCCUPA	NT 🔲 T	enant is Permit	Applicant	
Name:	Phone: _		Email:		
ARCHITECT/ENG	INIEED/CONCLU	TABIT	Architect/Engin	neer/Consultan	t is Permit Applican
		<del></del>	_		• • •
Name:					
Addross.				State.	<u> ۲</u> ۱۲۰
I hereby certify that I a	Mobile:  NER AFFIDAVIT (0)  am the legal owner a	only required for r	Email: residential permit of the subject p	ts obtained by h	omeowner.) the work described
Phone:	Mobile:  NER AFFIDAVIT (Output the legal owner at a strong shall be completely of Detroit and take the installation/work	enly required for reand occupant of ted by me. I and the full responsive the full responsive the full responsive the rein descri	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne	property and the applicabode compliance ither hire nor	omeowner.) the work described le codes and ce, fees and sub-contract to any
HOMEOWN I hereby certify that I a on this permit applicat requirements of the Ci inspections related to other person, firm or c	Mobile:  MER AFFIDAVIT (Output the legal owner at a strong shall be completed ity of Detroit and take the installation/work corporation any portion	and occupant of ted by me. I a ke full respons k herein descri	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne k covered by t	property and the applicabode compliance ither hire nor his building p	omeowner.) the work described le codes and ce, fees and sub-contract to any ermit.
Phone:	Mobile: Mobile: MER AFFIDAVIT (Or arm the legal owner at a strong shall be completed ity of Detroit and take the installation/work corporation any port (Homeowner)	and occupant of the description of the work. I also some serious of the work. Signature:	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne k covered by t	property and the applicabode compliance ither hire nor his building p	omeowner.) the work described le codes and ce, fees and sub-contract to any ermit.  Date:
HOMEOWN I hereby certify that I a on this permit applicat requirements of the Ci inspections related to other person, firm or c Print Name:  Subscribed and sworn to	Mobile: Mobile: MER AFFIDAVIT (Or and the legal owner attion shall be completely of Detroit and take the installation/work corporation any port (Homeowner)  Obefore me this	enly required for reand occupant of the description of the world day of	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne k covered by t	property and the applicable compliance ither hire nor his building p	omeowner.) the work described le codes and ce, fees and sub-contract to any ermit.  Date: County, Michigar
HOMEOWN I hereby certify that I a on this permit applicat requirements of the Ci inspections related to other person, firm or c Print Name:  Subscribed and sworn to	Mobile: Mobile: MER AFFIDAVIT (Or arm the legal owner at a strong shall be completed ity of Detroit and take the installation/work corporation any port (Homeowner)	enly required for reand occupant of the description of the world day of	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne k covered by t	property and the applicable compliance ither hire nor his building p	omeowner.) the work described le codes and ce, fees and sub-contract to any ermit.  Date: County, Michigar
HOMEOWN I hereby certify that I a on this permit applicat requirements of the Ci inspections related to other person, firm or control of the Print Name:  Subscribed and sworn to the control of the cont	Mobile:  NER AFFIDAVIT (Out on the legal owner attion shall be completed ity of Detroit and take the installation/work corporation any port (Homeowner)  Out of the installation of the installation any port (Homeowner)  Out of the installation of the installation any port (Homeowner)  Out of the installation of the inst	enly required for reand occupant of the description of the world day of	Email:  residential permit of the subject p m familiar with ibility for all co bed. I shall ne k covered by t	property and the applicable compliance ither hire nor his building p	omeowner.) the work described le codes and ce, fees and sub-contract to any ermit.  Date: County, Michigar
HOMEOWN I hereby certify that I a on this permit applicat requirements of the Ci inspections related to other person, firm or c Print Name:  Subscribed and sworn to	Mobile:	and occupant of the detect by me. I and the detect by me. I and the detect by me. I and the detect by the detect by the owner owner(s) authors detect by the owner(s) authors detect by th	esidential permit of the subject permit of the subject permit ibility for all colored bed. I shall ne k covered by telepoon  20A  My Comm  SIGNATURE is true and colored agent. For each agent. For each agent. For each agent. For each agent and colorized agent. For each agent and colorized agent. For each agent agent. For each agent agent agent agent. For each agent agent agent agent agent. For each agent ag	property and the applicable compliance ither hire nor his building part of the property and the property and the property and I have permit will experience to the permit will be permit will experience to the permit will be permit w	omeowner.)  the work described le codes and ce, fees and sub-contract to any ermit.  Date: County, Michigans: eviewed all deed thereunder. I been authorized to conform to xpire when no
HOMEOWN I hereby certify that I a on this permit applicate requirements of the Ci inspections related to other person, firm or content Name:  Subscribed and sworn to Signature:  I hereby certify that the restrictions that may a certify that the proposito make this applicationall applicable laws and inspections are requested previous inspections.  Print Name: FRANK	Mobile:	and occupant of ted by me. I a see full responsive herein descrition of the work. Signature: day of	esidential permit of the subject of the reconstruction of the reconstruction of the reconstruction of the reconstruction of the subject	ts obtained by horoperty and the applicable compliance ither hire nor his building part of the compliance ither hire nor his building part of the complex of	omeowner.)  the work described le codes and ce, fees and sub-contract to any ermit.  Date: County, Michigans: eviewed all deed thereunder. I been authorized to conform to xpire when no
HOMEOWN I hereby certify that I a on this permit applicate requirements of the Ci inspections related to other person, firm or content Name:  Subscribed and sworn to Signature:  I hereby certify that the restrictions that may a certify that the proposito make this applicationall applicable laws and inspections are requested previous inspections.  Print Name: FRANK	Mobile:	and occupant of ted by me. I and ted by me. I and te full responsion of the work is application and amount of the owner(s) authors adjusted by the owner(s) and the owner(s) are adjusted by the owner(s) and the owner(s) and the owner(s) are adjusted by the owner(s) and the owner(s) and the owner(s) are adjusted by the owner(s) and the ow	Email:  residential permit of the subject permit of the subject permit of the subject permit of the subject permit of the subject. I shall nearly the subject permit of the reconstruction of the reco	property and the applicable compliance ither hire nor his building particle.  The applicable compliance ither hire nor his building particle.  The applicable compliance is a color of the application of t	omeowner.)  the work described le codes and see, fees and sub-contract to any ermit.  Date: County, Michigar s:  eviewed all deed thereunder. I been authorized to conform to appre when no noe or the date or the
HOMEOWN I hereby certify that I a on this permit applicate requirements of the Ci inspections related to other person, firm or content Name:  Subscribed and sworn to Signature:  I hereby certify that the restrictions that may a certify that the proposito make this applicationall applicable laws and inspections are requested previous inspections.  Print Name: FRANK  Driver's License #: M2	Mobile:	and occupant of ted by me. I a ke full responsion of the work ion of the work ion of the work ion and am led by the owner(s) authors of the owner(s) a	Email:  residential permit of the subject permit of the subject permit of the subject permit of the subject permit of the subject. I shall nearly the subject of the recommendation of the recommendation of the subject of the recommendation of the subject of the	property and the applicable compliance ither hire nor his building part of and I have responsibility the further I agreed and I have I	omeowner.)  the work described le codes and se, fees and sub-contract to any ermit.  Date: County, Michigan s:  eviewed all deed shereunder. I been authorized e to conform to expire when no nce or the date of Date:  Date: 1/10/22
HOMEOWN I hereby certify that I a on this permit applicate requirements of the Ci inspections related to other person, firm or content Name:  Subscribed and sworn to Signature:  I hereby certify that the restrictions that may a certify that the proposito make this applicationall applicable laws and inspections are requested previous inspections.  Print Name: FRANK	Mobile:	and occupant of ted by me. I a ke full responsion of the work is application and am led by the owner(s) authors diction. I am led within 180 and permits can be signature:  Signature:  Signature:  Application and am led by the owner(s) authors and am led within 180	Email:  residential permit of the subject permit of the subject permit of the subject permit of the subject permit of the subject. I shall nearly the subject of the reconstruction of the reconstruction of the reconstruction of the subject of the	property and the applicable compliance ither hire nor his building part of and I have responsibility the further I agreed and I have further I have	omeowner.)  the work described le codes and se, fees and sub-contract to any ermit.  Date: County, Michigan s:  eviewed all deed shereunder. I been authorized e to conform to expire when no nce or the date of Date:  Date: 1/10/22

Section 23a of the state construction code act of 1972, 1972PA230, MCL 125.1523A, prohibits a person from conspiring to circumvent the licensing requirements of this state relating to persons who are to perform work on a residential building or a residential structure. Visitors of Section 23a are subject to civil fines.

This application can also be completed online. Visit detroitmi.gov/bseed/elaps for more information.

Detroit Historic Commission 2 Woodward Ave. Suite 808 Detroit, MI. 48226

Project Review Request RE: 1925 Chicago

To whom it may concern,

Italy American Construction is applying for a permit to build a garage at 1925 Chicago in the Boston Edison Historic District. There is currently no garage on the property, so we plan to remove the broken concrete and old ratwalls, install new concrete and ratwalls, then build a 22' x 20' garage. Since the house already has vinyl siding, we are proposing to use vinyl siding on the garage. We have provided pictures showing the vinyl siding on the home. The siding we plan on using will match what is on the home in color and style.

#### **SCOPE OF WORK:**

- Remove broken concrete and old ratwalls.
- Install new concrete for driveway apron area.
- Install new 22' x 20' concrete garage floor with 8" x 24" foundation beneath. Install re-rod in the ratwalls.
- Install two courses of 6" x 16" x 8" block around perimeter of garage floor. Leave block 5" from front wall.
- Build new 22' x 20' detached wood frame garage. 2'-0" front overhang. Hip roof style with 6 / 12 pitch.
- Install new 16' x 8' short panel O.H. door White.
- Install ½ H.P. garage door opener with (2) remotes.
- Install 36" x 80" pre-hung 6 panel steel service door with lockset and deadbolt.
- Install one 36" x 36" vinyl slider window single pane White.

#### **MATERIALS**

Roofing:

Asphalt shingles: GAF Timberline – Dimensional, Color: Weatherwood -or- Comparable to match home

Drip Edge – Color: White (2) #750 Roof Vents

Siding:

Vinyl Siding – Certainteed Encore - Double 4" or 5" - Color: White

Perf. Vinyl Soffit – Color: White Aluminum Trim – Color: White

Aluminum gutters 5" with Leaf Releaf – Color: White

Garage Door:

Amaar - 16' x 8' Short Panel (1000 Series) Non-Insulated in Color: White - or- Comparable



ITALY AMERICAN CONSTRUCTION CO., INC.

PONE

LIKELY

7-71

TG 2107

8401 N. Telegraph Dearborn Heights, MI 48127 (313) 278-7500

(313) 278-7501 Fax

RESIDENTIAL & COMMERCIAL COMPLETE MODERNIZATION & CUSTOM GARAGE BUILDERS

SPECIFICATIONS AND CONTRACT

140 W. Highland Rd. Highland, MI 48357 1-877-98-ITALY LICENSED, BONDED & INSURED STATE LICENSE NO. 48313

1-8//-98-ITALY TOII-Free	Date Lot No
www.italyamerican.com	Home Phone 533 — 5444 Lot Size
Name MR. KEVIN KONDRICK	W.C. Alt. PhoneSub
Address 1925 CHICAGO BLVD,	Side of Street AST Liber.
City DETROIT COUNTY WAY NE	
Directions W. CLAIR MOUNT + S. W. MOO	
This Agreement made this 3RD day of NoV , 2021	
of 1925 CHICAGO RUD, hereinafter called	d Owner, and Italy American Construction Co., Inc. of 8401 N. Telegraph Rd.,
Dearborn Heights, MI 48127, or 140 W. Highland Rd., Highland, MI 48357, herein	after called Contractor. Owner and Contractor for the considerations hereinafter
named agree as follows: Unless otherwise specified herein the Contractor shall	
PATUAUS, PODS IN RATIDAUS (2	+ IN TOUT IN FORM PO L'INIC'IS
BLOCK, DANTROOF EXT, DEGAVE BLO	
	ALUM, ZPIM, GUTTERS WITH CEAF PEL
CONCRETE / MASONRY / SITE PREP	STRUCTURAL SPECIFICATIONS
*Removing thicker and/or reinforced concrete	Size 22 × 20 Style <u>H1P</u>
is an additional cost to contract price*	Front O.H. Z - Roof Pitch
Miss Dig NO 6" Flatwork Nominal NO Demo NO Base COMPACTED GRUCH	Studs 8 - 16 O.C. Roof Sheathing 7 / 6 Wall Sheathing 7 / 6 Firewall
Concrete Breakout PACTOF FrancRatwall & VZ4	Roof Sheathing 7/16 Firewall Firewall Fouse Wrap 465 / Top Plate(s) DOBGE
Asphalt Removal South Footing No	Treated Bottom Plate 465 (6" X 1"Cornice) DPEN 1"Son
Sod/Dirt Removal V Fr Build-up NO	Metal Wind Braces 455 Triple Corner Stude 455
Garage Floor A Block Work	Truss NO Rafters Z W 4 Collar Ties YES
Driveway/Apron/Patio/Approach Wire/Fiber Mesh Hook ON MICE Pin to existing No	Pross Ties 5-2'KG! Hangers YES H Ties YES
**Re-Rod Pin to existing North Pin to exist	Overhead Door Size // X 8 SHORT ONE 45' Corners
4" Flatwork Nominal Conduit Conduit Is In Floor S	Overhead Door Style SHORT PARE Color
6 Bag Mix Nominal NO Bolts 6 OC + 1 N COLNERS	Door Opener & Accessories /2 OPEN CA 2 HTS
ELECTRICAL SPECIFICATIONS	Service Door w/Lockset 36" (6 PANE) Deadbolt 465
*If existing electrical service does not meet code, any extra	Window Size & Type 1 - 356 3 " WHITE SUPER SINGE
New Service Existing Service	ROOFING SPECIFICATIONS
	Color Clean-up 45
Move Meter Interior Wall Outlets 3 Interior Lights Single Switches 3 Way 10000000000000000000000000000000	Type Terrensionals Ice Guard NO
Interior Lights Z Single Switches Z 3 Way VO Coach Lights Flood Lights N Exterior G.F.I.	Felt POOF DECK Vents Z-POOF #750
Door Opener Outlet / Elec. Trench Filled NO	Drip Edge Color NHTE
SIDING SPECIFICATIONS	SPECIAL NOTES
	INSTALL (2) CORPSE OF 4" BLACK
Trim ALUM. Color WHOE	AROUND BARY + & SIDES, LEAVE 5" FROM
Soffit La 14176 Perf B Color NYL	FRONT @ SEE SKETCH.
Gutters 5 WAH LEAR PRIGHT COLOR WHITE	
Posts No Railings No	
PAYMENT: I/We, the Owner(s) MR. KEVIN KENDRIC	A shall pay the Contractor for the performance
of the Agreement, subject to additions and deductions provided therein as follow	
DOWN SIGN (MA	(CED IN)
CONCI	
upon substantial completion of	the work
**NOTE: Contract price pending City plan review and approval. Any change	
THE AGREEMENT: This Agreement constitutes the entire understanding and agreement	
collateral or otherwise, shall be binding unless in writing and signed by both of the	ne parties. Unless work and materials therefor are specified herein, the same is
excluded and Contractor is not to perform or provide same. Contractor is not bou	nd by any oral expression or representation by its agents purporting to act on its
behalf, or by any commitment or arrangement not specified in this Agreement. A	Il prior discussions, quotations and negotiations are merged on this Agreement.
OWNER'S RIGHT TO CANCEL: IF THIS AGREEMENT WAS SOLICITED AT	YOUR RESIDENCE AND YOU DO NOT WANT THE GOODS OR SERVICES,
YOU MAY CANCEL THIS AGREEMENT BY MAILING A NOTICE TO THE CONT	
OR SERVICES AND MUST BE MAILED BEFORE MIDNIGHT ON THE THIRD BE MAILED TO: ITALY AMERICAN CONSTRUCTION CO., INC., 8401 N. TELI	

an amount equal to its loss of profits forthwith as damages which the parties agree is fair and reasonable compensation, plus any costs actually expended by Contractor in connection with this Agreement.

CONTRACT BECOMES EFFECTIVE: This Agreement shall become binding and effective either: (a) When actual performance of work has been commenced: or (b) When this Agreement has been accepted by the Contractor at its office by a duly authorized officer. Contractor will deliver its acceptance to Owner or send notice of acceptance to Owner by regular mail. However actual receipt of such notice is waived by Owner.

OWNER'S ACKNOWLEDGEMENTS: Owner hereby acknowledges receipt of a duly executed duplicate copy of this Agreement at the time of its execution with all the blank spaces filled in to the extent applicable to this project.


By the execution of this Agreement on the day and year first above written Owner acknowledges that he has read this Agreement, including specifications and drawings, if any, included herein, before signing and hereby further acknowledges that he understands all covenants and conditions herein.


THE TERMS AND CONDITIONS ON THE REVERSE SIDE AND ALL SUBSEQUENT PAGES, INCLUDING ANY ATTACHED DRAWINGS, AND THEIR REVERSE CONSTITUTE A PART OF THIS AGREEMENT AND ARE SPECIFICALLY INCORPORATED HEREIN BY REFERENCE

ACCEPTED (date) //-3-2/ 20		
ITALY AMERICAN CONSTRUCTION CO., INC.	1 .	
By Thomas Machan	X E	
Representative	Purchaser	
CONT MASCROLANNI		

Contractor

Co-Purchaser





TYP. SECTION

SCALE: NOT TO SCALE

### CONTRACT NOTES

- · INSTALL NEW CONCRETE FOR DRIVEWAY APRON AREA AS SHOWN. INSTALL NEW 22' X 20' CONCRETE GARAGE FLOOR
- W / 8" X 24" FOUNDATION BENEATH. INSTALL RE-ROD IN THE RATWALLS · INSTALL 2 COURSES OF 6"  $\times$  16"  $\times$  8" BLOCK AROUND PERIMETER OF GARAGE FLOOR. LEAVE BLOCK 5" FROM FRONT WALL
- · BUILD NEW 22' X 20' DETACHED WOOD FRAME GARAGE

GENERAL NOTES

THESE PLANS ARE PROTECTED BY COPYRIGHT AND ARE NOT TO BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF THE AUTHOR

APPLICABLE BUILDING CODES ARE AS FOLLOWS
-MICHIGAN RESIDENTIAL BUILDING CODE 2015

PRIOR TO THE START OF CONSTRUCTION, THE LICENSED CONTRACTOR SHALL OBTAIN ALL NECESSARY

CONSIDERED A PART OF THE SPECIFICATIONS OF THE BUILDING AND SHOULD BE ADHERED TO EVEN IF THEY

ANY CHANGES REQUESTED TO PLANS PRIOR TO

CONSTRUCTION MUST BE REPORTED IN THE FASHION DICTATED BY THE AUTHOR OF THIS DOCUMENT AND

APPROVAL OF THESE PLANS BY THE REQUIRED MUNICIPAL REVIEWER SIGNIFIES A THOROUGH REVIEW AND ADHERENCE TO THE REQUIRED INSPECTION SCHEDULE BY THE CONTRACTOR LIMITS THE INDEMNITY

GENERAL SITE NOTES

IT SHALL BE THE RESPONSIBILITY OF THE PERMIT HOLDER TO LOCATE ALL TREES AND VERIFY ALL EXISTING GRADE LEVELS

IT SHALL BE THE RESPONSIBILITY OF THE PERMIT

GENERAL CONTRACTOR OR PERMIT HOLDER WILL

HOLDER TO LOCATE ALL SITE UTILITIES PRIOR TO OR

VERIFY ALL SITE MEASUREMENTS PRIOR TO SITE (1) SOIL EROSION AND (2) STORM WATER RUN OFF DURING CONSTRUCTION

WHEN POSSIBLE, IT SHALL BE COMMON PRACTICE TO LOCATE BUILDING SERVICE MODULES (SUCH AS

METERS, CLEAN OUTS, VENT STACK, ETC, ) OUT OF DIRECT LINE OF SITE FROM THE STREET


DURING CONSTRUCTION AND THE HOMEOWNER SHALL BE RESPONSIBLE FOR EXISTING AND FUTURE

ARE IN CONFLICT WITH THIS DOCUMENT

OF THE MUNICIPALITY

SPRINKLER HEADS

- 2'-0" FRONT O.H. HIP ROOF STYLE. 6 / 12 PITCH · INSTALL NEW 16' X 8' SHORT PANEL O.H. DOOR - WHITE
- · INSTALL & H.P. GARAGE DOOR OPENER W/ (2) REMOTES
- · INSTALL 36" x 80" PRE-HUNG 6 PANEL STEEL SERVICE DOOR
- W / LOCKSET & DEADBOLT
- · INSTALL (1) 36" x 36" VINYL SLIDER WINDOW (SINGLE PANE) WHITE
- · ROOFING: ASPHALT SHINGLES- DIMENSIONAL COLOR: T.B.D , DRIP EDGE - COLOR: WHITE (2) #750 ROOF VENTS
- · SIDING / TRIM: VINYL SIDING DOUBLE 4" OR 5" COLOR: WHITE PERF. VINYL SOFFIT - COLOR: WHITE ALUMINUM TRIM - COLOR: WHITE ALUMINUM GUTTERS 5" W/ LEAF RELEAF - COLOR: WHITE
- · ELECTRICAL: OFF EXISTING SERVICE. INSTALL (1) GARAGE DOOR OPENER OUTLET, (2) INTERIOR LIGHTS, (1) EXTERIOR G.F.I. OUTLET, (3) INTERIOR WALL OUTLETS, (2) INTERIOR SWITCHES, (2) EXTERIOR COACH LIGHTS (OWNER PROVIDED), OWNER TO FILL ELECTRICAL TRENCH.



SIDE ELEVATION SCALE: 1/4" = 1'-0"





DRAWING PAGES WILL BE SCALED ON EITHER, (24" X 36")
OR (11" X 17") PAPER AND PRESERVE PROPER FORMATTING \$ DOOR SIZES ARE INDICATED IN DRAWINGS NOMINALLY AND IT

WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO PROVIDE ROUGH OPENINGS BASED ON THE DOOR

BRACE ALL EXTERIOR CORNERS OF STUD WALLS WITH METAL STRAP BRACING LET INTO STUDS ON 45 DEGREE DIAGONALS FROM PLATE TO PLATE

ALL RAFTER TAILS TO RECEIVE GALV. HURRICANE STRAPS AT WALL TOP PLATES TO PREVENT WIND UPLIFT



FROST DEPTH IS ASSUMED TO BE 42" BELOW GRADE COMPRESSIVE STRENGTH OF CONCRETE TO MEET OR EXCEED THE REG'S OF MRC TABLE R402.2 UNDER THE CATEGORY OF SEVERE POTENTIAL FOR WEATHERING FOOTINGS SHALL REST ON UNDISTURBED SOIL AND GENERAL CONTRACTOR SHALL VERIFY SOIL IS FREE OF LOOSE DEBRIS AND WATER PRIOR TO POURING OF

CONTRACTOR TO BE AWARE OF EXISTING FOUNDATIONS AND PREVENT AGAINST OVER EXCAVATION BELOW EXISTING FDTN. BEARING LINE

PER MRC R506.23 A 6 MIL THICK VAPOR RETARDER (OR BETTER) WITH MIN. 6" JOINT LAPPING SHALL BE PLACED BETWEEN THE CONCRETE FLOOR SLAB AND BASE WHERE

QUALITY BUILDING & REMODELING ITALY **AMERICAN** CONSTRUCTION 1-877-98-ITALY **FAMILY OWNED SINCE 1954** 

> $\triangleleft M$ (ŤO  $\mathcal{N} \triangleleft$  $G \coprod$  $G \vdash$  $O \overline{O}$

SHEET INDEX DESCRIPTION

GENERAL NOTES SITE SURVEY GARAGE FLOOR PLAN SECTION ELEVATIONS

SET ISSUE DATES ISSUE: DATE:

APPLY FOR PERMIT

12/01/21

SHEET NOTES REF: NOTES: DRAWN BY: RM

CHECKED BY:

SHEET No.

PAGE 1 OF 1

PROJECT No.

DATE CREATED: 12/01/21


16' WIDE ALLEY PROPÔSED GARAGE ' EXISTING CONCRETE EXISTING

CHICAGO BLVD.

SITE PLAN

SCALE: 1/16" = 1'-0"

134' X 55' = 7370 SQFT TOTAL STRUCTURES: 1535.95 SQFT IMPERVIOUS SURFACES: 2454.45 SQFT



FRONT ELEVATION SCALE: 1/4'' = 1'-0''



## America's #1-selling shingle just got better!

The same shingle you know and love, now with LayerLock™ Technology which powers the industry's widest nailing area.



#### Timberline® HDZ™ Shingles

#### Benefits:

- LayerLock<sup>™</sup> Technology Proprietary technology mechanically fuses the common bond between overlapping shingle layers.
- Up to 99.9% nailing accuracy The StrikeZone™ nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test.1
- WindProven™ Limited Wind Warranty - When installed with the required combination of GAF Accessories, Timberline® HDZ® Shingles are eligible for an industry first: a wind warranty with no maximum wind speed limitation.2
- Our legendary Dura Grip™ sealant pairs with the smooth microgranule surface of the StrikeZone™ nailing area for fast tack. Then, an asphalt-toasphalt monolithic bond cures for

Colors & Availability:

- durability, strength, and exceptional wind uplift performance.
- StainGuard® Algae Protection Helps protect the beauty of your roof against unsightly blue-green algae discoloration.3
- High Performance Designed with Advanced Protection® Shingle Technology.
- Seamless compatibility The new Timberline® HDZ™ Shingles are compatible with traditional Timberline HD® Shingles for the same look and feel homeowners and contractors rely on for beauty and endurance.4
- Perfect Finishing Touch For the best look, use TimberTex® Premium Ridge Cap Shingles or TimberCrest™ Premium SBS-Modified Ridge Cap Shingles.

Hunter Green

Charcoal

#### Product details:

#### Product/System Specifics

- Fiberglass asphalt construction
   Dimensions (approx.): 13 ½ x 39 ½; (337 x 1.000 mm)
- Exposure: 5 1/4" (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard® Algae Protection<sup>2</sup>
- Hip/Ridge: TimberTex\*; TimberCrest\*;
   Seal-A-Ridge\*; Z\*Ridge; Ridglass\*
- Starter: Pro-Start®; QuickStart® WeatherBlocker1

#### Applicable Standards & Protocols:

- UL Listed to ANSI/UL 790 Class A
- State of Florida approved
- Classified by UL in accordance with ICC-ES AC438 Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
   Meets ASTM D34625
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets Texas Department of Insurance Requirements

  ENERGY STAR® Certified (White Only)
- (U.S. Only); Rated by the CRRC; Can be used to comply with Title 24 cool roof requirements
- Results based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD\*\*
  Shingles to Timberline\* HDZ\*\* Shingles on a 16-square roal deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.
- 15-year WindProven\* limited wind warranty on Timberline® HDZ\* Shingles requires the use of GAF storler strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See GAF Rooting System Limited Warranty for complete coverage and restrictions. Visit gal.com/LRS for qualifying GAF products.
- StainGuard® algae protection is available only on shingles sold in packages bearing the StairGuard\* lagar. Products with StairGuard\* algoe protection are covered by a 10-year limited warranty against blue-green algoe discoloration. See GAF Shingle & Accessory Limited. Warranty for complete coverage and restrictions.
- \* To be mixed an one root, Timberline" HD2" Shingles and Timberline HD4 Shingles must have matching 6-digit codes found on the end of the bundle. When mixed, always use Timbertine HD® installation instructions
- Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.
- Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other awners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires use of GAF Lifetime stringles only. See GAF Shingle & Accessory Limited Warronly for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires use of any GAF Lifetime Shingle and any 3 qualifying GAF accessories. See GAF Rooting System Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several














#### **BUILD YOUR DOOR**

- Make selections in order shown Design, Window, Color and Construction.
- Available options may vary based on design, color and construction selections.
- Once all selections are complete save your door design to your favorites to share with others.





#### DOOR SUMMARY


**Door Design:** Short Panel **Windows:** Short Panel **Color:** True White

Construction\*: Stratford ST1000

Decorative Hardware: Amarr

Lock





1 of 11 2/18/2022, 12:20 PM

help.

> See more product details

service after proper installation. Please feel free to contact us for the support if you need any technical

#### Weather-resistant design

This outdoor wall light is suitable for any weather conditions.

#### Easy installation

Easy installation with all mounting hardware, and the open bottom ensures that you can screw any types of E26 light bulbs (60W Max) you like.

#### High quality material

The modern outdoor porch light fixture will keep its stylish looking for years.











	Outdoor Wall Lantern with LED Bulb	Outdoor Wall Light Fixture with Dusk to Dawn Photocell	Outdoor Wall Lantern with LED Bulb	Outdoor Wall Lantern with LED Bulb	Dusk to Dawn Sensor Outdoor Wall Sconce
Wattage	5.5W	5.5W	5.5W	5.5W	5.5W
Color	2700K	2700K	2700K	2700K	2700K
Lumens	500lm	500lm	500lm	500lm	500lm

#### Compare with similar items

This item hykolity Large Size Dusk to Dawn Outdoor Wall Lanterns, Matte Black Porch Lights, Exterior Wall Lighting, Anti-Rust Architectural Outdoor Sconces, ETL Listed, 2 Pack LIT-PaTH Dusk to Dawn Outdoor Wall Lantern, Wall Sconce as Porch Lighting Fixture with E26 Base Max 60W, Aluminum Housing with Glass Shade, 1-Pack (Black, Dusk to Dawn)

Hykolity Outdoor Wall Lantern Exterior Wall Light, Matte Black Wall Sconce Lighting Fixture, Architectural Porch Light with Clear Glass Shade ETL Listed for Entryway, Front Door

Globe Electric 44176 Bowery 1-Light Outdoor Indoor Wall Sconce, Matte Black, Clear Glass Shade

	Add to Cart	Add to Cart	Add to Cart	Add to Cart
Customer Rating	(1578)	(41)	(1768)	(2371)
Price	\$109 <sup>99</sup>	\$36 <sup>99</sup>	\$ <b>79</b> <sup>99</sup>	\$60 <sup>79</sup>
Shipping	FREE Shipping. Details	FREE Shipping. Details	FREE Shipping. Details	FREE Shipping. Details
Sold By	Hykolity	LIT-PaTH	Hykolity	Amazon.com
Color	Black	Black	Black	Matte Black
Finish Type	matte	Painted	matte	Matte
Light Source	LED	LED/CFL	LED	LED
Material	Metal, Glass	Aluminum, Glass	Metal, Glass	Metal, Metal, Glass
Voltage	120.00 volts	120.00 volts	120.00 volts	120 volts

4 of 11 2/18/2022, 12:20 PM

#### **Product information**

#### **Technical Details**

Manufacturer	Hykolity
Item Weight	16.42 pounds
Package Dimensions	21.5 x 16.05 x 10 inches
Item model number	HY-WL-D2D27KL
Size	17.8x6x7.8 IN
Color	Black
Style	Traditional
Finish	Matte
Material	Glass, Metal
Shape	Flame
Power Source	Corded-electric
Voltage	120 Volts
Wattage	5.50
Type of Bulb	LED
Mounting Type	Wall Mount
Special Features	Dusk to dawn, auto on/off
Batteries Required?	No

#### Additional Information

ASIN	B081171X9H	
Customer Reviews	1,578 ratings 4.8 out of 5 stars	
Best Sellers Rank	#14,180 in Tools & Home Improvement (See Top 100 in Tools & Home Improvement) #39 in Patio Wall Light Fixture	
Date First Available	November 4, 2019	
Warranty & Support		
Product Warranty: For warranty information about this product, please click here		


#### Feedback

0:15


Would you like to tell us about a lower price?

#### **Videos**

#### Videos for this product



#### Videos for related products



#### **Important information**

**Color Temperature** 

2700 Kelvin

**Bulb Voltage** 

120 volts

5 of 11 2/18/2022, 12:20 PM

Press Center
Investor Relations
Amazon Devices
Amazon Science
Start a package delivery business
Advertise Your Products
Self-Publish with Us
Host an Amazon Hub
See More Ways to Make Money

Amazon Business Line of Credit Policies

Shop with Points Amazon Prime

Credit Card Marketplace Returns & Replacements

Reload Your Balance Manage Your Content and Devices

Amazon Assistant Help

English

United States

AbeBooks Amazon Music Amazon Amazon ACX 6pm Alexa Audiobook Publishing Made Easy Stream millions of songs Advertising Find, attract, Drive Cloud Score deals on fashion Actionable Analytics for the Web Books, art collectibles and engage customers storage from Amazon Amazon Ignite Sell your original Digital Educational Resources Amazon Web Services Sell on Amazon Amazon Amazon AmazonGlobal Home Ship Orders Internationally Scalable Cloud Computing Services Start a Selling Account Business Fresh Services Everything For Your Business Groceries & More Right To Your Door Experienced Pros Happiness Guarantee ComiXology Thousands of Digital Comics Box Office Audible Book DPReview Fabric Goodreads Sewing, Quilting & Knitting Listen to Books & Original Depository Books With Free Mojo Find Movie Box Office Digital Photography Book reviews Audio Performances & recommendations Delivery Worldwide Data IMDb IMDbPro Kindle Prime Amazon Warehouse Amazon Shopbop Direct
Publishing
Indie Digital
& Print
Publishing
Made Easy Movies, TV & Celebrities Get Info Entertainment Professionals Need Photos Unlimited Photo Video Designer Fashion Brands Great Deals on Quality Used Products Direct Video Distribution Made Easy Storage Free With Prime eero WiFi Stream 4K Video in Every Whole Foods Market Woot! Ring Smart Home Security Systems Blink Smart Security for Every Home Neighbors App Real-Time Crime & Safety Alerts Zappos America's Healthiest Deals and Shoes & Clothing Grocery Store Shenanigans Room PillPack Pharmacy Simplified Amazon Amazon Renewed Like-new products Subscription Boxes Top subscription boxes – right to your door you can trust

Conditions of Use Privacy Notice Interest-Based Ads © 1996-2022, Amazon.com, Inc. or its affiliates

11 of 11 2/18/2022, 12:20 PM