

Historic District Commission  
City of Detroit - Planning & Development Department  
2 Woodward Avenue, Suite 808  
Detroit, Michigan 48226

Historic District Commission: Project Review Request

ePLANS Permit Number: BLD2020-01494

Italy American Construction is planning on doing some work at 14801 Penrod. We are planning on repairing the front and back porches of the house. The front porch is a 15' x 8' brick porch. We will be removing and rebricking the front porch with the same brick or matching brick if needed. Once this is done, the brick will be acid washed. The back porch is a 5' x 5' wood porch. The wood is deteriorating and needs to be replaced with the same kind of wood. Listed below is the full description of the project.

- Remove brick on front porch and rebrick exterior of front porch with same or matching brick.
- Clean brick with acid wash when done.
- Rebuild 5' x 5' wood back porch.
- Replace decking, treads and risers.
- Replace step.
- Install non-white insulated enclosure at back porch.
- Install 36" self storing storm door.
- Adjacent wall to have sliding glass window and screen.

Please see the pictures below for existing conditions.

Thank you,  
Deanna Fries  
Italy American Construction  
8401 N. Telegraph rd.  
Dearborn Hgts, MI. 48127  
(313) 278-7500 - Office  
(313) 278-7501 - Fax  
permits@iac1954.com







