Existing Conditions:

Our existing fence includes a 6ft tall wooden fence at the rear of the property, and 4' chain link fence along both sides of the property. There is a small section on the west side of the property that includes 6' chain link fencing. Currently no gate on the driveway.

West side:



West side chain link tall section:



East side:



Driveway:



Scope of Work:

- Replace existing chain link with wooden fence, matching the existing fence at the rear.
- Install new Aluminum gate across the driveway
 - 6' tall at posts
 - 7' tall at middle of arch
 - \circ 11' Wide
 - Pickets 3/4" x 3/4"
- Install electric openers for the gate

Proposed material for new fence:



Proposed gate specifications, will be commercial grade.

| rizontal Rails | 2" × 2" × 060 Wal 2" × 2" × 080 Wal 2" × 2" × 125 Wal | 2" x 2" x 060 Walf 2" x 2" x 080 Walf | Commercial 2" x 2" x .060 Walf" | Industrial/Heavy Ind. 2-1/2" x 2-1/2" x 275 or 100 Web |
|----------------|---|--|---|---|
| | 2" x 2" x .125 Wall | 2" x 2" x .080 Wall | | |
| | | | 2" x 2" x 080 Wall | 3"x 3" x 125 Well |
| | | 2" x 2" x .125 Wall | 2" × 2" × 125 Wol | 4" x 4" x .125 or .250 Wal |
| | 2-1/2" x 2-1/2" x 075 or 100 Wall | 2-1/2 x 2-1/2 x 075 or ,100 Wal | 2-1/2" x 2-1/2" x 075 or 100 Wal | 6" x 6" x .125 or .250 Wall |
| | 1-1/8" x 1" | 1-1/8" x 1" for Residential 1-3/8" x 1-1/4" for Commercial | 1-178" x 1-3/4" | 1-5/8" x 1-5/8" |
| closed B-ottom | N/A | N/A | N/A | Heavy Industrial Only |
| ie Walls | .082 | /082 | .082 | .100 |
| p Walls | .062 | .062 | .062 | .070 |
| ckets | 5/8" x 5/8" x 050 Wat or 5/8" x 3/4" x 050 Wat or 5/8" x 1" x 050 Wat | 5/8*x 5/8* x 050 Wall or 5/8*x 5/4* x 050 Wall or 5/8*x 1*x 050 Wall or 5/8*x 1*x 050 Wall for Residential 3/4*x 3/4* x 050 Wall or 8/4*x 1*x 052 Wall for Coenneccel | 3/4" x 3/4" x 050 Wall or 3/4" x 1" x 062 Wall | 1" x 1" x 062 Wal |
| icket Spacing | 3-13/16" or 1-5/8" | 3-13/16" or 1-6/8" for Residential 3-3/4" or 1-1/2" for Commercial | 3-3/4" or 1-1/2" | 3-3/4" or 1-3/8" |
| | 9 | Picket Spacing Available in Most G | Index and Styles, Please Call for D | while. |
| feights | 3.31/2.4.41/2.5.86 Feet | 3.3 1/2.4.4 1/2.5.4.6 Feet | 3.3 1/2.4.4 1/2.5.4.5 Feet | 3.3 1/2.4.5.6.7.8 & 10 Feet |
| Panel Length | 6 | 5' for Residential 6' or 7' 6" for Commercial | 5 or 7 5* | 65'08 |
| Reidental | Arabath Savies ** Reference (Pener Per | dig) | | Reavy Industrial Re Exposed Stores |
| EFS-10 | EFS-15 EFF | | | EFS-55 LifeGard |
| | America | | merical | n'" 📕 |
| ectored by: | ucts, Inc. | POWDER | | $\langle \cdot, \cdot \rangle$ |

Proposed Gate Design:

