


XT™ 25 Shingles

PRODUCT INFORMATION

CertainTeed offers a variety of three-tab shingle products that combine exceptional durability with flexibility for better resistance to blow-off. In addition to their suitability for residential applications, these products are ideal for commercial applications. Available in "English" dimensions only – 12" x 36.



XT™ 25 Algae-Resistant (AR) shingles are algae-resistant and help protect against dark or black discoloration, sometimes called staining or streaking, caused by blue-green algae.

Colors: Please refer to the product brochure or CertainTeed website for the colors available in your region.

Limitations: Use on roofs with slopes greater than 2" per foot. Low slope applications (2:12 to < 4:12) require additional underlayment. In areas where icing along the eaves can cause a backup of water, apply CertainTeed WinterGuard® Waterproofing Shingle Underlayment, or its equivalent, according to application instructions provided with the product and on the shingle package.

On slopes greater than 21" per foot, apply a spot of roofing cement under each shingle tab corner according to application instructions provided on the shingle package.

Product Composition: These shingles are composed of a fiber glass mat base. Ceramic-coated mineral granules are tightly embedded in carefully refined, water-resistant asphalt. These shingles have self-sealing adhesive. These are 3-tab shingles.

Applicable Standards:

ASTM D3018 Type I

ASTM D3462

ASTM E108 Class A Fire Resistance

ASTM D3161 Class F Wind Resistance

ASTM D7158 Class H Wind Resistance

UL 790 Class A Fire Resistance

ICC-ES ESR-1389 and ESR-3537

Florida Product Approval # FL5444

Miami-Dade County Product Control Approved

(Product made in Oxford & Shreveport plants only)

Meets TDI Windstorm Requirements

| | XT 25 – English |
|--------------------------|------------------------|
| Weight/Square (approx.): | 190-203 |
| Dimensions (overall): | 12" x 36" |
| Shingles/Square: | 80 |
| Weather Exposure: | 5" |

INSTALLATION

Detailed installation instructions are supplied on each bundle of strip shingles and must be followed. Separate application sheets may also be obtained from CertainTeed.

Hips and Ridges: Use field shingles of a like color for capping hips and ridges.

MAINTENANCE

These shingles do not require maintenance when installed according to manufacturer's application instructions. However, to protect the investment, any roof should be routinely inspected at least once a year. Older roofs should be looked at more frequently.

WARRANTY

XT 25 AR carry a 25-year limited transferable warranty to the consumer against manufacturing defects when applied to stated CertainTeed application instructions for this product. These AR shingles carry a 10-year algae resistance warranty and 5-year SureStart protection. For specific warranty details and limitations, refer to the warranty itself (available from the local supplier, roofing contractor or on-line at www.certainteed.com).

TECHNICAL SUPPORT

Technical Service Department: 1-800-345-1145
e-mail: RPG.T.Services@saint-gobain.com

FOR MORE INFORMATION

Customer Experience Team: 800-233-8990
e-mail: gethelp@saint-gobain.com
Web site: www.certainteed.com


See us at our on-line specification writing tool, CertaSpec, at www.certainteed.com/certaspec



Pitch /

Span FT IN

Overhang FT IN



GAF® Official Site - GAF® MyRoof™ - High-Quality Roofing Systems

<https://myroof.gaf.com>

Find and Verify Affordable Roofing Contractors Near You To Ensure Your Roof is Done Right. With Over 100 Years of Experience & Expertise-GAF has the Solutions for Your Roofing Needs

Browse Shingles · Storm Damage Support · W...
Types: Repairs After A Storm, Storm Damage ...

Roofing estimate - Search Here - Latest Here

<https://findinfoquickly.com/Roofing estimat...>

Search For Roofing estimate With Us. Find Results

How to build a 24' roof truss? - Home Improvement Stack ...

Stack Exchange | 886 x 460 png


Visit site Pages Image sizes

Image may be subject to copyright.

Related content

- Network Topology
- Mesh
- Graph Theory
- Example: Transport Networks
- FAN

Visual Search Save Share More



Feedback

Related search

DIY Roof Tr

Making f Trusse



Search

in All Products


Go

Login (signin.aspx) My Account (account.aspx)

0 Item in cart \$0.00 **Begin Checkout (shoppingcart.aspx?)**

(/default.aspx)

Siding & Exterior Accents (/c-1546-siding-exterior-accents.aspx) > Siding (/c-389-siding.aspx) > Horizontal Siding (/c-2991-horizontal-siding.aspx) > Vinyl Siding (2 Square)



CertainTeed Monogram Horizontal Vinyl Siding (2 Square)

★★★★★ 3 Reviews - Available in 128 Options. Pricing may vary.

PLEASE NOTE: Once an order is placed, all special order only options on this product page are custom and cannot be cancelled, refunded, or returned for any reason.



This product qualifies for **FREE SHIPPING!**

Estimated Ship Date: Thu Aug 12 - Fri Aug 13

Select Your Options:

Choose Your Siding Style

Double 5in. Dutchlap

[Clear Selection](#)

Choose Your Siding Color

Pacific Blue

Choose Your Quantity

Single Box

Double 5in. Dutchlap - Pacific Blue - Single Box

Double 5in. Dutchlap, Pacific Blue, Single Box

Manufacturer Part Number: 3312527

In Stock Now!

Price: **\$422.40** + Free Shipping

Quantity: 1

ADD TO CART



[Click Here For a List of all CertainTeed Products](#)

(/m-25-certainteed.aspx)

PRODUCT INFORMATION

Description

CertainTeed Monogram Horizontal Vinyl Siding provides the look of real wood siding that is molded directly from real cedar boards. CertainTeed TrueTexture technology mimics real rough cedar finish without the expense or heavy maintenance of real cedar siding. The vinyl siding can be used in new or remodeling family homes, multi-housing projects, or light commercial developments. CertainTeed Monogram has the natural look of real painted or stained cedar shingles that are inspired by nature and are designed to blend with your home with the surrounding environment.

Monogram Vinyl Siding from CertainTeed is manufactured with 2 profiles, a Double 4in. and a Double 5in. Dutchlap. Double 4in. Clapboard siding panels are long narrow boards or panels that are nailed horizontally across the house. The term clapboard, lap siding, and horizontal siding can be used interchangeably. Clapboard tends to be flat, with no shadow line showing and is the most common type of vinyl siding. Double 5in. Dutchlap style of siding has a very distinct shadow line that runs along the top edge of each board or panel. The top edge is shaped to create that hand-carved look and resembles the look of boards that have been beveled on the top half at a 45-degree angle. The lower half hangs at a 90-degree angle.

DON'T FORGET THE ACCESSORIES - Vinyl siding accessory items are sold separately and available for purchase on many different product pages. The accessory items that are compatible with the CertainTeed Monogram Horizontal Vinyl Siding include the [Polaris Vinyl Starter Strip for Horizontal Siding](https://buymbs.com/p-9471-polaris-vinyl-starter-strip-for-horizontal-siding-carton-of-40.aspx) (<https://buymbs.com/p-9471-polaris-vinyl-starter-strip-for-horizontal-siding-carton-of-40.aspx>), the [CertainTeed Monogram Vinyl Corner Post](https://buymbs.com/p-9040.aspx) (<https://buymbs.com/p-9040.aspx>), the [CertainTeed Vinyl Undersill Trim](https://buymbs.com/p-9039.aspx) (<https://buymbs.com/p-9039.aspx>), and the [CertainTeed 3/4in. Vinyl J Channel](https://buymbs.com/p-8899.aspx) (<https://buymbs.com/p-8899.aspx>). Other accessory items are available at the bottom of this product page under "Combine Your Purchase With."

Features

- Class 1(A) fire rating
- PermaColor Fade Protection
- Low Maintenance
- Lifetime Limited Warranty
- Low-gloss wood-tone blends and Low-gloss solid colors
- Monogram RigidForm 210 technology has a stiff, double-thick .092" nail hem for a straighter-on-the wall appearance and wind load protection
- CertiLock post-formed positive lock
- Patented STUDfinder Installation System combines precisely engineered nail slot locations with graphics

4.6 ★★★★★
Google
Customer Reviews

★ REVIEWS

Specifications


- Width: 8in. D/4in. & 10in. D/5in.
- Coverage: 2 squares (200 square feet)
- Pieces per carton: 24 for Double 4 and 20 for Double 5 Dutchlap
- 150ft. Linear Per carton
- Thickness: 0.046in.
- J Channel and Panel Projection: 3/4in.
- Double 4 Length: 12ft. 6in.
- Double 5 Clapboard and Double 5 Dutchlap Length: 12ft.
- Matte Finish

Helpful Documents

- [Installation \(/images/variant/medium/CertainTeed/Monogram/MonogramSidingInstallation.pdf\)](#)
- [Warranty \(/images/variant/medium/CertainTeed/Monogram/MonogramWarranty.pdf\)](#)
- [Measuring \(/images/variant/medium/medium/CertainTeed/SidingCalculator.pdf\)](#)
- [Brochure \(/images/variant/medium/CertainTeed/Monogram/MonogramBrochure.pdf\)](#)
- [Safety \(/images/variant/medium/CertainTeed/Monogram/MonogramSafetyDataSheet.pdf\)](#)
- [Spec Sheet \(/images/variant/medium/CertainTeed/Monogram/MonogramSpecSheet.pdf\)](#)
- [Spec Sheet 2 \(/images/variant/medium/CertainTeed/Monogram/Monogram3PartSpec.pdf\)](#)
- [ICC Report \(/images/variant/medium/CertainTeed/Monogram/MonogramVinylICC.pdf\)](#)

Combine Your Purchase With


★ REVIEWS



[\(/p-2579-van-mark-tat50-trim-a-table-saw-table.aspx?vid=13337\)](#)

Van Mark TAT50 Trim-A-Table Saw Table
[\(/p-2579-van-mark-tat50-trim-a-table-saw-table.aspx?vid=13337\)](#)

\$1016.49



[\(/p-2581-van-mark-tat60-trim-a-table-saw-table.aspx?vid=13375\)](#)

Van Mark TAT60 Trim-A-Table Saw Table
[\(/p-2581-van-mark-tat60-trim-a-table-saw-table.aspx?vid=13375\)](#)

\$1111.25



[\(/p-7262-npc-sealants-solar-seal-900-carton-of-12.aspx?vid=1084667\)](#)

NPC Sealants Solar Seal 900 (Carton of 12) Clear
[\(/p-7262-npc-sealants-solar-seal-900-carton-of-12.aspx?vid=1084667\)](#)

\$94.00



[\(/p-7699-dewalt-7-14in-lightweight-circular-saw.aspx?vid=1090474\)](#)

DeWalt 7-1/4in. Lightweight Circular Saw
[\(/p-7699-dewalt-7-14in-lightweight-circular-saw.aspx?vid=1090474\)](#)



[\(/p-7926-dupont-tyvek-homewrap.aspx?vid=1116531\)](#)

DuPont Tyvek Homewrap 5ft. x 200ft. - Single Roll
[\(/p-7926-dupont-tyvek-homewrap.aspx?vid=1116531\)](#)

~~\$196.30~~ **\$186.95**



[\(/p-9018-dupont-tyvek-commercial-wrap-5ft-x-200ft.aspx?vid=1138425\)](#)

DuPont Tyvek Commercial Wrap 5ft. x 200ft. Single Roll
[\(/p-9018-dupont-tyvek-commercial-wrap-5ft-x-200ft.aspx?vid=1138425\)](#)

~~\$298.99~~ **\$259.99**



[\(/p-2423-malco-j-channel-cutter-redline.aspx?vid=6147\)](#)

Malco J Channel Cutter - Redline 5/8in. Channel Capacity - Single Item
[\(/p-2423-malco-j-channel-cutter-redline.aspx?vid=6147\)](#)

\$56.50



[\(/p-2424-malco-nail-hole-slot-punch-redline.aspx?vid=6148\)](#)

Malco Nail Hole Slot Punch - Redline
[\(/p-2424-malco-nail-hole-slot-punch-redline.aspx?vid=6148\)](#)

\$43.49




[\(/p-2426-malco-sider.aspx?vid=6154\)](#)
Malco Sider Double 4in. - Single Item
[\(/p-2426-malco-sider.aspx?vid=6154\)](#)

\$27.45



[\(/p-2426-malco-sider.aspx?vid=6155\)](#)
Malco Sider Dutchlap 4-1/2in. - Single Item
[\(/p-2426-malco-sider.aspx?vid=6155\)](#)


\$27.45



[\(/p-3155-midwest-snips-trim-nail-driver.aspx?vid=140565\)](#)

Midwest Tool Trim Nail Driver Single Item
[\(/p-3155-midwest-snips-trim-nail-driver.aspx?vid=140565\)](#)

\$15.25



[\(/p-7396-klenk-long-cut-siding-snips.aspx?vid=1085789\)](#)

Klenk Long Cut Siding Snips
[\(/p-7396-klenk-long-cut-siding-snips.aspx?vid=1085789\)](#)

\$49.91



12% Instant Rebate on Select Products

4.6 ★★★★★
Google
Customer Reviews