



Proposal - Detailed

Sales Rep Name: Grant, William
Sales Rep Phone: 734-740-6813
Sales Rep E-Mail: GrantWJ@pella.com
Sales Rep Fax: 248-292-5014

Customer Information	Project/Delivery Address	Order Information
Phillip Cooley 1052 Seminole St DETROIT, MI 48214-2707 Primary Phone: (313) 4785735 Mobile Phone: Fax Number: E-Mail: phillipgcooley@gmail.com Contact Name: Great Plains #: COOLE1052S Customer Number: 1009168944 Customer Account: 1005239872	Cooley, Phillip, 2308741 1052 Seminole St Lot # Detroit, MI 48214-2707 County: Owner Name: Phillip Cooley Owner Phone: (313) 4785735	Quote Name: Addition Order Number: 742 Quote Number: 14905308 Order Type: Installed Sales Wall Depth: Payment Terms: Deposit/Paid on Completion Tax Code: MISALESTAX Cust Delivery Date: None Quoted Date: 12/6/2021 Contracted Date: Booked Date: Customer PO #:


Line #	Location:	Attributes	Qty
--------	-----------	------------	-----

10 ~~DETROIT~~ 1

Architect, Traditional, Double Hung, 40.75 X 65.25, Brown

Qty

1



PK #
2105

Viewed From Exterior

Rough Opening: 41 - 1/2" X 66"

1: Traditional, Non-Standard Size Non-Standard Size Double Hung, Equal

Frame Size: 40 3/4 X 65 1/4

General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Painted, Standard Enduraclad, Brown

Interior Color / Finish: Unfinished Interior

Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs

Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude


Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor


Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™


Grille: No Grille,


Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".


For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Line #	Location:	Attributes	
15	UPSTAIRS 2 XXXXX	Architect, Traditional, Double Hung, 40.75 X 65.25, Brown	<u>Qty</u> 1
	 <p>PK # 2105</p> <p>Viewed From Exterior</p> <p>Rough Opening: 41 - 1/2" X 66"</p>	<p>1: Traditional, Non-Standard SizeNon-Standard Size Double Hung, Equal</p> <p>Frame Size: 40 3/4 X 65 1/4</p> <p>General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16"</p> <p>Exterior Color / Finish: Painted, Standard Enduraclad, Brown</p> <p>Interior Color / Finish: Unfinished Interior</p> <p>Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs</p> <p>Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude</p> <p>Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor</p> <p>Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™</p> <p>Grille: No Grille,</p> <p>Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".</p>	

Line #	Location:	Attributes	
20	UPSTAIRS 3 XXXXX	Architect, Traditional, Double Hung, 40.75 X 65.25, Brown	<u>Qty</u> 1
	 <p>PK # 2105</p> <p>Viewed From Exterior</p> <p>Rough Opening: 41 - 1/2" X 66"</p>	<p>1: Traditional, Non-Standard SizeNon-Standard Size Double Hung, Equal</p> <p>Frame Size: 40 3/4 X 65 1/4</p> <p>General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16"</p> <p>Exterior Color / Finish: Painted, Standard Enduraclad, Brown</p> <p>Interior Color / Finish: Unfinished Interior</p> <p>Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs</p> <p>Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude</p> <p>Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor</p> <p>Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™</p> <p>Grille: No Grille,</p> <p>Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".</p>	

Line #	Location:	Attributes	
25	UPSTAIRS XXXXXX 4	Architect, Traditional, Double Hung, 40.75 X 65.25, Brown	<u>Qty</u> 1
	 <p>PK # 2105</p> <p>Viewed From Exterior Rough Opening: 41 - 1/2" X 66"</p>	<p>1: Traditional, Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 40 3/4 X 65 1/4 General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Painted, Standard Enduraclad, Brown Interior Color / Finish: Unfinished Interior Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™ Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".</p>	

Line #	Location:	Attributes	
30	UPSTAIRS XXXXXX 5	Architect, Traditional, Double Hung, 40.75 X 65.25, Brown	<u>Qty</u> 1
	 <p>PK # 2105</p> <p>Viewed From Exterior Rough Opening: 41 - 1/2" X 66"</p>	<p>1: Traditional, Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 40 3/4 X 65 1/4 General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Painted, Standard Enduraclad, Brown Interior Color / Finish: Unfinished Interior Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™ Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".</p>	

Line #	Location:	Attributes	
35	UPSTAIRS XXXXXX 6	Architect, Traditional, Double Hung, 40.75 X 65.25, Brown	<u>Qty</u> 1
	 <p>Viewed From Exterior Rough Opening: 41 - 1/2" X 66"</p>	<p>PK # 2105</p> <p>1: Traditional, Non-Standard Size Non-Standard Size Double Hung, Equal Frame Size: 40 3/4 X 65 1/4 General Information: Standard, Luxury, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Painted, Standard Enduraclad, Brown Interior Color / Finish: Unfinished Interior Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor Screen: Full Screen, Standard EnduraClad, Brown, Standard, InView™ Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 212".</p>	

Line #	Location:	Attributes	
40	UPSTAIRS door 1	Pella® Reserve, Traditional, Inswing Door, Right, 36 X 79.5, Brown	<u>Qty</u> 1
	 <p>Viewed From Exterior Rough Opening: 36 - 3/4" X 80"</p>	<p>PK # 2105</p> <p>1: Traditional, 3680 Right Inswing Door Frame Size: 36 X 79 1/2 General Information: Standard, Clad, Pine, 6 1/2", 5 3/16", Standard Sill, Bronze Finish Sill, Black Composite Threshold Exterior Color / Finish: Painted, Standard Enduraclad, Brown Interior Color / Finish: Unfinished Interior Sash / Panel: Ogee, Ogee, Standard Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, White, Order Handle Set, Multipoint Lock, No Integrated Sensor Screen: Hinge Screen, Brown, Oil Rubbed Bronze, InView™ Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Factory Applied, Pella Recommended Clearance, Perimeter Length = 231".</p>	

Line #	Location:	Attributes	
45	URSTAIRS XXXXXX door 2	Pella® Reserve, Traditional, Inswing Door, Right, 36 X 79.5, Brown	<u>Qty</u> 1
	 <p>Viewed From Exterior</p> <p>Rough Opening: 36 - 3/4" X 80"</p> <p>PK # 2105</p>	<p>1: Traditional, 3680 Right Inswing Door Frame Size: 36 X 79 1/2 General Information: Standard, Clad, Pine, 6 1/2", 5 3/16", Standard Sill, Bronze Finish Sill, Black Composite Threshold Exterior Color / Finish: Painted, Standard Enduraclad, Brown Interior Color / Finish: Unfinished Interior Sash / Panel: Ogee, Ogee, Standard Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, White, Order Handle Set, Multipoint Lock, No Integrated Sensor Screen: Hinge Screen, Brown, Oil Rubbed Bronze, InView™ Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Factory Applied, Pella Recommended Clearance, Perimeter Length = 231".</p>	

Line #	Location:	Attributes	
50	ADMIN	ADDP RRDETR010010 - Administration & Processing Fee	<u>Qty</u> 1

Line #	Location:	Attributes	
55	None Assigned	PROMOTDETR010004 - Branch Promotion ALL PROMOS	<u>Qty</u> 1

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

BRANCH WARRANTY:

Pella General Installation Review

Pella Will:

- Deliver and unload products purchased per contract
- Place drop cloths on work area flooring
- Remove interior and exterior trim
- Provide all equipment and materials necessary to install new products
- Inspect all products purchased per contract
- Install all products per contract
- Insulate and caulk around products
- Verify that all products installed are in good working order
- Remove drop clothes, vacuum, and remove all debris
- Remove all old products from premises upon completion
- All work to be performed during normal working hours of 8:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made.
- Installation and prefinish is warranted for the period of two years on materials and workmanship. Warranty time frame begins at date of completion.

Homeowner Will:

- Secure building permit if needed
- Remove existing shutters and awnings
- Reinstall shutters and awnings
- Cut back or tie trees, bushes and shrubs two feet from exterior wall
- Arrange to have alarm system disconnected and reinstalled
- Arrange to have any plumbing and/or electrical repairs or changes made by appropriate licensed contractor prior to install date
- Provide site electricity for power tools

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

- All blinds and interior window treatments need to be removed prior to your installation date.
- All furniture needs to be moved at least 6 feet away from any window or door begin replaced.
- All personal items, wall hangings and collectibles must be removed prior to you installation date.
- Any non-movable furniture (example: pianos, built in cabinets, etc.) must be cleared of items and be surface dusted prior to installation.
- Have pets controlled so they do not get loose
- Remove all stickers from products installed
- Wash all interior and exterior glass surfaces

TERMS & CONDITIONS:

Quotes is valid for 30 days.

Order Totals	
Taxable Subtotal	\$17,229.50
Sales Tax @ 6%	\$1,033.77
Non-taxable Subtotal	\$736.73
Total	\$19,000.00
Deposit Received	\$0.00
Amount Due	\$19,000.00