

GENERAL PLAN NOTES:

1. THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.

CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD. ANY DIMENSIONAL VARIANCES CAUSED BY ACTUAL WALL CONSTRUCTION OR LAYOUT MODIFICATIONS IN THE FIELD ARE RESPONSIBILITY OF CONTRACTOR.

3. WALL THICKNESS' ARE NOMINAL NOT ACTUAL DIMENSIONS. SEE FLOOR PLAN KEYNOTES FOR WALL CONSTRUCTION.

4. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.

5. EXISTING WINDOWS AND EXTERIOR WALLS ARE NOT IN SCOPE. A SEPARATE FACADE REPAIR PACKAGE WILL BE SUBMITTED AT A LATER DATE

6. INTERIOR LAYOUT IS SUBJECT TO CHANGE DURING DESIGN DEVELOPMENT.

NEW WORK KEY NOTES:

(TYPLICAL THIS SHEET ONLY)

1 NEW EXTERIOR WALL:
-PAINTED HORIZONTAL LAP SIDING. BASIS OF DESIGN: JAMES HARDIE LAP SIDING
COLOR: CHARCOAL GRAY
-WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING
-2x6 WD STUDS. R-19 CAVITY INSULATION, MIN.
-PAINTED 1/2" GYP. BD. INTERIOR

(ALIGN INTERIOR FACE OF WALL WITH ADJACENT EXISTING WALLS)

2 NEW EXTERIOR WALL:
-BRICK VENEER (USE SALVAGED EXISTING BRICK WHEN POSSIBLE)
-2" AIR CAVITY
-WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING
-2x6 WD STUDS. R-19 CAVITY INSULATION, MIN.
-PAINTED 1/2" GYP. BD. INTERIOR

NEW FIBERGLASS WINDOWS. BASIS OF DESIGN: PELLA IMPERVIA DOUBLE HUNG WITH 12/1 SIMULATED DIVIDED LITE GRILLES. COLOR: BLACK

4 NEW FIBERGLASS FIXED TRANSOM WINDOWS.

NEW FIBERGLASS PATIO DOORS. BASIS OF DESIGN: PELLA IMPERVIA FRENCH PATIO DOORS WITH SIMULATED DIVIDED LITE GRILLES AS SHOWN. COLOR: BLACK

6 NEW EPDM MEMBRANE ROOF ON SLOPED RIGID INSULATION ON NEW 3/4" SHEATHING ON EXISTING ROOF STRUCTURE. SLOPE TO EXISTING ROOF DRAINS

7 NEW WALKABLE ROOF PAVERS ON ADJUSTABLE PEDESTAL SYSTEM. BASIS OF DESIGN: HANOVER "PREST" PAVERS ON "ELEVATOR" PEDESTAL SYSTEM.

8 VEGETATED ROOF TRAY SYSTEM. BASIS OF DESIGN" LIVE ROOF TRAYS WITH METAL EDGE.

GLASS AND ALUMINUM RAILING. BASIS OF DESIGN: VIEWRAIL WITH ASCEND TALON SPIGOTS. CONTRACTOR TO COORDINATED REQUIRED BLOCKING IN ROOF FRAMING TO MEET MANUFACTURER REQUIREMENTS.

PREFABRICATED METAL STAIR WITH CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "FLIGHT" WITH EXTERIOR RATED TREADS AND "SIGNATURE" CABLE RAIL.

PREFABRICATED CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "SIGNATURE" CABLE RAIL.

12 NEW INTERIOR PARTITION

NEW FLOOR FINISH ON EXISTING FLOOR STRUCTURE.

NEW INSULATED GARAGE DOOR. FLAT PANEL WITH UPPER GLASS. COLOR: BLACK

15 NEW EXTERIOR METAL DOOR. COLOR: BLACK.

...

4545 architecture

3011 W. GRAND BLVD SUITE 400 DETROIT, MI 48202 P. 313.450.4545 TIM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

HDC 03/21/2022

Issued for :

Project:

Space

1440 Michigan Ave Event


Drawn by : JRM Checked by :


JRM
Sheet Title :
FLOOR PLANS


Project No. : 2020-023.MichAve

Sheet No. :

A1.1







SCALE: 1/8" = 1'-0"

GENERAL PLAN NOTES:

THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.

CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD. ANY DIMENSIONAL VARIANCES CAUSED BY ACTUAL WALL CONSTRUCTION OR LAYOUT MODIFICATIONS IN THE FIELD ARE RESPONSIBILITY OF CONTRACTOR.

3. WALL THICKNESS' ARE NOMINAL NOT ACTUAL DIMENSIONS. SEE FLOOR PLAN KEYNOTES FOR WALL CONSTRUCTION.

4. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE

EXISTING WINDOWS AND EXTERIOR WALLS ARE NOT IN SCOPE. A SEPARATE FACADE REPAIR PACKAGE WILL BE SUBMITTED AT A LATER

6. INTERIOR LAYOUT IS SUBJECT TO CHANGE DURING DESIGN DEVELOPMENT.

NEW WORK KEY NOTES:

(TYPLICAL THIS SHEET ONLY)

1 <u>NEW EXTERIOR WALL:</u>
-PAINTED HORIZONTAL LAP SIDING. BASIS OF DESIGN: JAMES HARDIE LAP SIDING COLOR: CHARCOAL GRAY -WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING -2x6 WD STUDS. R-19 CAVITY INSULATION, MIN. -PAINTED 1/2" GYP. BD. INTERIOR

(ALIGN INTERIOR FACE OF WALL WITH ADJACENT EXISTING WALLS)

NEW EXTERIOR WALL:
-BRICK VENEER (USE SALVAGED EXISTING BRICK WHEN POSSIBLE) -WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING -2x6 WD STUDS. R-19 CAVITY INSULATION, MIN. -PAINTED 1/2" GYP. BD. INTERIOR

3 NEW FIBERGLASS WINDOWS. BASIS OF DESIGN: PELLA IMPERVIA DOUBLE HUNG WITH 12/1 SIMULATED DIVIDED LITE GRILLES.

4 NEW FIBERGLASS FIXED TRANSOM WINDOWS.

5 NEW FIBERGLASS PATIO DOORS. BASIS OF DESIGN: PELLA IMPERVIA FRENCH PATIO DOORS WITH SIMULATED DIVIDED LITE GRILLES AS SHOWN. COLOR: BLACK

6 NEW EPDM MEMBRANE ROOF ON SLOPED RIGID INSULATION ON NEW 3/4" SHEATHING ON EXISTING ROOF STRUCTURE. SLOPE TO EXISTING ROOF DRAINS

7 NEW WALKABLE ROOF PAVERS ON ADJUSTABLE PEDESTAL SYSTEM. BASIS OF DESIGN: HANOVER "PREST" PAVERS ON "ELEVATOR" PEDESTAL SYSTEM.

8 VEGETATED ROOF TRAY SYSTEM. BASIS OF DESIGN" LIVE ROOF TRAYS WITH METAL EDGE.

GLASS AND ALUMINUM RAILING. BASIS OF DESIGN: VIEWRAIL WITH ASCEND TALON SPIGOTS. CONTRACTOR TO COORDINATED ASCEND TALON SPIGOTS. CONTRACTOR TO COORDINATED REQUIRED BLOCKING IN ROOF FRAMING TO MEET MANUFACTURER REQUIREMENTS.

PREFABRICATED METAL STAIR WITH CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "FLIGHT" WITH EXTERIOR RATED TREADS AND "SIGNATURE" CABLE RAIL.

PREFABRICATED CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "SIGNATURE" CABLE RAIL.

12 NEW INTERIOR PARTITION

NEW FLOOR FINISH ON EXISTING FLOOR STRUCTURE.

NEW INSULATED GARAGE DOOR. FLAT PANEL WITH UPPER GLASS. COLOR: BLACK

15 NEW EXTERIOR METAL DOOR. COLOR: BLACK.

4545 architecture

3011 W. GRAND BLVD SUITE 400 DETROIT, MI 48202 TIM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

03/21/2022

Issued for :

1440 Michigan Ave Event


Project:


Drawn by: Checked by:

Sheet Title: FLOOR PLANS

Project No.: 2020-023.MichAve

Sheet No.:










OVERALL WEST ELEVATION

SCALE: 1/8" = 1'-0"







1 OVERALL SOUTH ELEVATION
SCALE: 1/8" = 1'-0"

GENERAL PLAN NOTES:

- 1. THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
- CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD. ANY DIMENSIONAL VARIANCES CAUSED BY ACTUAL WALL CONSTRUCTION OR LAYOUT MODIFICATIONS IN THE FIELD ARE RESPONSIBILITY OF CONTRACTOR.
- WALL THICKNESS' ARE NOMINAL NOT ACTUAL DIMENSIONS. SEE FLOOR PLAN KEYNOTES FOR WALL CONSTRUCTION.
- 4. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
- 5. EXISTING WINDOWS AND EXTERIOR WALLS ARE NOT IN SCOPE. A SEPARATE FACADE REPAIR PACKAGE WILL BE SUBMITTED AT A LATER DATE
- 6. INTERIOR LAYOUT IS SUBJECT TO CHANGE DURING DESIGN DEVELOPMENT.

NEW WORK KEY NOTES:

(TYPLICAL THIS SHEET ONLY)

1 NEW EXTERIOR WALL:
-PAINTED HORIZONTAL LAP SIDING. BASIS OF DESIGN: JAMES HARDIE LAP SIDING
COLOR: CHARCOAL GRAY
-WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING
-2x6 WD STUDS. R-19 CAVITY INSULATION, MIN.
-PAINTED 1/2" GYP. BD. INTERIOR

(ALIGN INTERIOR FACE OF WALL WITH ADJACENT EXISTING WALLS)

- 2 NEW EXTERIOR WALL:
 -BRICK VENEER (USE SALVAGED EXISTING BRICK WHEN POSSIBLE)
 -2" AIR CAVITY
 -WEATHER BARRIER ON 1/2" PLYWOOD SHEATHING
 -2x6 WD STUDS. R-19 CAVITY INSULATION, MIN.
 -PAINTED 1/2" GYP. BD. INTERIOR
- NEW FIBERGLASS WINDOWS. BASIS OF DESIGN: PELLA IMPERVIA DOUBLE HUNG WITH 12/1 SIMULATED DIVIDED LITE GRILLES. COLOR: BLACK
- 4 NEW FIBERGLASS FIXED TRANSOM WINDOWS.
- NEW FIBERGLASS PATIO DOORS. BASIS OF DESIGN: PELLA IMPERVIA FRENCH PATIO DOORS WITH SIMULATED DIVIDED LITE GRILLES AS SHOWN. COLOR: BLACK
- 6 NEW EPDM MEMBRANE ROOF ON SLOPED RIGID INSULATION ON NEW 3/4" SHEATHING ON EXISTING ROOF STRUCTURE. SLOPE TO EXISTING ROOF DRAINS
- 7 NEW WALKABLE ROOF PAVERS ON ADJUSTABLE PEDESTAL SYSTEM. BASIS OF DESIGN: HANOVER "PREST" PAVERS ON "ELEVATOR" PEDESTAL SYSTEM.
- 8 VEGETATED ROOF TRAY SYSTEM. BASIS OF DESIGN" LIVE ROOF TRAYS WITH METAL EDGE.
- GLASS AND ALUMINUM RAILING. BASIS OF DESIGN: VIEWRAIL WITH ASCEND TALON SPIGOTS. CONTRACTOR TO COORDINATED REQUIRED BLOCKING IN ROOF FRAMING TO MEET MANUFACTURER REQUIREMENTS.
- PREFABRICATED METAL STAIR WITH CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "FLIGHT" WITH EXTERIOR RATED TREADS AND "SIGNATURE" CABLE RAIL.
- PREFABRICATED CABLE GUARDRAIL. BASIS OF DESIGN: VIEWRAIL "SIGNATURE" CABLE RAIL.
- 12 NEW INTERIOR PARTITION

LV04 HIGH ROOF 140' - 2"

- 13 NEW FLOOR FINISH ON EXISTING FLOOR STRUCTURE.
- NEW INSULATED GARAGE DOOR. FLAT PANEL WITH UPPER GLASS. COLOR: BLACK
- 15 NEW EXTERIOR METAL DOOR. COLOR: BLACK.

Project :

1440 Michigan Ave Event
Space

4545 architecture

TIM.FLINTOFF@4545ARCHITECTURE.COM

3011 W. GRAND BLVD

DETROIT, MI 48202

SUITE 400

CONSULTANT:

Issued for :

03/21/2022

HDC

FORCONSTRUCTION

Drawn by : JRM Checked by : JRM

Sheet Title:

Project No.:

EXTERIOR ELEVATIONS

2020-023.MichAve

Sheet No. :







3011 W. GRAND BLVD SUITE 400 DETROIT, MI 48202 P. 313.450.4545 TIM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

1440 Michigan Ave Event Space

Issued for : 03/21/2022

Drawn by : JRM Checked by :

Sheet Title : EXTERIOR RENDERINGS

Project No. : 2020-023.MichAve

Sheet No.:

A3.2

