



Safe-Way Door Mfg.

3814 East U.S. 30

Warsaw, IN 46580

Phone: 574-267-4861

Fax: 574-267-2871

Safe-Way Door Designer



Door Specifications
Door Series: Regency
Door Model: #65
Door Color: White
Door Windows: none
Door Hardware: No

Door designer illustrations depict doors that are 9' Wide By 7' Tall & 16' Wide By 7' tall garage doors. Additional widths and heights are available. Contact an authorized dealer for more information.



Safe-Way Door Mfg.
 3814 East U.S. 30
 Warsaw, IN 46580
 Phone: 574-267-4861
 Fax: 574-267-2871

Safe-Way Door Designer



Door Specifications
Door Series: Regency
Door Model: #65
Door Color: White
Door Windows: none
Door Hardware: No

Door designer illustrations depict doors that are 9' Wide By 7' Tall & 16' Wide By 7' tall garage doors. Additional widths and heights are available. Contact an authorized dealer for more information.

**SAFE-WAY**
GARAGE DOORS[ABOUT](#)[RESIDENTIAL](#)[COMMERCIAL](#)[DOOR DESIGNER](#)[OPENERS](#)[FIND A DEALER](#)[CONTACT US](#)[Residential Doors](#) » [Steel Garage Doors](#)

REGENCY – Model 65



REGENCY – Model 65 Model Information

Enhance the appearance of your home with the Regency Series by Safe-Way Door. These handsome residential garage doors combine the beauty of wood-like design with the strength and easy care of steel. Available with a variety of panel styles, the Regency Series features polystyrene insulation surrounded by two steel skins, thus providing durability and noise reduction. A choice of window styles and durable baked factory finishes lets you select the perfect door for your home.

[FAQs](#)

[Careers](#)

[Dealers](#)

[News](#)

[Privacy Policy](#)



SAFE-WAY

GARAGE DOORS

[ABOUT](#)

[RESIDENTIAL](#)

[COMMERCIAL](#)

[DOOR DESIGNER](#)

[OPENERS](#)

[FIND A DEALER](#)

[CONTACT US](#)



[FEATURES & OPTIONS \(PDF\)](#)

[CUSTOMIZE IN DOOR DESIGNER](#)




Model 65: Short Raised Panel – 3 Layer Steel/Polystyrene/Steel

Available Colors / Finishes



Almond



Black




Bronze



Brown



Desert Tan



Grey

[FAQs](#)[Careers](#)[Dealers](#)[News](#)[Privacy Policy](#)**SAFE-WAY**

GARAGE DOORS

[ABOUT](#)[RESIDENTIAL](#)[COMMERCIAL](#)[DOOR DESIGNER](#)[OPENERS](#)[FIND A DEALER](#)[CONTACT US](#)

Hunter Green

Sandtone

White



Choosing the Right Door

When considering the right garage door for your home, it can seem overwhelming. Safe-Way Door is here to help make the process easy.

[LEARN MORE](#)

Free Quote


Contact your local Safe-Way dealer for a free appointment to discuss the features and options of Safe-Way doors and find the best fit for your home and budget.

[GET A FREE QUOTE](#)


CONSTRUCTION

Two deep-drawn, tension-leveled, galvanized steel skins are polyester painted and wrapped around a one-pound density expanded polystyrene insulation board using a polyurethane adhesive. This construction method provides insulation value, durability, sound deadening qualities, and dent resistance for an all-around superior product.

- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel



- A. 11 ball nylon rollers provide quiet operation and long lasting durability.
- B. Heavy duty galvanized 14 gauge hardware.
- C. Tongue and groove design provides weathertight section joints.
- D. Expanded polystyrene insulation provides an R-Value of 10.25.
- E. Steel skins inside and out provide maximum durability.
- F. Aluminum bottom retainer with vinyl weatherstrip.



Distributed by:



As Safe-Way Door constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Printed color may vary from actual color, please check with your local dealer for color swatches.

06/2021

3814 East U.S. 30 • Warsaw, IN 46580
574-267-4861 • Fax: 574-267-2871
safe-waydoor.com

**SAFE-WAY**
GARAGE DOORS[ABOUT](#)[RESIDENTIAL](#)[COMMERCIAL](#)[DOOR DESIGNER](#)[OPENERS](#)[FIND A DEALER](#)[CONTACT US](#)[Residential Doors](#) » [Steel Garage Doors](#)

REGENCY – Model 65



REGENCY – Model 65 Model Information

Enhance the appearance of your home with the Regency Series by Safe-Way Door. These handsome residential garage doors combine the beauty of wood-like design with the strength and easy care of steel. Available with a variety of panel styles, the Regency Series features polystyrene insulation surrounded by two steel skins, thus providing durability and noise reduction. A choice of window styles and durable baked factory finishes lets you select the perfect door for your home.

[FAQs](#)

[Careers](#)

[Dealers](#)

[News](#)

[Privacy Policy](#)



SAFE-WAY

GARAGE DOORS

[ABOUT](#)

[RESIDENTIAL](#)

[COMMERCIAL](#)

[DOOR DESIGNER](#)

[OPENERS](#)

[FIND A DEALER](#)

[CONTACT US](#)



[FEATURES & OPTIONS \(PDF\)](#)

[CUSTOMIZE IN DOOR DESIGNER](#)



Model 65: Short Raised Panel – 3 Layer Steel/Polystyrene/Steel

Available Colors / Finishes



Almond



Black




Bronze



Brown



Desert Tan



Grey



SAFE-WAY

GARAGE DOORS

ABOUT

RESIDENTIAL

COMMERCIAL

DOOR DESIGNER

OPENERS

FIND A DEALER

CONTACT US



Hunter Green



Sandtone



White



Choosing the Right Door

When considering the right garage door for your home, it can seem overwhelming. Safe-Way Door is here to help make the process easy.

[LEARN MORE](#)

Free Quote


Contact your local Safe-Way dealer for a free appointment to discuss the features and options of Safe-Way doors and find the best fit for your home and budget.

[GET A FREE QUOTE](#)


CONSTRUCTION

Two deep-drawn, tension-leveled, galvanized steel skins are polyester painted and wrapped around a one-pound density expanded polystyrene insulation board using a polyurethane adhesive. This construction method provides insulation value, durability, sound deadening qualities, and dent resistance for an all-around superior product.

- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel



- A. 11 ball nylon rollers provide quiet operation and long lasting durability.
- B. Heavy duty galvanized 14 gauge hardware.
- C. Tongue and groove design provides weathertight section joints.
- D. Expanded polystyrene insulation provides an R-Value of 10.25.
- E. Steel skins inside and out provide maximum durability.
- F. Aluminum bottom retainer with vinyl weatherstrip.



Distributed by:



As Safe-Way Door constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Printed color may vary from actual color, please check with your local dealer for color swatches.

06/2021



3814 East U.S. 30 • Warsaw, IN 46580
574-267-4861 • Fax: 574-267-2871
safe-waydoor.com