

FREE IN-STORE PICKUP Over one million online items eligible. >



You're shopping
Madison Heig...
OPEN until 11 pm

Delivering to
48071 30 year shingles



Cart | 0 items

Home / Building Materials / Roofing / Roof Shingles




Internet #100658124 Model #0601395 Store SKU #777382

282

GAF

Timberline Natural Shadow Hickory Algae Resistant Architectural Shingles (33.3 sq. ft. per Bundle) (21-Pieces)

★★★★★ (237) [Questions & Answers \(33\)](#)



Live Chat

Feedback

Hover Image to Zoom



Henry 209XR Extreme Rubberized Wet Patch Roof Cement Leak Repair - 0.90...

★★★★★ (799)

\$47³⁷

[Add to Cart](#)



Henry 887 Tropi-Cool 4.75 Gal. 100% Silicone White Roof Coating

★★★★★ (1049)

\$435⁵⁷

[Add to Cart](#)



Henry 4.75 Gal. Acrylic Reflective Elastomeric Roof Coating

★★★★★ (442)

\$98⁷⁹

[Add to Cart](#)



Henry Elasto

★★★

\$120

[Live Chat](#)

[Feedback](#)

Specifications

Dimensions

Coverage Area (sq. ft.)	33.3 ft ²
Product Length (in.)	39.38 in
Product Thickness (in.)	2.4 in
Product Width (in.)	13.25 in

Details

Color Family	Hickory
Color/Finish	Hickory
Features	Algae Resistant, High Wind Resistant, Stainguard Protection
Fire Rating (UL 790)	Class A
Material	Asphalt
Number of bundles per 100 sq. ft. (Square)	3
Number of pieces per bundle	21
Requirements	Attic Ventilation Underlayment

Requirements	Also Ventilation, Encapsulation
Roofing Product Type	Architectural Shingle
Shingle Exposure (in.)	5.625
Shingle Type	Architectural Shingle
Warranty	Lifetime Limited Warranty
Weight Per Bundle (lb.)	70

How can we improve our product information? Provide feedback.

Customers Who Viewed This Also Viewed



GAF Timberline HDZ Charcoal Algae Resistant Laminated High Definition Shingles (33.33 sq. ft. per Bundle) (21-Pieces)

★★★★★ (6726)

\$34⁵⁰ /bundle



GAF Royal Sovereign Charcoal Algae Resistant 3-Tab Roofing Shingles (33.33 sq. ft. per. Bundle) (26-pieces)

★★★★★ (461)

\$31⁵⁰ /bundle



GAF Seal-A-Ridge Charcoal Hip and Ridge Cap Roofing Shingles (25 lin. ft. per Bundle) (45-Pieces)

★★★★★ (6)

\$54⁹⁸ /bundle

GA
and
Shi

★

\$4

Live Chat

Feedback

Questions & Answers

132 Questions

Search Questions & Answers



Ask a Question



You're shopping
Madison Heig...
OPEN until 11 pm

Delivering to
48071

Search



Cart | 0 items

Home / Doors & Windows / Garage Doors



Internet #204598371 Model #HDB_SW_SOL

1.1k

Clopay

Classic Collection 16 ft. x 7 ft. Non-Insulated Solid White Garage Door

★★★★★ (109) Questions & Answers (143)



Live Chat

Feedback

Hover Image to Zoom

Specifications

Dimensions

Garage Door Size	16 ft x 7 ft
Product Depth (in.)	2 in
Product Height (in.)	84 in
Product Width (in.)	192 in

Live Chat



Details

Color Family	White
Door Configuration	Double Door
Features	Paintable
Garage Door Collection	Classic
Garage Door Color	White
Garage Door Style	Classic
Included	Instructions
Insulation R-Value	0
Material	Steel
Product Type	Without Windows
Product Weight (lb.)	216 lb
Returnable	90-Day
WindCode Rating	No WindCode Rating

Feedback



Warranty / Certifications

Manufacturer Warranty	Paint System - 15 yrs., Windows - 10 yrs., Sections/Delamination - 5 yrs. Hardware/Springs -3
-----------------------	---

How can we improve our product information? Provide feedback.

Customers Who Viewed This Also Viewed



Clopay Classic Collection 16 ft. x 7 ft. Non-Insulated Solid White Garage Door

★★★★★ (102)

\$1026⁹⁰



Clopay Classic Collection 16 ft. x 7 ft. Non-Insulated White Garage Door with Plain Windows

★★★★★ (97)

\$1493¹⁰



Clopay Classic Collection 16 ft. x 7 ft. 18.4 R-Value Intellicore Insulated Solid White Garage Door

★★★★★ (307)

\$2213⁴⁰

Best



Live Chat

Feedback

Clopay Classic Collection 16 ft. x 7 ft. Non-Insulated Solid White Garage Door

★★★★★

\$3

Questions & Answers

143 Questions

Search Questions & Answers 

Ask a Question



You're shopping
Madison Heig...
OPEN until 11 pm

Delivering to
48071

Search



Cart | 0 items

Home / Building Materials / Siding / Vinyl Siding / Vinyl Siding Panels


Internet #301837280 Model #PC40A7H Store SKU #1002554989

37

Ply Gem

Transformations Double 4 in. x 150 in. Wicker Lap Vinyl Siding

★★★★★ (12) Questions & Answers (16)



Live Chat

Feedback

Hover Image to Zoom

\$12⁹⁸

\$4⁹⁸

\$6²¹

Add to Cart

Add to Cart

Add to Cart

Specifications

Dimensions

Coverage Area (sq. ft.)	144 ft ²
Product Length (in.)	149.9 in
Product Thickness (in.)	.040 in
Product Width (in.)	4.23 in

Live Chat
Feedback

Details

Color Family	Brown
Color/Finish	Wicker
Finish Type	Finished
Material	Vinyl
Product Weight (lb.)	93 lb
Profiles	Clapboard
Siding Features	Wood Grain Surface
Vertical or Horizontal	Horizontal

Warranty / Certifications

Manufacturer Warranty	Limited Lifetime Warranty
-----------------------	---------------------------

Vinyl Windows and Doors Manufactured by Pella Corporation

Double-Hung Window - East Region

Detailed Product Description

Frame

- Overall frame depth is [3-1/4" replacement frame with sill adapter and optional head expander] [4-3/16" new construction frame with [integral fin] [with integral fin and J-channel]].
- Frame members are extruded, rigid uPVC.
- Frame members are mitered and heat-fused to provide a fully welded corner assembly.

Sash

- Sash members are extruded, rigid uPVC.
- Sash members are mitered and heat-fused to provide a fully welded corner assembly.
- Includes an integral extruded sash lift.

Weather Stripping

- Frame and sash is weatherstripped around the perimeter with a fin-type, pile weatherstripping.

Glazing System

- Quality float glass complying with ASTM C1036.
- Exterior face-glazed 3/4" sealed insulating glass.
- [Clear] [Advanced Low-E coated [with argon]] [SunDefense™ Low-E coated, [with argon]] [NaturalSun Low-E [with argon]] [bronze, Advanced Low-E coated, [with argon]]; [Clear] [NaturalSun Low-E] [obscure] [tempered].

Interior/Exterior

- All window frame members have an integral color extruded throughout the profiles.
- All exposed PVC surfaces are smooth, glossy and uniform in appearance.
- Color: [White] [Almond] [Fossil].

Hardware

- Constant force balances connected to sash with stainless steel spring and concealed within the frame
- Upper and lower sashes are fully operable for ventilation.
- All fasteners are corrosion-resistant material compatible with uPVC.
- Locks are factory-installed, zinc die cast, self-aligning, cam action locks located on the checkrail.
- Two sash locks are installed on units with 29-1/2" or greater frame width.
- Tilt latches are factory installed, zinc die cast and are located on the checkrail of the lower sash and the top rail of the upper sash.
- Factory pre-finished to match interior.

Screens

- Full-size with black vinyl coated 18/14 mesh fiberglass screen cloth complying with ASTM D 3656 and SMA 1201.
- Set in aluminum frame and fitted to exterior of window.
- Screens for window with frame height ≤ 51-1/2" have one plunger per side, windows with frame height > 51-1/2" have two plungers per side.
- Screens for windows with frame width >39" or frame height > 53-1/2" have a screen spreader bar.

Optional Products

- Factory applied primed wood jamb extension for [4-9/16"] [6-9/16"] wall depth, available on new construction fin frame units only.
- Grilles-Between-the-Glass
 - Insulating glass contains [3/4"] contoured aluminum grilles permanently installed between two panes of glass.
 - Grilles match color of frame.
- Optional limited opening hardware for field installation available for vent units in extruded vinyl, color to match the unit; nominal 3-3/4" opening.
- Optional window opening control device available for factory or field installation. Device allows window to open less than 4" with normal operation, with a release mechanism that allows the sash to open completely. Complies with ASTM F2090-10.

FREE IN-STORE PICKUP Over one million online items eligible. >



You're shopping
Madison Heig...
OPEN until 11 pm

Delivering to
48071 solid core door



Cart | 0 items

[Home](#) / [Doors & Windows](#) / [Exterior Doors](#) / [Front Doors](#) / [Steel Doors](#) / [Steel Doors Without Glass](#)




Internet #202036386 Model #THDJW166100317 Store SKU #776781

4.9k

JELD-WEN

36 in. x 80 in. 6-Panel Primed Premium Steel Front Door Slab

★★★★★ (171) [Questions & Answers \(208\)](#)



Hover Image to Zoom

Live Chat

Feedback

\$169⁰⁰



Pay \$144.00 ~~\$169~~ when you open a new card. [i](#)
Apply for a Home Depot Consumer Card


Madison Heights Store


✓ 14 in stock Aisle 30, Bay 013 [Text to Me](#)

How to Get It

Delivering to: 48071 | [Change](#)

 ✓
Store Pickup
Pickup Today
FREE


Ship to Home
Get it by
Fri, Sep 30
Standard Delivery


Scheduled Delivery
As soon as
Tomorrow
\$79.00

14 in stock at **Madison Heights**

[Check Nearby Stores](#)



Have Questions? We're Here to Help.

Speak to a Virtual Associate about Doors or Windows today.
Available from 9 am - 8 pm EST.

Request Appointment

Or call 1-833-HD-APRON (1-833-432-7766) [i](#) [What to Expect](#)

- 1 +

 **Add to Cart**

— or —

Buy now with **PayPal**

Frequently Bought Together

Top Rated

[Live Chat](#)
[Feedback](#)



JELD-WEN 36 in. x 80 in. Left-Hand 3/4 Lite Harris Decorative Glass Hazelnut Stain...

\$3340⁰⁰

[Add to Cart](#)



JELD-WEN 36 in. x 80 in. Left-Hand 6 Lite Clear Glass Black Painted Fiberglass Prehung...

★★★★★ (1)

\$1746⁴⁹

[Add to Cart](#)



JELD-WEN 36 in. x 80 in. Right-Hand 3/4 Lite Harris Decorative Glass Hazelnut...

\$3674⁰⁰

[Add to Cart](#)

JELD-
Hand (...
Hazelr...

★★★

\$3

[Live Chat](#)

[Feedback](#)

Specifications

Dimensions

Actual Door Height (in.)	79
Actual Door Thickness (in.)	1.75
Actual Door Width (in.)	36
Door Height (in.)	79 in
Door Thickness (in.)	1.75
Door Width (in.)	36
Fits Opening Height (in.)	79 to 79 7/8
Fits Opening Width (in.)	35 3/4 to 36 3/8
Nominal Door Height (in.)	79 in
Nominal Door Thickness (in.)	2 in
Nominal Door Width (in.)	36 in

Details

Bore Type	Double Bore
Color Family	Off White
Color/Finish	Primed
Door Configuration	Single Door
Door Handing	Universal/Reversible
Door Style	Traditional
Door Type	Exterior Slab
Features	Lockset Bore (Double Bore)
Finish Type	Primed
Included	Instructions
Material	Steel
Panel Type	6 Panel
Product Weight (lb.)	44.77 lb
Returnable	90-Day
Suggested Application	Front

 Live Chat

 Feedback

Warranty / Certifications


Energy Star Qualified	North-Central,Northern,South-Central,Southern
Fire rating	None
Manufacturer Warranty	10 Year Limited

How can we improve our product information? Provide feedback.

Customers Who Viewed This Also Viewed



Best Seller



Top

FREE IN-STORE PICKUP Over one million online items eligible. >



You're shopping
Madison Heig...
OPEN until 11 pm

Delivering to
48071

outdoor garage light



Cart | 0 items

Home Decor

Furniture

Wall Decor

Small Kitchen Appliances

Kitchenware & Tableware

Bedding & Bath

Lighting

Window Treatments

Shop By Room

Home / Lighting / Outdoor Lighting / Outdoor Wall Lighting / Outdoor Sconces

Internet #204294429 Model #HB7251MA-292 Store SKU #592082

1.5k




Home Decorators Collection

Brimfield 14.2 in. Aged Iron 1-Light Outdoor Wall Lamp with Clear Seedy Glass Shade and 220° Motion Sensing

★★★★★ (342) Questions & Answers (56)

Live Chat

Feedback



Dimensions

Product Depth (in.)	9.5
Product Height (in.)	14.2
Product Width (in.)	7 in

Details

Compatible Bulb Type	Incandescent,LED
Detection Range (ft.)	30
Exterior Lighting Product Type	Outdoor Sconce
Fixture Color/Finish	Aged Iron
Fixture Material	Metal
Included	Hardware Included,Motion Sensor
Light Bulb Base Code	E26
Light Bulb Type Included	No Bulbs Included
Light Direction	Down,Up
Maximum Bulb Wattage	100 W
Maximum Wattage (watts)	0
Number of Lights	1 Light
Outdoor Lighting Features	Adjustable Detection Sensitivity,Motion Sensing
Package Quantity	1
Power Type	Hardwired
Product Size	Medium
Product Style	Classic
Product Weight (lb.)	4.01
Recommended Light Bulb Shape Code	A19

Live Chat

Feedback

Returnable	90-Day
Sconce Type	Lantern
Shade Material	Glass
Style	Mission
UL Listing	1-UL Listed
Voltage Type	Line Voltage

Live Chat

Warranty / Certifications

Certifications and Listings	UL Certified
Manufacturer Warranty	3-Year Limited Warranty

Feedback

Product Overview

HOME
DECORATORS
COLLECTION

NUMBER OF LIGHTS

1 X



SCONCE TYPE

WALL LANTERN