



Lowe's Custom Order Quote

Quote # 200619411
Quote Name: Windows2
Date Printed: 8/21/2023

Customer: tw

Email:

Address: 28650 TE
SOUTHFIELD, MI 48034

Phone: (248) 670-3089


Store: (1604) LOWE'S OF SOUTHFIELD, MI

Associate: DESHA HOKES (4838820)

Address: 28650 TELEGRAPH ROAD
SOUTHFIELD, MI 48034-1934

Phone: (248) 208-0010

Item Total: 29
PreSavings Total: \$42,617.49
Freight Total: \$0.00
Labor Total: \$0.00
Pre-Tax Total: \$42,617.49



JELD-WEN 33.25-in x 65-in Wood W-2500
Double Hung
Room Location: window 1 **1**


Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Total Savings	Pre-Tax Total
100-1	JELD-WEN 33.25-in x 65-in Wood W-2500 Double Hung	63 days	\$1,233.18	\$1,233.18	1	\$1,233.18

Scope of work: Replace all windows with JELD Lifestyle wooden windows.

- All windows are original sized, Except for noted for oversized windows.



Begin Line 100 Description


--- Line 100-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 34
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 65.75
 Exterior Trim Width = 35.875
 Exterior Trim Height = 66.78125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 29 7/8 -in w
 28 7/16 -in h
 5.9sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 100 Description



JELD-WEN 33.25-in x 65-in Wood W-2500
 Double Hung
 Room Location: window 2 **2**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
200-1	JELD-WEN 33.25-in x 65-in Wood W-2500 Double Hung	63 days	\$1,233.18	\$1,233.18	1		\$1,233.18

Begin Line 200 Description


---- Line 200-1 ----

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 34
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 65.75
 Exterior Trim Width = 35.875
 Exterior Trim Height = 66.78125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 29 7/8 -in w
 28 7/16 -in h
 5.9sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 200 Description



JELD-WEN 33.25-in x 65-in Wood W-2500
 Double Hung
 Room Location: window 3

3

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
300-1	JELD-WEN 33.25-in x 65-in Wood W-2500 Double Hung	63 days	\$1,233.18	\$1,233.18	1		\$1,233.18

Begin Line 300 Description


--- Line 300-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 34
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 65.75
 Exterior Trim Width = 35.875
 Exterior Trim Height = 66.78125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 JambLiner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 29 7/8 -in w
 28 7/16 -in h
 5.9sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 300 Description



JELD-WEN 26.75-in x 29.75-in Wood W-5500
 Double Slider
 Room Location: window 4 **4**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
400-1	JELD-WEN 26.75-in x 29.75-in Wood W-5500 Double Slider	63 days	\$874.47	\$874.47	1		\$874.47

Begin Line 400 Description


---- Line 400-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 27.5
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 30.5
 Exterior Trim Width = 29.375
 Exterior Trim Height = 31.4375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 10 1/2 -in w
 25 13/16 -in h
 1.88sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00001
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 400 Description



JELD-WEN 26.75-in x 29.75-in Wood W-5500
 Double Slider
 Room Location: window 5 **5**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
500-1	JELD-WEN 26.75-in x 29.75-in Wood W-5500 Double Slider	63 days	\$874.47	\$874.47	1		\$874.47

Begin Line 500 Description

---- Line 500-1 ----


JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 27.5
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 30.5
 Exterior Trim Width = 29.375
 Exterior Trim Height = 31.4375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 10 1/2 -in w
 25 13/16 -in h
 1.88sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00001
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 500 Description

JELD-WEN 95.3125-in x 59.75-in Wood W-5500
 Triple Slider
 Room Location: window 6



Frame Out At ~~95.3125~~
 Height 60"
 Width 95"

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
600-1	JELD-WEN 95.3125-in x 59.75-in Wood W-5500 Triple Slider	63 days	\$2,409.19	\$2,409.19	1		\$2,409.19

Begin Line 2500 Description


---- Line 2500-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 69
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 24
 Exterior Trim Width = 70.875
 Exterior Trim Height = 24.9375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 31 1/4 -in w
 19 5/16 -in h
 4.19sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2500 Description



JELD-WEN 67.75-in x 59.25-in Wood W-5500
 Double Slider
 Room Location: 7

Handwritten: Frame out At 60" Height
 7 (circled)

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2600-1	JELD-WEN 67.75-in x 59.25-in Wood W-5500 Double Slider	63 days	\$1,860.05	\$1,860.05	1		\$1,860.05

Begin Line 800 Description


--- Line 800-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 35.25
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60
 Exterior Trim Width = 37.125
 Exterior Trim Height = 61.03125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 10
 Clear Opening Dimensions = 31 1/8 -in w
 25 9/16 -in h
 5.52sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 800 Description



JELD-WEN 64-in x 58.25-in Wood W-5500
 Double Slider
 Room Location: 8 **8**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
900-1	JELD-WEN 64-in x 58.25-in Wood W-5500 Double Slider	63 days	\$1,860.05	\$1,860.05	1		\$1,860.05

Begin Line 600 Description


---- Line 600-1 ----

JELD-WEN Wood W-5500 Triple Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = No Exterior Trim
 Exterior Trim Options = No
 Regional Compliance = Non-Certified
 Configuration = 3 Panel
 Order By = Frame Size
 Frame Width = 95 5/16
 Frame Height = Custom Size
 Custom Frame Height = 59.75
 Vent Width = 23.21875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Primed
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Primed
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Sill Nosing = No Sill Nosing
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = No Screen
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 20 3/4 -in w
 55 13/16 -in h
 8.04sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 600 Description



JELD-WEN 33.25-in x 60.5-in Wood W-2500
 Double Hung
 Room Location: window 9 **9**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
700-1	JELD-WEN 33.25-in x 60.5-in Wood W-2500 Double Hung	63 days	\$1,047.06	\$1,047.06	1		\$1,047.06

Begin Line 700 Description


--- Line 700-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 34
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 61.25
 Exterior Trim Width = 35.875
 Exterior Trim Height = 62.28125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 9
 Clear Opening Dimensions = 29 7/8 -in w
 26 3/16 -in h
 5.43sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 700 Description



JELD-WEN 34.5-in x 59.25-in Wood W-2500
 Double Hung
 Room Location: window 10 **10**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
800-1	JELD-WEN 34.5-in x 59.25-in Wood W-2500 Double Hung	63 days	\$1,193.03	\$1,193.03	3		\$3,579.09

Begin Line 900 Description


--- Line 900-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 64.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 59
 Exterior Trim Width = 66.625
 Exterior Trim Height = 59.9375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 29 1/8 -in w
 54 5/16 -in h
 10.97sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 900 Description



JELD-WEN 67.75-in x 59.875-in Wood W-5500
 Double Slider
 Room Location: 11

11

Frame Out At 60" Height

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1000-1	JELD-WEN 67.75-in x 59.875-in Wood W-5500 Double Slider	63 days	\$1,743.75	\$1,743.75	1		\$1,743.75

Begin Line 2600 Description


---- Line 2600-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 68.5
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60
 Exterior Trim Width = 70.375
 Exterior Trim Height = 60.9375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 31 -in w
 55 5/16 -in h
 11.9sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2600 Description



JELD-WEN 35.25-in x 45.75-in Wood W-5500
 Double Slider
 Room Location: window 12 **12**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2700-1	JELD-WEN 35.25-in x 45.75-in Wood W-5500 Double Slider	63 days	\$1,165.03	\$1,165.03	1		\$1,165.03

Begin Line 1000 Description

---- Line 1000-1 ----

Double Slider
 ISPart =
 Choose your Project Type =
 In Store Flag =
 ProductTileBackendName = -1
 Assembly = Full Unit
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Unit Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 68.5
 Rough Opening Height = 60 5/8
 Exterior Trim Width = 70.375
 Exterior Trim Height = 61.5625
 Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 Jamb Width = 4 9/16
 Rating = PG 30
 Sill Nosing = Std Sill Nosing

Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Energy Efficiency = Energy Star North
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Certification = None
 Clear Opening Dimensions = 31 -in w
 55 15/16 -in h
 12.03sf

Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 U-Factor = 0.25
 Solar Heat Gain Coefficient = 0.2
 Condensation Resistance = 48
 Visible Light Transmittance = 0.47
 CPD# = JEL-N-337-01344-00004
 Room Location = 7
 Is This a Remake = No
 Additional Information = No
 Base Lead Time = 28
 Lead Time Adder ID = 566
 Lead Time Adder Days = 35
 Lead Time Adder Codes =
 Lead Time Adder Debug Info = -1
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Vendor ID = 24221
 Unit Of Measure = EA
 Production Time (Does not include transit
 time) = 63
 Lowes Client Group = Plant_CW
 Lowes Warranty - 1 = Product
 Warranty | | <https://cmd-jeld-wen.s3.us-east-2.amazonaws.com/assets/documents/2360330572.pdf>
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Customer Service Number = 1-800-825-0706
 Option 2
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1000 Description

JELD-WEN 80.75-in x 37.75-in Wood W-5500

Triple Slider

Room Location: window 13

13

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1100-1	JELD-WEN 80.75-in x 37.75-in Wood W-5500 Triple Slider	63 days	\$2,201.71	\$2,201.71	1		\$2,201.71

Begin Line 1100 Description


--- Line 1100-1 ---

JELD-WEN Wood W-5500 Triple Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = No Exterior Trim
 Exterior Trim Options = No
 Regional Compliance = Non-Certified
 Configuration = 3 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 81.5
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 38.5
 Vent Width = 23.21875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Primed
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Primed
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Sill Nosing = No Sill Nosing
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = No Screen
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 13
 Clear Opening Dimensions = 20 3/4 -in w
 33 13/16 -in h
 4.87sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW WS500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1100 Description



JELD-WEN 32-in x 33.5-in Wood W-5500 Double
 Slider

Room Location: window 14 **14**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1200-1	JELD-WEN 32-in x 33.5-in Wood W-5500 Double Slider	63 days	\$1,022.64	\$1,022.64	1		\$1,022.64

Begin Line 1200 Description

--- Line 1200-1 ---

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 32.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 34.25
 Exterior Trim Width = 34.625
 Exterior Trim Height = 35.1875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 25
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None


Is This a Remake = No
 Room Location = window 14
 Clear Opening Dimensions = 13 1/8 -in w
 29 9/16 -in h
 2.69sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00001
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1200 Description

JELD-WEN 95.3125-in x 58.5-in Wood W-5500
 Triple Slider
 Room Location: window 15

15

Frame out at 95" width



Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1300-1	JELD-WEN 95.3125-in x 58.5-in Wood W-5500 Triple Slider	63 days	\$2,409.68	\$2,409.68	1		\$2,409.68

Begin Line 1300 Description


--- Line 1300-1 ---

JELD-WEN Wood W-5500 Triple Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = No Exterior Trim
 Exterior Trim Options = No
 Regional Compliance = Non-Certified
 Configuration = 3 Panel
 Order By = Frame Size
 Frame Width = 95 5/16
 Frame Height = Custom Size
 Custom Frame Height = 58.5
 Vent Width = 23.21875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Primed
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Primed
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Sill Nosing = No Sill Nosing
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = No Screen
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 20 3/4 -in w
 54 9/16 -in h
 7.86sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1300 Description



JELD-WEN 26-in x 30-in Wood W-5500 Double
 Slider
 Room Location: window 16

16

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1400-1	JELD-WEN 26-in x 30-in Wood W-5500 Double Slider	63 days	\$943.43	\$943.43	1		\$943.43

Begin Line 1400 Description


---- Line 1400-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 26.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 30.75
 Exterior Trim Width = 28.625
 Exterior Trim Height = 31.6875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 25
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 14
 Clear Opening Dimensions = 10 1/8 -in w
 26 1/16 -in h
 1.83sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00001
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1400 Description



JELD-WEN 26-in x 30-in Wood W-5500 Double
 Slider
 Room Location: window 17 **17**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1500-1	JELD-WEN 26-in x 30-in Wood W-5500 Double Slider	63 days	\$943.43	\$943.43	1		\$943.43

Begin Line 1500 Description

--- Line 1500-1 ---

Double Slider
 ISPart =
 Choose your Project Type =
 In Store Flag =
 ProductTileBackendName = -1
 Assembly = Full Unit
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-WDMA/ASTM
 Unit Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 26.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 30.75
 Exterior Trim Width = 28.625
 Exterior Trim Height = 31.6875
 Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 Jamb Width = 4 9/16
 Rating = PG 25
 Sill Nosing = Std Sill Nosing


Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Energy Efficiency = Energy Star North
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Certification = None
 Clear Opening Dimensions = 10 1/8 -in w
 26 1/16 -in h
 1.83sf

Energy Star Qualified = Northern; North-Central; South-Central; Southern
 U-Factor = 0.25
 Solar Heat Gain Coefficient = 0.47
 Condensation Resistance = 48
 Visible Light Transmittance = 0.47
 CPD# = JEL-N-337-01344-00001
 Room Location = window 14
 Is This a Remake = No
 Additional Information = No
 Base Lead Time = 28
 Lead Time Adder ID = 566
 Lead Time Adder Days = 35
 Lead Time Adder Codes =
 Lead Time Adder Debug Info = -1
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Vendor ID = 24221
 Unit Of Measure = EA
 Production Time (Does not include transit time) = 63
 Lowes Client Group = Plant_CW
 Lowes Warranty - 1 = Product
 Warranty | | <https://cmd-jeld-wen.s3.us-east-2.amazonaws.com/assets/documents/2360330572.pdf>
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Customer Service Number = 1-800-825-0706
 Option 2
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1500 Description

JELD-WEN 95.3125-in x 59.75-in Wood W-5500

Product Warranty



Triple Slider
 Room Location: window 18

18

*Frame Out At 95" width
 60" Height*



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1600-1	JELD-WEN 95.3125-in x 59.75-in Wood W-5500 Triple Slider	63 days	\$2,409.19	\$2,409.19	1		\$2,409.19

Begin Line 1600 Description


---- Line 1600-1 ----

Triple Slider
 ISPart =
 Choose your Project Type =
 In Store Flag =
 ProductTileBackendName = -1
 Assembly = Full Unit
 Exterior Trim Type = No Exterior Trim
 Exterior Trim Options = No
 Regional Compliance = Non-Certified
 Configuration = 3 Panel
 Order By = Frame Size
 Frame Width = 95 5/16
 Frame Height = Custom Size
 Custom Frame Height = 59.75
 Vent Width = 23.21875
 Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Primed
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Primed
 Jamb Width = 4 9/16
 Sill Nosing = No Sill Nosing
 Prep for Stool = No

Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = No Screen
 Energy Efficiency = Energy Star North
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Certification = None
 Clear Opening Dimensions = 20 3/4 -in w
 55 13/16 -in h
 8.04sf
 Energy Star Qualified = Northern; North-Central; South-Central; Southern
 U-Factor = 0.25
 Solar Heat Gain Coefficient = 0.2

Condensation Resistance = 48
 Visible Light Transmittance = 0.47
 CPD# = JEL-N-337-01344-00004
 Room Location = window 1
 Is This a Remake = No
 Additional Information =
 Base Lead Time = 28
 Lead Time Adder ID = 566
 Lead Time Adder Days = 35
 Lead Time Adder Codes =
 Lead Time Adder Debug Info = -1
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Vendor ID = 24221
 Unit Of Measure = EA
 Production Time (Does not include transit time) = 63
 Lowes Client Group = Plant_CW
 Lowes Warranty - 1 = Product Warranty | <https://cmd-jeld-wen.s3.us-east-2.amazonaws.com/assets/documents/2360330572.pdf>
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Customer Service Number = 1-800-825-0706
 Option 2
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1600 Description



JELD-WEN 67-in x 59.5-in Wood W-5500 Double Slider
 Room Location: 19

Frame Out At 60" Height

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1700-1	JELD-WEN 67-in x 59.5-in Wood W-5500 Double Slider	63 days	\$1,860.05	\$1,860.05	1		\$1,860.05

Begin Line 1700 Description

--- Line 1700-1 ---


JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 67.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60.25
 Exterior Trim Width = 69.625
 Exterior Trim Height = 61.1875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 30 5/8 -in w
 55 9/16 -in h
 11.8sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1700 Description

JELD-WEN 63.75-in x 59.5-in Wood W-5500
 Double Slider
 Room Location: 20



20
frame out At 60" Height
width

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1800-1	JELD-WEN 63.75-in x 59.5-in Wood W-5500 Double Slider	63 days	\$1,860.05	\$1,860.05	1		\$1,860.05

Begin Line 1800 Description


---- Line 1800-1 ----

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 64.5
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60.25
 Exterior Trim Width = 66.375
 Exterior Trim Height = 61.1875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 29 -in w
 55 9/16 -in h
 11.18sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1800 Description



JELD-WEN 33-in x 61.75-in Wood W-2500
 Double Hung
 Room Location: window 21

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
1900-1	JELD-WEN 33-in x 61.75-in Wood W-2500 Double Hung	63 days	\$1,198.40	\$1,198.40	1		\$1,198.40

Begin Line 1900 Description


--- Line 1900-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 33.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 62.5
 Exterior Trim Width = 35.625
 Exterior Trim Height = 63.53125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 29 5/8 -in w
 26 13/16 -in h
 5.51sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 1900 Description



JELD-WEN 33-in x 59.25-in Wood W-2500
 Double Hung
 Room Location: window 22 **22**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2000-1	JELD-WEN 33-in x 59.25-in Wood W-2500 Double Hung	63 days	\$1,163.21	\$1,163.21	1		\$1,163.21

Begin Line 2000 Description


--- Line 2000-1 ---

JELD-WEN Wood W-2500 Double Hung
 Assembly = Full Unit
 Energy Efficiency = Standard
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Vent Division = Even Divide
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 33.75
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60
 Exterior Trim Width = 35.625
 Exterior Trim Height = 61.03125

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Type of Grille = None
 Grid Type = No Grids
 Sash Limiter = No Sash Limiter
 Rating = PG 25
 Sill Nosing = Standard Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Screen Options = Aluminum Mesh (Charcoal)
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None
 Jambliner = Tan Jambliner
 Jamb Liner Options = Compression Jambliner
 Sill Stop = Sill Stop Applied
 Finger Plows = No Finger Plows

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 29 5/8 -in w
 25 9/16 -in h
 5.26sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.46
 Condensation Resistance = 47
 CPD# = JEL-N-578-01934-00004
 SOS = 937074
 SOS Description = WTS JW W2500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2000 Description



JELD-WEN 67.25-in x 59.5-in Wood W-5500
 Double Slider
 Room Location: 23

23
 Frame Out A + 60" Height

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2100-1	JELD-WEN 67.25-in x 59.5-in Wood W-5500 Double Slider	63 days	\$1,860.05	\$1,860.05	1		\$1,860.05

Begin Line 2200 Description


--- Line 2200-1 ---

JELD-WEN Wood W-5500 Triple Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = No Exterior Trim
 Exterior Trim Options = No
 Regional Compliance = Non-Certified
 Configuration = 3 Panel
 Order By = Frame Size
 Frame Width = Custom Size
 Custom Frame Width = 81.5
 Frame Height = Custom Size
 Custom Frame Height = 38.5
 Vent Width = 23.21875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Primed
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Primed
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Sill Nosing = No Sill Nosing
 Prep for Stool = No
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Screen Options = No Screen
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 1
 Clear Opening Dimensions = 20 3/4 -in w
 34 9/16 -in h
 4.98sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2200 Description



JELD-WEN 35.25-in x 46-in Wood W-5500
 Double Slider
 Room Location: window 24 **24**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2300-1	JELD-WEN 35.25-in x 46-in Wood W-5500 Double Slider	63 days	\$1,165.03	\$1,165.03	1		\$1,165.03

Begin Line 2100 Description

--- Line 2100-1 ---

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 68
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 60.25
 Exterior Trim Width = 69.875
 Exterior Trim Height = 61.1875


Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 30
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = 7
 Clear Opening Dimensions = 30 3/4 -in w
 55 9/16 -in h
 11.85sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2100 Description

JELD-WEN 81.5-in x 38.5-in Wood W-5500 Triple
 Slider

Room Location: window 25 **25**



Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2200-1	JELD-WEN 81.5-in x 38.5-in Wood W-5500 Triple Slider	63 days	\$2,201.44	\$2,201.44	1		\$2,201.44

Begin Line 2300 Description


--- Line 2300-1 ---

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 36
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 46.75
 Exterior Trim Width = 37.875
 Exterior Trim Height = 47.6875

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 25
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 14
 Clear Opening Dimensions = 14 3/4 -in w
 42 1/16 -in h
 4.3sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2300 Description



JELD-WEN 37.25-in x 25.75-in Wood W-5500
 Double Slider
 Room Location: window 26 **26**

Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2400-1	JELD-WEN 37.25-in x 25.75-in Wood W-5500 Double Slider	63 days	\$1,077.71	\$1,077.71	1		\$1,077.71

Begin Line 2400 Description

--- Line 2400-1 ---


JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 38
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 26.5
 Exterior Trim Width = 39.875
 Exterior Trim Height = 27.4375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 25
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 1
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 14
 Clear Opening Dimensions = 15 3/4 -in w
 21 13/16 -in h
 2.38sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2400 Description

JELD-WEN 68.25-in x 23.25-in Wood W-5500
 Double Slider
 Room Location: 27 **27**



Product Warranty



Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
2500-1	JELD-WEN 68.25-in x 23.25-in Wood W-5500 Double Slider	63 days	\$1,188.77	\$1,188.77	1		\$1,188.77

Begin Line 2700 Description

--- Line 2700-1 ---

JELD-WEN Wood W-5500 Double Slider
 Assembly = Full Unit
 Energy Efficiency = Energy Star North
 Exterior Trim Type = Brickmould
 Exterior Trim Options = No
 Regional Compliance = US National-
 WDMA/ASTM
 Handing = Left Hand Unit
 Configuration = 2 Panel
 Order By = Rough Opening Size
 Rough Opening Width = Custom Size
 Custom Rough Opening Width = 36
 Rough Opening Height = Custom Size
 Custom Rough Opening Height = 46.5
 Exterior Trim Width = 37.875
 Exterior Trim Height = 47.4375

Species = Auralast Pine
 Interior Finish Type = Natural
 Finish - Interior = Natural
 Finish - Exterior = Natural Pine
 Sash to Match Exterior Finish = Yes
 Finish - Sash (Exterior) = Natural Pine
 Ext Trim to Match Ext Finish = Yes
 STC / OITC Rating = Standard
 Glazing = Insulated
 Glass Energy Options = SunResist with
 HeatSave
 Glass Color = SunResist with HeatSave
 Glass Type = Annealed
 Neat Glass = No
 Glass Thickness = Standard Default Thickness
 Protective Film = Protective Film
 Spacer Color = Black Spacer
 Glass Options = Argon
 Glazing Stop Style = Standard
 Type of Grille = None
 Grid Type = No Grids
 Rating = PG 25
 Sill Nosing = Std Sill Nosing
 Sill Horns = No Sill Horn
 Prep for Stool = No
 Drip Cap = Metal Drip Cap
 Drip Cap Finish = Chestnut Bronze
 Hardware Finish - Interior = Chestnut Bronze
 Number of Locks = 2
 Combo = No Combo
 Screen Options = BetterVue Mesh
 Screen Frame Finish = Chestnut Bronze
 Jamb Width = 4 9/16
 Certification = None

Is This a Remake = No
 Room Location = window 14
 Clear Opening Dimensions = 14 3/4 -in w
 41 13/16 -in h
 4.27sf
 U-Factor = 0.25
 Energy Star Qualified = Northern; North-
 Central; South-Central; Southern
 Solar Heat Gain Coefficient = 0.2
 Visible Light Transmittance = 0.47
 Condensation Resistance = 48
 CPD# = JEL-N-337-01344-00004
 SOS = 937072
 SOS Description = WTS JW W5500 Window
 Additional Information = No
 Delivery Method = In-Store Pick-Up
 Production Time (Does not include transit
 time) = 63 Days
 Customer Service Number = 1-800-825-0706
 Option 2
 Of Measure = EA
 Vendor ID = 24221
 Manufacturer = JELD-WEN
 Rantoul(IL)
 Catalog Version Date = 06/29/2023
 Catalog Version = 23.3.27.0

End Line 2700 Description

Accepted by: _____

Date: 8/21/2023

Pre-Tax Total	\$42,617.49
---------------	-------------

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above. This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of purchase. All of the above quantities, dimensions, specifications and accessories have been verified and accepted by the customer.

**** Special order configured products returned or canceled after 72 hours from purchase are subject to a 20% restocking fee. ****