



# Contract - Detailed

Pella Window and Door Showroom of Plymouth  
14492 N Sheldon Rd Suite 310  
Plymouth, MI 48170


**Sales Rep Name:** Newsted, David  
**Sales Rep Phone:** 567-202-6072  
**Sales Rep Fax:**  
**Sales Rep E-Mail:** newsteddh@pella.com

| Customer Information   | Project/Delivery Address   | Order Information   |
|--|--|---|
| <b>Neha Awal</b><br>1465 W Chicago Blvd<br><br>DETROIT, MI 48206<br><b>Primary Phone:</b> (248) 8197566<br><b>Mobile Phone:</b><br><b>Fax Number:</b><br><b>E-Mail:</b> nehaawal@gmail.com<br><b>Great Plains #:</b> 1006879348<br><b>Customer Number:</b> 1010699496<br><b>Customer Account:</b> 1006879348 | <b>Neha Awal C- 1465 W Chicago Blvd, Detroit, MI, US</b><br>1465 W Chicago Blvd<br><br><b>Lot #</b><br>Detroit, MI 48206<br><b>County:</b> | <b>Quote Name:</b> Neha Awal C- 1465 W Chicago Blvd, Detroit,<br><br><b>Order Number:</b> 742<br><b>Quote Number:</b> <b>16977492</b><br><b>Order Type:</b> Installed Sales<br><b>Payment Terms:</b><br><b>Tax Code:</b><br><b>Quoted Date:</b> 6/19/2023 |

| Line # | Location:     | Attributes  | Qty |
|--------|---------------|---|-----|
| 10     | None Assigned | <b>ADPPRRDETR010010 - Administration &amp; Processing Fee</b> | 1   |

| Line # | Location:     | Attributes   | Qty |
|--------|---------------|--|-----|
| 15     | None Assigned | <b>ADDP RRDETRO10006 - Presumed Positive Lead Test</b> | 1   |

| Line # | Location:    | Attributes   | Qty |
|--------|--------------|--|-----|
| 20     | Sun Room E L | <b>Lifestyle, Double Hung, Without HGP, Iron Ore</b> | 1   |



Viewed From Exterior

PK #  
2135

**1: SizeNon-Standard Size Double Hung, Equal**

**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**

Exterior Color / Finish: **Standard Enduraclad, Iron Ore**

Interior Color / Finish: **Provincial Stain Interior**

Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**

Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**

Screen: **Full Screen, Iron Ore, InView™**

Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**

Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

**INSTARDETRO10003 - Wood Pocket LF Installation - Standard**

Qty 16

**QUOMATDETM040100 - Coil (LF)**

Qty 16


| Line # | Location: | Attributes |
|--------|-----------|------------|
|--------|-----------|------------|

25 Sun Room E C

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |
|--------|-----------|------------|
|--------|-----------|------------|

30 Sun Room E R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

35 Sun Room W L

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

40 Sun Room W C

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

45 Sun Room W R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

50 Sun Room S L

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

55 Sun Room S C

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

60 Sun Room S R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 27.75, Clear Opening Area 5.166896, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

65 Living Room W L

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 28.812, Clear Opening Height 27.75, Clear Opening Area 5.552312, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |     |    |
|---|-----|----|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty | 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty | 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

70 Living Room W R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 28.812, Clear Opening Height 27.75, Clear Opening Area 5.552312, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |     |    |
|---|-----|----|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty | 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty | 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

75 Living Room N L

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 24.812, Clear Opening Height 27.75, Clear Opening Area 4.781479, Egress Does not meet typical United States egress, but may comply with local code requirements**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

80 Living Room N C

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 24.812, Clear Opening Height 27.75, Clear Opening Area 4.781479, Egress Does not meet typical United States egress, but may comply with local code requirements**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |




| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

85 Living Room N R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 24.812, Clear Opening Height 27.75, Clear Opening Area 4.781479, Egress Does not meet typical United States egress, but may comply with local code requirements**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 16 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 16 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

90 Kitchen S L

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

Viewed From Exterior

**1: SizeNon-Standard Size Double Hung, Equal**  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**  
 Exterior Color / Finish: **Standard Enduraclad, Iron Ore**  
 Interior Color / Finish: **Provincial Stain Interior**  
 Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
 Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**  
 Screen: **Full Screen, Iron Ore, InView™**  
 Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 22.75, Clear Opening Area 4.235924, Egress Does not meet typical United States egress, but may comply with local code requirements**  
 Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

|   |        |
|---|--------|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty 14 |
| QUOMATDETM040100 - Coil (LF)                              | Qty 14 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

95 Kitchen S R

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

**1: SizeNon-Standard Size Double Hung, Equal**

**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**

Exterior Color / Finish: **Standard Enduraclad, Iron Ore**

Interior Color / Finish: **Provincial Stain Interior**

Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**

Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**

Screen: **Full Screen, Iron Ore, InView™**

Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 22.75, Clear Opening Area 4.235924, Egress Does not meet typical United States egress, but may comply with local code requirements**

Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

Viewed From Exterior

|   |     |    |
|---|-----|----|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty | 14 |
| QUOMATDETM040100 - Coil (LF)                              | Qty | 14 |


| Line # | Location: | Attributes |  |
|--------|-----------|------------|--|
|--------|-----------|------------|--|

100 Kitchen E

**Lifestyle, Double Hung, Without HGP, Iron Ore**

Qty

1



PK #  
2135

**1: SizeNon-Standard Size Double Hung, Equal**

**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Black**

Exterior Color / Finish: **Standard Enduraclad, Iron Ore**

Interior Color / Finish: **Provincial Stain Interior**

Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**

Hardware Options: **Cam-Action Lock, Matte Black, No Limited Opening Hardware, No Sash Lift, No Integrated Sensor**

Screen: **Full Screen, Iron Ore, InView™**

Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 26.812, Clear Opening Height 19.75, Clear Opening Area 3.67734, Egress Does not meet typical United States egress, but may comply with local code requirements**

Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)**

Viewed From Exterior

|   |     |    |
|---|-----|----|
| INSTARDETR010003 - Wood Pocket LF Installation - Standard | Qty | 13 |
| QUOMATDETM040100 - Coil (LF)                              | Qty | 13 |

| Line # | Location:     | Attributes                                 | Qty      |
|--------|---------------|--|----------|
| 105    | None Assigned | <b>PROMOTDETR010004 - Branch Promotion</b> | <u>1</u> |

| Line # | Location:     | Attributes                                    | Qty      |
|--------|---------------|---|----------|
| 110    | None Assigned | <b>PROMOTDETR010006 - Large Job Promotion</b> | <u>1</u> |

Thank You For Purchasing Pella® Products

**PELLA WARRANTY:**

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

**INSYNCTIVE PRODUCTS:** In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

**Notice of Collection of Personal Information:** We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

**ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")**

**YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit [www.pella.com/arbitration](https://www.pella.com/arbitration) or e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

**Product Performance Information:**

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC). Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](https://www.pella.com)

fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to [www.pella.com/performance](http://www.pella.com/performance).

## Pella General Installation Review

### Pella Will:

- Deliver and unload products purchased per contract
- Place drop cloths on work area flooring
- Remove interior and exterior trim
- Provide all equipment and materials necessary to install new products
- Inspect all products purchased per contract
- Install all products per contract
- Insulate and caulk around products
- Verify that all products installed are in good working order
- Remove drop clothes, vacuum, and remove all debris
- Remove all old products from premises upon completion
- All work to be performed during normal working hours of 8:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made.
- Installation and prefinish is warranted for the period of two years on materials and workmanship. Warranty time frame begins at date of completion.

### Homeowner Will:

- Secure building permit if needed
- Remove existing shutters and awnings
- Reinstall shutters and awnings
- Cut back or tie trees, bushes and shrubs two feet from exterior wall
- Arrange to have alarm system disconnected and reinstalled
- Arrange to have any plumbing and/or electrical repairs or changes made by appropriate licensed contractor prior to install date
- Provide site electricity for power tools
- All blinds and interior window treatments need to be removed prior to your installation date.
- All furniture needs to be moved at least 6 feet away from any window or door begin replaced.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

- 
- All personal items, wall hangings and collectibles must be removed prior to you installation date.
  - Any non-movable furniture (example: pianos, built in cabinets, etc.) must be cleared of items and be surface dusted prior to installation.
  - Have pets controlled so they do not get loose
  - Remove all stickers from products installed
  - Wash all interior and exterior glass surfaces

**PWD, LLC ("Seller")****1940 Opdyke Ct.****Auburn Hills, Michigan 48326****Michigan Builder License #: 2102182819**

**This sales agreement consists of and is subject to the Terms and Conditions set forth on subsequent pages of this document as well as the terms and conditions of the Pella Product Warranties available at [www.pella.com](http://www.pella.com) and Seller's Installation Warranty and Seller's Finish Warranty (if Seller is providing finishing services) and referred to collectively as the "Contract". Contract must be signed within Fourteen (14) days of Quote Date for pricing to remain firm. Contract becomes binding only upon written acceptance PWD, LLC ("Pella Windows and Doors" or "Seller") management.**

**\* Customer certifies that their home was built in: \_\_\_\_\_: (int.) \_\_\_\_\_**

**\* If the home was built prior to 1978, the Customer(s) has been provided with a "Renovate Right: Important Lead Hazard Information for Families, Child Care Providers and Schools" pamphlet: (int.) \_\_\_\_\_**

**\* Buyer understands the Pella Care Guarantee is the Seller's Installation Limited Warranty and Service Agreement and Pella product limited Warranty(ies) (int.) \_\_\_\_\_**

**\* Buyer(s) has received the Seller's Installation Limited Warranty and Service Agreement for Pella products (int.) \_\_\_\_\_**

**\* Buyer(s) has received the Pella product Limited warranty or reviewed at [pella.com/warranty](http://pella.com/warranty)(int.) \_\_\_\_**

**\* Seller is doing finishing and Buyer(s) has received the Seller's Finish Warranty (int.) \_\_\_\_\_; Product is finished by Pella and the finish is covered as set forth in the Pella product warranty (int.) \_\_\_\_\_; Product is not finished by Seller or Pella and Buyer(s) will undertake prompt finishing in accordance with applicable instructions (int.) \_\_\_\_\_**

**\* Customer authorizes Seller to charge on the credit of the customer the balance immediately upon substantial completion (int.) \_\_\_\_\_**

**\* Customer has reviewed and approved all pre-finish selections (int.) \_\_\_\_\_**

**\*Pella Windows and Doors is not responsible for the removal or reinstallation of existing alarm contacts. It is the responsibility of the customer to have the alarm contacts re-installed by the alarm company of choice. The installers can remove the existing contacts - if you choose, but are not responsible for**

replacing them in the event that they are damaged during removal. \_\_\_\_\_

\*Customer is aware that the clear oak threshold doesn't match the color/stain of the Impervia/Lifestyle/Architect sliding & hinged doors & fiberglass entry door systems. \_\_\_\_\_

\*I hereby authorize Pella Corporation, its affiliates and/or subsidiaries to use, reproduce, and/or publish photographs and/or video that may pertain to me and my project, including materials described below, without compensation. I understand that this material may be used in various communications (e.g. Website, e-newsletters, promotional materials, etc).

Consequently, the Corporation may publish materials, photographs, and/or make reference to the project in a manner that the Corporation or project sponsor deems appropriate. \_\_\_\_\_

Customer Name (Please Print)

Pella Windows and Doors Sales Representative

Date

Date:

Customer Signature

Pella Windows and Doors Sales Representative Signature

**TERMS AND CONDITIONS**

**ARTICLE 1 - SCOPE OF WORK.** PWD, LLC ("Pella Windows and Doors" or "Seller") is a wholly-owned subsidiary of Pella Corporation ("Pella"). Seller shall provide and install the products and accessories and provide the services described above on premises of the Buyer(s) identified as the Project/Delivery Address (the "Property").

All work to be performed during normal working hours of 7:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made. Depending on the Buyers' product choice and the required installation method, Seller cannot guarantee that the newly installed Pella product will line up with the original paint line or wallpaper, and the new Pella product may result in less visible glass area than that of the original product.

**ARTICLE 2 - PRICE AND PAYMENT TERMS.** Buyer(s) agrees to pay Seller the amount set forth in this Contract (the "Contract Price") and any sums due in addition for taxes or other charges expressly allowed under the Contract. The Contract Price does not include any taxes, including sales, consumer, use and similar taxes. Taxes shall be added to the Contract Price. Buyer(s) shall deposit (the "Deposit") with Seller immediately upon execution of this Contract the amount set forth on the first page of this Contract. If installation services are deferred at Buyer(s)' request beyond 7 days of the scheduled date set forth in this Contract, the Contract Price shall be subject to a 2% of Contract Price or \$25 a month warehousing charge, whichever is greater. The Buyer(s) shall pay the remainder of the Contract Price immediately upon substantial completion of the services provided under this Contract. If the Buyer(s) fails to pay all amounts when due, the Buyer(s) agrees to pay a finance charge on the unpaid balance at the lesser of 1% per month or the maximum rate allowed by state and local law upon the earliest date allowed by state and local law. If the Buyer(s) fails to pay any amount due under this Contract, the Buyer(s) agrees to pay reasonable attorneys' fees and collection costs and expenses that Seller incurs in enforcing its rights to payment under this Contract. **Seller hereby gives notice of its lien rights as a provider of goods and services to the improvement of Buyer(s)' real property and of its intention to assert those rights in the event Buyers fail to make payment for the goods and services furnished as required by this Contract.**

**ARTICLE 3 - CANCELLATION.** BUYER(S) MAY CANCEL THIS CONTRACT BY GIVING SELLER WRITTEN NOTICE TO SELLER PRIOR TO MIDNIGHT OF THE THIRD BUSINESS DAY AFTER THE DATE OF THIS CONTRACT. If Buyer(s) cancels the Contract after the third business day, the Buyer(s) forfeits the entire Deposit. Furthermore, if this Contract provides for product specially made or the product has been delivered to the job site, the Buyer (s) agrees to pay the entire Contract Price and taxes attributable to the products as liquidated damages. In such event, Buyer(s) will be entitled to keep the products.

**ARTICLE 4 - CHANGES.** Any notice or instruction from Buyer(s) received after execution of this Contract, which has the effect of changing the terms or scope of this Contract will be effective only upon an appropriate adjustment in the price and/or delivery date, and acceptance of the change by Seller in writing. Deletion of specific Goods shall be subject to the terms of the Cancellation provision of these Terms and Conditions.

**ARTICLE 5 - ACCEPTANCE OF WORK.** All work performed and materials supplied under this Contract shall be deemed in full compliance unless Seller is notified by Buyer(s) in writing to the contrary within five (5) days following substantial completion of installation.

**ARTICLE 6 - TIME FOR COMPLETION.** The work described under the terms of this Contract shall begin on or about the date indicated. Seller shall provide Buyer(s) with at least seventy-two (72) hours notice of the commencement of work on the Project. Seller shall make reasonable effort to complete the Project in a timely manner but there is no guarantee that shipment and installation will occur on the proposed date. **Seller, installer and Pella shall not be liable for any direct, indirect or consequential damage or loss caused by delay in shipment or delay in installation for any reason.**

**ARTICLE 7 - PROBLEMATIC SITE CONDITIONS.** If Seller is aware of conditions that make installation difficult, inefficient, or otherwise compromise the performance of the Products, including such conditions as water infiltration, mold, damaged or rotted framing or structural members, termites, wiring, or plumbing that must be moved, construction defects, lead paint, or asbestos, Seller shall have no obligation under this agreement to repair such conditions, but Seller may notify Buyer(s) of such conditions and the Contract Price shall be amended for any cost increases resulting from such conditions. If, in Seller's opinion, site conditions render performance hazardous or impracticable, it shall so notify Buyer(s) and the Contract may be terminated pursuant to Article 8 of this Contract. Seller may become aware of such conditions but is not responsible for discovering such conditions, determining the extent of such conditions, repairing such conditions or notifying Buyer(s) of such conditions.

**ARTICLE 8 - SELLER'S TERMINATION.** Seller, in its sole discretion, may terminate this Contract if the work is stopped for a period of thirty (30) consecutive days through no fault of Seller; or for conditions described in Article 7 above or if Buyer(s) defaults on any of its obligations contained in this Contract and does not cure said defaults within a reasonable period of time. In the event of such termination, Seller is entitled to recover from Buyer(s) such remedies as set forth under the cancellation provision (Article 3) contained in this Contract and any sums owed under the Contract, including the recovery of reasonable attorneys' fees incurred in the exercise of Seller's rights under this Contract.

**ARTICLE 9 - WARRANTY AND LIMITATIONS.** Seller warrants the installation services only as set forth in the Seller's Installation Limited Warranty and Service Agreement, which is made a part of this Contract. The Seller's Installation Limited Warranty and Service Agreement, is available from Seller upon request and may (but need not) be attached hereto or enclosed herewith. All product warranties for products manufactured by Pella or others are direct from Pella or others, respectively. Seller also agrees to service the Pella products purchased by Buyer for an 8-year period starting from the date of the expiration of the Installation Limited Warranty pursuant to the conditions and limitations set forth in the Service Agreement, which is made a part of this Contract. Pella warrants its products only as set forth in Pella's separate product limited warranties, which are made a part of this Contract. The product limited warranties for Pella products are available from Pella upon request and at [pella.com/warranty](http://pella.com/warranty), and may (but need not) be attached hereto or enclosed herewith. Other manufacturer warranties can be obtained directly from such manufacturer. Certain Pella products contain a factory finish. If the products purchased by Buyer(s) contain a factory finish, this finishing will be warranted as part of Pella's Product Warranties. These warranties are available at [pella.com/warranty](http://pella.com/warranty). If the Buyer(s) elects finishing by the Seller, Seller warrants the finishing only as set forth in the separate 2-Year Finishing Warranty. The 2-Year Finishing Warranty is available from Seller upon request and may (but need not) be attached hereto or enclosed herewith. Where applicable, all terms and limitations of the 2-Year Finishing Warranty are made a part of this Contract as if expressly set forth herein. If finishing is not selected from the Seller or from the factory, Buyer(s) is responsible for finishing. **THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER OR PELLA OR ITS SUBSIDIARIES BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES ARISING OUT OF OR RELATED TO THE**



---

**PRODUCT OR WORK.**

**ARTICLE 10 - WAIVER OF SUBROGATION.** Buyer(s) waives all rights to recover against Seller any losses covered by Buyer(s)' property insurance and waives all rights of subrogation for losses to the extent covered by insurance.

**ARTICLE 11 - LIMITATION OF SUITS.** Any controversy or claim arising out of, or relating to, the sale and/or installation of Products must be commenced within one (1) year after the cause of action has accrued.

**ARTICLE 12 - SUBCONTRACTORS.** Seller may contract with subcontractors to perform some or all of the installation work. Buyer(s) authorizes Seller to utilize subcontractors for all or any portion of the work.

**ARTICLE 13 - MISCELLANEOUS PROVISIONS.** Seller offers this service and products, and Buyer(s) accepts them, subject to the foregoing conditions of sale and limitations of warranty and liability, which may be modified only by written contract signed by a duly authorized representative of Seller. This Contract contains the entire understanding of the parties concerning the subject matter hereof and supersedes all previous understandings relating thereto, whether oral or written. If any one or more of the provisions of this Contract shall be held to be invalid, illegal, or unenforceable, the validity, legality, and enforceability of the remaining provisions of the Contract shall not be affected. Buyer(s) may not assign this Contract, in whole or in part, without prior written consent of Seller. This Contract shall be governed by and construed in accordance with the laws of the state where the Project is located.

**The customer represents that they have reviewed the local building codes and ordinances as well as any homeowner and/or condominium association rules and restrictions and that the materials and products they are ordering and their intended use, comply with all local building codes and ordinances and homeowner and/or condominium association rules and restrictions. The customer also acknowledges that they have secured all the proper approvals from their homeowner association, condominium association and/or historical society prior to executing this purchase contract.**

**Note: These totals DO NOT include tax**

| <b>Order Totals</b>     |                    |
|-------------------------|--------------------|
| Taxable Subtotal        | \$37,232.57        |
| Sales Tax @ 0%          | \$0.00             |
| Non-taxable Subtotal    | \$8,990.10         |
| <b>Total</b>            | <b>\$46,222.67</b> |
| <b>Deposit Received</b> | <b>\$0.00</b>      |
| <b>Amount Due</b>       | <b>\$46,222.67</b> |

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Credit Card Approval Signature