

SOLD BY:

HDIS Detroit North-Auburn Hills
 2455 Paces Ferry Rd NW
 Atlanta, GA 30339
 Fax: 866-224-3646

SOLD TO:

CREATED DATE
 9/18/2023


LATEST UPDATE
 9/19/2023

OWNER
 Jonathan Lowe

Abbreviated Quote Report

QUOTE NAME	PROJECT NAME	QUOTE NUMBER	CUSTOMER PO#	TRADE ID
Hina Hassan	Pocket-Style Replacement Windows	4682211		

ORDER NOTES: **DELIVERY NOTES:** 11 TO 13 WEEKS LEAD TIME




Item	Qty	Operation	Location
100	6	Active/Active	None Assigned (6) living Room 1st floor
RO Size = 29" x 63"		Unit Size = 29" x 63"	

TRET 2' 5"X5' 3", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 29 x 63 8 Degrees and greater Full Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
200	8	Active/Active	None Assigned

RO Size = 33" x 53"


Unit Size = 33" x 53"

TRET 2' 9"X4' 5", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 33 x 53 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(2) bedrooms 1st Floor
 (2) Kitchen 1st Floor
 (4) Attic 3rd Floor



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
300	3	Active/Active	None Assigned

RO Size = 27" x 53"

Unit Size = 27" x 53"


TRET 2' 3"X4' 5", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 27 x 53 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(2) hallway 2nd Floor
 (1) bedroom 1st Floor

(3) Living Room
1st Floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
400	3	Active/Active	None Assigned
RO Size = 36" x 67"		Unit Size = 36" x 67"	

TRET 3'X5' 7", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 36 x 67 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
500	1	Active/Active	None Assigned
RO Size = 42" x 48"		Unit Size = 42" x 48"	


(1) Kitchen
1st Floor

TRET 3' 6"X4', Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 42 x 48 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(1) Kitchen 1st Floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
600	1	Active/Active	None Assigned
RO Size = 38" x 53"		Unit Size = 38" x 53"	

TRET 3' 2"X4' 5", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 38 x 53 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(2) 1/2 Bathroom 1st Floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
700	2	Active/Active	None Assigned
RO Size = 18" x 37"		Unit Size = 18" x 37"	

TRET 1' 6"X3' 1", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 18 x 37 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(4) office 1st floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
800	4	Active/Active	None Assigned

RO Size = 22" x 42" Unit Size = 22" x 42"

TRET 1' 10"X3' 6", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 22 x 42 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
900	4	Active/Active	None Assigned


RO Size = 20" x 47" Unit Size = 20" x 47"

(4) hallway 2nd floor

TRET 1' 8"X3' 11", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 20 x 47 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1000	5	Active/Active	None Assigned
RO Size = 36" x 57"		Unit Size = 36" x 57"	

(3) bedroom 2nd Floor
 (1) bathroom 2nd Floor
 (1) bedroom 2nd Floor

TRET 3'X4' 9", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 36 x 57 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1100	1	Active/Active	None Assigned
RO Size = 25" x 41"		Unit Size = 25" x 41"	


(1) bath 2nd Floor

TRET 2' 1"X3' 5", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 25 x 41 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(1) bedroom 2nd floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1200	1	Active/Active	None Assigned
RO Size = 34" x 53"		Unit Size = 34" x 53"	

TRET 2' 10"X4' 5", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 34 x 53 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1300	2	Active/Active	Twin (Field Mull)
RO Size = 36" x 58"		Unit Size = 36" x 58"	

(2) bedroom 2nd floor

TRET 3'X4' 10", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass


Insect Screen 1: E-Series Double-Hung Insert, TRET 36 x 58 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1400	1	N A	For Twin (Field Mull)
RO Size =		Unit Size =	
1X102IN, VAW 1 IN STRUCT MULL 8-6 EWD-153 PN:9097013			

<u>ENERGY STAR</u>
NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1500	1	N A	For Twin (Field Mull)


RO Size =

Unit Size =

Joining Component: 60IN, Interior Mull Casing ESER , Pine White - Painted , Vertical Mull Direction, Casement / Awning / Specialty Window Left Unit, Casement / Awning / Specialty Window Right Unit, 1" Mull
Wrapping: 1" Mull Size and

ENERGY STAR

NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1600	8	Active/Active	None Assigned

(8) Master bedroom
2nd floor


RO Size = 24" x 58"

Unit Size = 24" x 58"

TRET 2'X4' 10", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 24 x 58 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1700	6	Active/Active	None Assigned

(6) bedroom 2nd floor

RO Size = 29" x 60"


Unit Size = 29" x 60"

TRET 2' 5"X5', Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 29 x 60 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(2) bath room
2nd floor




<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1800	2	Active/Active	None Assigned
RO Size = 28" x 42"		Unit Size = 28" x 42"	

TRET 2' 4"X3' 6", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Tempered Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 28 x 42 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
1900	2	Active/Active	None Assigned
RO Size = 33" x 57"		Unit Size = 33" x 57"	


(2) bedroom 2nd floor

TRET 2' 9"X4' 9", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 33 x 57 8 Degrees and greater Full Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.32	0.3	NO

(3) Attic 3rd Floor




Item	Qty	Operation	Location
2000	3	Active/Active	None Assigned

RO Size = 39" x 43" Unit Size = 39" x 43"

TRET 3' 3"X3' 7", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 39 x 43 8 Degrees and greater Full Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR
A1	0.32	0.3	NO



Item	Qty	Operation	Location
2100	3	Active/Active	None Assigned

RO Size = 24" x 54" Unit Size = 24" x 54"


(3) Attic 3rd Floor

TRET 2'X4' 6", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, WhiteJamb Liner, Clad Exterior / Wood InteriorJamb Liner Inserts, YesPunched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 24 x 54 8 Degrees and greater Full Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR
A1	0.32	0.3	NO

(1) Basement



Item **Qty** **Operation** **Location**
 2200 (1) Active/Stationary/Active (XOX) Gliding Window (Full Frame Only)


RO Size = 80 1/2" x 38 1/2" Unit Size = 80" x 38"

CSLD 6' 8"X3' 2", Unit, E-Series Gliding XOX, 1/4 - 1/2 - 1/4, 4 9/16" Frame Depth, No Flange, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Stationary/Active (XOX), Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, One Handle Pull, White, 1 Sash Locks White, White, 2604, Half, Fiberglass

Insect Screen 1: E-Series Gliding XOX, CSLD 80 x 38 Half Fiberglass White 2604

Insect Screen 2: E-Series Gliding XOX, CSLD 80 x 38 Half Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR	Clear Opening/Unit #	Width	Height	Area (Sq. Ft)
A1	0.32	0.31	NO	A1	17.8125	33.3750	4.12840



Item **Qty** **Operation** **Location**
 2300 (1) Active/Active None Assigned

RO Size = 31" x 40" Unit Size = 31" x 40"


TRET 2' 7"X3' 4", Unit, 8 Degrees and greater, E-Series Double-Hung Insert, Equal Sash, 3 1/4" Frame Depth, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Active, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, 2 Sash Locks White, White Jamb Liner, Clad Exterior / Wood Interior Jamb Liner Inserts, Yes Punched Jamb Liner, White, 2604, Full, Fiberglass

Insect Screen 1: E-Series Double-Hung Insert, TRET 31 x 40 8 Degrees and greater Full Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR
A1	0.32	0.3	NO

(1) Basement

(2) Basement



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
2400	2	Active/Stationary (XO)	Gliding Window (Full Frame Only)

RO Size = 37 1/2" x 21 1/2"

Unit Size = 37" x 21"


CSLD 3' 1"X1' 9", Unit, E-Series Gliding XO/OX, 4 9/16" Frame Depth, No Flange, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Stationary (XO), Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, One Handle Pull, White, 1 Sash Locks White, White, 2604, Half, Fiberglass

Insect Screen 1: E-Series Gliding XO/OX, CSLD 37 x 21 Half Fiberglass White 2604

Unit #	U-Factor	SHGC	ENERGY STAR	Clear Opening/Unit #	Width	Height	Area (Sq. Ft)
A1	0.32	0.31	NO	A1	14.5625	16.3750	1.65600

<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
2500	2	Vent	Awning; Too Narrow for Gliding Window (Full Frame Only)

(2) Basement



RO Size = 27 1/2" x 21 1/2"

Unit Size = 27" x 21"

AAX 2' 3"X1' 9", Unit, E-Series Awning, 2 7/8" Frame Depth, No Flange, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Vent, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, Folding, White, Standard, High Performance Keeper, White, Full, Fiberglass

WHT LH HARDWARE KIT AWN BAG W6204PKAKW7 PN:9078344

Insect Screen 1: E-Series Awning, AAX 27 x 21 Full Fiberglass White

Unit #	U-Factor	SHGC	ENERGY STAR
A1	0.31	0.29	NO

(2) Basement



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
2600	2	Vent	Awning; Too Short for Gliding Window (Full Frame Only)


RO Size = 40 1/2" x 15 1/2" Unit Size = 40" x 15"

AAX 3' 4"X1' 3", Unit, E-Series Awning, 2 7/8" Frame Depth, No Flange, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Vent, Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, Folding, White, Standard, High Performance Keeper, White, Full, Fiberglass

WHT LH HARDWARE KIT AWN BAG W6204PKAKW7 PN:9078344

Insect Screen 1: E-Series Awning, AAX 40 x 15 Full Fiberglass White

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>
A1	0.31	0.29	NO



<u>Item</u>	<u>Qty</u>	<u>Operation</u>	<u>Location</u>
2700	1	Active/Stationary (XO)	Gliding Window (Full Frame Only) (1)

living Room
1st Floor

RO Size = 38 1/2" x 24 1/2" Unit Size = 38" x 24"

CSLD 3' 2"X2', Unit, E-Series Gliding XO/OX, 4 9/16" Frame Depth, No Flange, White 2604 Exterior Frame, White 2604 Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, Active/Stationary (XO), Dual Pane Low-E4 Standard Argon Fill Ovolo Glass Stop Stainless Glass / Grille Spacer, One Handle Pull, White, 1 Sash Locks White, White, 2604, Half, Fiberglass

Insect Screen 1: E-Series Gliding XO/OX, CSLD 38 x 24 Half Fiberglass White 2604

<u>Unit #</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>ENERGY STAR</u>	<u>Clear Opening/Unit #</u>	<u>Width</u>	<u>Height</u>	<u>Area (Sq. Ft)</u>
A1	0.32	0.31	NO	A1	15.0625	19.3750	2.02660