




# 4545 architecture

May 20, 2024

1475 Longfellow St.,  
Detroit, MI 48206

RE: 1475 Longfellow Exterior Renovations, District Historic Commission Submission

## Window and Railing Cut Sheets






2761 E. Jefferson, Suite 302, Detroit, MI 48207

e | [tim.flintoff@4545architecture.com](mailto:tim.flintoff@4545architecture.com) • c | 248.320.6098 • w | [4545architecture.com](http://4545architecture.com)

## Single-Hung Window Details – New Construction

Scale 1 1/2" (38) = 1'-0" (305) – 1:8



**RAIL KITS**



COMPONENT	RAIL & SQUARE COMPOSITE BALUSTER KIT	RAIL & ROUND ALUMINUM BALUSTER KIT	COCKTAIL RAIL & ROUND ALUMINUM BALUSTER KIT*
<b>Top Rail</b>	Crown	Crown	Universal
<b>Bottom Rail</b>	Universal	Universal	Universal
<b>Heights</b>	36" (914 mm) 42" (106 cm)	36" (914 mm) 42" (106 cm)	36" (914 mm)
<b>Lengths</b>	67.5" (171 cm) 91.5" (232 cm)	67.5" (171 cm) 91.5" (232 cm)	67.5" (171 cm) 91.5" (232 cm)
<b>Applications</b>	Horizontal, Stair	Horizontal, Stair	Horizontal, Stair
<b>Colors</b>	WT, BK, VL	WT, BK, VL (round aluminum balusters come in BK)	WT (round aluminum balusters come in BK)


\*A cocktail rail allows for a Trex Transcend® or Trex Select® deck board to be installed on top of a Universal top/bottom rail. All deck boards sold separately.

**COLORS**

Composite



Aluminum



**CODE REQUIREMENTS**

Trex Transcend Railing meets both IRC and IBC designated requirements in accordance with ICC-ES AC174 and ASTM D7032. Refer to Code Compliance Report CCRR-0132 for specific details.

**HARDWARE**

**Mounting Hardware for Cut Rails**

The perfect solution for any installation that requires making two railing sections from one kit.

Includes 2 Crown top rail gaskets, 4 Universal top/bottom rail gaskets, 4 RSB rail brackets, 8 rail-to-bracket fasteners and 8 rail-to-post fasteners.



**QUESTIONS?**

Connect with our pro services team at  
1-800-BUY-TREX or [customer care@trex.com](mailto:customer care@trex.com)