

**From:** [JonathanAndCoriel Taylor](#)  
**To:** [Audra Dye](#)  
**Subject:** Re: [EXTERNAL] Re: supporting photographs continue...  
**Date:** Saturday, June 29, 2024 12:01:26 PM  
**Attachments:** [image001.png](#)

---

Also, some of the pages in the document are all black, so I am assuming there may be some missing information.

I believe these were the documents in black.





Above is new photo demonstrating carpenter ant trying to re-enter. We're also trying to eliminate carpenter bees that enters the holes in the front 1st floor windows.



PEST CONTROL, DOWN TO A SCIENCE™

JONATHAN TAYLOR  
2310 EDGEMONT ST  
DETROIT, MI 48206-2069  
9133 251-3008 Home

Orkin, 555 WAYNE, MI  
3760 COMMERCIAL CT  
WAYNE, MI 48184-2803  
800 332-4001  
License # 82306

Invoice/Service Ticket #: 237350913  
Account #: 31870963  
Balance: \$0.00  
Current Svc: \$98.00  
Tax: \$0.00  
Total Amt Due: \$98.00

Date of Service: 10/26/2022 Customer Since: 2002 Matt Dion P# 555-15 MATT DION Amt Collected: \$98.00  
Time In: 10/26/2022 10:37 AM Time Out: 10/26/2022 11:17 AM License # 82306 Payment Type: Visa 1638  
FC Standard - Seasonal, FC Standard Auto Pay Exp Sep 2023

Previous Services: 09/05/2022 Callback Pesticide Product Labels: *12*  
07/12/2022 Callback Are Available Upon Request  
07/06/2022 FC Standard

Services Provided

Inspected/Treated Basements, Inspected/Treated Bathrooms, Inspected/Treated Guest Rooms, Inspected/Treated Kitchens for Pest Activity, PDS - Exterior Granular Barrier Treatment, THANK YOU FOR YOUR BUSINESS!

General Comments

Treated around perimeter of the home. Treated around kitchen, basement, bedroom, bathroom, living room, and exterior perimeter of the home if you have any questions, please give us a call thank you for choosing Orkin pest control and you have a great day. Our office number is 734-447-3577.

Observation Information

Observation	Activity	Dead	Status	Reasonability	Date Entered	Location
Observation	Activity	Dead	Pending	Technician	06/30/2022	Basement Level, Common Areas
Recommendation	Activity Found/Treatment Req.			Pest Type: Carpenter Ants		

Product Application Details (Consumer post application precautionary statements on back)

Product:	SUSPENS POLYZONE	QTY:	0.03 OUNCES	Active Ingredient:	DELTA-METHRIN 4.75%	App Method:	General Surface Spray	App Equip:	Compressed Sprayer	Target Pests:	Ants, Spiders	Location:	Basement Level, Bathroom, Bedroom, Kitchen
Formulation:	Liquid	ER#, E:	432-1514										
App Rate:	0.01% - 0.25 fl oz (7.5 ml) per gal per 1000 sqft	LOT#:											

Printed 10/26/2022 11:17 AM

National Poison Control Center: 1-800-222-1222

Page 1 of 2

CO - Commercial applications are licensed by the Colorado Department of Agriculture. A2 - Warning: Pesticides can be harmful. Keep children and pets away from pesticide applications until dry. Pesticides are applied for more information, contact Orkin Pest Control - Call 800-344-7644.

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com. Item # 80PC102605 rev. 02/18



PEST CONTROL, DOWN TO A SCIENCE™

JONATHAN TAYLOR  
2310 EDGEMONT ST  
DETROIT, MI 48206-2069  
9133 251-3008 Home

Orkin, 555 WAYNE, MI  
3760 COMMERCIAL CT  
WAYNE, MI 48184-2803  
800 332-4001  
License # 82306

Invoice/Service Ticket #: 237350913  
Account #: 31870963  
Date of Service: 10/26/2022  
Time In: 10/26/2022 10:37 AM  
Time Out: 10/26/2022 11:17 AM

Product Application Details (Consumer post application precautionary statements on back)

Product:	TALSTAR P/ GRANULAR INSECTICIDE	QTY:	0.03 OUNCES	Active Ingredient:	BIFENTHRIN 0.2%	App Method:	Broadcast	App Equip:	No Equipment used	Target Pests:	Ants, Spiders	Location:	Exterior - Structure Perimeter
Formulation:	Granular	ER#, E:	279-3168										
App Rate:	2.3 - 4.8 lbs per 1000 sqft (water treated areas within 24-48 hours after application)	LOT#:											
Product:	TEKNO FIBRO IGR CONCENTRATE	QTY:	0.03 OUNCES	Active Ingredient:	PYRIPROXYFEN 1.3%, NOVALURON 1.3%	App Method:	General Surface Spray	App Equip:	Compressed Sprayer	Target Pests:	Ants, Spiders	Location:	Basement Level, Bathroom, Bedroom, Kitchen
Formulation:	Liquid	ER#, E:	5883-255										
App Rate:	1 oz per gallon water / 1 gallon per 1500 sqft	LOT#:											

Customer Signature:

CUSTOMER NAME: JONATHAN TAYLOR  
CUSTOMER EMAIL: jonathan@orkin.com  
\* This work has been performed to my satisfaction.

If you experience pest issues between scheduled visits, we will come back and address the problem at no additional charge.

Remit To: Orkin, 555 WAYNE, MI  
P O BOX 346000  
CINCINNATI, OH 45274-0009

Printed 10/26/2022 11:17 AM

National Poison Control Center: 1-800-222-1222

Page 2 of 2

CO - Commercial applications are licensed by the Colorado Department of Agriculture. A2 - Warning: Pesticides can be harmful. Area children and pets away from pesticide applications until dry. Pesticides are applied for more information, contact Orkin Pest Control - Call 800-344-7644.

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com. Item # 80PC102605 rev. 02/18

CONSUMER NOTIFICATION(S) / POST APPLICATION STATEMENTS

**Treated Areas:** Do not allow unprotected persons, children, or pets to touch, enter or replace items or bedding to contact or enter treated areas until dry.  
**Ventilation/Reoccupancy:** Vacate and keep areas closed up to 30 minutes after treatment, then ventilate areas well for up to 2 hours before reoccupying.  
**Equipment/Processing/Food:** Thoroughly wash dishes, utensils, food preparation/processing equipment and surfaces with an effective cleaning compound and rinse with clean water if not removed or covered during treatment. This area should be odor free before food products are placed in the area.  
**Exterior Applications/Birds:** Do not allow groups of birds, seen or not stopping to roost, after all applications.  
**Granular Applications:** Do not water to the point of run off.  
Do not have treated area used for one month after treatment.

National Poison Control Center: 1-800-222-1222









I believe this completes everything.

On Fri, Jun 28, 2024 at 2:38 PM Audra Dye <[dyea@detroitmi.gov](mailto:dyea@detroitmi.gov)> wrote:

No problem, thanks. I appreciate it's a lot to pull together.

## **Audra Dye**

Architectural Historian, Planner | Planning & Development | City of Detroit

Coleman A. Young Municipal Center, [2 Woodward Ave. Suite 808, Detroit, MI 48226](https://www.detroitmi.gov/hdc)

[www.detroitmi.gov/hdc](https://www.detroitmi.gov/hdc)

[dyea@detroitmi.gov](mailto:dyea@detroitmi.gov)

**Michael E. Duggan, Mayor**





**From:** JonathanAndCoriel Taylor <[jonathanandcoriel@gmail.com](mailto:jonathanandcoriel@gmail.com)>

**Sent:** Friday, June 28, 2024 2:32 PM

**To:** Audra Dye <[dyea@detroitmi.gov](mailto:dyea@detroitmi.gov)>

**Subject:** [EXTERNAL] Re: supporting photographs continue...

Sorry if I gave you documents that are duplicated. A bit exhausted mentally converting each image. I think this is all. Not sure what the blank images could possibly have been, and will try to figure that out.



X



X





X



X



X





X



X



X

On Fri, Jun 28, 2024 at 2:09 PM JonathanAndCoriel Taylor  
<[jonathanandcoriel@gmail.com](mailto:jonathanandcoriel@gmail.com)> wrote:

---





