


Dynasty®



Mother Nature can howl all she wants.

Lesser shingles may tear or blow off when Mother Nature starts to howl, but IKO Dynasty holds on tight. Our oversized Dynasty shingles feature IKO's ArmourZone®. It's a 1-1/4" nailing area, made with a tough reinforcing woven band for incredible nail-holding power. In high winds, it helps shingles resist nail pull-through and shingle blow-off so well that they carry a 130 mph (210 km/h) limited wind warranty. In qualifying Dynasty for a Class 3 impact resistance rating,^{5*} we've further elevated the peace of mind that comes from knowing your home and family are well protected against Mother Nature's fury.

IKO Dynasty shingles qualify for a **Class 3 impact resistance rating**.^{5*}

This may enable you to obtain a reduction in your homeowner insurance premium, if available.^{5*}


*This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty. See full details⁵.

At the core of every Dynasty shingle is a durable fiberglass mat. This, along with its thick asphalt coating, makes it one of the heaviest shingles in its class. Dynasty's weight helps the shingles lie flat and stay put on your roof, thwarting the wind from prying them up. In addition, we apply IKO's proprietary FastLock® sealant along the bottom edge. When this special adhesive is activated by the radiant heat of the sun, it creates a super-strong bond to help shingles seal down to further defeat the wind.

To protect its asphalt and keep it performing its best, Dynasty is coated with colored granules. IKO's exclusive, advanced color-blending technology enables you to choose from high-definition hues to complement your home's style, enhance curb appeal and be the envy of the neighborhood.

BEAUTIFUL HI-DEF COLOR BLENDS

IKO's Dynasty Performance shingles are produced in a wide array of unique color blends. To discover the exact color availability in your region, visit IKO.com today.



Performance Elevated.

IKO Performance-class asphalt shingles are industry heavyweights because the more we put into them, the more you'll get out of them. Here's what elevates the performance of Nordic and Dynasty shingles.

Performance Begins at the Core.

IKO Performance Shingles offer superior protection against wind uplift and water infiltration. Performance-class shingles are among the industry's heaviest thanks to a durable fiberglass mat covered with a thick coat of asphalt.



Effective Sealing.

IKO's proprietary FastLock® sealant is among the industry's best for resisting wind uplift in hot or cold weather. When activated by the sun's heat, it gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift and blow-off.

Laminate Adhesive. Five strips of our tough, construction-grade adhesive are used to laminate the shim to the tooth.

Built-in Algae Resistance. Colorfast algae-resistant granules help inhibit the growth of blue-green algae, which can cause unsightly black streaks, stains or discoloration.

Impact Resistant Shingles



IKO Nordic Shingles Feature a Class 4 impact resistance rating.^{5*}

Their polymer-modified asphalt coating acts like a shock absorber.



IKO Dynasty Shingles Feature a Class 3 impact resistance rating.^{5*}

*This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty. See full details.⁵ Nordic shingles are available in select markets.

Granule Coverage and Adhesion.

We quarry, crush and colorize our granules to exact specifications. The granules' main purposes are to protect the underlying asphalt against damage from the sun's harmful rays and to help inhibit the natural weathering process.

Our exclusive, advanced color-blending technology creates beautiful, high-definition color blends you'll love to see on your home.

Nail-Holding Power.

Our Performance shingles are reinforced with IKO's "ArmourZone®." The 1 1/4-inch wide nailing surface for correct nail placement, with a tear-resistant, woven band on the back, provides even more fastening strength over a wider surface. Nails applied in this area are optimally positioned to help resist nail pull-through and shingle blow-off, even in high-wind conditions.

THE IKO ADVANTAGE^{3,4}

Limited Warranty ¹	Limited Lifetime ²	Length	40 7/8 in (1,038 mm)
Iron Clad Protection ¹	15 Years	Width	13 3/4 in (349 mm)
Limited Wind Warranty ¹	130 mph (210 km/h)	Exposure	5 7/8 in (149 mm)
Blue-Green Algae Resistant ¹	Yes	Coverage per Bundle	33 1/3 ft ² (3.1 m ²)

ASTM D3462, ASTM D3018, ASTM D3161 – Class F, ASTM D7158 – Class H, ASTM E108/UL 790 – Class A, FM 4473 – (Class 4⁵ - Nordic, Class 3⁵ - Dynasty)

NOTE: Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. ¹See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. ²"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building and continuing so long as the owner owns the building on which the shingles were installed. ³All values shown are approximate. ⁴Products are developed with reference to these standards. ⁵This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles, and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standards, visit the FM Approvals website.

Note: 3 bundles = 1 full square = 100 sq ft coverage

The perfect finishing touch is with IKO ridge cap shingles that complement the high-definition color blends of IKO Dynasty and Nordic Performance shingles.

MONACO RED

Bold, dramatic, eye-catching.

PERFECT PAIRINGS: White, grey or beige stone siding or brick; white, grey, beige or black trim.



MONACO RED

BISCAYNE

Color Featured: Monaco Red

