



# Contract - Detailed

Pella Window and Door Showroom of Auburn Hills  
 1940 Opdyke Ct  
 Auburn Hills, MI 48326  
**Phone:** (248) 292-5000 **Fax:** (248) 292-5005

**Sales Rep Name:** Wegner, Dennis  
**Sales Rep Phone:** 248-297-0406  
**Sales Rep Fax:**  
**Sales Rep E-Mail:** wegnerdj@pella.com


Customer Information	Project/Delivery Address	Order Information
<b>SOLID GROUNDS LLC</b> 939 Clay St  Detroit, MI 48211-1340 <b>Primary Phone:</b> (313) 3985567 <b>Mobile Phone:</b> <b>Fax Number:</b> <b>E-Mail:</b> <b>Contact Name:</b>  <b>Great Plains #:</b> 1008297809 <b>Customer Number:</b> 1012068036 <b>Customer Account:</b> 1008297809	<b>932 Edison</b> 932 Edison  <b>Lot #</b> Detroit, Michigan 48202 <b>County:</b> <b>Owner Name:</b>  <b>Owner Phone:</b>	<b>Quote Name:</b> 932 Edison no install  <b>Order Number:</b> 189 <b>Quote Number:</b> <b>18882751</b> <b>Order Type:</b> Non-Installed Sales <b>Wall Depth:</b> <b>Payment Terms:</b> <b>Tax Code:</b> MISALESTAX <b>Cust Delivery Date:</b> None <b>Quoted Date:</b> 11/8/2024 <b>Contracted Date:</b> <b>Booked Date:</b> <b>Customer PO #:</b>

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

1 Living room

## Lifestyle, Double Hung, 25.5 X 63, Without HGP, Classic White

\$947.25 1 \$947.25



Viewed From Exterior

PK #  
2179

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 63  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 28.25, Clear Opening Area 4.377181, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 177".


Rough Opening: 26 - 1/4" X 63 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

2 Living room 2

**Lifestyle, Double Hung, 25.5 X 63, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$947.25	1	\$947.25



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 63  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 28.25, Clear Opening Area 4.377181, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 177"**.


Rough Opening: 26 - 1/4" X 63 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

3 Living room 3

**Lifestyle, Double Hung, 25.5 X 63, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$947.25	1	\$947.25



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 63  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 28.25, Clear Opening Area 4.377181, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 177"**.


Rough Opening: 26 - 1/4" X 63 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

4 Living room 4

**Lifestyle, Double Hung, 25.5 X 63, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$947.25	1	\$947.25



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 63  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 28.25, Clear Opening Area 4.377181, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 177".


Rough Opening: 26 - 1/4" X 63 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

5 Fireplace 1

**Lifestyle, Casement Left, 22.5 X 31.5, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$723.07	1	\$723.07



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Left Casement**  
**Frame Size:** 22 1/2 X 31 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00678-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 25, OITC 22, Clear Opening Width 12.75, Clear Opening Height 27.375, Clear Opening Area 2.423828, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 108".

Rough Opening: 23 - 1/4" X 32 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

6	Fireplace 2	<b>Lifestyle, Casement Right, 22.5 X 31.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$723.07	1	\$723.07



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Right Casement**  
**Frame Size:** 22 1/2 X 31 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00678-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 25, OITC 22, Clear Opening Width 12.75, Clear Opening Height 27.375, Clear Opening Area 2.423828, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 108".

Rough Opening: 23 - 1/4" X 32 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

7	Dining fixed 1	<b>Lifestyle, Direct Set, Fixed Frame, 13.5 X 48, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$749.31	1	\$749.31



PK #  
2179

Viewed From Exterior

**1: 13.548 Fixed Frame Direct Set**  
**Frame Size:** 13 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Performance Information:** U-Factor 0.28, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04209-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, STC 27, OITC 22  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W3H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 123".

Rough Opening: 14 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

8	Dining room 1	<b>Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$824.55	1	\$824.55



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147".**

Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

9	Dining room 2	<b>Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$824.55	1	\$824.55



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147".**


Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes
--------	-----------	------------

10 Dining room 3

**Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$824.55	1	\$824.55



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
**Exterior Color / Finish:** **Standard Enduraclad, Classic White**  
**Interior Color / Finish:** **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147"**


Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes
--------	-----------	------------

11 Dining fixed 2

**Lifestyle, Direct Set, Fixed Frame, 13.5 X 48, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$749.31	1	\$749.31



PK #  
2179

Viewed From Exterior


**1: 13.548 Fixed Frame Direct Set**  
**Frame Size:** 13 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** **Standard Enduraclad, Classic White**  
**Interior Color / Finish:** **Prefinished White Paint Interior**  
**Glass:** **Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Performance Information:** **U-Factor 0.28, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04209-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, STC 27, OITC 22**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (2W3H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 123"**

Rough Opening: 14 - 1/4" X 48 - 3/4"



Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

12	Kitchen side 1	<b>Lifestyle, Double Hung, 31.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$969.98	1	\$969.98



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 28.5, Clear Opening Area 5.603417, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 190".**

Rough Opening: 32 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

13	Kitchen side 2	<b>Lifestyle, Double Hung, 31.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$969.98	1	\$969.98



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 28.5, Clear Opening Area 5.603417, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 190".**

Rough Opening: 32 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

14	Kitchen side 3	<b>Lifestyle, Double Hung, 31.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$969.98	1	\$969.98



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 28.5, Clear Opening Area 5.603417, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 190".**

Rough Opening: 32 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

15	Kitchen back 1	<b>Lifestyle, Double Hung, 27.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$938.70	1	\$938.70



PK #  
2179

Viewed From Exterior


**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 28.5, Clear Opening Area 4.81175, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 182".**

Rough Opening: 28 - 1/4" X 64 - 1/4"



Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

16	Kitchen back 2	<b>Lifestyle, Double Hung, 27.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$938.70	1	\$938.70



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 28.5, Clear Opening Area 4.81175, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 182"**.

Rough Opening: 28 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

17	Kitchen back 3	<b>Lifestyle, Double Hung, 27.5 X 63.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$938.70	1	\$938.70



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 28.5, Clear Opening Area 4.81175, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 182"**.

Rough Opening: 28 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

18	Kitchen back 4	<b>Lifestyle, Double Hung, 27.5 X 63.5, Without HGP, Classic White</b>	<b>Item Price</b>	<b>Qty</b>	<b>Ext'd Price</b>
			\$938.70	1	\$938.70



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 63 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 28.5, Clear Opening Area 4.81175, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 182"**.

Rough Opening: 28 - 1/4" X 64 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

19	Kitchen back 5	<b>Lifestyle, Double Hung, 25.5 X 43.5, Without HGP, Classic White</b>	<b>Item Price</b>	<b>Qty</b>	<b>Ext'd Price</b>
			\$791.83	1	\$791.83



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 18.5, Clear Opening Area 2.866472, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 138"**.

Rough Opening: 26 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

20	Back 1	<b>Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$824.55	1	\$824.55



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147".**

Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

21	Back 2	<b>Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$824.55	1	\$824.55



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147".**

Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes
--------	-----------	------------

22	Side	<b>Lifestyle, Double Hung, 29.5 X 64, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$954.35	1	\$954.35



Viewed From Exterior


PK #  
2179

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 29 1/2 X 64  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 26.312, Clear Opening Height 28.75, Clear Opening Area 5.253264, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 187".

Rough Opening: 30 - 1/4" X 64 - 3/4"

Line #	Location:	Attributes
--------	-----------	------------

23	Side 1	<b>Lifestyle, Direct Set, Fixed Frame, 23.5 X 30.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$730.42	1	\$730.42



Viewed From Exterior


PK #  
2179

**1: 23.530.5 Fixed Frame Direct Set**  
**Frame Size:** 23 1/2 X 30 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Performance Information:** U-Factor 0.28, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04209-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, STC 27, OITC 22  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W3H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 108".

Rough Opening: 24 - 1/4" X 31 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

24	Side 2	<b>Lifestyle, Double Hung, 35 X 38, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$840.95	1	\$840.95



Viewed From Exterior


PK #  
2179

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 35 X 38  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 31.812, Clear Opening Height 15.75, Clear Opening Area 3.479438, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 146".

Rough Opening: 35 - 3/4" X 38 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

25	Side 3	<b>Lifestyle, Double Hung, 27.5 X 38, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$759.12	1	\$759.12



Viewed From Exterior

PK #  
2179

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 38  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 15.75, Clear Opening Area 2.659125, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 131".

Rough Opening: 28 - 1/4" X 38 - 3/4"

Line #	Location:	Attributes
--------	-----------	------------

26 Side 4

**Lifestyle, 2-Wide Double Hung, 53.5 X 38, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$1,546.03	1	\$1,546.03



PK #  
2179

Viewed From Exterior


**1: Non-Standard SizeNon-Standard Size Double Hung, Equal**  
**Frame Size:** 26 3/4 X 38  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
**Exterior Color / Finish:** **Standard Enduraclad, Classic White**  
**Interior Color / Finish:** **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 23.562, Clear Opening Height 15.75, Clear Opening Area 2.577094, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**2: Non-Standard SizeNon-Standard Size Double Hung, Equal**  
**Frame Size:** **26 3/4 X 38**  
**Unit Type:** **No Program**  
**General Information:** **No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color:** Gray  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 23.562, Clear Opening Height 15.75, Clear Opening Area 2.577094, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Vertical Mull 1:** FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical  
**Wrapping Information:** Foldout Fins, Factory Applied, No Head Drip Cap, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 183".

**Rough Opening:** 54 - 1/4" X 38 - 3/4"



Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

27	Front BR 1	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$946.52	1	\$946.52



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 185".**

Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

28	Front BR 2	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$946.52	1	\$946.52



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 185".**


Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

29 Front BR 3

**Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$946.52	1	\$946.52



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 185".**


Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

30 Upper bath

**Lifestyle, Double Hung, 25.5 X 48, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$803.23	1	\$803.23



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 48  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 20.75, Clear Opening Area 3.215097, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 147".**

Rough Opening: 26 - 1/4" X 48 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

31	Upper BR	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$946.52	1	\$946.52



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 185".**

Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

32	2nd Back room 1	<b>Lifestyle, Double Hung, 31.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$840.91	1	\$840.91



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 18.5, Clear Opening Area 3.637305, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 150".**

Rough Opening: 32 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
33	2nd Back room 2	<b>Lifestyle, Double Hung, 31.5 X 43.5, Without HGP, Classic White</b>	\$840.91	1	\$840.91



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 18.5, Clear Opening Area 3.637305, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 150"**.

Rough Opening: 32 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
34	2nd Back room 3	<b>Lifestyle, Double Hung, 31.5 X 43.5, Without HGP, Classic White</b>	\$840.91	1	\$840.91



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 18.5, Clear Opening Area 3.637305, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 150"**.

Rough Opening: 32 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

35	2nd Back Room 4	<b>Lifestyle, Double Hung, 27.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$808.19	1	\$808.19



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 18.5, Clear Opening Area 3.123417, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 142".**

Rough Opening: 28 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

36	2nd Back Room 5	<b>Lifestyle, Double Hung, 27.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$808.19	1	\$808.19



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**  
**Hardware Options:** **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**  
**Screen:** **No Screen**  
**Performance Information:** **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 18.5, Clear Opening Area 3.123417, Egress Does not meet typical United States egress, but may comply with local code requirements**  
**Grille:** **GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White**  
**Wrapping Information:** **Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 142".**

Rough Opening: 28 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

37	2nd Back Room 6	<b>Lifestyle, Double Hung, 27.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$808.19	1	\$808.19



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 18.5, Clear Opening Area 3.123417, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 142"**.

Rough Opening: 28 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

38	2nd Back Room 7	<b>Lifestyle, Double Hung, 27.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$808.19	1	\$808.19



PK #  
2179

Viewed From Exterior


**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 27 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 24.312, Clear Opening Height 18.5, Clear Opening Area 3.123417, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 142"**.

Rough Opening: 28 - 1/4" X 44 - 1/4"



Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

39	2nd Back Room 8	<b>Lifestyle, Double Hung, 31.5 X 43.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$840.91	1	\$840.91



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 43 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 18.5, Clear Opening Area 3.637305, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 150".

Rough Opening: 32 - 1/4" X 44 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

40	2nd Back BR 1	<b>Lifestyle, Double Hung, 29.5 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$930.88	1	\$930.88



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 29 1/2 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 26.312, Clear Opening Height 27, Clear Opening Area 4.9335, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 180".


Rough Opening: 30 - 1/4" X 61 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

41 2nd Back BR 2

**Lifestyle, Double Hung, 29.5 X 60.5, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$930.88	1	\$930.88



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 29 1/2 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 26.312, Clear Opening Height 27, Clear Opening Area 4.9335, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 180"**.


Rough Opening: 30 - 1/4" X 61 - 1/4"

Line #	Location:	Attributes
--------	-----------	------------

42 2nd Back BR 3

**Lifestyle, Double Hung, 31.5 X 60.5, Without HGP, Classic White**

Item Price	Qty	Ext'd Price
\$946.52	1	\$946.52



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 31 1/2 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.312, Clear Opening Height 27, Clear Opening Area 5.3085, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 184"**.

Rough Opening: 32 - 1/4" X 61 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

43	Stairs right	<b>Lifestyle, Casement Right, 22.5 X 31, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$714.52	1	\$714.52



PK #  
2179


Viewed From Exterior

**1: Non-Standard SizeNon-Standard Size Right Casement**  
**Frame Size:** 22 1/2 X 31  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00678-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 25, OITC 22, Clear Opening Width 12.75, Clear Opening Height 26.875, Clear Opening Area 2.379557, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 107".

Rough Opening: 23 - 1/4" X 31 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

44	Stairs fixed	<b>Lifestyle, Sash Set, Fixed, 22.5 X 31, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$701.74	1	\$701.74



PK #  
2179


Viewed From Exterior

**1: Non-Standard SizeNon-Standard Size Fixed Sash Set**  
**Frame Size:** 22 1/2 X 31  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Performance Information:** U-Factor 0.27, SHGC 0.28, VLT 0.52, CPD PEL-N-229-00862-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 107".

Rough Opening: 23 - 1/4" X 31 - 3/4"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

45	Stairs left	<b>Lifestyle, Casement Left, 22.5 X 31, Without HGP, Classic White</b>	\$714.52	1	\$714.52
----	-------------	--	----------	---	----------



Viewed From Exterior


PK #  
2179

**1: Non-Standard SizeNon-Standard Size Left Casement**  
**Frame Size:** 22 1/2 X 31  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-14-00678-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 25, OITC 22, Clear Opening Width 12.75, Clear Opening Height 26.875, Clear Opening Area 2.379557, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 107".

Rough Opening: 23 - 1/4" X 31 - 3/4"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

46	2nd Front Bedroom 1	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	\$946.52	1	\$946.52
----	---------------------	--	----------	---	----------



Viewed From Exterior


PK #  
2179

**1: Non-Standard SizeNon-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 185".

Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

47	2nd Front Bedroom 2	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>
			\$946.52	1
			<u>Ext'd Price</u>	
			\$946.52	



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 185"**.

Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

48	2nd Front Bedroom 3	<b>Lifestyle, Double Hung, 32 X 60.5, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>
			\$946.52	1
			<u>Ext'd Price</u>	
			\$946.52	



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 32 X 60 1/2  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00515-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 27, Clear Opening Area 5.40225, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 185"**.

Rough Opening: 32 - 3/4" X 61 - 1/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

49	Attic 1	<b>Lifestyle, Double Hung, 21.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$853.50	1	\$853.50



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 21 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 18.312, Clear Opening Height 18.75, Clear Opening Area 2.384375, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 131"**.

Rough Opening: 22 - 1/4" X 44 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

50	Attic 2	<b>Lifestyle, Double Hung, 21.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$853.50	1	\$853.50



PK #  
2179

Viewed From Exterior


**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 21 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 18.312, Clear Opening Height 18.75, Clear Opening Area 2.384375, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 131"**.

Rough Opening: 22 - 1/4" X 44 - 3/4"



Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

51	Attic 3	<b>Lifestyle, Double Hung, 21.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$853.50	1	\$853.50



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 21 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 18.312, Clear Opening Height 18.75, Clear Opening Area 2.384375, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 131"**.

Rough Opening: 22 - 1/4" X 44 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

52	Attic 4	<b>Lifestyle, Double Hung, 21.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$853.50	1	\$853.50



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 21 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 18.312, Clear Opening Height 18.75, Clear Opening Area 2.384375, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, **Manufacturer Recommended Clearance, Perimeter Length = 131"**.

Rough Opening: 22 - 1/4" X 44 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

53	Attic 5	<b>Lifestyle, Double Hung, 21.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$853.50	1	\$853.50



PK #  
2179


Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 21 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 18.312, Clear Opening Height 18.75, Clear Opening Area 2.384375, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 131".

Rough Opening: 22 - 1/4" X 44 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

54	Attic 6	<b>Lifestyle, Double Hung, 25.5 X 44, Without HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$893.22	1	\$893.22



PK #  
2179

Viewed From Exterior

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 25 1/2 X 44  
**Unit Type:** No Program  
**General Information:** No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: **Gray**  
 Exterior Color / Finish: **Standard Enduraclad, Classic White**  
 Interior Color / Finish: **Prefinished White Paint Interior**  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor  
**Screen:** No Screen  
**Performance Information:** U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00518-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 27, OITC 23, Clear Opening Width 22.312, Clear Opening Height 18.75, Clear Opening Area 2.905208, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, Classic White  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 9/16", 6 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 139".

Rough Opening: 26 - 1/4" X 44 - 3/4"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

55	Front Door	<b>Pella Entry Doors, Entry Door, Outswing, 37.5 X 84.875, Black, 4 9/16"</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$2,432.06	1	\$2,432.06



Viewed From Exterior

PK #  
2179

**1: 37.584.875 Entry Door**  
**Frame Size:** 37 1/2 X 84 7/8  
**Unit Type:** Left Outswing, Standard Sill, No Fire Rating, No Fire Rating  
**Dimensions:** 36, 84  
**Dimension Options:** No Cut Down  
**General Information:** Standard, 4 9/16", 4 9/16"  
**Panel Style:** 1/2 Light 2 Panel  
**Glass:** Tempered Decorative Danbury Black Wrought Iron Air Filled  
**Panel Selection:** Smooth Fiberglass, Painted, Black, Painted, Black  
**Frame Selection:** Composite, Black Threshold, No Panel Reinforcement, Wood Grain, Painted, Black, Composite, Wood Grain, Painted, Black  
**Hardware Options:** Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, No Handle Set, Standard Steel Ball Bearing, Matte Black, Mill Finish Sill  
**Performance Information:** U-Factor 0.27, SHGC 0.19, VLT 0.19, CPD PEL-M-258-170279-00001, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35  
**Wrapping Information:** 2" Brickmould, Factory Supplied, Shipped with Unit, 4 9/16", Manufacturer Recommended Clearance, Perimeter Length = 245".

**Rough Opening:** 38 - 1/4" X 85 - 3/8"

Line #	Location:	Attributes			
--------	-----------	------------	--	--	--

60	2nd floor door	<b>Lifestyle, Inswing Door, Right, 31.5 X 85, With HGP, Classic White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$3,858.94	1	\$3,858.94



Viewed From Exterior

PK #  
2179

**1: Non-Standard Size Non-Standard Size Right Inswing Door**  
**Frame Size:** 31 1/2 X 85  
**Unit Type:** No Program  
**General Information:** No Package, With Hinged Glass Panel, Clad, Pine, 6 1/2", 5 3/16", No Certification, Standard Sill, Mill Finish Sill  
**Exterior Color / Finish:** Standard Enduraclad, Classic White  
**Interior Color / Finish:** Prefinished White Paint Interior  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hinge Panel:** Clear, Tempered  
**Hardware Options:** Standard, White, Order Handle Set, Multipoint Lock, No Integrated Sensor  
**Screen:** No Screen  
**Unit Accessories:** No Accessory Option  
**Performance Information:** U-Factor 0.24, SHGC 0.19, VLT 0.34, CPD PEL-N-247-00168-00001, Performance Class LC, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 55, STC 34, OITC 28  
**Grille:** No Grille,  
**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 5 3/16", 6 1/2", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 233".

**Rough Opening:** 32 - 1/4" X 85 - 1/2"

## Thank You For Purchasing Pella® Products

### PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

**INSYNCTIVE PRODUCTS:** In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

### ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

**YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit [www.pella.com/arbitration](http://www.pella.com/arbitration) or e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE [PELLA.COM/ARBITRATION](http://PELLA.COM/ARBITRATION). DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER [PELLA.COM/ARBITRATION](http://PELLA.COM/ARBITRATION).

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

### Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

---

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to [www.pella.com/performance](http://www.pella.com/performance).

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor PWD, LLC ("Pella Windows and Doors") will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

GENERAL TERMS AND CONDITIONS: ACCEPTANCE: This order is subject to acceptance by an authorized agent of PWD, LLC. PRICING: All quote pricing is valid for a period of 30 days, at which time an adjustment may be made for product offering changes or transportation costs. CHANGES: Product manufactured or in process of manufacturing in accordance with the specifications, as outlined herein, cannot be returned or cancelled. Additional materials or services will be billed at the price prevailing at the time of order. INSPECTION: Buyer should carefully check material upon delivery and report any claim for product shortages or damages within 3 days. TERMS: Payment required with order unless upon approved credit. Net 30 Days on approved credit. Accounts not paid within terms are subject to finance charge of 1 ½% per month which is an annual percentage rate of 18%. LIENS: Claim of Lien is automatically filed on delinquent jobs as required by law. Waivers of Lien (partial, full or conditional) are furnished upon request after payment. PERFORMANCE: Seller shall not be liable for any consequences of delay regardless of cause. INSTALLATION: Products purchased from and installed by seller under the "Retail" program are covered by a two-year limited installation warranty. With the exception of the "Retail" program, seller shall not be liable to buyer for any damages or problems resulting from installation of Pella products. In the event that buyer has been referred to an independent contractor, including a Certified Pella Contractor, buyer assumes full responsibility for all installation matters, including the selection of the contractor. WARRANTY: Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details. Neither Pella Corporation nor PWD, LLC will be bound by any other warranty.

Order Checklist

PWD, LLC

Our #1 Priority is Your Satisfaction!

Pella products are made to your specifications, carefully review the details of this contract as we have a NO Return Policy.

Initial below ALL items that have been verified

_____ Brand: _____	_____ Brand: _____
_____ Brand: _____	_____ Brand: _____
_____ Exterior Color: _____	_____ Grilles: (Exterior/Interior) _____
_____ Interior Stain/Finish: _____	_____ Glazing/Glass: _____
_____ Blinds/Shades: _____	_____ Wall Condition: _____

Check below ALL items that have been verified/reviewed

Other Product Attributes:

[ ] Reviewed Sizes on Contract \_\_\_\_\_ [ ] Window Hardware Color \_\_\_\_\_

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)



- Window Screens \_\_\_\_\_  Door Hardware/Key Cylinder \_\_\_\_\_
- Door Screens \_\_\_\_\_  Trim/Casing/Mull Covers \_\_\_\_\_
- Hinging/Sliding (exterior) \_\_\_\_\_  Tape/Foam/Caulk/Coil/Etc \_\_\_\_\_
- Handing (exterior) \_\_\_\_\_  Line Items Initialed \_\_\_\_\_

Other Items Special to this order:

- Item #1 \_\_\_\_\_  Item #3 \_\_\_\_\_
- Item #2 \_\_\_\_\_  Item #4 \_\_\_\_\_

Other Information:

- Customer Satisfaction! \_\_\_\_\_  Product Warranty Reviewed \_\_\_\_\_
- No Return Policy \_\_\_\_\_  I Have Received Interior Finish Disclaimer \_\_\_\_\_
- Delivery Date & Special Instructions \_\_\_\_\_  Sales & Service Contact Information Reviewed \_\_\_\_\_
- Delivery Confirmation Process & Expectations Reviewed  Service Contact Information #866-647-0570
- Delivery Cancellation Fee \$150 if order rejected at job site  Accessory Hold Items Reviewed & Date Set \_\_\_\_\_
- Reschedule Fee \$75 if Cancelled within 24 hours of Scheduled Delivery  Other \_\_\_\_\_

I hereby authorize Pella Corporation, its affiliates and/or subsidiaries to use, reproduce, and/or publish photographs and/or video that may pertain to me and my project, including materials described below, without compensation. I understand that this material may be used in various communications (e.g. Website, e-newsletters, promotional materials, etc).

Consequently, the Corporation may publish materials, photographs, and/or make reference to the project in a manner that the Corporation or project sponsor deems appropriate.

Comments: \_\_\_\_\_  
\_\_\_\_\_

**Project Checklist has been reviewed**

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Credit Card Approval Signature

<b>Order Totals</b>	
Taxable Subtotal	\$53,560.00
Sales Tax @ 6%	\$3,213.60
Non-taxable Subtotal	\$0.00
<b>Total</b>	<b>\$56,773.60</b>
<b>Deposit Received</b>	<b>\$0.00</b>
<b>Amount Due</b>	<b>\$56,773.60</b>