## SECTION 09510 – PROVISIONAL

## ACOUSTICAL CEILINGS

***Provisional Specification Summary:***
*1.2.01 – Add new paragraph to subsection as shown below*
*2.3.02 – Replace this subsection as shown below*
*2.4.03 – Replace paragraph two as shown below*

***(Update text as shown.)***

1.2.01 Governing Standards. CISCA – Ceilings and Interior Systems Construction Association.

2.3.02 Acoustical Ceiling Units. Tectum Inc., or equal.

2.4.03 Acoustical Tiles.

Tile size shall be of 24” x 48” (61.0 cm x 122.0 cm), thickness shall be ¾ inch (1.9 cm), edge treatment shall be ‘shadowline’, NRC range shall be 0.65-0.75. Thermal resistance (R-value) shall meet or exceed 2.12, face pattern shall be monolithic texture and the finish shall be factory applied vinyl latex paint with white.

End of Provisional Section

*Provisional Specifications—which are issued separately from the Master Specifications on a per contract basis—shall supersede and govern over all other specifications or contract documents. All other wording in the Master Specifications that is not specifically stated to be modified in the Provisional Specifications shall remain in effect as is. The Provisional Specification Summary is included to clarify and/or highlight changes.*

THIS PAGE IS INTENTIONALLY LEFT BLANK