



Monday, March 13, 2023

Fibertec Project Number: A13871
Project Identification: FCA/Stellantis Project (23001494-01) /23001494-01
Submittal Date: 03/08/2023

Mr. Bhushan Modi
NTH Consultants, Ltd. - Northville
41780 Six Mile Road
Suite 200
Northville, MI 48168-3459

Dear Mr. Modi,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at ()

Sincerely,

By Jacob Sutherland at 4:22 PM, Mar 13, 2023

For Daryl P. Strandbergh
Laboratory Director

Enclosures

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A13871
Laboratory Sample Number: A13871-001

Order: A13871
 Date: 03/13/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-12	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:08

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A13871-001** Matrix: **Air**
Method: EPA TO-15 Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
2. Benzene	U		µg/m3	2.9	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
5. Bromoform	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
6. Bromomethane	U	V+ L+	µg/m3	3.5	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
8. 2-Butanone	U		µg/m3	8.8	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
11. Chlorobenzene	U		µg/m3	14	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
12. Chloroethane	U	V+ L+	µg/m3	4.0	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
13. Chloroform	U		µg/m3	0.59	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
14. Chloromethane	U	V+ L+	µg/m3	12	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
15. Cyclohexane	U		µg/m3	10	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
33. n-Heptane	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM
35. n-Hexane	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-12	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:08

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A13871-001** Matrix: **Air**
Method: EPA TO-15 Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			Init.
						P. Date	P. Batch	A. Date	A. Batch		
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
39. Methylene Chloride	U		µg/m3	21	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
41. MTBE	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
43. Styrene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
47. Toluene	U		µg/m3	5.7	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
51. Trichloroethene	U		µg/m3	0.16	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
56. Vinyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
57. Vinyl Chloride	U	V+ L+	µg/m3	0.77	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
58. m&p-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
59. o-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	
‡ 60. Xylenes	U		µg/m3	26	1.0	03/09/23	VN23C09A	03/09/23 23:12	VN23C09A	CM	

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	101	%	80-120	VN	VN23C09A	3/9/2023 23:12	1	VN400

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A13871
Laboratory Sample Number: A13871-002

Order: A13871
 Date: 03/13/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-22	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:14

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A13871-002** Matrix: **Air**
 Method: **EPA TO-15** Description: **3870 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
2. Benzene	U		µg/m3	2.9	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
5. Bromoform	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
6. Bromomethane	U	V+ L+	µg/m3	3.5	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
8. 2-Butanone	U		µg/m3	8.8	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
11. Chlorobenzene	U		µg/m3	14	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
12. Chloroethane	U	V+ L+	µg/m3	4.0	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
13. Chloroform	U		µg/m3	0.59	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
14. Chloromethane	U	V+ L+	µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
15. Cyclohexane	U		µg/m3	10	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
33. n-Heptane	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM
35. n-Hexane	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-22	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:14

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A13871-002** Matrix: **Air**
Method: EPA TO-15 Description: **3870 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			Init.
						P. Date	P. Batch	A. Date	A. Batch		
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
39. Methylene Chloride	U		µg/m3	21	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
41. MTBE	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
43. Styrene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
47. Toluene	U		µg/m3	5.7	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
51. Trichloroethene	U		µg/m3	0.16	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
56. Vinyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
57. Vinyl Chloride	U	V+ L+	µg/m3	0.77	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
58. m&p-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
59. o-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	
‡ 60. Xylenes	U		µg/m3	26	1.0	03/09/23	VN23C09A	03/10/23 00:10	VN23C09A	CM	

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	102	%	80-120	VN	VN23C09A	3/10/2023 00:10	1	VN400

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-32	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:23

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa)

Method: EPA TO-15

Aliquot ID: A13871-003 **Matrix: Air**
Description: 4642 Cope

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
‡ 1. Acetone	U		µg/m3	36	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
2. Benzene	U		µg/m3	2.9	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
5. Bromoform	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
6. Bromomethane	U	V+ L+	µg/m3	3.5	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
8. 2-Butanone	U		µg/m3	8.8	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
11. Chlorobenzene	U		µg/m3	14	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
12. Chloroethane	U	V+ L+	µg/m3	4.0	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
13. Chloroform	U		µg/m3	0.59	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
14. Chloromethane	U	V+ L+	µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
15. Cyclohexane	U		µg/m3	10	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
33. n-Heptane	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM
35. n-Hexane	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 216820
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-32	Collect Date: 03/07/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:23

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A13871-003** Matrix: **Air**
Method: EPA TO-15 Description: **4642 Cope**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			Init.
						P. Date	P. Batch	A. Date	A. Batch		
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
39. Methylene Chloride	U		µg/m3	21	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
41. MTBE	U		µg/m3	5.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
43. Styrene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
47. Toluene	U		µg/m3	5.7	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
51. Trichloroethene	U		µg/m3	0.16	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
56. Vinyl Acetate	U		µg/m3	11	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
57. Vinyl Chloride	U	V+ L+	µg/m3	0.77	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
58. m&p-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
59. o-Xylene	U		µg/m3	13	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	
‡ 60. Xylenes	U		µg/m3	26	1.0	03/09/23	VN23C09A	03/10/23 01:09	VN23C09A	CM	

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	102	%	80-120	VN	VN23C09A	3/10/2023 01:09	1	VN400

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Definitions/ Qualifiers:

- A:** Spike recovery or precision unusable due to dilution.
- B:** The analyte was detected in the associated method blank.
- E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- J:** The concentration is an estimated value.
- M:** Modified Method
- U:** The analyte was not detected at or above the reporting limit.
- X:** Matrix Interference has resulted in a raised reporting limit or distorted result.
- W:** Results reported on a wet-weight basis.
- ***: Value reported is outside QC limits
- D:** The sample or extract was analyzed at a DF greater than 1.

Exception Summary:

- L+** : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
- V+** : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-23-15 (TX)

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C09A: Method Blank (MB)

EPA TO-15

Run Time: VN23C09A.MB 03/09/2023 15:17 [VN23C09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Acetone	U		36
Benzene	U		2.9
Benzyl Chloride	U		0.41
Bromodichloromethane	U		0.80
Bromoform	U		15
Bromomethane	U		3.5
1,3-Butadiene	U		0.66
2-Butanone	U		8.8
Carbon Disulfide	U		19
Carbon Tetrachloride	U		0.75
Chlorobenzene	U		14
Chloroethane	U		4.0
Chloroform	U		0.59
Chloromethane	U		12
Cyclohexane	U		10
Dibromochloromethane	U		0.68
1,2-Dichlorobenzene	U		9.0
1,3-Dichlorobenzene	U		1.8
1,4-Dichlorobenzene	U		1.8
Dichlorodifluoromethane	U		15
1,1-Dichloroethane	U		6.1
1,2-Dichloroethane	U		0.49
1,1-Dichloroethene	U		5.9
cis-1,2-Dichloroethene	U		5.9
trans-1,2-Dichloroethene	U		5.9
1,2-Dichloropropane	U		1.4
cis-1,3-Dichloropropene	U		1.4
trans-1,3-Dichloropropene	U		1.4
1,4-Dioxane	U		5.4
Ethyl Acetate	U		11
Ethylbenzene	U		6.5
Ethylene Dibromide	U		0.23
n-Heptane	U		12

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C09A: Method Blank (MB)

EPA TO-15

Run Time: VN23C09A.MB 03/09/2023 15:17 [VN23C09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Hexachlorobutadiene	U		1.3
n-Hexane	U		11
2-Hexanone	U		12
Isopropanol	U		15
4-Me hyl-2-pentanone	U		12
Methylene Chloride	U		21
2-Me hyl-naphthalene	U		35
MTBE	U		5.4
Naph halene	U		1.6
Styrene	U		13
1,1,2,2-Tetrachloroethane	U		0.21
Tetrachloro e hene	U		6.1
Tetrahydrofuran	U		4.4
Toluene	U		5.7
1,2,4-Trichlorobenzene	U		22
1,1,1-Trichloroethane	U		8.2
1,1,2-Trichloroethane	U		0.65
Trichloroethene	U		0.16
Trichlorofluoromethane	U		8.4
1,1,2-Trichlorotrifluoroethane	U		23
1,2,4-Trimethylbenzene	U		4.4
1,3,5-Trimethylbenzene	U		4.4
Vinyl Acetate	U		11
Vinyl Chloride	U		0.77
m&p-Xylene	U		13
o-Xylene	U		13
4-Bromofluorobenzene(S)	102		80-120

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C09A.LCS: 03/09/2023 12:25 [VN23C09A] VN23C09A.LCSD: 03/09/2023 13:20 [VN23C09A]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%	%	
Acetone	30.0	35.2	118	70-130		30.0	36.3	121		3	20	
Benzene	41.9	45.9	110	70-130		41.9	46.2	110		0	20	
Benzyl Chloride	66.0	73.4	111	70-150		66.0	73.9	112		1	20	
Bromodichloromethane	87.1	84.0	96	70-130		87.1	84.6	97		1	20	
Bromoform	134	140	104	70-138		134	139	104		0	20	
Bromomethane	50.5	68.4	136	70-133	*	50.5	70.2	139	*	2	20	
1,3-Butadiene	28.7	33.4	116	70-134		28.7	34.4	120		3	20	
2-Butanone	38.3	43.1	112	70-130		38.3	44.2	115		3	20	
Carbon Disulfide	41.2	36.1	88	70-130		41.2	36.6	89		1	20	
Carbon Tetrachloride	83.3	70.9	85	70-131		83.3	71.5	86		1	20	
Chlorobenzene	60.4	70.0	116	70-130		60.4	70.0	116		0	20	
Chloroethane	34.3	45.8	134	70-130	*	34.3	47.0	137	*	2	20	
Chloroform	63.4	64.0	101	70-130		63.4	65.0	103		2	20	
Chloromethane	27.1	34.9	129	70-130		27.1	36.5	135	*	5	20	
Cyclohexane	44.3	51.3	116	70-130		44.3	51.9	117		1	20	
Dibromochloromethane	110	117	107	70-135		110	118	108		1	20	
1,2-Dichlorobenzene	78.1	85.1	109	70-130		78.1	86.5	111		2	20	
1,3-Dichlorobenzene	77.4	89.5	116	70-131		77.4	89.9	116		0	20	
1,4-Dichlorobenzene	78.1	87.2	112	70-134		78.1	87.8	112		0	20	
Dichlorodifluoromethane	64.9	64.9	100	70-132		64.9	66.1	102		2	20	
1,1-Dichloroethane	52.6	54.9	104	70-130		52.6	56.1	107		3	20	
1,2-Dichloroethane	53.1	49.0	92	70-130		53.1	49.9	94		2	20	
1,1-Dichloroethene	52.0	51.7	99	70-133		52.0	53.3	102		3	20	
cis-1,2-Dichloroethene	52.0	54.4	105	70-130		52.0	55.4	107		2	20	
trans-1,2-Dichloroethene	51.0	51.3	101	70-130		51.0	52.5	103		2	20	
1,2-Dichloropropane	60.6	72.0	119	70-130		60.6	72.0	119		0	20	
cis-1,3-Dichloropropene	59.0	64.4	109	70-131		59.0	64.9	110		1	20	
trans-1,3-Dichloropropene	59.0	58.2	99	70-134		59.0	58.6	99		0	20	
1,4-Dioxane	46.8	54.4	116	70-130		46.8	55.2	118		2	20	
Ethyl Acetate	46.4	53.2	115	70-130		46.4	54.9	118		3	20	
Ethylbenzene	57.0	62.9	110	70-130		57.0	63.1	111		1	20	
Ethylene Dibromide	98.9	111	112	70-130		98.9	110	112		0	20	
n-Heptane	52.7	61.4	116	70-132		52.7	61.6	117		1	20	

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C09A.LCS: 03/09/2023 12:25 [VN23C09A] VN23C09A.LCSD: 03/09/2023 13:20 [VN23C09A]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%		
Hexachlorobutadiene	144	132	92	70-134		144	134	93		1	20	
n-Hexane	45.4	46.6	103	70-130		45.4	47.6	105		2	20	
2-Hexanone	52.7	67.9	129	70-139		52.7	68.2	129		0	20	
Isopropanol	32.9	40.7	124	54-144		32.9	41.6	127		2	20	
4-Me hyl-2-pentanone	52.7	59.8	113	70-130		52.7	61.3	116		3	20	
Methylene Chloride	45.1	46.6	103	70-132		45.1	48.1	107		4	20	
2-Me hyl-naphthalene	83.6	94.6	113	70-146		83.6	95.7	115		2	20	
MTBE	46.8	46.9	100	70-130		46.8	47.8	102		2	20	
Naph halene	74.7	93.5	125	70-148		74.7	94.6	127		2	20	
Styrene	55.4	65.0	117	70-130		55.4	65.3	118		1	20	
1,1,2,2-Tetrachloroethane	90.1	106	118	70-130		90.1	105	117		1	20	
Tetrachloroethene	88.1	107	121	70-130		88.1	107	122		1	20	
Tetrahydrofuran	38.0	48.4	128	70-138		38.0	49.4	130		2	20	
Toluene	49.4	56.9	115	70-130		49.4	56.7	115		0	20	
1,2,4-Trichlorobenzene	102	124	121	70-140		102	126	124		2	20	
1,1,1-Trichloroethane	70.9	62.5	88	70-130		70.9	63.1	89		1	20	
1,1,2-Trichloroethane	70.9	82.6	116	70-130		70.9	83.9	118		2	20	
Trichloroethene	70.5	74.2	105	70-130		70.5	75.2	107		2	20	
Trichlorofluoromethane	72.3	63.0	87	70-132		72.3	64.4	89		2	20	
1,1,2-Trichlorotrifluoroethane	101	98.6	98	70-130		101	99.9	99		1	20	
1,2,4-Trimethylbenzene	64.5	69.4	108	70-132		64.5	69.7	108		0	20	
1,3,5-Trimethylbenzene	64.5	68.3	106	70-131		64.5	68.1	106		0	20	
Vinyl Acetate	48.0	56.3	117	70-131		48.0	59.6	124		6	20	
Vinyl Chloride	33.2	46.4	140	70-131	*	33.2	48.3	145	*	4	20	
m&p-Xylene	114	133	116	70-130		114	133	117		1	20	
o-Xylene	56.4	60.2	107	70-130		56.4	60.3	107		0	20	
4-Bromofluorobenzene(S)			105	80-120				106				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Jacob Sutherland at 4:37 PM, Mar 13, 2023

Client Name: NTH Consultants				PARAMETERS										Matrix Code				Deliverables																				
Contact Person: Bhushan Modi				MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOLs (T0-15)											<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>S</td><td>Soil</td><td>GW</td><td>Ground Water</td> </tr> <tr> <td><input checked="" type="checkbox"/></td><td>Air</td><td>SW</td><td>Surface Water</td> </tr> <tr> <td>O</td><td>Oil</td><td>ww</td><td>Waste Water</td> </tr> <tr> <td>P</td><td>Wipe</td><td>x</td><td>Other: Specify</td> </tr> </table>				S	Soil	GW	Ground Water	<input checked="" type="checkbox"/>	Air	SW	Surface Water	O	Oil	ww	Waste Water	P	Wipe	x	Other: Specify	Level 2	
S	Soil	GW	Ground Water																																			
<input checked="" type="checkbox"/>	Air	SW	Surface Water																																			
O	Oil	ww	Waste Water																																			
P	Wipe	x	Other: Specify																																			
Project Name/ Number: 23001494-01 / FCA/stellantis Project														Level 3																								
Email distribution list: bmodie@nthconsultants.com														Level 4																								
Quote# 1392														EDD																								
Purchase Order#																																						
Date	Time	Sample #	Client Sample Descriptor											Remarks:																								
3/7		A-12	[REDACTED]											1. Sampling start & end times are on canisters 2. IP & FP are recorded on field cards attached to canisters																								
3/7		A-22	[REDACTED]																																			
3/7		A-32	[REDACTED]																																			
Received By Lab																																						
MAR 08 2023																																						
Initials: JJ																																						
Comments:																																						
Sampled/Relinquished By: <i>[Signature]</i>				Date/ Time: 3/8/23 11:00				Received By: <i>[Signature]</i>						Date/ Time: 3/8/23 11:00																								
Relinquished By: <i>[Signature]</i>				Date/ Time: 3/8/23 14:30				Received By: <i>[Signature]</i>						Date/ Time: 3/8/23 14:30																								
Relinquished By: <i>[Signature]</i>				Date/ Time: _____				Received By Laboratory: _____						Date/ Time: _____																								
Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY												LAB USE ONLY																										
<input type="checkbox"/> 1 bus. day <input type="checkbox"/> 2 bus. days <input type="checkbox"/> 3 bus. days <input type="checkbox"/> 4 bus. days <input checked="" type="checkbox"/> 5-7 bus. days (standard) Other (specify time/date requirement): _____												Fibertec project number: A13871 Temperature upon receipt at Lab: Am. Temp.																										
Please see back for terms and conditions																																						