



Tuesday, March 28, 2023

Fibertec Project Number: A14152
Project Identification: FCA/Stellantis Project (23001494-01) /23001494-01
Submittal Date: 03/22/2023

Mr. Bhushan Modi
NTH Consultants, Ltd. - Northville
41780 Six Mile Road
Suite 200
Northville, MI 48168-3459

Dear Mr. Modi,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at ()
.

Sincerely,

By Jacob Sutherland at 11:42 AM, Mar 28, 2023

For Daryl P. Strandbergh
Laboratory Director

Enclosures

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14152
Laboratory Sample Number: A14152-001

Order: A14152
 Date: 03/28/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-14	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:02

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14152-001** Matrix: **Air**
 Method: **EPA TO-15** Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			
						P. Date	P. Batch	A. Date	A. Batch	Init.	
‡ 1. Acetone	U		µg/m3	36	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
2. Benzene	U		µg/m3	2.9	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
5. Bromoform	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
14. Chloromethane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
33. n-Heptane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
35. n-Hexane	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	11:04	VN23C23B	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-14	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:02

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14152-001** Matrix: **Air**
Method: EPA TO-15 Description: **4458 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
41. MTBE	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
43. Styrene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
47. Toluene	U		µg/m3	5.7	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
59. o-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/23/23	VN23C23B	03/24/23 11:04	VN23C23B	CY

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	97	%	80-120	VN	VN23C23B	3/24/2023 11:04	1	VN400

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584



Analytical Laboratory Report
Laboratory Project Number: A14152
Laboratory Sample Number: A14152-002

Order: A14152
 Date: 03/28/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-24	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:09

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa)
Method: EPA TO-15

Aliquot ID: A14152-002 **Matrix: Air**
Description: 3870 Beniteau

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			
						P. Date	P. Batch	A. Date	A. Batch	Init.	
‡ 1. Acetone	U		µg/m3	36	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
2. Benzene	U		µg/m3	2.9	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
5. Bromoform	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
14. Chloromethane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
33. n-Heptane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
35. n-Hexane	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-24	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:09

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa) Aliquot ID: **A14152-002** Matrix: **Air**
Method: EPA TO-15 Description: **3870 Beniteau**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			
						P. Date	P. Batch	A. Date	A. Batch	Init.	
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
41. MTBE	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
43. Styrene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
47. Toluene	U		µg/m3	5.7	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
59. o-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/23/23	VN23C23B	03/24/23	12:02	VN23C23B	CY

Surrogate Summary			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	100	%	80-120	VN	VN23C23B	3/24/2023 12:02	1	VN400



Analytical Laboratory Report
Laboratory Project Number: A14152
Laboratory Sample Number: A14152-003

Order: A14152
 Date: 03/28/23

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-34	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:20

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa)

Method: EPA TO-15

Aliquot ID: A14152-003 **Matrix: Air**
Description: 4642 Cope

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis			
						P. Date	P. Batch	A. Date	A. Batch	Init.	
‡ 1. Acetone	U		µg/m3	36	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
2. Benzene	U		µg/m3	2.9	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
3. Benzyl Chloride	U		µg/m3	0.41	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
4. Bromodichloromethane	U		µg/m3	0.80	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
5. Bromoform	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
6. Bromomethane	U		µg/m3	3.5	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
7. 1,3-Butadiene	U		µg/m3	0.66	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
8. 2-Butanone	U		µg/m3	8.8	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
‡ 9. Carbon Disulfide	U		µg/m3	19	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
10. Carbon Tetrachloride	U		µg/m3	0.75	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
11. Chlorobenzene	U		µg/m3	14	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
12. Chloroethane	U		µg/m3	4.0	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
13. Chloroform	U		µg/m3	0.59	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
14. Chloromethane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
15. Cyclohexane	U		µg/m3	10	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
16. Dibromochloromethane	U		µg/m3	0.68	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
17. 1,2-Dichlorobenzene	U		µg/m3	9.0	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
18. 1,3-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
19. 1,4-Dichlorobenzene	U		µg/m3	1.8	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
20. Dichlorodifluoromethane	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
21. 1,1-Dichloroethane	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
22. 1,2-Dichloroethane	U		µg/m3	0.49	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
23. 1,1-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
24. cis-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
25. trans-1,2-Dichloroethene	U		µg/m3	5.9	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
26. 1,2-Dichloropropane	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
27. cis-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
28. trans-1,3-Dichloropropene	U		µg/m3	1.4	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
29. 1,4-Dioxane	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
‡ 30. Ethyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
31. Ethylbenzene	U		µg/m3	6.5	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
32. Ethylene Dibromide	U		µg/m3	0.23	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
33. n-Heptane	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
34. Hexachlorobutadiene	U		µg/m3	1.3	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
35. n-Hexane	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
‡ 36. 2-Hexanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY
‡ 37. Isopropanol	U		µg/m3	15	1.0	03/23/23	VN23C23B	03/24/23	13:00	VN23C23B	CY

1914 Holloway Drive
 11766 E. Grand River
 8660 S. Mackinaw Trail

Holt, MI 48842
 Brighton, MI 48116
 Cadillac, MI 49601

T: (517) 699-0345
 T: (810) 220-3300
 T: (231) 775-8368

F: (517) 699-0388
 F: (810) 220-3311
 F: (231) 775-8584

Client Identification: NTH Consultants, Ltd. - Northville	Sample Description: XXXXXXXXXX	Chain of Custody: 215770
Client Project Name: FCA/Stellantis Project (23001494-01)	Sample No: A-34	Collect Date: 03/21/23
Client Project No: 23001494-01	Sample Matrix: Air	Collect Time: 09:20

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

TO-15 (Summa)

Method: EPA TO-15

Aliquot ID: **A14152-003** Matrix: **Air**
Description: **4642 Cope**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation		Analysis		
						P. Date	P. Batch	A. Date	A. Batch	Init.
38. 4-Methyl-2-pentanone	U		µg/m3	12	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
39. Methylene Chloride	U		µg/m3	21	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
‡ 40. 2-Methylnaphthalene	U		µg/m3	35	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
41. MTBE	U		µg/m3	5.4	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
‡ 42. Naphthalene	U		µg/m3	1.6	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
43. Styrene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
44. 1,1,2,2-Tetrachloroethane	U		µg/m3	0.21	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
45. Tetrachloroethene	U		µg/m3	6.1	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
‡ 46. Tetrahydrofuran	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
47. Toluene	U		µg/m3	5.7	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
48. 1,2,4-Trichlorobenzene	U		µg/m3	22	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
49. 1,1,1-Trichloroethane	U		µg/m3	8.2	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
50. 1,1,2-Trichloroethane	U		µg/m3	0.65	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
51. Trichloroethene	U		µg/m3	0.16	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
52. Trichlorofluoromethane	U		µg/m3	8.4	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
‡ 53. 1,1,2-Trichlorotrifluoroethane	U		µg/m3	23	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
54. 1,2,4-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
55. 1,3,5-Trimethylbenzene	U		µg/m3	4.4	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
56. Vinyl Acetate	U		µg/m3	11	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
57. Vinyl Chloride	U		µg/m3	0.77	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
58. m&p-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
59. o-Xylene	U		µg/m3	13	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY
‡ 60. Xylenes	U		µg/m3	26	1.0	03/23/23	VN23C23B	03/24/23 13:00	VN23C23B	CY

Surrogate Summary

			<u>Control Limits</u>	<u>Instrument</u>	<u>Batch</u>	<u>Run Time</u>	<u>Column</u>	<u>Inst. Method</u>
4-Bromofluorobenzene(S)	99	%	80-120	VN	VN23C23B	3/24/2023 13:00	1	VN400

Definitions/ Qualifiers:

- A:** Spike recovery or precision unusable due to dilution.
- B:** The analyte was detected in the associated method blank.
- E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- J:** The concentration is an estimated value.
- M:** Modified Method
- U:** The analyte was not detected at or above the reporting limit.
- X:** Matrix Interference has resulted in a raised reporting limit or distorted result.
- W:** Results reported on a wet-weight basis.
- ***: Value reported is outside QC limits
- D:** The sample or extract was analyzed at a DF greater than 1.

Exception Summary:

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-23-15 (TX)

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C23B: Method Blank (MB)

EPA TO-15

Run Time: VN23C23B.MB 03/23/2023 17:57 [VN23C23B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Acetone	U		36
Benzene	U		2.9
Benzyl Chloride	U		0.41
Bromodichloromethane	U		0.80
Bromoform	U		15
Bromomethane	U		3.5
1,3-Butadiene	U		0.66
2-Butanone	U		8.8
Carbon Disulfide	U		19
Carbon Tetrachloride	U		0.75
Chlorobenzene	U		14
Chloroethane	U		4.0
Chloroform	U		0.59
Chloromethane	U		12
Cyclohexane	U		10
Dibromochloromethane	U		0.68
1,2-Dichlorobenzene	U		9.0
1,3-Dichlorobenzene	U		1.8
1,4-Dichlorobenzene	U		1.8
Dichlorodifluoromethane	U		15
1,1-Dichloroethane	U		6.1
1,2-Dichloroethane	U		0.49
1,1-Dichloroethene	U		5.9
cis-1,2-Dichloroethene	U		5.9
trans-1,2-Dichloroethene	U		5.9
1,2-Dichloropropane	U		1.4
cis-1,3-Dichloropropene	U		1.4
trans-1,3-Dichloropropene	U		1.4
1,4-Dioxane	U		5.4
Ethyl Acetate	U		11
Ethylbenzene	U		6.5
Ethylene Dibromide	U		0.23
n-Heptane	U		12

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C23B: Method Blank (MB)

EPA TO-15

Run Time: VN23C23B.MB 03/23/2023 17:57 [VN23C23B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/m3		µg/m3
Hexachlorobutadiene	U		1.3
n-Hexane	U		11
2-Hexanone	U		12
Isopropanol	U		15
4-Me hyl-2-pentanone	U		12
Methylene Chloride	U		21
2-Me hyl-naphthalene	U		35
MTBE	U		5.4
Naph halene	U		1.6
Styrene	U		13
1,1,2,2-Tetrachloroethane	U		0.21
Tetrachloro e hene	U		6.1
Tetrahydrofuran	U		4.4
Toluene	U		5.7
1,2,4-Trichlorobenzene	U		22
1,1,1-Trichloroethane	U		8.2
1,1,2-Trichloroethane	U		0.65
Trichloroethene	U		0.16
Trichlorofluoromethane	U		8.4
1,1,2-Trichlorotrifluoroethane	U		23
1,2,4-Trimethylbenzene	U		4.4
1,3,5-Trimethylbenzene	U		4.4
Vinyl Acetate	U		11
Vinyl Chloride	U		0.77
m&p-Xylene	U		13
o-Xylene	U		13
4-Bromofluorobenzene(S)	102		80-120

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C23B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C23B.LCS: 03/23/2023 15:10 [VN23C23B] VN23C23B.LCSD: 03/23/2023 16:05 [VN23C23B]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%		
Acetone	30.0	26.0	87	70-130		30.0	26.5	88		1	20	
Benzene	41.9	39.0	93	70-130		41.9	38.8	93		0	20	
Benzyl Chloride	66.0	64.9	98	70-150		66.0	65.9	100		2	20	
Bromodichloromethane	87.1	88.2	101	70-130		87.1	88.6	102		1	20	
Bromoform	134	138	103	70-138		134	140	104		1	20	
Bromomethane	50.5	49.6	98	70-133		50.5	50.1	99		1	20	
1,3-Butadiene	28.7	26.3	91	70-134		28.7	26.8	93		2	20	
2-Butanone	38.3	33.5	87	70-130		38.3	33.7	88		1	20	
Carbon Disulfide	41.2	33.4	81	70-130		41.2	33.7	82		1	20	
Carbon Tetrachloride	83.3	88.7	106	70-131		83.3	88.6	106		0	20	
Chlorobenzene	60.4	59.5	99	70-130		60.4	60.5	100		1	20	
Chloroethane	34.3	30.4	89	70-130		34.3	31.3	91		2	20	
Chloroform	63.4	65.2	103	70-130		63.4	66.1	104		1	20	
Chloromethane	27.1	24.7	91	70-130		27.1	24.8	92		1	20	
Cyclohexane	44.3	42.9	97	70-130		44.3	42.3	96		1	20	
Dibromochloromethane	110	115	105	70-135		110	117	107		2	20	
1,2-Dichlorobenzene	78.1	79.6	102	70-130		78.1	81.4	104		2	20	
1,3-Dichlorobenzene	77.4	82.5	107	70-131		77.4	83.4	108		1	20	
1,4-Dichlorobenzene	78.1	80.4	103	70-134		78.1	82.2	105		2	20	
Dichlorodifluoromethane	64.9	67.7	104	70-132		64.9	68.9	106		2	20	
1,1-Dichloroethane	52.6	50.4	96	70-130		52.6	50.6	96		0	20	
1,2-Dichloroethane	53.1	54.8	103	70-130		53.1	54.7	103		0	20	
1,1-Dichloroethene	52.0	51.3	99	70-133		52.0	52.1	100		1	20	
cis-1,2-Dichloroethene	52.0	52.0	100	70-130		52.0	52.4	101		1	20	
trans-1,2-Dichloroethene	51.0	51.6	101	70-130		51.0	51.8	102		1	20	
1,2-Dichloropropane	60.6	60.7	100	70-130		60.6	60.3	99		1	20	
cis-1,3-Dichloropropene	59.0	59.9	101	70-131		59.0	59.7	101		0	20	
trans-1,3-Dichloropropene	59.0	58.1	98	70-134		59.0	58.0	98		0	20	
1,4-Dioxane	46.8	45.9	98	70-130		46.8	45.2	96		2	20	
Ethyl Acetate	46.4	46.5	100	70-130		46.4	47.5	103		3	20	
Ethylbenzene	57.0	54.2	95	70-130		57.0	55.3	97		2	20	
Ethylene Dibromide	98.9	96.6	98	70-130		98.9	98.9	100		2	20	
n-Heptane	52.7	48.5	92	70-132		52.7	48.8	93		1	20	

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

VN23C23B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA TO-15

Run Time: VN23C23B.LCS: 03/23/2023 15:10 [VN23C23B] VN23C23B.LCSD: 03/23/2023 16:05 [VN23C23B]

Analyte	LCS	LCS Result	LCS Rec.	Rec. Limits	LCS	LCSD	LCSD	LCSD	LCSD	RPD	RPD Limits	RPD
	Spike Amount				Qualifier	Spike Amount	Result	Rec.	Qualifier	%	%	Qualifier
	µg/m3	µg/m3	%	%		µg/m3	µg/m3	%		%		
Hexachlorobutadiene	144	149	104	70-134		144	154	107		3	20	
n-Hexane	45.4	37.4	83	70-130		45.4	37.2	82		1	20	
2-Hexanone	52.7	52.2	99	70-139		52.7	53.3	101		2	20	
Isopropanol	32.9	30.3	92	54-144		32.9	30.6	93		1	20	
4-Me hyl-2-pentanone	52.7	52.3	99	70-130		52.7	52.6	100		1	20	
Methylene Chloride	45.1	37.6	83	70-132		45.1	38.3	85		2	20	
2-Me hyl-naphthalene	83.6	109	130	70-146		83.6	112	134		3	20	
MTBE	46.8	44.3	95	70-130		46.8	45.1	96		1	20	
Naph halene	74.7	86.1	115	70-148		74.7	87.9	118		3	20	
Styrene	55.4	53.2	96	70-130		55.4	54.4	98		2	20	
1,1,2,2-Tetrachloroethane	90.1	85.4	95	70-130		90.1	87.0	97		2	20	
Tetrachloroethene	88.1	92.0	104	70-130		88.1	92.7	105		1	20	
Tetrahydrofuran	38.0	33.6	89	70-138		38.0	33.9	89		0	20	
Toluene	49.4	47.9	97	70-130		49.4	48.6	98		1	20	
1,2,4-Trichlorobenzene	102	126	123	70-140		102	128	125		2	20	
1,1,1-Trichloroethane	70.9	76.1	107	70-130		70.9	75.3	106		1	20	
1,1,2-Trichloroethane	70.9	69.3	98	70-130		70.9	69.8	98		0	20	
Trichloroethene	70.5	68.0	96	70-130		70.5	67.4	96		0	20	
Trichlorofluoromethane	72.3	75.2	104	70-132		72.3	76.1	105		1	20	
1,1,2-Trichlorotrifluoroethane	101	98.8	98	70-130		101	99.8	99		1	20	
1,2,4-Trimethylbenzene	64.5	63.7	99	70-132		64.5	65.3	101		2	20	
1,3,5-Trimethylbenzene	64.5	63.6	99	70-131		64.5	65.1	101		2	20	
Vinyl Acetate	48.0	49.2	103	70-131		48.0	51.5	107		4	20	
Vinyl Chloride	33.2	30.9	93	70-131		33.2	31.7	95		2	20	
m&p-Xylene	114	110	96	70-130		114	112	98		2	20	
o-Xylene	56.4	54.7	97	70-130		56.4	55.8	99		2	20	
4-Bromofluorobenzene(S)			104	80-120				105				

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Jacob Sutherland at 11:56 AM, Mar 28, 2023

1914 Holloway Drive
11766 E. Grand River
8660 S. Mackinaw Trail

Holt, MI 48842
Brighton, MI 48116
Cadillac, MI 49601

T: (517) 699-0345
T: (810) 220-3300
T: (231) 775-8368

F: (517) 699-0388
F: (810) 220-3311
F: (231) 775-8584

Client Name: NTH Consultants				PARAMETERS										Matrix Code			Deliverables					
Contact Person: Bhushan Modi				MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	Vials (70-15)										HOLD SAMPLE	S	Soil	GW	Ground Water		Level 2
Project Name/ Number: 23001494-01 FCA/Stellantis																	A	Af	SW	Surface Water		Level 3
Email distribution list: bmodi@nthconsultants.com																	O	Oil	ww	Waste Water		Level 4
Quote# 1392																	P	Wipe	X	Other: Specify		EDD
Purchase Order#																						
Date	Time	Sample #	Client Sample Descriptor														Remarks: Sampling Times are on the Canisters IP + EP are on the Canisters Received By Lab MAR 22 2023 Initials: <i>Tm</i>					
3/21		A-14	[REDACTED]	A	1																	
3/21		A-24	[REDACTED]	A	1																	
2/21		A-34	[REDACTED]	A	1																	
Comments:																						
Sampled/Relinquished By: <i>[Signature]</i>				Date/ Time: 3/22/23 10:30				Received By: <i>[Signature]</i>				Date/ Time: 3-22-23 11:30										
Relinquished by: <i>[Signature]</i>				Date/ Time: 3-22-23 1400				Received By: <i>[Signature]</i>														
Relinquished By: <i>[Signature]</i>				Date/ Time:				Received By Laboratory:														
Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY ___ 1 bus. day ___ 2 bus. days ___ 3 bus. days ___ 4 bus. days <input checked="" type="checkbox"/> 5-7 bus. days (standard) Other (specify time/date requirement): _____										LAB USE ONLY Fibertec project number: A14152 Temperature upon receipt at Lab: Room Temp												
Please see back for terms and conditions																						