

DRAFT

FILL MATERIAL SAMPLING REPORT

12541 DRESDEN STREET
DETROIT, WAYNE COUNTY, MICHIGAN 48205



NOVEMBER 10, 2025
REVISED DECEMBER 11, 2025

PREPARED FOR:
THE CITY OF DETROIT DEMOLITION DEPARTMENT
1301 THIRD STREET, SUITE 606
DETROIT, MICHIGAN 48226



FILL MATERIAL SAMPLING REPORT

12541 DRESDEN STREET
DETROIT, WAYNE COUNTY, MICHIGAN 48205

PREPARED BY: _____

ANTONINA ANDERSON
ENVIRONMENTAL ENGINEER

REVIEWED BY: _____

MICHAEL REECE
SENIOR PROJECT MANAGER

REVIEWED AND
APPROVED BY: _____

RYAN MONTRI, CPG
SENIOR PROJECT MANAGER



EXECUTIVE SUMMARY

The Mannik & Smith Group, Inc. (MSG) was retained by the City of Detroit (COD) to perform sampling and analysis of fill materials at the property commonly addressed as 12541 Dresden Street, Detroit, Wayne County, Michigan (hereinafter, the "Site"). The Site location, as referenced to nearby roads and major geographic features, is shown on Figure 1, *Site Location Map*. Figure 2, *Site Layout*, depicts the current layout of the Site.

This Executive Summary is provided to summarize the results of the work performed at the Site. The Executive Summary is general in nature and should not be used to replace or be considered apart from the entirety of this report.

The purpose of the work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. Sample analyses associated with this work included volatile organic compounds (VOCs); semivolatile organic compounds (SVOCs); polychlorinated biphenyls (PCBs); arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc (10 Michigan metals); chloride; herbicides; and pesticides. Analytical results were compared to the current generic residential cleanup criteria (GRCC) promulgated under Part 201 of the *Natural Resources and Environmental Protection Act* (NREPA), 1994 P.A. 451, as amended (Part 201).

Pursuant to a request by the COD, MSG has completed sampling and analysis of fill material at the Site, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. Results of this work, which are subject to the limitations presented in *Appendix A, Limitations*, incorporated by reference herewith, revealed the following:

- The stratigraphy encountered during soil boring advancement of 12541 SB01, 12541 SB02, and 12541 SB03 generally consisted of one to five and a half feet of brownish gray clayey sand with little gravel underlain by brown silty sand to six feet below ground surface (bgs), the maximum depth explored for this investigation. Field photoionization detector (PID) readings ranged from 0.0 to 23.3 ppm. There were no visual (staining) and/or olfactory (e.g., petroleum-like odors) indications of contamination observed during soil sampling activities.
- Concentrations of total chromium were detected in soil sample 12541 SB02 (3-4') in excess of its respective Part 201 drinking water protection criteria (DWPC) and groundwater surface water interface protection criteria (GSIPC).
- Concentrations of 1,2,4-trimethylbenzene, 4,4-DDD, 4,4-DDE, 4,4-DDT, arsenic, barium, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chloride, alpha-chlordane, gamma-chlordane, chlordane, copper, dieldrin, fluoranthene, indeno(1,2,3-cd)pyrene, lead, mercury, pyrene, and zinc were detected in soil samples 12541 SB01 (1-2'), 12541 SB02 (3-4'), 12541 SB03 (5-6'), and/or 12541 Dresden SB02 (2-3')-R at concentrations above laboratory method detection limits; however, detected concentrations were below their respective Part 201 GRCC and/or Statewide Default Background Levels.
- Toxicity Characteristic Leaching Procedure (TCLP) laboratory analytical results revealed that the concentration of chromium was not in excess of 40 C.F.R. § 261.24 Title 40 - *Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261- Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste*.
- PCBs were not detected above laboratory method detection reporting limits.
- Groundwater is not utilized as drinking water (DW) at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the DW exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to

either storm sewers or surface water and the clay layer also inhibits migration; therefore, the groundwater surface water exposure pathway can be considered not applicable.

MSG has evaluated the analytical results of the fill material. Based upon the analytical results, we have determined that the material is contaminated above the state's Part 201 GRCC, as applicable.

MSG warrants that no substantive information or documentation was deleted, omitted, or changed that would otherwise cause the MSG to reach a different conclusion. Furthermore, MSG understands that the COD and its agencies and authorities may rely upon the overall completeness, accuracy, and conclusions in this report and hereby provides reliance on the contents presented herein.

DRAFT

TABLE OF CONTENTS

Executive Summary	ES-1
1.0 Introduction	1
2.0 Purpose and Scope of Work	1
3.0 Site Assessment Methodology	1
3.1 Preliminary Site Work Activities	1
3.2 Soil Sample Collection	2
3.3 Toxicity Characteristic Leaching Procedure (TCLP) Soil Sample Collection	2
3.4 Decontamination	3
3.5 Analytical Methods	3
3.6 Quality Assurance/Quality Control	3
4.0 Summary of results	3
4.1 Site Geology and Hydrogeology	3
4.2 Soil Sample Analytical Results	4
4.3 TCLP Analytical Results	4
4.4 Exposure Evaluation	4
5.0 Findings	4
Figures	
Figure 1	Site Location Map
Figure 2	Site Layout
Tables	
Table 1	Soil Sample Analytical Detection Summary
Table 2	TCLP Analytical Detection Summary
Appendices	
Appendix A	Limitations
Appendix B	Daily Field Reports
Appendix C	Investigation Photographs
Appendix D	Soil Boring Logs
Appendix E	Laboratory Analytical Reports and Chain of Custody Forms

1.0 INTRODUCTION

The Mannik & Smith Group, Inc. (MSG) was retained by the City of Detroit (COD) to conduct sampling and analysis of fill materials at the property commonly addressed as 12541 Dresden Street, Detroit, Wayne County, Michigan (hereinafter, the "Site"). The Site location as referenced to nearby roads and major geographic features is presented as *Figure 1, Site Location Map*. *Figure 2, Site Layout*, depicts the current layout of the Site.

The purpose of this work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths. The scope of work for this investigation was performed in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. This report presents the findings of this investigation. Soil samples were collected by MSG on August 12, 2025, October 13, 2025, and October 28, 2025. The findings of this report are valid as of the report date, subject to the limitations presented in *Appendix A, Limitations*.

At the time of this investigation, the Site was vacant and formerly occupied by residential structures. Former Site building(s) had been demolished as part of the Blight Removal Program prior to commencement of this work.

2.0 PURPOSE AND SCOPE OF WORK

The purpose of the work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and modified in the field (when necessary) based on encountered conditions and professional judgment of the MSG field geologist.

MSG performed the following scope of work in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025:

- Advanced three (3) onsite soil borings to a maximum depth of six feet below ground surface (bgs) utilizing a direct push drill rig at the locations depicted on *Figure 2*.
- Collected one (1) discrete soil sample for laboratory analysis from each soil boring at a depth of 1-2 feet bgs, 3-4 feet bgs, or 5-6 feet bgs, depending on the soil boring.
- Submitted soil samples to an independent analytical laboratory for chemical analysis.
- Prepared this report summarizing the activities and results of this work.

Per the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, sample analyses included volatile organic compounds (VOCs); semivolatile organic compounds (SVOCs); polychlorinated biphenyls (PCBs); arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc (10 Michigan metals); chloride; herbicides; and pesticides. Soil sample analytical results were compared to the current generic residential cleanup criteria (GRCC) promulgated under Part 201 of the *Natural Resources and Environmental Protection Act* (NREPA), 1994 P.A. 451, as amended (Part 201).

3.0 SITE ASSESSMENT METHODOLOGY

The following subsections describe the methodologies employed by MSG at the Site during sampling activities that were conducted on August 12, 2025, October 13, 2025, and October 28, 2025. Daily field activity reports prepared by MSG are presented in *Appendix B, Daily Field Reports*.

3.1 Preliminary Site Work Activities

Prior to conducting subsurface soil sampling activities, MSG contacted the MISSDIG utility locating system to identify and physically mark underground utilities. If necessary, proposed soil boring locations were modified based on the results of the utility markings. Additionally, MSG reviewed readily available Site building records

or documents to ensure that this scope of work was conducted on the correct property and in the areas of the former Site structure.

3.2 Soil Sample Collection

The sampling plan for the Site was based on the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and modified in the field (if necessary) based on encountered conditions and professional judgment of MSG's field personnel. MSG advanced three (3) initial soil borings, designated 12541 SB01, 12541 SB02, and 12541 SB03, using a direct push drill rig at the locations depicted on Figure 2. Photographs collected during completion of this work are provided in *Appendix C, Investigation Photographs*.

Soils were continuously profiled at each soil boring location from the ground surface to the termination depth of six feet bgs using a 5-foot long, closed-piston Macro-Core® sampling device. A new disposable high-density polyethylene (HDPE) liner was placed within the sampler between each 5-foot sample interval. The recovered soil samples were examined and logged in the field by the MSG field geologist. The soils were classified by MSG's field geologist in general accordance with ASTM D 2488, *Standard Practice for Description and Identification of Soils (Visual-Manual Procedure)*. Soil descriptions were based on visual examination and interpretation by the field geologist.

Soil samples were examined for visual and olfactory indications of impact in accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and were continuously screened upon retrieval of each sample interval with a MiniRAE 10.6 electron volt (eV) photoionization detector (PID) calibrated with isobutylene span gas. The PID measures the concentration of airborne ionizable gasses and vapors and automatically displays any detected concentrations in parts per million (ppm). The PID measures total concentrations of VOC vapors present and cannot distinguish between individual VOC constituents. PID readings for each sample interval were recorded on the individual soil boring logs, which are included in *Appendix D, Soil Boring Logs*.

Soil samples were collected in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. The soil samples were placed into appropriate pre-preserved and unpreserved laboratory-supplied sample containers, as appropriate for the associated laboratory analyses. Soil samples collected for VOC analysis were placed in laboratory supplied pre-tared 40-milliliter (ml) vials with septum sealed threaded caps that were pre-preserved with methanol provided by the analytical laboratory. Groundwater was not encountered during the investigation.

3.3 Toxicity Characteristic Leaching Procedure (TCLP) Soil Sample Collection

On October 13, 2025, MSG mobilized to the Site to collect an additional soil sample based on request from the COD. Sample location and analyte(s) were based on the laboratory results of the initial soil investigation. MSG personnel advanced one soil boring in the immediate vicinity of the soil boring location that exhibited the highest laboratory result(s) in excess of Part 201 GRCC. Soils were continuously profiled from the ground surface to the termination depth of six feet bgs utilizing a direct push drill rig. These soils were homogenized in a stainless-steel bowl (or equivalent) to produce a single, composite soil sample. The composite soil sample was placed into unpreserved laboratory-supplied sample containers, as appropriate for the associated laboratory analyses.

The composite soil sample was collected to create a single, representative sample to provide a laboratory result that includes the overlying and/or underlying soils in the area of concern to comprehensively represent the backfill soils that may be removed.

On October 28, 2025, MSG mobilized to the Site to collect an additional soil sample based on request from the COD in order to fulfill waste characterization parameters required at a Type II landfill. Sample location and

analyte(s) were based on the laboratory results of the initial soil sampling event, as compared to 40 C.F.R. § 261.24 Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261 - Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste. Soils were continuously profiled at the supplemental soil boring locations from the ground surface to the termination depth using a 5-foot long, closed-piston Macro-Core® sampling device. When warranted, a new disposable high-density polyethylene (HDPE) liner was placed within the sampler between each 5-foot sample interval. The recovered soil samples were examined and logged in the field by the MSG field geologist.

3.4 Decontamination

Before initiation of sampling and drilling activities and between each sampling/soil boring, equipment was cleaned to avoid the potential for cross-contamination during field activities. Pertinent equipment and tooling were thoroughly cleaned using a phosphate-free soap to remove chemical residue and caked-on soils. After sample collection was completed, each soil boring location was abandoned with the soil cuttings generated at each soil boring location and finished to match the original surface.

3.5 Analytical Methods

Four (4) soil samples, designated 12541 SB01 (1-2'), 12541 SB02 (3-4'), 12541 SB03 (5-6'), and 12541 Dresden SB02 (2-3')-R, and one (1) composite soil sample designated 12541 Dresden SB02 TCLP were collected as part of this investigation. These soil samples were submitted to ALS Environmental Laboratory (ALS) in Holland, Michigan for laboratory analysis of the following parameters per the requested parameters as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and individual TCLP analysis:

- VOCs by United States Environmental Protection Agency (USEPA) Method SW8260D;
- SVOCs by USEPA Method SW8270E;
- PCBs by USEPA Method SW8082A;
- 10 Michigan metals by USEPA Method SW6020B and SW7471B;
- Chloride by USEPA Method SW9056A;
- Herbicides by USEPA Method SW8151A; and
- Pesticides by USEPA Method SW8081B.

3.6 Quality Assurance/Quality Control

Quality assurance and quality control (QA/QC) was achieved in the field by using MSG's standard operating procedures (SOPs) for sample collection, sample screening, sample preservation, and chain-of-custody protocols to ensure sample integrity. Per the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, duplicate soil samples and field blanks were not collected.

Laboratory QC was achieved by using standard analytical methods, the analyses of spiked and laboratory quality control samples, and the use of internal laboratory quality assurance protocols. Review of the laboratory's QC data indicated the validity of the data and that it is able to be used for assessing soil samples collected during this work.

4.0 SUMMARY OF RESULTS

The following subsections include a discussion of the soil samples that were collected from the Site on August 12, 2025, October 13, 2025, and October 28, 2025.

4.1 Site Geology and Hydrogeology

The stratigraphy encountered during soil boring advancement of 12541 SB01, 12541 SB02, and 12541 SB03 generally consisted of one to five and a half feet of brownish gray clayey sand with little gravel underlain by brown silty sand to six feet bgs, the maximum depth explored for this investigation. PID readings ranged from

0.0 to 23.3 ppm. There were no visual (staining) and/or olfactory (e.g., petroleum-like odors) indications of contamination observed during soil sampling activities.

4.2 Soil Sample Analytical Results

Four (4) soil samples, designated 12541 SB01 (1-2'), 12541 SB02 (3-4'), 12541 SB03 (5-6'), and 12541 Dresden SB02 (2-3')-R were collected from the Site and submitted to ALS for laboratory analysis of VOCs, SVOCs, PCBs, Michigan 10 Metals, chloride, herbicides, and/or pesticides.

The analytical results and comparisons to applicable Part 201 GRCC are summarized in *Table 1, Soil Sample Analytical Detection Summary*. Copies of the laboratory analytical data reports and chain of custody forms are included in *Appendix E, Laboratory Analytical Reports and Chain of Custody Forms*.

A summary of the soil sample analytical detections in excess of Part 201 GRCC is provided below:

Chemical	CAS Number	Soil Sample (feet bgs)	Part 201 GRCC Exceeded / Concentration (µg/kg ¹)	Maximum Detected Concentration (µg/kg)
Chromium (Total)	7440-47-3	12541 SB2 (5-6')	DWPC ² / 4,600 GSIPC ³ / 4,600	107,000

¹µg/kg – micrograms per kilogram;

²DWPC – Drinking Water Protection Criteria

³GSIPC – Groundwater Surface Water Interface Protection Criteria

4.3 TCLP Analytical Results

Chromium was analyzed following leach testing using USEPA method EPA 6020 B. Laboratory results are summarized and compared to 40 C.F.R. § 261.24 Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261 - Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste in *Table 2, TCLP Analytical Detection Summary Table*. Upon comparison, the laboratory analytical result following TCLP testing was below laboratory method detection limits.

Copies of the laboratory analytical data report and chain of custody forms are included in Appendix E.

4.4 Exposure Evaluation

MSG has completed a preliminary evaluation for the Site and associated exposure pathways. Cleanup criteria are applicable if it is reasonable and relevant for the corresponding exposure pathway to be or become complete.

Groundwater is not utilized as drinking water at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the DW exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to either storm sewers or surface water and the clay layer also inhibits migration, therefore, the groundwater surface water exposure pathway can be considered not applicable.

5.0 FINDINGS

MSG has evaluated the analytical results of the fill material samples collected at the Site in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. The findings of this investigation are presented below:

- The stratigraphy encountered during soil boring advancement of 12541 SB01, 12541 SB02, and 12541 SB03 generally consisted of one to five and a half feet of brownish gray clayey sand with little gravel

underlain by brown silty sand to six feet bgs, the maximum depth explored for this investigation. Field PID readings ranged from 0.0 to 23.3 ppm. There were no visual (staining) and/or olfactory (e.g., petroleum-like odors) indications of contamination observed during soil sampling activities.


- Concentrations of total chromium were detected in soil sample 12541 SB02 (3-4') in excess of its respective Part 201 DWPC and GSIPC.
- Concentrations of 1,2,4-trimethylbenzene, 4,4-DDD, 4,4-DDE, 4,4-DDT, arsenic, barium, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chloride, alpha-chlordane, gamma-chlordane, chlordane, copper, dieldrin, fluoranthene, indeno(1,2,3-cd)pyrene, lead, mercury, pyrene, and zinc were detected in soil samples 12541 SB01 (1-2'), 12541 SB02 (3-4'), 12541 SB03 (5-6'), and/or 12541 Dresden SB02 (2-3')-R at concentrations above laboratory method detection limits; however, detected concentrations were below their respective Part 201 GRCC and/or Statewide Default Background Levels.
- TCLP laboratory analytical results revealed that the concentration of chromium was not in excess of 40 C.F.R. § 261.24 Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261- Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste.
- PCBs were not detected above laboratory method detection reporting limits.
- Groundwater is not utilized as drinking water at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the DW exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to either storm sewers or surface water and the clay layer also inhibits migration; therefore, the groundwater surface water exposure pathway can be considered not applicable.

MSG has evaluated the analytical results of the fill material. Based upon the analytical results, we have determined that the material is contaminated above the state's Part 201 GRCC, as applicable.


MSG warrants that no substantive information or documentation was deleted, omitted, or changed that would otherwise cause the MSG to reach a different conclusion. Furthermore, MSG understands that the COD and its agencies and authorities may rely upon the overall completeness, accuracy, and conclusions in this report and hereby provides reliance on the contents presented herein.

FIGURES





Date Saved: 9/22/2025 8:38 PM Coordinate System: GCS WGS 1984
 Path: W:\Projects\Projects A-E\DETROIT\ENG\APPS\GIS\21_QQ 6.17.2025 Backfill Sampling.aprx



★ Site Location





FIGURE 1
 SITE LOCATION

12541 Dresden, Detroit, MI

DATE 9/23/2025	DRAWN BY JWW	DESIGNED BY JWW	PROJECT NO. DETRO060
-------------------	-----------------	--------------------	-------------------------



- Sample Locations
- Parcels (Current)
- Subject Property

Notes
• Parcel boundaries are approximate
• Basemap Credits: Wayne - 2020 - 6in - 4-band:



FIGURE 2
Site Layout

12541 Dresden, Detroit, MI

DATE 9/23/2025	DRAWN BY JWW	DESIGNED BY KRB	PROJECT NO. DETR0060
-------------------	-----------------	--------------------	-------------------------

TABLES



Table 1
Soil Sample Analytical Detection Summary

Detroit Backfill Sampling
12541 Dresden, Detroit, Michigan

SOIL: Part 201/213 Generic Residential Cleanup Criteria Revised October 12, 2023 Units: µg/kg			Volatile Organic Compounds (VOCs)	Semivolatile Organic Compounds (SVOCs)							Michigan 10 Metals									
			1, 2, 4-Trimethylbenzene	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Fluoranthene	Indeno(1, 2, 3-cd)pyrene	Pyrene	Arsenic	Barium (B)	Cadmium (B)	Chromium (Total)	Copper (B)	Lead (B)	Mercury (B,Z)	Selenium (B)	Silver (B)	Zinc (B)
CAS Number			95-63-6	56-55-3	205-99-2	191-24-2	50-32-8	206-44-0	193-39-5	129-00-0	7440-38-2	7440-39-3	7440-43-9	7440-47-3	7440-50-8	7439-92-1	7439-97-6	7782-49-2	7440-22-4	7440-66-6
Statewide Default Background Levels			NA	NA	NA	NA	NA	NA	NA	NA	5,800	75,000	1,200	18,000	32,000	21,000	130	410	1,000	47,000
Drinking Water Protection Criteria (DWPC)			2,100	NLL	NLL	NLL	NLL	7.3E+05	NLL	4.8E+05	4,600	1.3E+06	6,000	30,000	5.8E+06	7.0E+05	1,700	4,000	4,500	2.4E+06
Groundwater Surface Water Interface Protection Criteria (GSIPC)			570	NLL	NLL	NLL	NLL	5,500	NLL	ID	4,600	(G)	(G,X)	3,300	(G)	(G,X)	50 (M); 1.2	400	100 (M); 27	(G)
Soil Volatilization to Indoor Air Inhalation (SVIIC)			4.3E+6 (C)	NLV	ID	NLV	NLV	1.0E+09 (D)	NLV	1.0E+09 (D)	NLV	NLV	NLV	NLV	NLV	NLV	48,000	NLV	NLV	NLV
Soil Volatilization to Indoor Air Pathway (SVIAP)			150 (JT)	1.6E+05 (MM)	NA	NA	NA	NA	NA	2.5E+07	NA	NA	NA	-	NA	NA	22 (M)	NA	NA	NA
Infinite Source Volatile Soil Inhalation Criteria (VSIC)			2.1E+07	NLV	ID	NLV	NLV	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV
Finite Source Volatile Soil Inhalation Criteria (5 m) (VSIC 5m)			5.0E+08	NLV	ID	NLV	NLV	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV
Finite Source Volatile Soil Inhalation Criteria (2 m) (VSIC 2m)			5.0E+08	NLV	ID	NLV	NLV	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV
Particulate Soil Inhalation Criteria (PSIC)			8.2E+10	ID	ID	8.0E+08	1.5E+06	9.3E+09	ID	6.7E+09	7.2E+05	3.3E+08	1.7E+06	2.6E+05	1.3E+08	1.0E+08	2.0E+07	1.3E+08	6.7E+06	ID
Direct Contact Criteria (DCC)			3.2E+07 (C)	20,000	20,000	2.5E+06	2,000	4.6E+07	20,000	2.9E+07	7,600	3.7E+07	5.5E+05	2.5E+06	2.0E+07	4.0E+05	1.6E+05	2.6E+06	2.5E+06	1.7E+08
Soil Saturation Concentration Screening Levels (C _{sat})			1.1E+05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Recommended Interim Action Screening Level (RIASL)			150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.7E-02	NA	NA	NA
SAMPLE ID		DEPTH	SAMPLE DATE																	
12541 SB01		1-2	8/12/2025	<44.5	<4,000	<4,000	<4,000	<4,000	<4,000	<4,000	4,600	37,500	<1,340	10,600	15,100	44,000	37.8	<3,340	<3,340	67,000
12541 SB02		3-4	8/12/2025	113	<3,600	<3,600	<3,600	<3,600	<3,600	<3,600	<2,960	40,200	<1,180	107,000	10,800	28,400	32.4	<2,960	<2,960	36,700
12541 SB03		5-6	8/12/2025	<40.7	<1,100	<1,100	<1,100	<1,100	<1,100	<1,100	4,550	79,300	<1,420	10,800	11,800	5,460	<20.3	<3,540	<3,540	37,800
12541 Dresden SB02 - R		2-3	10/28/2025	NS	517	701	627	627	701	517	701	NS	NS	NS	NS	NS	NS	NS	NS	NS

Notes:
Bold indicates concentration above laboratory reporting limits.
Exceeds DWPC
Exceeds GSIPC
Exceeds Applicable Soil Vapor Inhalation screening level
Exceeds Two or More DWPC, GSIPC, and/or Applicable Soil Vapor Inhalation screening levels
Exceeds PSIC, DCC, and/or Csat, likely exceeds others
ND = Not Detected above laboratory reporting limits
NS = Not Sampled or Not Analyzed
NR = Not Reported (Data missing from provided report)
Notes in parentheses and standard abbreviations from Part 201 Rules 299.1 through 299.50, updated October 12, 2023
VIAP Screening Levels and notes from EGLE Guidance Document For The Vapor Intrusion Pathway, Appendix D.1 Vapor Intrusion Screening Values, May 2013, updated February 26, 2024

Table 1
Soil Sample Analytical Detection Summary

Detroit Backfill Sampling
12541 Dresden, Detroit, Michigan

SOIL: Part 201/213 Generic Residential Cleanup Criteria Revised October 12, 2023 Units: µg/kg			Pesticides/Herbicides							Polychlorinated Biphenyls (PCBs)	Inorganic Anions/Ions
			4,4'-DDD	4,4'-DDE	4,4'-DDT	Dieldrin	alpha-Chlordane	gamma-Chlordane	Chlordane		Chloride
CAS Number			72-54-8	72-55-9	50-29-3	60-57-1	NA	NA	57-74-9		16887006
Statewide Default Background Levels			NA	NA	NA	NA	NA	NA	NA		NA
Drinking Water Protection Criteria (DWPC)			NLL	NLL	NLL	NLL	NA	NA	NLL		5.00E+06
Groundwater Surface Water Interface Protection Criteria (GSIPC)			NLL	NLL	NLL	NLL	NA	NA	NLL		(X)
Soil Volatilization to Indoor Air Inhalation (SVIIC)			NLV	NLV	NLV	1.40E+05	NA	NA	1.10E+07		NLV
Soil Volatilization to Indoor Air Pathway (SVIAP)			NLV	NLV	NLV	770	NA	NA	13,000		--
Infinite Source Volatile Soil Inhalation Criteria (VSIC)			NLV	NLV	NLV	19,000	NA	NA	1.20E+06		NLV
Finite Source Volatile Soil Inhalation Criteria (5 m) (VSIC 5m)			NLV	NLV	NLV	19,000	NA	NA	1.20E+06		NLV
Finite Source Volatile Soil Inhalation Criteria (2 m) (VSIC 2m)			NLV	NLV	NLV	19,000	NA	NA	1.20E+06		NLV
Particulate Soil Inhalation Criteria (PSIC)			4.4E+07	3.2E+07	3.2E+07	6.8E+05	NA	NA	3.1E+07		ID
Direct Contact Criteria (DCC)			95,000	95,000	45,000	1,100	NA	NA	31,000		5.0E+5 (F)
Soil Saturation Concentration Screening Levels (C _{sat})			NA	NA	NA	NA	NA	NA	NA		NA
Recommended Interim Action Screening Level (RIASL)			NA	NA	NA	NA	NA	NA	NA		--
SAMPLE ID	DEPTH	SAMPLE DATE									
12541 SB01	1-2	8/12/2025	27	110	34	7.5	26	20	46	ND	41,400
12541 SB02	3-4	8/12/2025	15	58	11	<1.9	7.2	6.3	13.5	ND	55,600
12541 SB03	5-6	8/12/2025	<5.8	<5.8	<5.8	<5.8	<5.8	<5.8	<28	ND	<11,300
12541 Dresden SB02 - R	2-3	10/28/2025	<70.5	<72.7	<73.4	<77.2	<73.7	<73.3	<109	NS	NS

Notes:

Bold indicates concentration above laboratory reporting limits.

Exceeds DWPC

Exceeds GSIPC

Exceeds Applicable Soil Vapor Inhalation screening level

Exceeds Two or More DWPC, GSIPC, and/or Applicable Soil Vapor Inhalation screening levels

Exceeds PSIC, DCC, and/or Csat, likely exceeds others

ND = Not Detected above laboratory reporting limits

NS = Not Sampled or Not Analyzed

NR = Not Reported (Data missing from provided report)

Notes in parentheses and standard abbreviations from Part 201 Rules 299.1 through 299.50, updated October 12, 2023

VIAP Screening Levels and notes from EGLE Guidance Document For The Vapor Intrusion Pathway, Appendix D.1 Vapor Intrusion Screening Values, May 2013, updated February 26, 2024

Table 2
TCLP Analytical Detection Summary

Detroit Backfill Sampling
12541 Dresden, Detroit, Michigan

40 C.F.R. § 261.24 Code of Federal Regulations Title 40 - Protection of Environment Chapter I - Environmental Protection Agency Subchapter I - Solid Wastes Part 261- Identification and Listing of Hazardous Waste Subpart C - Characteristics of Hazardous Waste <i>Units: mg/L</i>		TCLP Metals
Maximum Concentration of Contaminants for the Toxicity Characteristic		Chromium 5.00
SAMPLE ID	SAMPLE DATE	
12541 Dresden SB02 TCLP	10/13/2025	<0.0061

Notes:
Bold indicates concentration above method detection limits.
Exceeds Maximum Concentration of Contaminates for the Toxicity Characteristic

APPENDIX A

LIMITATIONS



LIMITATIONS

This investigation and related documentation are site-specific, which means they pertain to the environmental conditions of the Site only.

The Mannik & Smith Group, Inc. (MSG) performed its services associated with the investigation in conformance with the care and skill ordinarily used by other reputable environmental consulting firms practicing under similar conditions, at the same time, and in the same or similar locality. In preparing this report, MSG may have relied on information obtained from or provided by others. MSG makes no representation or warranty regarding the accuracy or completeness of this information gathered through outside sources or subcontracted services. No warranty, guarantee, or certification of any kind, expressed or implied, at common law or created by statute, is extended, made, or intended by rendering these environmental consulting services or by furnishing this written report. Environmental conditions and regulations are subject to constant change and reinterpretation. One should not assume that any on-site conditions and/or regulatory statutes or rules will remain constant after MSG has completed the scope of work for this project. Furthermore, because the facts stated in these reports are subject to professional interpretation, differing conclusions could be reached by other environmental professionals.

Contaminants may be hidden in subsurface material, covered by pavement, vegetation, or other substances. Additionally, contamination may not be present in predictable locations. MSG has prepared a logical investigation program to reduce the client's risk of discovering unknown contamination. This risk may be reduced by more extensive exploration on the Site. Even with additional exploration, it is not possible to completely eliminate the risk of discovering contamination on the Site. It can not be assumed that samples collected and conditions observed are representative of an area that has not been sampled and/or tested.

Some environmental assessments are undertaken to satisfy "due diligence", "all appropriate inquiry," or other regulatory requirements provided in federal, state, or local law. Although MSG strives to investigate a site in accordance with the scope of work as defined by written agreement with a client, it cannot warrant that the work undertaken for this report will satisfy "due diligence", "all appropriate inquiry," or any other similar standard under any federal, state, or local law.

Due to changing environmental regulatory conditions and potential on-site activities after the completion of investigation, the client may rely upon the conditions within this investigation report for a period of six months from the report's issuance date.

APPENDIX B

DAILY FIELD REPORTS





DAILY FIELD REPORT

Client: City of Detroit Demolition Department
Project: Sampling and Analysis of Fill Material

Report No.: 1
Job No.: DETR0060

Date: <u>08/12/2025</u>	Day: <u>Tuesday</u>	Temp: <u>80 ° F</u> (AM) <u>N/A</u> (PM)
MSG Personnel: <u>SRK, BM</u>	Cloud Cover: <u>80%</u> (AM) <u>N/A</u> (PM)	Precip.: <u>N/A</u> (AM) <u>N/A</u> (PM)
Personnel: <u>MSG</u>		
MSG Hours On-Site: <u>~ 1 hours</u>		

Contractors Information		
Contractor: <u>MSG</u>	No. Men and Type: <u>2; Operator/Geologist</u>	Equipment Type: <u>Geoprobe 7822DT</u>

Summary of Work Performed:
- Advanced three (3) onsite soil borings to a maximum depth of 6 feet below ground surface (bgs) - Collected soil samples from each soil boring (from the interval with the greatest potential to be impacted based on field indicators).

Field Notes:
0950 – SRK and BM onsite (12541 Dresden Street) 0952 – Unloaded equipment and marked boring locations 0954 – Began drilling SB01 0956 – Finished drilling SB01 1000 – Began drilling SB02 1002 – Finished drilling SB02 1004 – Began drilling SB03 1006 – Finished drilling SB03 1006 – Sampled 12541 SB01 (1-2) 1018 – Sampled 12541 SB02 (3-4) 1030 – Sampled 12541 SB03 (5-6) 1035 – Packed up equipment 1045 – MSG off site

Supporting Documentation					
	Yes	No		Yes	No
Photograph Taken	☒	☐	Samples Collected	☒	☐
Photo Log Attached	☒	☐	COC Attached	☒	☐
			Boring/MW Logs	☒	☐
			Field Note Book Taken	☒	☐
Problem Identification and Corrective Measures					
N/A					
Resolved?	Yes ☐	No ☐			

**DAILY FIELD REPORT****Client:** City of Detroit Demolition Department**Report No.:** 2**Project:** Sampling and Analysis of Fill Material**Job No.:** DETR0060

Date: 10/13/2025	Day: Monday	Temp: 50 ° F	(AM)	N/A	(PM)
MSG Personnel: SRK, JF		Cloud Cover: 0%	(AM)	N/A	(PM)
		Precip.: N/A	(AM)	N/A	(PM)
Personnel: MSG					
MSG Hours On-Site: ~ 1 hours					
Contractors Information					
Contractor: MSG		No. Men and Type: 2; Operator/Geologist		Equipment Type: Geoprobe 7822DT	
Summary of Work Performed:					
- Advanced one (1) onsite soil borings to a maximum depth of 6 feet below ground surface (bgs) - Collected TCLP of fill material from soil boring (composite sample of from zero to 6 feet bgs).					
Field Notes:					
0800 – SRK onsite (12541 Dresden) 00802 – Attempted to locate previous boring locations. Marked out new boring location. 0830 – JF onsite 0832 – Safety meeting. Unloaded equipment. 0854 – Began drilling SB02 TCLP 0856 – Finished drilling SB02 TCLP 0902 – Sampled 12541 Dresden SB02 TCLP 0910 – Collected GPS points 0918 – Packed up equipment 0920 – MSG off site					

Supporting Documentation					
Photograph Taken	Yes ☒	No ☐	Samples Collected	Yes ☒	No ☐
Photo Log Attached	Yes ☒	No ☐	COC Attached	Yes ☒	No ☐
			Boring/MW Logs	Yes ☒	No ☐
			Field Note Book Taken	Yes ☒	No ☐
Problem Identification and Corrective Measures					
N/A					
Resolved? Yes ☐ No ☐					

**DAILY FIELD REPORT**

Client: City of Detroit Demolition Department
Project: Sampling and Analysis of Fill Material

Report No.: 3
Job No.: DETR0060

Date: 10/28/2025	Day: Tuesday	Temp: 48 ° F	(AM)	N/A	(PM)
MSG Personnel: WRD, BSM		Cloud Cover: 0%	(AM)	N/A	(PM)
		Precip.: N/A	(AM)	N/A	(PM)
Personnel: MSG					
MSG Hours On-Site: ~ 0.5 hours					
Contractors Information					
Contractor: MSG		No. Men and Type: 2; Operator/Geologist		Equipment Type: Geoprobe 7822DT	
Summary of Work Performed:					
- Advanced one (1) onsite soil borings to a maximum depth of 4 feet below ground surface (bgs) - Collected soil sample from soil boring (from the interval 3-4' to analyze for TCLP Pesticides, Herbicides, & SVOCs).					
Field Notes:					
0944 – MSG (WRD, BSM) onsite (12541 Dresden) 0950 – Attempted to locate previous boring locations. Marked out new boring location. 0953 – Began drilling SB02 (2-3')-R 0958 – Finished drilling SB02 (2-3')-R 1000 – Sampled 12541 Dresden SB02 (2-3')-R 1005 – Packed up equipment 1009 – MSG off site					

Supporting Documentation								
Photograph Taken	Yes ☒	No ☐	Samples Collected	Yes ☒	No ☐	Boring/MW Logs	Yes ☐	No ☒
Photo Log Attached	Yes ☒	No ☐	COC Attached	Yes ☒	No ☐	Field Note Book Taken	Yes ☐	No ☒
Problem Identification and Corrective Measures								
N/A								
Resolved? Yes ☐ No ☐								

APPENDIX C

INVESTIGATION PHOTOGRAPHS





Photo 1: View of Site at the time of initial soil boring activities



Photo 2: View of Site at the time of initial soil boring activities



Photo 3: View of Site at the time of TCLP soil boring activities



Photo 4: View of TCLP soil boring location



Photo 5: View of soil recovery at the time of TCLP sampling



Photo 6: View of Site at the time of TCLP soil boring activities



Photo 7: View Site at the time of supplemental soil sampling activities



Photo 8: View of soil recovery at the time of supplemental soil sampling activities

APPENDIX D

SOIL BORING LOGS





The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

BORING ID: SB01

PAGE 1 OF 1

CLIENT	City of Detroit	PROJECT NAME	12541 Dresden
PROJECT NUMBER	DETR0060	PROJECT LOCATION	12541 Dresden St, Detroit, Michigan
DATE STARTED	8/12/25	COMPLETED	8/12/25
DRILLING CONTRACTOR	MSG	BORING DIAMETER:	3.25 inches
DRILLING METHOD	Direct Push	SURVEY COORDINATES:	N/A
LOGGED BY	SRK	CHECKED BY	PDH
NOTES	GROUND WATER ENCOUNTERED DURING DRILLING: Not Encountered		
		WATER LEVEL AFTER DRILLING: N/A	

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 8/20/25 14:00 - W:\PROJECTS\PROJECTS A-EDETR0060\ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\12541 DRESDENBORING LOGS\DETR0060_12541.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
					Brown and Gray Clayey SAND, some gravel, dry	0.3		
						0.2		
						4.8		
						2.1		
5						23.3		
				5.5				
				6.0	Gray Concrete Debris (Fill), dry	7.8		
					Bottom of borehole at 6.0 feet.			



The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

BORING ID: SB02

PAGE 1 OF 1

CLIENT <u>City of Detroit</u>	PROJECT NAME <u>12541 Dresden</u>
PROJECT NUMBER <u>DETR0060</u>	PROJECT LOCATION <u>12541 Dresden St, Detroit, Michigan</u>
DATE STARTED <u>8/12/25</u> COMPLETED <u>8/12/25</u>	BORING DIAMETER: <u>3.25 inches</u>
DRILLING CONTRACTOR <u>MSG</u>	SURVEY COORDINATES: <u>N/A</u>
DRILLING METHOD <u>Direct Push</u>	GROUND SURFACE ELEV.: <u>N/A</u>
LOGGED BY <u>SRK</u> CHECKED BY <u>PDH</u>	GROUND WATER ENCOUNTERED DURING DRILLING: <u>Not Encountered</u>
NOTES	WATER LEVEL AFTER DRILLING: <u>N/A</u>

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 8/20/25 14:00 - W:\PROJECTS\PROJECTS A-EDETR0060\ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\12541 DRESDENBORING LOGS\DETR0060_12541.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
					Brown and Gray Clayey SAND, some gravel, dry	9.4		
				2.0	Some asphalt debris at 2 feet bgs	8.2		
					Brown and Gray Sandy CLAY, some gravel, dry	6.9		
	MC 1	2.0				19.8	X	Collected soil sample 12541 SB02 (3-4) at 10:18
						20.1		Slight odor at 4 feet bgs
5				5.5				
				6.0	Brown SAND, moist	5.0		
					Bottom of borehole at 6.0 feet.			



The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

CLIENT City of Detroit

PROJECT NAME 12541 Dresden

PROJECT NUMBER DETR0060

PROJECT LOCATION 12541 Dresden St, Detroit, Michigan

DATE STARTED 8/12/25 COMPLETED 8/12/25

BORING DIAMETER: 3.25 inches

DRILLING CONTRACTOR MSG

SURVEY COORDINATES: N/A

DRILLING METHOD Direct Push

GROUND SURFACE ELEV.: N/A

LOGGED BY SRK CHECKED BY PDH

☐ GROUND WATER ENCOUNTERED DURING DRILLING: Not Encountered

NOTES

☒ WATER LEVEL AFTER DRILLING: N/A

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 8/20/25 14:00 - W:\PROJECTS\PROJECTS A-EDETR0060\ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\12541 DRESDENBORING LOGS\DETR0060_12541.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
					Brown Sandy CLAY, trace gravel, dry	0.1		
						1.1		
						0.1		
					Brown SAND, trace gravel, dry			
						0.0		
					Brown and Gray Sandy CLAY, trace gravel, dry			
5						0.0		
						0.0		
						0.0		
					Brown SILT, moist			
						0.0		
					Brown Sandy CLAY, dry			
					Bottom of borehole at 6.0 feet.			

Collected soil sample 12541 SB03 (5-6) at 10:30

APPENDIX E
LABORATORY ANALYTICAL REPORTS AND CHAIN OF CUSTODY FORMS





right solutions.
right partner.

CERTIFICATE OF ANALYSIS

Work Order

HN2511331

Client

The Mannik & Smith Group, Inc.

Project

12541_Dresden

Project Date

August 13, 2025

Reporting Contact

Ryan Montri



right solutions.
right partner.

September 09, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Work Order: **HN2511331**

Re: **12541_Dresden**

Dear Ryan,
Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:
ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Bill Carey
/S/ **BILL CAREY**
Project Manager



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden

Work Order: HN2511331
Date Received: 13-Aug-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

3 soil/solid samples were received for analysis at ALS Environmental on 13-Aug-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Inorganics

EPA 9056A-S (High)

Run ID: 3405747

Matrix spike duplicate value was outside upper limit of calibration. Processed at equivalent dilution level as the parent. C,S
Matrix spike value was outside upper limit of calibration. Processed at equivalent dilution level as the parent. C,S

Metals

EPA 6020B-3050B-S

Run ID: 3410807

The MSD recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Ba Batch 2165859

The MSD recovery was outside of the control limit. However, the MS recovery and the RPD between the MS and MSD was in control. No qualification is required for this analyte: Cr, K, Sr, Zn Batch 2165859

The MS recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Ca, Fe, Mn Batch 2165859

The RPD between the MS and MSD was outside of the control limit. The corresponding result should be considered estimated for this compound: Ba Batch 2165859

The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Ag batch 2165859

The MSD recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Ca, Fe, Mn Batch 2165859

HN2511331-001: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511331-001: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511331-001: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511331-002: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511331-002: Arsenic - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511331-002: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden

Work Order: HN2511331
Date Received: 13-Aug-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Run ID: 3410807

HN2511331-002: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag
HN2511331-003: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag
HN2511331-003: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag
HN2511331-003: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

Run ID: 3413394

The MSD recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Mg, Ag Batch 2165868
The MS recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for this analyte: Se Batch 2165868
The MSD recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Mg Batch 2165859
The MS recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: As, Cr, Ni, Zn Batch 2165868
The RPD between the MS and MSD was outside of the control limit. The corresponding result should be considered estimated for this compound: Se, Ag Batch 2165868
The MSD recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: As, Cr, Ni, Zn Batch 2165868
The MSD recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for the following analyte(s): Se, Si Batch 2165868
The MS recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Mg, Si Batch 2165868
The MS recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Si Batch 2165859
The MSD recovery was outside of the control limit. However, the MS recovery and the RPD between the MS and MSD was in control. No qualification is required for this analyte: Na Batch 2165868
The MSD recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Si Batch 2165859
The MS recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Mg Batch 2165859

Organics

EPA 8260D-FULL HN-5035A-10mL-S

Run ID: 3411034

The following analytes failed calibration refit conditions. All samples in this batch were non-detect. No qualification is necessary for these analytes: chloroethane

The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification: 1,2,3-trichlorobenzene, 1,2,4-trichlorobenzene, trichlorofluoromethane

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 12541 SB01 (1-2)	Lab ID: HN2511331-001
-----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
Arsenic	4.60		3.34	mg/kg	EPA 6020B
Barium	37.5		3.34	mg/kg	EPA 6020B
Chloride	41.4		12.4	mg/kg	EPA 9056A
Chromium	10.6		3.34	mg/kg	EPA 6020B
Copper	15.1		3.34	mg/kg	EPA 6020B
Lead	44.0		3.34	mg/kg	EPA 6020B
Mercury	0.0378		0.0227	mg/kg	EPA 7471B
Percent Moisture	18.4		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B
Subcontract Analysis	See attached.			-	EPA 8082A
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	67.0		6.69	mg/kg	EPA 6020B

CLIENT ID: 12541 SB02 (3-4)	Lab ID: HN2511331-002
-----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
1,2,4-Trimethylbenzene	113		36.2	µg/kg	EPA 8260D
Barium	40.2		2.96	mg/kg	EPA 6020B
Chloride	55.6		11.1	mg/kg	EPA 9056A
Chromium	107		2.96	mg/kg	EPA 6020B
Copper	10.8		2.96	mg/kg	EPA 6020B
Lead	28.4		2.96	mg/kg	EPA 6020B
Mercury	0.0324		0.0205	mg/kg	EPA 7471B
Percent Moisture	8.9		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B
Subcontract Analysis	See attached.			-	EPA 8082A
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	36.7		5.92	mg/kg	EPA 6020B

CLIENT ID: 12541 SB03 (5-6)	Lab ID: HN2511331-003
-----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
Arsenic	4.55		3.54	mg/kg	EPA 6020B
Barium	79.3		3.54	mg/kg	EPA 6020B
Chromium	10.8		3.54	mg/kg	EPA 6020B
Copper	11.8		3.54	mg/kg	EPA 6020B
Lead	5.46		3.54	mg/kg	EPA 6020B
Percent Moisture	14.0		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B
Subcontract Analysis	See attached.			-	EPA 8082A

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 12541 SB03 (5-6)			Lab ID: HN2511331-003		
Analyte	Results	Flag	MRL	Units	Method
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	37.8		7.08	mg/kg	EPA 6020B

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Workorder: HN2511331

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2511331-001	12541 SB01 (1-2)	SOIL/SOLID	08/12/25 10:06	08/13/25 08:00
HN2511331-002	12541 SB02 (3-4)	SOIL/SOLID	08/12/25 10:18	08/13/25 08:00
HN2511331-003	12541 SB03 (5-6)	SOIL/SOLID	08/12/25 10:30	08/13/25 08:00



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information			Project Information				Parameter/Method Request for Analysis										
Purchase Order		Project Name	12541_Dresden				A VOCs (U.S. EPA Method 8260C (or Method 8260))										
Work Order		Project Number	DETR0060				B SVOCs (U.S. EPA Method 8270D (or Method 8270))										
Company Name	The Mannik and Smith Group		Bill To Company	The Mannik and Smith Group				C PCBs (U.S. EPA Method 8082)									
Send Report To	Ryan Montri		Invoice Attn.					D Mi 10 Metals (U.S. EPA 6000/7000 Series Methods)									
Address	2365 Haggerty Rd South Suite 100		Address	2365 Haggerty Rd South Suite 100				E Chorides (U.S. EPA Method 9056A)									
City/State/Zip	Canton, MI 48188		City/State/Zip	Canton, MI 48188				F Pesticides (U.S. EPA Method 8081B (or Method 8081))									
Phone	734-397-3100		Phone	734-397-3100				G Herbicides (U.S. EPA Method 8151A (or Method 8151))									
Fax			Fax					H									
e-Mail Address	RMontri@manniksmithgroup.com		e-Mail Address					I									
							J										
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	12541 SB01 (1-2)	8/12/25	10:06	Soil	7	3	X	X	X	X	X	X	X				
2	12541 SB02 (3-4)	8/12/25	10:18	Soil	7	3	X	X	X	X	X	X	X				
3	12541 SB03 (5-6)	8/12/25	10:30	Soil	7	3	X	X	X	X	X	X	X				
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s): Please Print & Sign Shannon Kacmarek			Shipment Method:		Required Turnaround Time: ☐ STD 10 Wk Days ☒ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:		
Relinquished by: Shannon Kacmarek		Date: 8/12/25	Time: 3:27pm	Received by: Collin		Notes: Quote# HN-061825-M&S-MA					
Relinquished by: Collin		Date: 8/12/25	Time: 17:00	Received by (Laboratory): QS		Cooler Temp. 5.0°C ± 0.6					
Logged by (Laboratory): BL		Date: 8/13/25	Time: 1000	Checked by (Laboratory):		QC Package: (Check Box Below) ☐ Level II: Standard QC ☐ TRRP-Checklist ☐ Level III: Std QC + Raw Data ☐ TRRP Level IV ☐ Level IV: SW846 CLP-Like					
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035						Other:					

Environmental Division
Holland
Work Order Reference
HN2511331

Telephone : +1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland Sample Receiving Checklist

Received by: BC

Date/Time: 8/13/25 0800

Carrier Name: QS

Shipping container/cooler in good condition? Yes / No / Not Present

Custody seals intact on shipping container/cooler? Yes / No / Not Present

Custody seals intact on sample bottles? Yes / No / Not Present

Chain of Custody present? Yes / No

COC signed when relinquished and received? Yes / No

COC agrees with sample labels? Yes / No

Samples in proper container/bottle? Yes / No

Sample containers intact? Yes / No

Sufficient sample volume for indicated test? Yes / No

All samples received within holding time? Yes / No

Container/Temp Blank temperature in compliance? Yes / No

Temperature(s) (°C): 5.6°C I

Thermometer(s): IR6

Sample(s) received on ice? Yes / No

Matrix/Matrices: W^{pc} Soil

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage: 8/13/25 09:15

Water – VOA vials have zero headspace? Yes / No / No Vials

Water – pH acceptable upon receipt? Yes / No / N/A

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)? Yes / No / N/A

pH adjusted by: _____

Login Notes:

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden

Work Order: HN2511331

Sample Name: 12541 SB01 (1-2) **Date Collected:** 08/12/25
Laboratory Code: HN2511331-001 **Date Received:** 08/13/25
Sample Matrix: SOIL/SOLID

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		001-AC	2164274		3406746	Nicole Maleski
EPA 6020B	EPA 3050B	001-AC	2165859	Weston Kotecki	3410807	Hunter Johnson
EPA 6020B	EPA 3050B	001-AC	2165859	Weston Kotecki	3413394	Hunter Johnson
EPA 7471B	Method	001-AC	2167746	Maxx Richey	3416298	Maxx Richey
EPA 8081B		001-AD			3475778	Bill Carey
EPA 8082A		001-AD			3475778	Bill Carey
EPA 8151A		001-AD			3475778	Bill Carey
EPA 8260D	EPA 5035A	001-AA	2157395	Jonathan Vazquez	3404740	Sean Bradfield
EPA 8260D	EPA 5035A	001-AA	2166541	Jonathan Vazquez	3411034	Bailey Gilmore
EPA 8270E		001-AD			3475778	Bill Carey
EPA 9056A	EPA 9056A	001-AC	2163170	Sage Hansen	3405747	Jessica Bacon

Sample Name: 12541 SB02 (3-4) **Date Collected:** 08/12/25
Laboratory Code: HN2511331-002 **Date Received:** 08/13/25
Sample Matrix: SOIL/SOLID

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		002-AC	2164274		3406746	Nicole Maleski
EPA 6020B	EPA 3050B	002-AC	2165859	Weston Kotecki	3410807	Hunter Johnson
EPA 6020B	EPA 3050B	002-AC	2165859	Weston Kotecki	3413394	Hunter Johnson
EPA 7471B	Method	002-AC	2167746	Maxx Richey	3416298	Maxx Richey
EPA 8081B		002-AD			3475778	Bill Carey
EPA 8082A		002-AD			3475778	Bill Carey
EPA 8151A		002-AD			3475778	Bill Carey
EPA 8260D	EPA 5035A	002-AA	2157395	Jonathan Vazquez	3404740	Sean Bradfield
EPA 8260D	EPA 5035A	002-AA	2166541	Jonathan Vazquez	3411034	Bailey Gilmore
EPA 8270E		002-AD			3475778	Bill Carey
EPA 9056A	EPA 9056A	002-AC	2163170	Sage Hansen	3405747	Jessica Bacon

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden

Work Order: HN2511331

Sample Name: 12541 SB03 (5-6)
Laboratory Code: HN2511331-003
Sample Matrix: SOIL/SOLID

Date Collected: 08/12/25
Date Received: 08/13/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		003-AC	2164274		3406746	Nicole Maleski
EPA 6020B	EPA 3050B	003-AC	2165859	Weston Kotecki	3410807	Hunter Johnson
EPA 6020B	EPA 3050B	003-AC	2165859	Weston Kotecki	3413394	Hunter Johnson
EPA 7471B	Method	003-AC	2167746	Maxx Richey	3416298	Maxx Richey
EPA 8081B		003-AD			3475778	Bill Carey
EPA 8082A		003-AD			3475778	Bill Carey
EPA 8151A		003-AD			3475778	Bill Carey
EPA 8260D	EPA 5035A	003-AA	2157395	Jonathan Vazquez	3404740	Sean Bradfield
EPA 8260D	EPA 5035A	003-AA	2166547	Jonathan Vazquez	3411034	Bailey Gilmore
EPA 8270E		003-AD			3475778	Bill Carey
EPA 9056A	EPA 9056A	003-AC	2163170	Sage Hansen	3405747	Jessica Bacon

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:06
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB01 (1-2) **Lab ID: HN2511331-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	18.4		%	0.1	1	08/16/25 14:40	NA
Chloride	EPA 9056A	41.4		mg/kg	12.4	1	08/15/25 20:39	08/15/25 15:56
Metals								
Arsenic	EPA 6020B	4.60		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Barium	EPA 6020B	37.5		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Cadmium	EPA 6020B	ND		mg/kg	1.34	10	08/18/25 21:09	08/18/25 09:54
Chromium	EPA 6020B	10.6		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Copper	EPA 6020B	15.1		mg/kg	3.34	10	08/19/25 17:31	08/18/25 09:54
Lead	EPA 6020B	44.0		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Selenium	EPA 6020B	ND		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Silver	EPA 6020B	ND		mg/kg	3.34	10	08/18/25 21:09	08/18/25 09:54
Zinc	EPA 6020B	67.0		mg/kg	6.69	10	08/18/25 21:09	08/18/25 09:54
Mercury	EPA 7471B	0.0378		mg/kg	0.0227	1	08/20/25 09:38	08/20/25 08:18
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/09/25 08:28	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
1,2,4-Trimethylbenzene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:06
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB01 (1-2) **Lab ID: HN2511331-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	89.0	1	08/18/25 16:29	08/18/25 14:26
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	297	1	08/18/25 16:29	08/18/25 14:26
2-Hexanone	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Acetone	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Benzene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Bromochloromethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Bromodichloromethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Bromoform	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Carbon disulfide	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Carbon tetrachloride	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Chlorobenzene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Chlorodibromomethane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Chloroform	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	89.0	1	08/18/25 16:29	08/18/25 14:26
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Cyclohexane	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Ethylbenzene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Isopropylbenzene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:06
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB01 (1-2) **Lab ID: HN2511331-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	89.0	1	08/18/25 16:29	08/18/25 14:26
Methyl acetate	EPA 8260D	ND		µg/kg	371	1	08/18/25 16:29	08/18/25 14:26
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	148	1	08/18/25 16:29	08/18/25 14:26
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Methylcyclohexane	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	371	1	08/18/25 16:29	08/18/25 14:26
o-Xylene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Styrene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Toluene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Total Xylene	EPA 8260D	ND		µg/kg	134	1	08/18/25 16:29	08/18/25 14:26
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	44.5	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>EPA 8260D</i>	94.9		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: 4-Bromofluorobenzene</i>	<i>EPA 8260D</i>	92.6		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: Dibromofluoromethane</i>	<i>EPA 8260D</i>	88.6		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: Toluene-d8</i>	<i>EPA 8260D</i>	98.4		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:18
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB02 (3-4)	Lab ID: HN2511331-002
------------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	8.9		%	0.1	1	08/16/25 14:40	NA
Chloride	EPA 9056A	55.6		mg/kg	11.1	1	08/15/25 20:49	08/15/25 15:56
Metals								
Arsenic	EPA 6020B	ND		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Barium	EPA 6020B	40.2		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Cadmium	EPA 6020B	ND		mg/kg	1.18	10	08/18/25 21:11	08/18/25 09:54
Chromium	EPA 6020B	107		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Copper	EPA 6020B	10.8		mg/kg	2.96	10	08/19/25 17:33	08/18/25 09:54
Lead	EPA 6020B	28.4		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Selenium	EPA 6020B	ND		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Silver	EPA 6020B	ND		mg/kg	2.96	10	08/18/25 21:11	08/18/25 09:54
Zinc	EPA 6020B	36.7		mg/kg	5.92	10	08/18/25 21:11	08/18/25 09:54
Mercury	EPA 7471B	0.0324		mg/kg	0.0205	1	08/20/25 09:39	08/20/25 08:18
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/09/25 08:28	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
1,2,4-Trimethylbenzene	EPA 8260D	113		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:18
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB02 (3-4) **Lab ID: HN2511331-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	72.5	1	08/18/25 16:29	08/18/25 14:26
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	242	1	08/18/25 16:29	08/18/25 14:26
2-Hexanone	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Acetone	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Benzene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Bromochloromethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Bromodichloromethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Bromoform	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Carbon disulfide	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Carbon tetrachloride	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Chlorobenzene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Chlorodibromomethane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Chloroform	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	72.5	1	08/18/25 16:29	08/18/25 14:26
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Cyclohexane	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Ethylbenzene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Isopropylbenzene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:18
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB02 (3-4) **Lab ID: HN2511331-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	72.5	1	08/18/25 16:29	08/18/25 14:26
Methyl acetate	EPA 8260D	ND		µg/kg	302	1	08/18/25 16:29	08/18/25 14:26
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	121	1	08/18/25 16:29	08/18/25 14:26
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Methylcyclohexane	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	302	1	08/18/25 16:29	08/18/25 14:26
o-Xylene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Styrene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Toluene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Total Xylene	EPA 8260D	ND		µg/kg	109	1	08/18/25 16:29	08/18/25 14:26
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	36.2	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>EPA 8260D</i>	95.2		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: 4-Bromofluorobenzene</i>	<i>EPA 8260D</i>	89.0		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: Dibromofluoromethane</i>	<i>EPA 8260D</i>	86.1		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26
<i>Surr: Toluene-d8</i>	<i>EPA 8260D</i>	101		%REC	80-120	1	08/18/25 16:29	08/18/25 14:26

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:30
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB03 (5-6)	Lab ID: HN2511331-003
------------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	14.0		%	0.1	1	08/16/25 14:40	NA
Chloride	EPA 9056A	ND		mg/kg	11.3	1	08/15/25 20:58	08/15/25 15:56
Metals								
Arsenic	EPA 6020B	4.55		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Barium	EPA 6020B	79.3		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Cadmium	EPA 6020B	ND		mg/kg	1.42	10	08/18/25 21:13	08/18/25 09:54
Chromium	EPA 6020B	10.8		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Copper	EPA 6020B	11.8		mg/kg	3.54	10	08/19/25 17:34	08/18/25 09:54
Lead	EPA 6020B	5.46		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Selenium	EPA 6020B	ND		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Silver	EPA 6020B	ND		mg/kg	3.54	10	08/18/25 21:13	08/18/25 09:54
Zinc	EPA 6020B	37.8		mg/kg	7.08	10	08/18/25 21:13	08/18/25 09:54
Mercury	EPA 7471B	ND		mg/kg	0.0203	1	08/20/25 09:41	08/20/25 08:18
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/09/25 08:28	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/09/25 08:28	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
1,2,4-Trimethylbenzene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:30
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB03 (5-6) **Lab ID: HN2511331-003**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	81.4	1	08/18/25 16:29	08/18/25 14:28
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	271	1	08/18/25 16:29	08/18/25 14:28
2-Hexanone	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Acetone	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Benzene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Bromochloromethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Bromodichloromethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Bromoform	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Carbon disulfide	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Carbon tetrachloride	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Chlorobenzene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Chlorodibromomethane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Chloroform	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	81.4	1	08/18/25 16:29	08/18/25 14:28
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Cyclohexane	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Ethylbenzene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Isopropylbenzene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID

Work Order: HN2511331
Date Collected: 08/12/25 10:30
Date Received: 08/13/25 08:00

CLIENT ID: 12541 SB03 (5-6)	Lab ID: HN2511331-003
------------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	81.4	1	08/18/25 16:29	08/18/25 14:28
Methyl acetate	EPA 8260D	ND		µg/kg	339	1	08/18/25 16:29	08/18/25 14:28
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	136	1	08/18/25 16:29	08/18/25 14:28
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Methylcyclohexane	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	339	1	08/18/25 16:29	08/18/25 14:28
o-Xylene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Styrene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Toluene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Total Xylene	EPA 8260D	ND		µg/kg	122	1	08/18/25 16:29	08/18/25 14:28
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	40.7	1	08/18/25 16:29	08/18/25 14:28
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>EPA 8260D</i>	95.2		%REC	80-120	1	08/18/25 16:29	08/18/25 14:28
<i>Surr: 4-Bromofluorobenzene</i>	<i>EPA 8260D</i>	92.6		%REC	80-120	1	08/18/25 16:29	08/18/25 14:28
<i>Surr: Dibromofluoromethane</i>	<i>EPA 8260D</i>	86.2		%REC	80-120	1	08/18/25 16:29	08/18/25 14:28
<i>Surr: Toluene-d8</i>	<i>EPA 8260D</i>	98.8		%REC	80-120	1	08/18/25 16:29	08/18/25 14:28



September 08, 2025

Service Request No:R2510158

Bill Carey
ALS Environmental - Holland
3352 128th Avenue
Holland, MI 49424

Laboratory Results for: 12541_Dresden

Dear Bill,

Enclosed are the results of the sample(s) submitted to our laboratory August 20, 2025
For your reference, these analyses have been assigned our service request number **R2510158**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE +1 585 288 5380 | **FAX** +1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Received: 08/20/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Three soil samples were received for analysis at ALS Environmental on 08/20/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivolatiles by GC/MS:

Method 8270E, 08/25/2025: The upper control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte(s) in question above the Method Reporting Limit (MRL). Since the exceedance equates to a potential high bias, the data quality was not significantly affected and no further corrective action was taken.

Method 8270E: The Method Reporting Limit (MRL) was elevated due to less than optimal sample mass (15g) used in the microwave preparation process. The nature of the sample necessitated using less mass of sample to avoid overheating. Overheating causes the extraction solvent to vent out of the vessel and may cause damage to the microwave vessels.

Method 8270E, 08/25/2025: The upper control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte(s) in question above the Method Reporting Limit (MRL). Since the exceedance equates to a potential high bias, the data quality was not significantly affected and no further corrective action was taken.

Method 8270E, 891027: The reporting limit is elevated for one or more analytes. The sample extract was diluted prior to instrumental analysis due to relatively high levels of non-target background components. The extract was highly colored and viscous, which indicated the need to perform a dilution prior to injection into the instrument. The result(s) are flagged to indicate the matrix interference.

Method 8270E, 890799: The reporting limit is elevated for one or more analytes. The sample extract was diluted prior to instrumental analysis due to relatively high levels of non-target background components. The extract was highly colored and viscous, which indicated the need to perform a dilution prior to injection into the instrument. The result(s) are flagged to indicate the matrix interference.

Semivolatile GC:

Method 8081B, 08/26/2025: The control limits were exceeded for analytes in the Continuing Calibration Verification (CCV). The QC failure was most likely due to the composition of the sample(s) immediately preceding the failing CCV. In order to protect the integrity of the instrument, no further corrective action was taken. Results should be considered estimated.

Method 8081B, 08/26/2025: The upper control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte(s) in question above the Method Reporting Limit (MRL). Since the exceedance equates to a potential high bias, the data quality was not significantly affected and no further corrective action was taken.

The RPD between the LCS and the LCSD was greater than the RPD limit. The percent recovery limit was met for both the LCS and the LCSD.

Method 8081B, 08/28/2025: The control limits were exceeded for analytes in the Continuing Calibration Verification (CCV). The QC failure was most likely due to the composition of the sample(s) immediately preceding the failing CCV. In order to protect the integrity of the instrument, no further corrective action was taken. Results should be considered estimated.



Approved by _____

Date 09/08/2025



General Chemistry:

No significant anomalies were noted with this analysis.

Total solid results provided from parent lab.

Approved by  _____

Date 09/08/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 12541 SB01 (1-2)	Lab ID: R2510158-001
------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
4,4'-DDD	27			2.1	ug/Kg	8081B
4,4'-DDD	18	D		4.1	ug/Kg	8081B
4,4'-DDE	120	E		2.1	ug/Kg	8081B
4,4'-DDE	110	D		4.1	ug/Kg	8081B
4,4'-DDT	34			2.1	ug/Kg	8081B
4,4'-DDT	35	D		4.1	ug/Kg	8081B
alpha-Chlordane	26			2.1	ug/Kg	8081B
alpha-Chlordane	23	D		4.1	ug/Kg	8081B
Dieldrin	7.5			2.1	ug/Kg	8081B
Dieldrin	6.3	D		4.1	ug/Kg	8081B
gamma-Chlordane	20			2.1	ug/Kg	8081B
gamma-Chlordane	18	D		4.1	ug/Kg	8081B
Total Solids	81.6				Percent	ALS SOP

CLIENT ID: 12541 SB02 (3-4)	Lab ID: R2510158-002
------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
4,4'-DDD	15			1.9	ug/Kg	8081B
4,4'-DDE	58			1.9	ug/Kg	8081B
4,4'-DDT	11			1.9	ug/Kg	8081B
alpha-Chlordane	7.2			1.9	ug/Kg	8081B
gamma-Chlordane	6.3			1.9	ug/Kg	8081B
Total Solids	91.1				Percent	ALS SOP

CLIENT ID: 12541 SB03 (5-6)	Lab ID: R2510158-003
------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Total Solids	86.0				Percent	ALS SOP



Sample Receipt Information

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: ALS Environmental - US
Project: 12541_Dresden

Service Request:R2510158

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2510158-001	12541 SB01 (1-2)	8/12/2025	1006
R2510158-002	12541 SB02 (3-4)	8/12/2025	1018
R2510158-003	12541 SB03 (5-6)	8/12/2025	1030

ALS Group USA, Corp.

3352 128th Ave Holland Michigan 49424 United States
T+1 616 399 6070 | F



right solutions.
right partner.

Subcontract Chain of Custody**SAMPLING STATE:****COC ID: HN2511331****Subcontract To:**

Rochester - Environmental TEL: +1 585 288 5380
1565 Jefferson Road, Building 300, Suite 360 FAX:
Rochester New York 14623

Due Date: 08/22/2025

Analysis Report Format: ALS Standard – Level II

Electronic Data Deliverable:

Customer Information		Project Information		Parameter/Method Request for Analysis													
Purchase Order		Project Name	12541_Dresden	A	EPA 8081B-3546-S (INT SUB)												
Work Order	HN2511331			B	EPA 8082A-3546-S (INT SUB)												
Company Name	Holland - Environmental	Bill To Company	Holland - Environmental	C	EPA 8151A-S (INT SUB)												
Send Report To	Bill Carey	Inv Attn	Accounts Payable	D	EPA 8270E-TCL-3546-S (INT SUB)												
Address	3352 128th Ave	Address	3352 128th Ave	E													
				F													
City/State/Zip	Holland Michigan 49424	City/State/Zip	Holland Michigan 49424	G													
Phone	+1 616 399 6070	Phone	+1 616 399 6070	H													
Fax		Fax		I													
Email Address	bill.carey@alsglobal.com			J													
ALS Sample ID	Client Sample ID	Matrix	Collection Date	Bottle	A	B	C	D	E	F	G	H	I	J			
HN2511331-001	12541 SB01 (1-2)	Soil/Solid	08/12/2025 10:06	001-AD	x	x	x	x									
HN2511331-002	12541 SB02 (3-4)	Soil/Solid	08/12/2025 10:18	002-AD	x	x	x	x									
HN2511331-003	12541 SB03 (5-6)	Soil/Solid	08/12/2025 10:30	003-AD	x	x	x	x									
Relinquished by	Date Time	Received by	Date Time	Cooler ID's _____ _____ _____													
Relinquished by	Date Time	Received by	Date Time														
Sampled by																	

R2510158 5ALS Environmental - Holland
12541_Dresden



Cooler Receipt and Preservation Check Form

R2510158

5

ALS Environmental - Holland
12641_Dresden

Project/Client _____ Folder Number _____

Cooler received on 8/20/25 by: RMCOURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <u>N</u>
2	Custody papers properly completed (ink, signed)?	<u>Y</u> N
3	Did all bottles arrive in good condition (unbroken)?	<u>Y</u> N
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	<u>Y</u> N

5a	Did VOA vials have sig* bubbles?	Y N <u>NA</u>
5b	Sig* bubbles: Alk? Y N <u>NA</u> Sulfide? Y N <u>NA</u>	
6	Where did the bottles originate?	ALS/ROC <u>CLIENT</u>
7	Soil VOA received as: Bulk Encore 5035set	<u>NA</u>

8. Temperature Readings Date: 8/20/25 Time: 10:01 ID: IR#12 IR#11 From: Temp Blank Sample Bottle

Temp (°C)	<u>4.2</u>	<u>4.5</u>	<u>5.5</u>				
Within 0-6°C?	<u>Y</u> N	<u>Y</u> N	<u>Y</u> N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule

& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMO by RM on 8/20 at 12:16

5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 8/20/25 Time: 15:23 by: MM

9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
10. Did all bottle labels and tags agree with custody papers? YES NO
11. Were correct containers used for the tests indicated? YES NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO N/A
13. Were dissolved metals filtered in the field? YES NO N/A
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃								
		ZnAcetate	-	-						
		HCl	**	**						

**VOAs and 1664 Not to be tested before analysis.
Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: 062325-152

Explain all Discrepancies/ Other Comments: _____

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: MM

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.	+	Correlation coefficient for MSA is <0.995.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).	N	Inorganics- Matrix spike recovery was outside laboratory limits.
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.	N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.	S	Concentration has been determined using Method of Standard Additions (MSA).
E	Organics- Concentration has exceeded the calibration range for that specific analysis.	W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.	P	Concentration >40% difference between the two GC columns.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.	C	Confirmed by GC/MS
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.	Q	DoD reports: indicates a pesticide/Aroclor is not confirmed ($\geq 100\%$ Difference between two GC columns).
#	Spike was diluted out.	X	See Case Narrative for discussion.
		MRL	Method Reporting Limit. Also known as:
		LOQ	Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
		MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
		LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
		ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations¹



NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to <https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx>.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: ALS Environmental - US
Project: 12541_Dresden

Service Request: R2510158

Non-Certified Analytes

Certifying Agency: New York Department of Health

Method	Matrix	Analyte
8270E	Soil	1-Methylnaphthalene
8270E	Soil	Methylphenols, Total
ALS SOP	Soil	Total Solids

ALS Group USA, Corp.
dba ALS Environmental
Analyst Summary report

Client:
Project:

ALS Environmental - US
12541_Dresden/

Service Request: R2510158

Sample Name:
Lab Code:
Sample Matrix:

12541 SB01 (1-2)
R2510158-001
Soil

Date Collected: 08/12/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER
8151A	JVANHEYNINGEN	AFELSER
8270E	JVANHEYNINGEN	AMOSSES
ALS SOP		CKUTZER

Sample Name:
Lab Code:
Sample Matrix:

12541 SB01 (1-2)
R2510158-001.R01
Soil

Date Collected: 08/12/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER

Sample Name:
Lab Code:
Sample Matrix:

12541 SB02 (3-4)
R2510158-002
Soil

Date Collected: 08/12/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER
8151A	JVANHEYNINGEN	AFELSER
8270E	JVANHEYNINGEN	AMOSSES
ALS SOP		CKUTZER

Sample Name:
Lab Code:
Sample Matrix:

12541 SB03 (5-6)
R2510158-003
Soil

Date Collected: 08/12/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: ALS Environmental - US
Project: 12541_Dresden/

Service Request: R2510158

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003
Sample Matrix: Soil

Date Collected: 08/12/25
Date Received: 08/20/25

Analysis Method

8151A

8270E

ALS SOP

Extracted/Digested By

JVANHEYNINGEN

JVANHEYNINGEN

Analyzed By

AFELSER

AMOSSES

CKUTZER



PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C or 6010D	3005A/3010A
6020A or 6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C or 6010D	3050B
6020A or 6020B	3050B
6010C or 6010D TCLP (1311) extract	3005A/3010A
6010C or 6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":

For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.



Sample Results

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Semivolatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Methylphenols, Total	U	-	10	08/21/25 22:09	8/21/25	
1-Methylnaphthalene	4000 U	4000	10	08/21/25 22:09	8/21/25	
1,2,4,5-Tetrachlorobenzene	4000 U	4000	10	08/21/25 22:09	8/21/25	
2-Methylnaphthalene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Acenaphthene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Acenaphthylene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Anthracene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benz(a)anthracene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benzo(a)pyrene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benzo(b)fluoranthene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benzo(g,h,i)perylene	4000 U	4000	10	08/21/25 22:09	8/21/25	
1,4-Dichlorobenzene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benzo(k)fluoranthene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Biphenyl	4000 U	4000	10	08/21/25 22:09	8/21/25	
Chrysene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Dibenz(a,h)anthracene	4000 U	4000	10	08/21/25 22:09	8/21/25	
1,4-Dioxane	820 U	820	10	08/21/25 22:09	8/21/25	
Dibenzofuran	4000 U	4000	10	08/21/25 22:09	8/21/25	
Fluoranthene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Fluorene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Indeno(1,2,3-cd)pyrene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Naphthalene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Phenanthrene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Pyrene	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,3,4,6-Tetrachlorophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,4,5-Trichlorophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,4,6-Trichlorophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,4-Dichlorophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,4-Dimethylphenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,4-Dinitrophenol	21000 U	21000	10	08/21/25 22:09	8/21/25	
2,4-Dinitrotoluene	4000 U	4000	10	08/21/25 22:09	8/21/25	
2,6-Dinitrotoluene	4000 U	4000	10	08/21/25 22:09	8/21/25	
2-Chloronaphthalene	4000 U	4000	10	08/21/25 22:09	8/21/25	
2-Chlorophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2-Methylphenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
2-Nitroaniline	21000 U	21000	10	08/21/25 22:09	8/21/25	
2-Nitrophenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
3,3'-Dichlorobenzidine	4000 U	4000	10	08/21/25 22:09	8/21/25	
3- and 4-Methylphenol Coelution	4000 U	4000	10	08/21/25 22:09	8/21/25	
3-Nitroaniline	21000 U	21000	10	08/21/25 22:09	8/21/25	
4,6-Dinitro-2-methylphenol	21000 U	21000	10	08/21/25 22:09	8/21/25	
4-Bromophenyl Phenyl Ether	4000 U	4000	10	08/21/25 22:09	8/21/25	
4-Chloro-3-methylphenol	4000 U	4000	10	08/21/25 22:09	8/21/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4-Chloroaniline	4000 U	4000	10	08/21/25 22:09	8/21/25	
4-Chlorophenyl Phenyl Ether	4000 U	4000	10	08/21/25 22:09	8/21/25	
4-Nitroaniline	21000 U	21000	10	08/21/25 22:09	8/21/25	
4-Nitrophenol	21000 U	21000	10	08/21/25 22:09	8/21/25	
Acetophenone	4000 U	4000	10	08/21/25 22:09	8/21/25	
Atrazine	4000 U	4000	10	08/21/25 22:09	8/21/25	
Benzaldehyde	21000 U	21000	10	08/21/25 22:09	8/21/25	
Benzoic Acid	21000 U	21000	10	08/21/25 22:09	8/21/25	
Bis(1-chloroisopropyl) Ether	4000 U	4000	10	08/21/25 22:09	8/21/25	
Bis(2-chloroethoxy)methane	4000 U	4000	10	08/21/25 22:09	8/21/25	
Bis(2-chloroethyl) Ether	4000 U	4000	10	08/21/25 22:09	8/21/25	
Bis(2-ethylhexyl) Phthalate	6100 U	6100	10	08/21/25 22:09	8/21/25	
Butyl Benzyl Phthalate	4000 U	4000	10	08/21/25 22:09	8/21/25	
Caprolactam	4000 U	4000	10	08/21/25 22:09	8/21/25	
Carbazole	4000 U	4000	10	08/21/25 22:09	8/21/25	
Di-n-butyl Phthalate	4000 U	4000	10	08/21/25 22:09	8/21/25	
Di-n-octyl Phthalate	4000 U	4000	10	08/21/25 22:09	8/21/25	
Diethyl Phthalate	4000 U	4000	10	08/21/25 22:09	8/21/25	
Dimethyl Phthalate	4000 U	4000	10	08/21/25 22:09	8/21/25	
Hexachlorobenzene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Hexachlorobutadiene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Hexachlorocyclopentadiene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Hexachloroethane	4000 U	4000	10	08/21/25 22:09	8/21/25	
Isophorone	4000 U	4000	10	08/21/25 22:09	8/21/25	
N-Nitrosodi-n-propylamine	4000 U	4000	10	08/21/25 22:09	8/21/25	
N-Nitrosodiphenylamine	4000 U	4000	10	08/21/25 22:09	8/21/25	
Nitrobenzene	4000 U	4000	10	08/21/25 22:09	8/21/25	
Pentachlorophenol (PCP)	21000 U	21000	10	08/21/25 22:09	8/21/25	
Phenol	4000 U	4000	10	08/21/25 22:09	8/21/25	
Pyridine	21000 U	21000	10	08/21/25 22:09	8/21/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	72	18 - 104	08/21/25 22:09	
Nitrobenzene-d5	68	12 - 98	08/21/25 22:09	
p-Terphenyl-d14	93	26 - 134	08/21/25 22:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Methylphenols, Total	U	-	10	08/25/25 12:13	8/21/25	
1,2,4,5-Tetrachlorobenzene	3600 U	3600	10	08/25/25 12:13	8/21/25	
1-Methylnaphthalene	3600 U	3600	10	08/25/25 12:13	8/21/25	
2-Methylnaphthalene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Acenaphthene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Acenaphthylene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Anthracene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benz(a)anthracene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benzo(a)pyrene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benzo(b)fluoranthene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benzo(g,h,i)perylene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benzo(k)fluoranthene	3600 U	3600	10	08/25/25 12:13	8/21/25	
1,4-Dichlorobenzene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Biphenyl	3600 U	3600	10	08/25/25 12:13	8/21/25	
Chrysene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Dibenz(a,h)anthracene	3600 U	3600	10	08/25/25 12:13	8/21/25	
1,4-Dioxane	730 U	730	10	08/25/25 12:13	8/21/25	
Dibenzofuran	3600 U	3600	10	08/25/25 12:13	8/21/25	
Fluoranthene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Fluorene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Indeno(1,2,3-cd)pyrene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Naphthalene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Phenanthrene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Pyrene	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,3,4,6-Tetrachlorophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,4,5-Trichlorophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,4,6-Trichlorophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,4-Dichlorophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,4-Dimethylphenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,4-Dinitrophenol	18000 U	18000	10	08/25/25 12:13	8/21/25	
2,4-Dinitrotoluene	3600 U	3600	10	08/25/25 12:13	8/21/25	
2,6-Dinitrotoluene	3600 U	3600	10	08/25/25 12:13	8/21/25	
2-Chloronaphthalene	3600 U	3600	10	08/25/25 12:13	8/21/25	
2-Chlorophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2-Methylphenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
2-Nitroaniline	18000 U	18000	10	08/25/25 12:13	8/21/25	
2-Nitrophenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
3,3'-Dichlorobenzidine	3600 U	3600	10	08/25/25 12:13	8/21/25	
3- and 4-Methylphenol Coelution	3600 U	3600	10	08/25/25 12:13	8/21/25	
3-Nitroaniline	18000 U	18000	10	08/25/25 12:13	8/21/25	
4,6-Dinitro-2-methylphenol	18000 U	18000	10	08/25/25 12:13	8/21/25	
4-Bromophenyl Phenyl Ether	3600 U	3600	10	08/25/25 12:13	8/21/25	
4-Chloro-3-methylphenol	3600 U	3600	10	08/25/25 12:13	8/21/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4-Chloroaniline	3600 U	3600	10	08/25/25 12:13	8/21/25	
4-Chlorophenyl Phenyl Ether	3600 U	3600	10	08/25/25 12:13	8/21/25	
4-Nitroaniline	18000 U	18000	10	08/25/25 12:13	8/21/25	
4-Nitrophenol	18000 U	18000	10	08/25/25 12:13	8/21/25	
Acetophenone	3600 U	3600	10	08/25/25 12:13	8/21/25	
Atrazine	3600 U	3600	10	08/25/25 12:13	8/21/25	
Benzaldehyde	18000 U	18000	10	08/25/25 12:13	8/21/25	
Benzoic Acid	18000 U	18000	10	08/25/25 12:13	8/21/25	
Bis(1-chloroisopropyl) Ether	3600 U	3600	10	08/25/25 12:13	8/21/25	
Bis(2-chloroethoxy)methane	3600 U	3600	10	08/25/25 12:13	8/21/25	
Bis(2-chloroethyl) Ether	3600 U	3600	10	08/25/25 12:13	8/21/25	
Bis(2-ethylhexyl) Phthalate	5400 U	5400	10	08/25/25 12:13	8/21/25	
Butyl Benzyl Phthalate	3600 U	3600	10	08/25/25 12:13	8/21/25	
Caprolactam	3600 U	3600	10	08/25/25 12:13	8/21/25	
Carbazole	3600 U	3600	10	08/25/25 12:13	8/21/25	
Di-n-butyl Phthalate	3600 U	3600	10	08/25/25 12:13	8/21/25	
Di-n-octyl Phthalate	3600 U	3600	10	08/25/25 12:13	8/21/25	
Diethyl Phthalate	3600 U	3600	10	08/25/25 12:13	8/21/25	
Dimethyl Phthalate	3600 U	3600	10	08/25/25 12:13	8/21/25	
Hexachlorobenzene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Hexachlorobutadiene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Hexachlorocyclopentadiene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Hexachloroethane	3600 U	3600	10	08/25/25 12:13	8/21/25	
Isophorone	3600 U	3600	10	08/25/25 12:13	8/21/25	
N-Nitrosodi-n-propylamine	3600 U	3600	10	08/25/25 12:13	8/21/25	
N-Nitrosodiphenylamine	3600 U	3600	10	08/25/25 12:13	8/21/25	
Nitrobenzene	3600 U	3600	10	08/25/25 12:13	8/21/25	
Pentachlorophenol (PCP)	18000 U	18000	10	08/25/25 12:13	8/21/25	
Phenol	3600 U	3600	10	08/25/25 12:13	8/21/25	
Pyridine	18000 U	18000	10	08/25/25 12:13	8/21/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	72	18 - 104	08/25/25 12:13	
Nitrobenzene-d5	62	12 - 98	08/25/25 12:13	
p-Terphenyl-d14	83	26 - 134	08/25/25 12:13	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Methylphenols, Total	U	-	1	08/25/25 21:46	8/22/25	
1,2,4,5-Tetrachlorobenzene	1100 U	1100	1	08/25/25 21:46	8/22/25	
1-Methylnaphthalene	1100 U	1100	1	08/25/25 21:46	8/22/25	
2-Methylnaphthalene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Acenaphthene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Acenaphthylene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Anthracene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benz(a)anthracene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benzo(a)pyrene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benzo(b)fluoranthene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benzo(g,h,i)perylene	1100 U	1100	1	08/25/25 21:46	8/22/25	
1,4-Dichlorobenzene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benzo(k)fluoranthene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Biphenyl	1100 U	1100	1	08/25/25 21:46	8/22/25	
Chrysene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Dibenz(a,h)anthracene	1100 U	1100	1	08/25/25 21:46	8/22/25	
1,4-Dioxane	230 U	230	1	08/25/25 21:46	8/22/25	
Dibenzofuran	1100 U	1100	1	08/25/25 21:46	8/22/25	
Fluoranthene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Fluorene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Indeno(1,2,3-cd)pyrene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Naphthalene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Phenanthrene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Pyrene	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,3,4,6-Tetrachlorophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,4,5-Trichlorophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,4,6-Trichlorophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,4-Dichlorophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,4-Dimethylphenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,4-Dinitrophenol	5900 U	5900	1	08/25/25 21:46	8/22/25	
2,4-Dinitrotoluene	1100 U	1100	1	08/25/25 21:46	8/22/25	
2,6-Dinitrotoluene	1100 U	1100	1	08/25/25 21:46	8/22/25	
2-Chloronaphthalene	1100 U	1100	1	08/25/25 21:46	8/22/25	
2-Chlorophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2-Methylphenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
2-Nitroaniline	5900 U	5900	1	08/25/25 21:46	8/22/25	
2-Nitrophenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
3,3'-Dichlorobenzidine	1100 U	1100	1	08/25/25 21:46	8/22/25	
3- and 4-Methylphenol Coelution	1100 U	1100	1	08/25/25 21:46	8/22/25	
3-Nitroaniline	5900 U	5900	1	08/25/25 21:46	8/22/25	
4,6-Dinitro-2-methylphenol	5900 U	5900	1	08/25/25 21:46	8/22/25	
4-Bromophenyl Phenyl Ether	1100 U	1100	1	08/25/25 21:46	8/22/25	
4-Chloro-3-methylphenol	1100 U	1100	1	08/25/25 21:46	8/22/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4-Chloroaniline	1100 U	1100	1	08/25/25 21:46	8/22/25	
4-Chlorophenyl Phenyl Ether	1100 U	1100	1	08/25/25 21:46	8/22/25	
4-Nitroaniline	5900 U	5900	1	08/25/25 21:46	8/22/25	
4-Nitrophenol	5900 U	5900	1	08/25/25 21:46	8/22/25	
Acetophenone	1100 U	1100	1	08/25/25 21:46	8/22/25	
Atrazine	1100 U	1100	1	08/25/25 21:46	8/22/25	
Benzaldehyde	5900 U	5900	1	08/25/25 21:46	8/22/25	
Benzoic Acid	5900 U	5900	1	08/25/25 21:46	8/22/25	
Bis(1-chloroisopropyl) Ether	1100 U	1100	1	08/25/25 21:46	8/22/25	
Bis(2-chloroethoxy)methane	1100 U	1100	1	08/25/25 21:46	8/22/25	
Bis(2-chloroethyl) Ether	1100 U	1100	1	08/25/25 21:46	8/22/25	
Bis(2-ethylhexyl) Phthalate	1700 U	1700	1	08/25/25 21:46	8/22/25	
Butyl Benzyl Phthalate	1100 U	1100	1	08/25/25 21:46	8/22/25	
Caprolactam	1100 U	1100	1	08/25/25 21:46	8/22/25	
Carbazole	1100 U	1100	1	08/25/25 21:46	8/22/25	
Di-n-butyl Phthalate	1100 U	1100	1	08/25/25 21:46	8/22/25	
Di-n-octyl Phthalate	1100 U	1100	1	08/25/25 21:46	8/22/25	
Diethyl Phthalate	1100 U	1100	1	08/25/25 21:46	8/22/25	
Dimethyl Phthalate	1100 U	1100	1	08/25/25 21:46	8/22/25	
Hexachlorobenzene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Hexachlorobutadiene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Hexachlorocyclopentadiene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Hexachloroethane	1100 U	1100	1	08/25/25 21:46	8/22/25	
Isophorone	1100 U	1100	1	08/25/25 21:46	8/22/25	
N-Nitrosodi-n-propylamine	1100 U	1100	1	08/25/25 21:46	8/22/25	
N-Nitrosodiphenylamine	1100 U	1100	1	08/25/25 21:46	8/22/25	
Nitrobenzene	1100 U	1100	1	08/25/25 21:46	8/22/25	
Pentachlorophenol (PCP)	5900 U	5900	1	08/25/25 21:46	8/22/25	
Phenol	1100 U	1100	1	08/25/25 21:46	8/22/25	
Pyridine	5900 U	5900	1	08/25/25 21:46	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	79	18 - 104	08/25/25 21:46	
Nitrobenzene-d5	73	12 - 98	08/25/25 21:46	
p-Terphenyl-d14	104	26 - 134	08/25/25 21:46	



Semivolatile Organic Compounds by GC

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	27	2.1	1	08/26/25 12:58	8/24/25	
4,4'-DDE	120 E	2.1	1	08/26/25 12:58	8/24/25	
4,4'-DDT	34	2.1	1	08/26/25 12:58	8/24/25	
Aldrin	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Chlordane	10 U	10	1	08/26/25 12:58	8/24/25	
Dieldrin	7.5	2.1	1	08/26/25 12:58	8/24/25	
Endosulfan I	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Endosulfan II	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Endosulfan Sulfate	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Endrin	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Endrin Aldehyde	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Endrin Ketone	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Heptachlor	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Heptachlor Epoxide	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Methoxychlor	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
Toxaphene	40 U	40	1	08/26/25 12:58	8/24/25	
alpha-BHC	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
alpha-Chlordane	26	2.1	1	08/26/25 12:58	8/24/25	
beta-BHC	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
delta-BHC	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
gamma-BHC (Lindane)	2.1 U	2.1	1	08/26/25 12:58	8/24/25	
gamma-Chlordane	20	2.1	1	08/26/25 12:58	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	60	10 - 159	08/26/25 12:58	
Tetrachloro-m-xylene	45	10 - 132	08/26/25 12:58	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	18 D	4.1	2	08/28/25 22:34	8/24/25	
4,4'-DDE	110 D	4.1	2	08/28/25 22:34	8/24/25	
4,4'-DDT	35 D	4.1	2	08/28/25 22:34	8/24/25	
Aldrin	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Chlordane	20 DU	20	2	08/28/25 22:34	8/24/25	
Dieldrin	6.3 D	4.1	2	08/28/25 22:34	8/24/25	
Endosulfan I	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Endosulfan II	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Endosulfan Sulfate	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Endrin	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Endrin Aldehyde	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Endrin Ketone	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Heptachlor	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Heptachlor Epoxide	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Methoxychlor	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
Toxaphene	80 DU	80	2	08/28/25 22:34	8/24/25	
alpha-BHC	4.1 U	4.1	2	08/28/25 22:34	8/24/25	
alpha-Chlordane	23 D	4.1	2	08/28/25 22:34	8/24/25	
beta-BHC	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
delta-BHC	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
gamma-BHC (Lindane)	4.1 DU	4.1	2	08/28/25 22:34	8/24/25	
gamma-Chlordane	18 D	4.1	2	08/28/25 22:34	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	60	10 - 159	08/28/25 22:34	
Tetrachloro-m-xylene	65	10 - 132	08/28/25 22:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	15	1.9	1	08/26/25 13:15	8/24/25	
4,4'-DDE	58	1.9	1	08/26/25 13:15	8/24/25	
4,4'-DDT	11	1.9	1	08/26/25 13:15	8/24/25	
Aldrin	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Chlordane	9.1 U	9.1	1	08/26/25 13:15	8/24/25	
Dieldrin	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endosulfan I	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endosulfan II	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endosulfan Sulfate	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endrin	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endrin Aldehyde	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Endrin Ketone	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Heptachlor	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Heptachlor Epoxide	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Methoxychlor	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
Toxaphene	36 U	36	1	08/26/25 13:15	8/24/25	
alpha-BHC	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
alpha-Chlordane	7.2	1.9	1	08/26/25 13:15	8/24/25	
beta-BHC	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
delta-BHC	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
gamma-BHC (Lindane)	1.9 U	1.9	1	08/26/25 13:15	8/24/25	
gamma-Chlordane	6.3	1.9	1	08/26/25 13:15	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	54	10 - 159	08/26/25 13:15	
Tetrachloro-m-xylene	38	10 - 132	08/26/25 13:15	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
4,4'-DDE	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
4,4'-DDT	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Aldrin	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Chlordane	28 U	28	1	08/26/25 20:49	8/22/25	
Dieldrin	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endosulfan I	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endosulfan II	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endosulfan Sulfate	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endrin	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endrin Aldehyde	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Endrin Ketone	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Heptachlor	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Heptachlor Epoxide	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Methoxychlor	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
Toxaphene	110 U	110	1	08/26/25 20:49	8/22/25	
alpha-BHC	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
alpha-Chlordane	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
beta-BHC	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
delta-BHC	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
gamma-BHC (Lindane)	5.8 U	5.8	1	08/26/25 20:49	8/22/25	
gamma-Chlordane	5.8 U	5.8	1	08/26/25 20:49	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	73	10 - 159	08/26/25 20:49	
Tetrachloro-m-xylene	50	10 - 132	08/26/25 20:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1221	82 U	82	1	08/25/25 20:29	8/24/25	
Aroclor 1232	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1242	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1248	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1254	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1260	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1262	40 U	40	1	08/25/25 20:29	8/24/25	
Aroclor 1268	40 U	40	1	08/25/25 20:29	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	60	10 - 138	08/25/25 20:29	
Tetrachloro-m-xylene	43	11 - 122	08/25/25 20:29	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1221	73 U	73	1	08/25/25 20:42	8/24/25	
Aroclor 1232	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1242	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1248	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1254	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1260	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1262	36 U	36	1	08/25/25 20:42	8/24/25	
Aroclor 1268	36 U	36	1	08/25/25 20:42	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	58	10 - 138	08/25/25 20:42	
Tetrachloro-m-xylene	35	11 - 122	08/25/25 20:42	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1221	230 U	230	1	08/26/25 22:12	8/22/25	
Aroclor 1232	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1242	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1248	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1254	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1260	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1262	110 U	110	1	08/26/25 22:12	8/22/25	
Aroclor 1268	110 U	110	1	08/26/25 22:12	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	77	10 - 138	08/26/25 22:12	
Tetrachloro-m-xylene	53	11 - 122	08/26/25 22:12	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	14 U	14	1	08/27/25 04:44	8/25/25	
2,4,5-TP	14 U	14	1	08/27/25 04:44	8/25/25	
2,4-D	14 U	14	1	08/27/25 04:44	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	57	10 - 151	08/27/25 04:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	12 U	12	1	08/27/25 05:02	8/25/25	
2,4,5-TP	12 U	12	1	08/27/25 05:02	8/25/25	
2,4-D	12 U	12	1	08/27/25 05:02	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	64	10 - 151	08/27/25 05:02	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	12 U	12	1	08/27/25 05:20	8/25/25	
2,4,5-TP	12 U	12	1	08/27/25 05:20	8/25/25	
2,4-D	12 U	12	1	08/27/25 05:20	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	59	10 - 151	08/27/25 05:20	



General Chemistry

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Sample Name: 12541 SB01 (1-2)
Lab Code: R2510158-001

Service Request: R2510158
Date Collected: 08/12/25 10:06
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	81.6	Percent	-	1	08/29/25 10:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Sample Name: 12541 SB02 (3-4)
Lab Code: R2510158-002

Service Request: R2510158
Date Collected: 08/12/25 10:18
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	91.1	Percent	-	1	08/29/25 10:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Sample Name: 12541 SB03 (5-6)
Lab Code: R2510158-003

Service Request: R2510158
Date Collected: 08/12/25 10:30
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	86.0	Percent	-	1	08/29/25 10:00	



QC Summary Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Semivolatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158

SURROGATE RECOVERY SUMMARY
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Extraction Method: EPA 3546

Sample Name	Lab Code	2-Fluorobiphenyl	Nitrobenzene-d5	p-Terphenyl-d14
		18 - 104	12 - 98	26 - 134
12541 SB01 (1-2)	R2510158-001	72	68	93
12541 SB02 (3-4)	R2510158-002	72	62	83
12541 SB03 (5-6)	R2510158-003	79	73	104
Method Blank	RQ2511066-01	54	51	70
Lab Control Sample	RQ2511066-02	61	52	75
Duplicate Lab Control Sample	RQ2511066-03	58	50	74
Method Blank	RQ2511156-01	64	58	85
Lab Control Sample	RQ2511156-02	68	59	85
Duplicate Lab Control Sample	RQ2511156-03	73	63	91

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511066-01

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Methylphenols, Total	0	-	1	08/21/25 13:25	8/21/25	
1,2,4,5-Tetrachlorobenzene	330 U	330	1	08/21/25 13:25	8/21/25	
1-Methylnaphthalene	330 U	330	1	08/21/25 13:25	8/21/25	
2-Methylnaphthalene	330 U	330	1	08/21/25 13:25	8/21/25	
Acenaphthene	330 U	330	1	08/21/25 13:25	8/21/25	
Acenaphthylene	330 U	330	1	08/21/25 13:25	8/21/25	
Anthracene	330 U	330	1	08/21/25 13:25	8/21/25	
Benz(a)anthracene	330 U	330	1	08/21/25 13:25	8/21/25	
Benzo(a)pyrene	330 U	330	1	08/21/25 13:25	8/21/25	
Benzo(b)fluoranthene	330 U	330	1	08/21/25 13:25	8/21/25	
Benzo(g,h,i)perylene	330 U	330	1	08/21/25 13:25	8/21/25	
Benzo(k)fluoranthene	330 U	330	1	08/21/25 13:25	8/21/25	
1,4-Dichlorobenzene	330 U	330	1	08/21/25 13:25	8/21/25	
Biphenyl	330 U	330	1	08/21/25 13:25	8/21/25	
Chrysene	330 U	330	1	08/21/25 13:25	8/21/25	
Dibenz(a,h)anthracene	330 U	330	1	08/21/25 13:25	8/21/25	
1,4-Dioxane	67 U	67	1	08/21/25 13:25	8/21/25	
Dibenzofuran	330 U	330	1	08/21/25 13:25	8/21/25	
Fluoranthene	330 U	330	1	08/21/25 13:25	8/21/25	
Fluorene	330 U	330	1	08/21/25 13:25	8/21/25	
Indeno(1,2,3-cd)pyrene	330 U	330	1	08/21/25 13:25	8/21/25	
Naphthalene	330 U	330	1	08/21/25 13:25	8/21/25	
Phenanthrene	330 U	330	1	08/21/25 13:25	8/21/25	
Pyrene	330 U	330	1	08/21/25 13:25	8/21/25	
2,3,4,6-Tetrachlorophenol	330 U	330	1	08/21/25 13:25	8/21/25	
2,4,5-Trichlorophenol	330 U	330	1	08/21/25 13:25	8/21/25	
2,4,6-Trichlorophenol	330 U	330	1	08/21/25 13:25	8/21/25	
2,4-Dichlorophenol	330 U	330	1	08/21/25 13:25	8/21/25	
2,4-Dimethylphenol	330 U	330	1	08/21/25 13:25	8/21/25	
2,4-Dinitrophenol	1700 U	1700	1	08/21/25 13:25	8/21/25	
2,4-Dinitrotoluene	330 U	330	1	08/21/25 13:25	8/21/25	
2,6-Dinitrotoluene	330 U	330	1	08/21/25 13:25	8/21/25	
2-Chloronaphthalene	330 U	330	1	08/21/25 13:25	8/21/25	
2-Chlorophenol	330 U	330	1	08/21/25 13:25	8/21/25	
2-Methylphenol	330 U	330	1	08/21/25 13:25	8/21/25	
2-Nitroaniline	1700 U	1700	1	08/21/25 13:25	8/21/25	
2-Nitrophenol	330 U	330	1	08/21/25 13:25	8/21/25	
3,3'-Dichlorobenzidine	330 U	330	1	08/21/25 13:25	8/21/25	
3- and 4-Methylphenol Coelution	330 U	330	1	08/21/25 13:25	8/21/25	
3-Nitroaniline	1700 U	1700	1	08/21/25 13:25	8/21/25	
4,6-Dinitro-2-methylphenol	1700 U	1700	1	08/21/25 13:25	8/21/25	
4-Bromophenyl Phenyl Ether	330 U	330	1	08/21/25 13:25	8/21/25	
4-Chloro-3-methylphenol	330 U	330	1	08/21/25 13:25	8/21/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511066-01

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4-Chloroaniline	330 U	330	1	08/21/25 13:25	8/21/25	
4-Chlorophenyl Phenyl Ether	330 U	330	1	08/21/25 13:25	8/21/25	
4-Nitroaniline	1700 U	1700	1	08/21/25 13:25	8/21/25	
4-Nitrophenol	1700 U	1700	1	08/21/25 13:25	8/21/25	
Acetophenone	330 U	330	1	08/21/25 13:25	8/21/25	
Atrazine	330 U	330	1	08/21/25 13:25	8/21/25	
Benzaldehyde	1700 U	1700	1	08/21/25 13:25	8/21/25	
Benzoic Acid	1700 U	1700	1	08/21/25 13:25	8/21/25	
Bis(1-chloroisopropyl) Ether	330 U	330	1	08/21/25 13:25	8/21/25	
Bis(2-chloroethoxy)methane	330 U	330	1	08/21/25 13:25	8/21/25	
Bis(2-chloroethyl) Ether	330 U	330	1	08/21/25 13:25	8/21/25	
Bis(2-ethylhexyl) Phthalate	500 U	500	1	08/21/25 13:25	8/21/25	
Butyl Benzyl Phthalate	330 U	330	1	08/21/25 13:25	8/21/25	
Caprolactam	330 U	330	1	08/21/25 13:25	8/21/25	
Carbazole	330 U	330	1	08/21/25 13:25	8/21/25	
Di-n-butyl Phthalate	330 U	330	1	08/21/25 13:25	8/21/25	
Di-n-octyl Phthalate	330 U	330	1	08/21/25 13:25	8/21/25	
Diethyl Phthalate	330 U	330	1	08/21/25 13:25	8/21/25	
Dimethyl Phthalate	330 U	330	1	08/21/25 13:25	8/21/25	
Hexachlorobenzene	330 U	330	1	08/21/25 13:25	8/21/25	
Hexachlorobutadiene	330 U	330	1	08/21/25 13:25	8/21/25	
Hexachlorocyclopentadiene	330 U	330	1	08/21/25 13:25	8/21/25	
Hexachloroethane	330 U	330	1	08/21/25 13:25	8/21/25	
Isophorone	330 U	330	1	08/21/25 13:25	8/21/25	
N-Nitrosodi-n-propylamine	330 U	330	1	08/21/25 13:25	8/21/25	
N-Nitrosodiphenylamine	330 U	330	1	08/21/25 13:25	8/21/25	
Nitrobenzene	330 U	330	1	08/21/25 13:25	8/21/25	
Pentachlorophenol (PCP)	1700 U	1700	1	08/21/25 13:25	8/21/25	
Phenol	330 U	330	1	08/21/25 13:25	8/21/25	
Pyridine	1700 U	1700	1	08/21/25 13:25	8/21/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	54	18 - 104	08/21/25 13:25	
Nitrobenzene-d5	51	12 - 98	08/21/25 13:25	
p-Terphenyl-d14	70	26 - 134	08/21/25 13:25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511156-01

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Methylphenols, Total	0	-	1	08/25/25 19:22	8/22/25	
1-Methylnaphthalene	330 U	330	1	08/25/25 19:22	8/22/25	
1,2,4,5-Tetrachlorobenzene	330 U	330	1	08/25/25 19:22	8/22/25	
2-Methylnaphthalene	330 U	330	1	08/25/25 19:22	8/22/25	
Acenaphthene	330 U	330	1	08/25/25 19:22	8/22/25	
Acenaphthylene	330 U	330	1	08/25/25 19:22	8/22/25	
Anthracene	330 U	330	1	08/25/25 19:22	8/22/25	
Benz(a)anthracene	330 U	330	1	08/25/25 19:22	8/22/25	
Benzo(a)pyrene	330 U	330	1	08/25/25 19:22	8/22/25	
Benzo(b)fluoranthene	330 U	330	1	08/25/25 19:22	8/22/25	
Benzo(g,h,i)perylene	330 U	330	1	08/25/25 19:22	8/22/25	
1,4-Dichlorobenzene	330 U	330	1	08/25/25 19:22	8/22/25	
Benzo(k)fluoranthene	330 U	330	1	08/25/25 19:22	8/22/25	
Biphenyl	330 U	330	1	08/25/25 19:22	8/22/25	
Chrysene	330 U	330	1	08/25/25 19:22	8/22/25	
1,4-Dioxane	66 U	66	1	08/25/25 19:22	8/22/25	
Dibenz(a,h)anthracene	330 U	330	1	08/25/25 19:22	8/22/25	
Dibenzofuran	330 U	330	1	08/25/25 19:22	8/22/25	
Fluoranthene	330 U	330	1	08/25/25 19:22	8/22/25	
Fluorene	330 U	330	1	08/25/25 19:22	8/22/25	
Indeno(1,2,3-cd)pyrene	330 U	330	1	08/25/25 19:22	8/22/25	
Naphthalene	330 U	330	1	08/25/25 19:22	8/22/25	
Phenanthrene	330 U	330	1	08/25/25 19:22	8/22/25	
Pyrene	330 U	330	1	08/25/25 19:22	8/22/25	
2,3,4,6-Tetrachlorophenol	330 U	330	1	08/25/25 19:22	8/22/25	
2,4,5-Trichlorophenol	330 U	330	1	08/25/25 19:22	8/22/25	
2,4,6-Trichlorophenol	330 U	330	1	08/25/25 19:22	8/22/25	
2,4-Dichlorophenol	330 U	330	1	08/25/25 19:22	8/22/25	
2,4-Dimethylphenol	330 U	330	1	08/25/25 19:22	8/22/25	
2,4-Dinitrophenol	1700 U	1700	1	08/25/25 19:22	8/22/25	
2,4-Dinitrotoluene	330 U	330	1	08/25/25 19:22	8/22/25	
2,6-Dinitrotoluene	330 U	330	1	08/25/25 19:22	8/22/25	
2-Chloronaphthalene	330 U	330	1	08/25/25 19:22	8/22/25	
2-Chlorophenol	330 U	330	1	08/25/25 19:22	8/22/25	
2-Methylphenol	330 U	330	1	08/25/25 19:22	8/22/25	
2-Nitroaniline	1700 U	1700	1	08/25/25 19:22	8/22/25	
2-Nitrophenol	330 U	330	1	08/25/25 19:22	8/22/25	
3,3'-Dichlorobenzidine	330 U	330	1	08/25/25 19:22	8/22/25	
3- and 4-Methylphenol Coelution	330 U	330	1	08/25/25 19:22	8/22/25	
3-Nitroaniline	1700 U	1700	1	08/25/25 19:22	8/22/25	
4,6-Dinitro-2-methylphenol	1700 U	1700	1	08/25/25 19:22	8/22/25	
4-Bromophenyl Phenyl Ether	330 U	330	1	08/25/25 19:22	8/22/25	
4-Chloro-3-methylphenol	330 U	330	1	08/25/25 19:22	8/22/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511156-01

Units:
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4-Chloroaniline	330 U	330	1	08/25/25 19:22	8/22/25	
4-Chlorophenyl Phenyl Ether	330 U	330	1	08/25/25 19:22	8/22/25	
4-Nitroaniline	1700 U	1700	1	08/25/25 19:22	8/22/25	
4-Nitrophenol	1700 U	1700	1	08/25/25 19:22	8/22/25	
Acetophenone	330 U	330	1	08/25/25 19:22	8/22/25	
Atrazine	330 U	330	1	08/25/25 19:22	8/22/25	
Benzaldehyde	1700 U	1700	1	08/25/25 19:22	8/22/25	
Benzoic Acid	1700 U	1700	1	08/25/25 19:22	8/22/25	
Bis(1-chloroisopropyl) Ether	330 U	330	1	08/25/25 19:22	8/22/25	
Bis(2-chloroethoxy)methane	330 U	330	1	08/25/25 19:22	8/22/25	
Bis(2-chloroethyl) Ether	330 U	330	1	08/25/25 19:22	8/22/25	
Bis(2-ethylhexyl) Phthalate	500 U	500	1	08/25/25 19:22	8/22/25	
Butyl Benzyl Phthalate	330 U	330	1	08/25/25 19:22	8/22/25	
Caprolactam	330 U	330	1	08/25/25 19:22	8/22/25	
Carbazole	330 U	330	1	08/25/25 19:22	8/22/25	
Di-n-butyl Phthalate	330 U	330	1	08/25/25 19:22	8/22/25	
Di-n-octyl Phthalate	330 U	330	1	08/25/25 19:22	8/22/25	
Diethyl Phthalate	330 U	330	1	08/25/25 19:22	8/22/25	
Dimethyl Phthalate	330 U	330	1	08/25/25 19:22	8/22/25	
Hexachlorobenzene	330 U	330	1	08/25/25 19:22	8/22/25	
Hexachlorobutadiene	330 U	330	1	08/25/25 19:22	8/22/25	
Hexachlorocyclopentadiene	330 U	330	1	08/25/25 19:22	8/22/25	
Hexachloroethane	330 U	330	1	08/25/25 19:22	8/22/25	
Isophorone	330 U	330	1	08/25/25 19:22	8/22/25	
N-Nitrosodi-n-propylamine	330 U	330	1	08/25/25 19:22	8/22/25	
N-Nitrosodiphenylamine	330 U	330	1	08/25/25 19:22	8/22/25	
Nitrobenzene	330 U	330	1	08/25/25 19:22	8/22/25	
Pentachlorophenol (PCP)	1700 U	1700	1	08/25/25 19:22	8/22/25	
Phenol	330 U	330	1	08/25/25 19:22	8/22/25	
Pyridine	1700 U	1700	1	08/25/25 19:22	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	64	18 - 104	08/25/25 19:22	
Nitrobenzene-d5	58	12 - 98	08/25/25 19:22	
p-Terphenyl-d14	85	26 - 134	08/25/25 19:22	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/21/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Analyte Name	Lab Control Sample RQ2511066-02				Duplicate Lab Control Sample RQ2511066-03				RPD	RPD Limit
	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits		
1-Methylnaphthalene	8270E	1630	3320	49	1740	3330	52	29-100	6	30
1,2,4,5-Tetrachlorobenzene	8270E	1830	3320	55	1650	3330	49	20-126	10	30
2-Methylnaphthalene	8270E	1540	3320	46	1660	3330	50	29-99	7	30
Acenaphthene	8270E	1850	3320	56	1990	3330	60	41-110	7	30
Acenaphthylene	8270E	2090	3320	63	2230	3330	67	44-122	6	30
Anthracene	8270E	1950	3320	59	2070	3330	62	41-123	6	30
Benz(a)anthracene	8270E	1990	3320	60	2140	3330	64	44-116	8	30
Benzo(a)pyrene	8270E	2270	3320	68	2420	3330	73	56-146	7	30
Benzo(b)fluoranthene	8270E	1860	3320	56	2000	3330	60	47-120	7	30
Benzo(g,h,i)perylene	8270E	1920	3320	58	2060	3330	62	41-129	7	30
Benzo(k)fluoranthene	8270E	2020	3320	61	2170	3330	65	49-124	7	30
1,4-Dichlorobenzene	8270E	1430	3320	43	1610	3330	48	16-83	12	30
Biphenyl	8270E	1920	3320	58	1720	3330	52	24-112	11	30
Chrysene	8270E	2030	3320	61	2180	3330	65	44-119	7	30
1,4-Dioxane	8270E	1070	3320	32	1050	3330	32	10-58	2	30
Dibenz(a,h)anthracene	8270E	2030	3320	61	2160	3330	65	18-146	6	30
Dibenzofuran	8270E	1940	3320	58	2070	3330	62	43-113	7	30
Fluoranthene	8270E	2000	3320	60	2140	3330	64	39-128	6	30
Fluorene	8270E	1960	3320	59	2070	3330	62	40-117	5	30
Indeno(1,2,3-cd)pyrene	8270E	2120	3320	64	2290	3330	69	43-129	8	30
Naphthalene	8270E	1550	3320	47	1660	3330	50	31-93	7	30
Phenanthrene	8270E	1810	3320	54	1920	3330	58	39-120	6	30
Pyrene	8270E	1960	3320	59	2130	3330	64	45-125	8	30
2,3,4,6-Tetrachlorophenol	8270E	2300	3320	69	2440	3330	73	42-117	6	30
2,4,5-Trichlorophenol	8270E	2080	3320	63	2180	3330	66	40-114	5	30
2,4,6-Trichlorophenol	8270E	1970	3320	59	2130	3330	64	33-108	8	30
2,4-Dichlorophenol	8270E	1820	3320	55	1930	3330	58	30-103	6	30
2,4-Dimethylphenol	8270E	1810	3320	54	1900	3330	57	32-100	5	30
2,4-Dinitrophenol	8270E	1540 J	3320	46	1700 J	3330	51	10-97	9	30
2,4-Dinitrotoluene	8270E	2060	3320	62	2210	3330	67	53-120	7	30
2,6-Dinitrotoluene	8270E	2060	3320	62	2220	3330	67	48-119	7	30
2-Chloronaphthalene	8270E	1850	3320	56	1980	3330	60	33-103	7	30
2-Chlorophenol	8270E	1780	3320	53	1910	3330	57	26-90	7	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/21/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511066-02					Duplicate Lab Control Sample RQ2511066-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
2-Methylphenol	8270E	1950	3320	59	2080	3330	63	33-99	7	30
2-Nitroaniline	8270E	1970	3320	59	2110	3330	63	41-119	7	30
2-Nitrophenol	8270E	1660	3320	50	1780	3330	53	24-98	7	30
3- and 4-Methylphenol Coelution	8270E	2030	3320	61	2210	3330	66	32-100	9	30
3-Nitroaniline	8270E	1700	3320	51	1750	3330	53	29-105	3	30
4,6-Dinitro-2-methylphenol	8270E	1960	3320	59	2110	3330	64	20-105	7	30
4-Bromophenyl Phenyl Ether	8270E	2000	3320	60	2130	3330	64	37-116	7	30
4-Chloro-3-methylphenol	8270E	1900	3320	57	2000	3330	60	40-116	5	30
4-Chloroaniline	8270E	1330	3320	40	1230	3330	37	10-87	8	30
4-Chlorophenyl Phenyl Ether	8270E	1920	3320	58	2050	3330	62	42-111	6	30
4-Nitroaniline	8270E	1600 J	3320	48	1880	3330	57	43-120	16	30
4-Nitrophenol	8270E	1760	3320	53	1810	3330	54	34-116	2	30
Acetophenone	8270E	1830	3320	55	1640	3330	49	23-87	11	30
Benzoic Acid	8270E	1960	3320	59	2120	3330	64	10-126	8	30
Bis(1-chloroisopropyl) Ether	8270E	1760	3320	53	1930	3330	58	22-99	9	30
Bis(2-chloroethoxy)methane	8270E	1820	3320	55	1930	3330	58	38-119	6	30
Bis(2-chloroethyl) Ether	8270E	1630	3320	49	1780	3330	53	23-94	9	30
Bis(2-ethylhexyl) Phthalate	8270E	2190	3320	66	2370	3330	71	38-139	8	30
Butyl Benzyl Phthalate	8270E	2080	3320	63	2240	3330	67	40-134	8	30
Caprolactam	8270E	1890	3320	57	1630	3330	49	21-128	15	30
Carbazole	8270E	1960	3320	59	2140	3330	64	42-131	9	30
Di-n-butyl Phthalate	8270E	2170	3320	65	2340	3330	70	42-141	8	30
Di-n-octyl Phthalate	8270E	2290	3320	69	2470	3330	74	38-143	8	30
Diethyl Phthalate	8270E	1980	3320	60	2100	3330	63	43-118	6	30
Dimethyl Phthalate	8270E	1990	3320	60	2140	3330	64	40-118	7	30
Hexachlorobenzene	8270E	1940	3320	59	2070	3330	62	35-122	6	30
Hexachlorobutadiene	8270E	1510	3320	45	1650	3330	49	28-96	9	30
Hexachlorocyclopentadiene	8270E	1670	3320	50	1850	3330	55	10-111	10	30
Hexachloroethane	8270E	1460	3320	44	1660	3330	50	18-85	13	30
Isophorone	8270E	1800	3320	54	1920	3330	58	39-104	6	30
N-Nitrosodi-n-propylamine	8270E	1790	3320	54	1910	3330	57	30-98	7	30
N-Nitrosodiphenylamine	8270E	2220	3320	67	2380	3330	72	43-130	7	30
Nitrobenzene	8270E	1640	3320	49	1760	3330	53	31-99	7	30

Client:

ALS Environmental - US

Project:

12541_Dresden

Sample Matrix:

Soil

Service Request:

R2510158

Date Analyzed:

08/21/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511066-02					RQ2511066-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Pentachlorophenol (PCP)	8270E	1680 J	3320	51	1770	3330	53	36-138	5	30
Phenol	8270E	1850	3320	56	1980	3330	60	31-100	7	30
Pyridine	8270E	2760	6640	42	2910	6660	44	12-80	5	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/25/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511156-02					Duplicate Lab Control Sample RQ2511156-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	8270E	1980	3330	59	2100	3320	63	29-100	6	30
1,2,4,5-Tetrachlorobenzene	8270E	2100	3330	63	2210	3320	66	20-126	5	30
2-Methylnaphthalene	8270E	1870	3330	56	2000	3320	60	29-99	7	30
Acenaphthene	8270E	2300	3330	69	2430	3320	73	41-110	6	30
Acenaphthylene	8270E	2580	3330	77	2700	3320	81	44-122	5	30
Anthracene	8270E	2420	3330	73	2580	3320	78	41-123	6	30
Benz(a)anthracene	8270E	2510	3330	75	2740	3320	83	44-116	9	30
Benzo(a)pyrene	8270E	2820	3330	85	3030	3320	91	56-146	7	30
Benzo(b)fluoranthene	8270E	2390	3330	72	2530	3320	76	47-120	6	30
Benzo(g,h,i)perylene	8270E	2360	3330	71	2530	3320	76	41-129	7	30
Benzo(k)fluoranthene	8270E	2560	3330	77	2770	3320	83	49-124	8	30
1,4-Dichlorobenzene	8270E	1880	3330	56	2060	3320	62	16-83	9	30
Biphenyl	8270E	2180	3330	65	2300	3320	69	24-112	6	30
Chrysene	8270E	2560	3330	77	2770	3320	84	44-119	8	30
1,4-Dioxane	8270E	1390	3330	42	1490	3320	45	10-58	7	30
Dibenz(a,h)anthracene	8270E	2490	3330	75	2700	3320	81	18-146	8	30
Dibenzofuran	8270E	2380	3330	72	2520	3320	76	43-113	6	30
Fluoranthene	8270E	2550	3330	77	2680	3320	81	39-128	5	30
Fluorene	8270E	2400	3330	72	2520	3320	76	40-117	5	30
Indeno(1,2,3-cd)pyrene	8270E	2640	3330	79	2810	3320	85	43-129	6	30
Naphthalene	8270E	1900	3330	57	2010	3320	60	31-93	5	30
Phenanthrene	8270E	2240	3330	67	2380	3320	72	39-120	6	30
Pyrene	8270E	2440	3330	73	2620	3320	79	45-125	7	30
2,3,4,6-Tetrachlorophenol	8270E	2720	3330	82	2960	3320	89	42-117	8	30
2,4,5-Trichlorophenol	8270E	2510	3330	75	2650	3320	80	40-114	5	30
2,4,6-Trichlorophenol	8270E	2390	3330	72	2550	3320	77	33-108	6	30
2,4-Dichlorophenol	8270E	2140	3330	64	2290	3320	69	30-103	7	30
2,4-Dimethylphenol	8270E	2110	3330	63	2170	3320	65	32-100	3	30
2,4-Dinitrophenol	8270E	1800	3330	54	1930	3320	58	10-97	7	30
2,4-Dinitrotoluene	8270E	2560	3330	77	2740	3320	82	53-120	7	30
2,6-Dinitrotoluene	8270E	2540	3330	76	2700	3320	81	48-119	6	30
2-Chloronaphthalene	8270E	2310	3330	69	2430	3320	73	33-103	5	30
2-Chlorophenol	8270E	2070	3330	62	2270	3320	68	26-90	9	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/25/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511156-02					RQ2511156-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
2-Methylphenol	8270E	2230	3330	67	2550	3320	77	33-99	13	30
2-Nitroaniline	8270E	2450	3330	74	2580	3320	78	41-119	5	30
2-Nitrophenol	8270E	2000	3330	60	2130	3320	64	24-98	6	30
3- and 4-Methylphenol Coelution	8270E	2410	3330	72	2620	3320	79	32-100	8	30
3-Nitroaniline	8270E	1640 J	3330	49	1710	3320	52	29-105	4	30
4,6-Dinitro-2-methylphenol	8270E	2350	3330	71	2510	3320	76	20-105	7	30
4-Bromophenyl Phenyl Ether	8270E	2450	3330	74	2560	3320	77	37-116	5	30
4-Chloro-3-methylphenol	8270E	2250	3330	68	2430	3320	73	40-116	8	30
4-Chloroaniline	8270E	765	3330	23	705	3320	21	10-87	8	30
4-Chlorophenyl Phenyl Ether	8270E	2340	3330	70	2490	3320	75	42-111	6	30
4-Nitroaniline	8270E	1850	3330	56	2080	3320	63	43-120	12	30
4-Nitrophenol	8270E	2090	3330	63	2200	3320	66	34-116	5	30
Acetophenone	8270E	2010	3330	60	2160	3320	65	23-87	7	30
Benzoic Acid	8270E	1910	3330	57	2060	3320	62	10-126	7	30
Bis(1-chloroisopropyl) Ether	8270E	2200	3330	66	2390	3320	72	22-99	8	30
Bis(2-chloroethoxy)methane	8270E	2130	3330	64	2330	3320	70	38-119	9	30
Bis(2-chloroethyl) Ether	8270E	2030	3330	61	2190	3320	66	23-94	8	30
Bis(2-ethylhexyl) Phthalate	8270E	2760	3330	83	3010	3320	91	38-139	8	30
Butyl Benzyl Phthalate	8270E	2590	3330	78	2790	3320	84	40-134	7	30
Caprolactam	8270E	2030	3330	61	2170	3320	65	21-128	7	30
Carbazole	8270E	2410	3330	72	2610	3320	79	42-131	8	30
Di-n-butyl Phthalate	8270E	2650	3330	80	2860	3320	86	42-141	8	30
Di-n-octyl Phthalate	8270E	2980	3330	90	3290	3320	99	38-143	10	30
Diethyl Phthalate	8270E	2370	3330	71	2550	3320	77	43-118	7	30
Dimethyl Phthalate	8270E	2420	3330	73	2590	3320	78	40-118	7	30
Hexachlorobenzene	8270E	2370	3330	71	2530	3320	76	35-122	7	30
Hexachlorobutadiene	8270E	1910	3330	57	2020	3320	61	28-96	6	30
Hexachlorocyclopentadiene	8270E	2210	3330	66	2380	3320	72	10-111	7	30
Hexachloroethane	8270E	1930	3330	58	2090	3320	63	18-85	8	30
Isophorone	8270E	2150	3330	65	2320	3320	70	39-104	8	30
N-Nitrosodi-n-propylamine	8270E	2120	3330	64	2300	3320	69	30-98	9	30
N-Nitrosodiphenylamine	8270E	2660	3330	80	2800	3320	84	43-130	5	30
Nitrobenzene	8270E	2020	3330	61	2130	3320	64	31-99	5	30

Printed 9/8/2025 9:27:15 AM

Superset Reference:25-0000743168 rev 00

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/25/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511156-02					RQ2511156-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Pentachlorophenol (PCP)	8270E	1960	3330	59	2120	3320	64	36-138	8	30
Phenol	8270E	2180	3330	65	2320	3320	70	31-100	7	30
Pyridine	8270E	3650	6650	55	3880	6640	58	12-80	6	30



Semivolatile Organic Compounds by GC

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158

SURROGATE RECOVERY SUMMARY
Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Extraction Method: EPA 3546

Sample Name	Lab Code	Decachlorobiphenyl	Tetrachloro-m-xylene
		10 - 159	10 - 132
12541 SB01 (1-2)	R2510158-001	60	45
12541 SB01 (1-2) DL	R2510158-001	60 D	65 D
12541 SB02 (3-4)	R2510158-002	54	38
12541 SB03 (5-6)	R2510158-003	73	50
Method Blank	RQ2511157-01	69	56
Lab Control Sample	RQ2511157-02	89	67
Duplicate Lab Control Sample	RQ2511157-03	72	60
Method Blank	RQ2511225-01	71	50
Lab Control Sample	RQ2511225-02	75	60
Duplicate Lab Control Sample	RQ2511225-03	67	46

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511157-01

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
4,4'-DDE	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
4,4'-DDT	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Aldrin	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Chlordane	8.3 U	8.3	1	08/26/25 19:05	8/22/25	
Dieldrin	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endosulfan I	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endosulfan II	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endosulfan Sulfate	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endrin	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endrin Aldehyde	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Endrin Ketone	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Heptachlor	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Heptachlor Epoxide	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Methoxychlor	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
Toxaphene	33 U	33	1	08/26/25 19:05	8/22/25	
alpha-BHC	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
alpha-Chlordane	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
beta-BHC	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
delta-BHC	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
gamma-BHC (Lindane)	1.7 U	1.7	1	08/26/25 19:05	8/22/25	
gamma-Chlordane	1.7 U	1.7	1	08/26/25 19:05	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	69	10 - 159	08/26/25 19:05	
Tetrachloro-m-xylene	56	10 - 132	08/26/25 19:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511225-01

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
4,4'-DDE	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
4,4'-DDT	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Aldrin	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Chlordane	8.3 U	8.3	1	08/25/25 18:47	8/24/25	
Dieldrin	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endosulfan I	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endosulfan II	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endosulfan Sulfate	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endrin	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endrin Aldehyde	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Endrin Ketone	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Heptachlor	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Heptachlor Epoxide	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Methoxychlor	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
Toxaphene	33 U	33	1	08/25/25 18:47	8/24/25	
alpha-BHC	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
alpha-Chlordane	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
beta-BHC	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
delta-BHC	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
gamma-BHC (Lindane)	1.7 U	1.7	1	08/25/25 18:47	8/24/25	
gamma-Chlordane	1.7 U	1.7	1	08/25/25 18:47	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	71	10 - 159	08/25/25 18:47	
Tetrachloro-m-xylene	50	10 - 132	08/25/25 18:47	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/26/25

Duplicate Lab Control Sample Summary
Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511157-02					Duplicate Lab Control Sample RQ2511157-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
4,4'-DDD	8081B	6.85	6.60	104	5.14	6.59	78	48-121	28	30
4,4'-DDE	8081B	6.08	6.60	92	5.34	6.59	81	51-119	13	30
4,4'-DDT	8081B	7.19	6.60	109	4.95	6.59	75	51-126	37*	30
Aldrin	8081B	5.92	6.60	90	5.01	6.59	76	45-109	17	30
Dieldrin	8081B	6.24	6.60	95	5.32	6.59	81	56-111	16	30
Endosulfan I	8081B	5.74	6.60	87	4.81	6.59	73	54-109	18	30
Endosulfan II	8081B	6.35	6.60	96	5.02	6.59	76	50-116	23	30
Endosulfan Sulfate	8081B	6.42	6.60	97	5.25	6.59	80	55-115	20	30
Endrin	8081B	6.53	6.60	99	5.11	6.59	78	49-124	24	30
Endrin Aldehyde	8081B	7.79	6.60	118	5.67	6.59	86	21-139	31*	30
Endrin Ketone	8081B	6.96	6.60	105	5.27	6.59	80	50-124	28	30
Heptachlor	8081B	6.61	6.60	100	5.26	6.59	80	43-115	23	30
Heptachlor Epoxide	8081B	6.26	6.60	95	5.32	6.59	81	53-113	16	30
Methoxychlor	8081B	8.71	6.60	132	6.10	6.59	93	47-141	35*	30
alpha-BHC	8081B	5.92	6.60	90	4.95	6.59	75	44-109	18	30
alpha-Chlordane	8081B	6.05	6.60	92	4.91	6.59	74	52-114	21	30
beta-BHC	8081B	6.11	6.60	93	5.15	6.59	78	49-119	17	30
delta-BHC	8081B	6.20	6.60	94	5.22	6.59	79	49-113	17	30
gamma-BHC (Lindane)	8081B	6.10	6.60	93	5.13	6.59	78	43-112	17	30
gamma-Chlordane	8081B	6.45	6.60	98	5.41	6.59	82	51-117	18	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/25/25

Duplicate Lab Control Sample Summary
Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511225-02					Duplicate Lab Control Sample RQ2511225-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
4,4'-DDD	8081B	5.32	6.63	80	5.33	6.60	81	48-121	<1	30
4,4'-DDE	8081B	4.97	6.63	75	4.74	6.60	72	51-119	5	30
4,4'-DDT	8081B	4.98	6.63	75	4.77	6.60	72	51-126	4	30
Aldrin	8081B	4.66	6.63	70	4.07	6.60	62	45-109	13	30
Dieldrin	8081B	5.00	6.63	75	4.76	6.60	72	56-111	5	30
Endosulfan I	8081B	4.61	6.63	69	4.32	6.60	65	54-109	6	30
Endosulfan II	8081B	4.96	6.63	75	5.02	6.60	76	50-116	1	30
Endosulfan Sulfate	8081B	5.22	6.63	79	4.99	6.60	76	55-115	4	30
Endrin	8081B	4.98	6.63	75	4.72	6.60	72	49-124	5	30
Endrin Aldehyde	8081B	5.65	6.63	85	5.45	6.60	83	21-139	3	30
Endrin Ketone	8081B	5.62	6.63	85	5.25	6.60	80	50-124	7	30
Heptachlor	8081B	4.82	6.63	73	4.21	6.60	64	43-115	14	30
Heptachlor Epoxide	8081B	4.99	6.63	75	4.63	6.60	70	53-113	7	30
Methoxychlor	8081B	6.86	6.63	103	6.55	6.60	99	47-141	5	30
alpha-BHC	8081B	4.73	6.63	71	4.04	6.60	61	44-109	16	30
alpha-Chlordane	8081B	4.92	6.63	74	4.72	6.60	71	52-114	4	30
beta-BHC	8081B	4.98	6.63	75	4.71	6.60	71	49-119	6	30
delta-BHC	8081B	5.07	6.63	76	4.81	6.60	73	49-113	5	30
gamma-BHC (Lindane)	8081B	4.74	6.63	71	4.23	6.60	64	43-112	11	30
gamma-Chlordane	8081B	5.08	6.63	77	4.81	6.60	73	51-117	6	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158

SURROGATE RECOVERY SUMMARY
Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Extraction Method: EPA 3546

Sample Name	Lab Code	Decachlorobiphenyl	Tetrachloro-m-xylene
		10 - 138	11 - 122
12541 SB01 (1-2)	R2510158-001	60	43
12541 SB02 (3-4)	R2510158-002	58	35
12541 SB03 (5-6)	R2510158-003	77	53
Method Blank	RQ2511157-01	78	58
Lab Control Sample	RQ2511157-04	81	68
Duplicate Lab Control Sample	RQ2511157-05	86	70
Method Blank	RQ2511225-01	67	50
Lab Control Sample	RQ2511225-04	68	54
Duplicate Lab Control Sample	RQ2511225-05	71	51

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511157-01

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1221	67 U	67	1	08/26/25 20:51	8/22/25	
Aroclor 1232	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1242	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1248	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1254	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1260	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1262	33 U	33	1	08/26/25 20:51	8/22/25	
Aroclor 1268	33 U	33	1	08/26/25 20:51	8/22/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	78	10 - 138	08/26/25 20:51	
Tetrachloro-m-xylene	58	11 - 122	08/26/25 20:51	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511225-01

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1221	66 U	66	1	08/25/25 17:46	8/24/25	
Aroclor 1232	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1242	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1248	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1254	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1260	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1262	33 U	33	1	08/25/25 17:46	8/24/25	
Aroclor 1268	33 U	33	1	08/25/25 17:46	8/24/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	67	10 - 138	08/25/25 17:46	
Tetrachloro-m-xylene	50	11 - 122	08/25/25 17:46	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/26/25

Duplicate Lab Control Sample Summary
Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511157-04					RQ2511157-05					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Aroclor 1016	8082A	138	166	83	134	166	81	34-141	3	30
Aroclor 1260	8082A	145	166	87	146	166	88	30-158	<1	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/25/25

Duplicate Lab Control Sample Summary
Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511225-04					RQ2511225-05					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Aroclor 1016	8082A	117	165	71	116	165	71	34-141	<1	30
Aroclor 1260	8082A	121	165	73	130	165	79	30-158	7	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158

SURROGATE RECOVERY SUMMARY
Chlorinated Herbicides by GC

Analysis Method: 8151A
Extraction Method: Method

Sample Name	Lab Code	DCAA
		10 - 151
12541 SB01 (1-2)	R2510158-001	57
12541 SB02 (3-4)	R2510158-002	64
12541 SB03 (5-6)	R2510158-003	59
Method Blank	RQ2511241-01	54
Lab Control Sample	RQ2511241-02	54
Duplicate Lab Control Sample	RQ2511241-03	62

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511241-01

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	10 U	10	1	08/27/25 01:59	8/25/25	
2,4,5-TP	10 U	10	1	08/27/25 01:59	8/25/25	
2,4-D	10 U	10	1	08/27/25 01:59	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	54	10 - 151	08/27/25 01:59	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 12541_Dresden
Sample Matrix: Soil

Service Request: R2510158
Date Analyzed: 08/27/25

Duplicate Lab Control Sample Summary
Chlorinated Herbicides by GC

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511241-02					RQ2511241-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
2,4,5-T	8151A	17.4	25.1	69	19.2	24.8	78	19-127	10	30
2,4,5-TP	8151A	14.1	25.1	56	16.2	24.8	65	18-122	14	30
2,4-D	8151A	13.6	25.1	54	15.0	24.8	61	31-119	10	30



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2163170

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3405747

General Chemistry Parameters

MB	CLIENT ID: Method Blank	Lab ID: QC-2163170-001
-----------	--------------------------------	-------------------------------

Method: EPA 9056A **Dilution:** 1 **Analysis Date:** 08/15/25 17:43
Prep Date: 08/15/25 15:57

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Chloride	ND	mg/kg	10.0							

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2163170-002
------------	---	-------------------------------

Method: EPA 9056A **Dilution:** 1 **Analysis Date:** 08/15/25 17:53
Prep Date: 08/15/25 15:57

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Chloride	96.0	mg/kg	10.0	100		96.0	87-110			

The following samples were analyzed in this batch: HN2511331-001, HN2511331-002, HN2511331-003



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2164274

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3406746

General Chemistry Parameters

MB	CLIENT ID: Method Blank	Lab ID: QC-2164274-001
-----------	--------------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 08/16/25 14:40
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	ND	%	0.1							

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2164274-002
------------	---	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 08/16/25 14:40
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	100	%	0.1	100		100.0	98-102			

DUP	CLIENT ID: 12541 SB01 (1-2)	Lab ID: QC-2164274-004
------------	------------------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 08/16/25 14:40
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	16.8	%	0.1		18.4			8.93	10	

The following samples were analyzed in this batch: HN2511331-001, HN2511331-002, HN2511331-003

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2165859

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3410807

Metals

MB	CLIENT ID: Method Blank	Lab ID: QC-2165859-001
-----------	--------------------------------	-------------------------------

Method: EPA 6020B

Dilution: 1

Analysis Date: 08/18/25 20:30

Prep Date: 08/18/25 09:55

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	ND	mg/kg	0.250							
Barium	ND	mg/kg	0.250							
Cadmium	ND	mg/kg	0.100							
Chromium	ND	mg/kg	0.250							
Copper	ND	mg/kg	0.250							
Lead	ND	mg/kg	0.250							
Selenium	ND	mg/kg	0.250							
Silver	ND	mg/kg	0.250							
Zinc	ND	mg/kg	0.500							

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2165859-002
------------	---	-------------------------------

Method: EPA 6020B

Dilution: 1

Analysis Date: 08/18/25 20:32

Prep Date: 08/18/25 09:55

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	4.62	mg/kg	0.250	5		92.4	80-120			
Barium	4.63	mg/kg	0.250	5		92.6	80-120			
Cadmium	5.04	mg/kg	0.100	5		101	80-120			
Chromium	4.91	mg/kg	0.250	5		98.2	80-120			
Lead	4.91	mg/kg	0.250	5		98.3	80-120			
Selenium	4.88	mg/kg	0.250	5		97.7	80-120			
Zinc	5.20	mg/kg	0.500	5		104	80-120			

The following samples were analyzed in this batch: HN2511331-001, HN2511331-002, HN2511331-003



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2165859

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3413394

Metals

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2165859-002
------------	---	-------------------------------

Method: EPA 6020B**Dilution:** 1**Analysis Date:** 08/19/25 16:55**Prep Date:** 08/18/25 09:55

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Copper	5.08	mg/kg	0.250	5		102	80-120			
Silver	5.07	mg/kg	0.250	5		101	80-120			

The following samples were analyzed in this batch: HN2511331-001, HN2511331-002, HN2511331-003

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2167746

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3416298

Metals

MB	CLIENT ID: Method Blank	Lab ID: QC-2167746-001
-----------	--------------------------------	-------------------------------

Method: EPA 7471B **Dilution:** 1 **Analysis Date:** 08/20/25 08:55
Prep Date: 08/20/25 08:19

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Mercury	ND	mg/kg	0.0200							

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2167746-002
------------	---	-------------------------------

Method: EPA 7471B **Dilution:** 1 **Analysis Date:** 08/20/25 08:57
Prep Date: 08/20/25 08:19

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Mercury	0.156	mg/kg	0.0200	0.1665		93.6	80-120			

The following samples were analyzed in this batch: HN2511331-001, HN2511331-002, HN2511331-003



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2166547

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3416493

Volatile Organic Compounds by GC-MS

MB	CLIENT ID: Method Blank	Lab ID: QC-2166547-001
----	-------------------------	------------------------

Method: EPA 8260D

Dilution: 1

Analysis Date: 08/20/25 01:20

Prep Date: 08/18/25 14:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/kg	30.0							
1,1,2,2-Tetrachloroethane	ND	µg/kg	30.0							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	µg/kg	30.0							
1,1,2-Trichloroethane	ND	µg/kg	30.0							
1,1-Dichloroethane	ND	µg/kg	30.0							
1,1-Dichloroethylene	ND	µg/kg	30.0							
1,2,3-Trichlorobenzene	ND	µg/kg	100							
1,2,3-Trichloropropane	ND	µg/kg	30.0							
1,2,4-Trichlorobenzene	ND	µg/kg	100							
1,2,4-Trimethylbenzene	ND	µg/kg	30.0							
1,2-Dibromo-3-chloropropane (DBCP)	ND	µg/kg	100							
1,2-Dibromoethane (EDB, Ethylene dibromide)	ND	µg/kg	30.0							
1,2-Dichlorobenzene (o-Dichlorobenzene)	ND	µg/kg	30.0							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/kg	100							
1,2-Dichloropropane	ND	µg/kg	30.0							
1,3,5-Trimethylbenzene	ND	µg/kg	100							
1,3-Dichlorobenzene (m-Dichlorobenzene)	ND	µg/kg	30.0							
1,3-Dichloropropene	ND	µg/kg	60.0							
1,4-Dichlorobenzene (p-Dichlorobenzene)	ND	µg/kg	30.0							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/kg	200							
2-Hexanone	ND	µg/kg	30.0							
4-Methyl-2-pentanone (MIBK)	ND	µg/kg	30.0							
Acetone	ND	µg/kg	100							
Benzene	ND	µg/kg	30.0							
Bromochloromethane	ND	µg/kg	30.0							
Bromodichloromethane	ND	µg/kg	30.0							
Bromoform	ND	µg/kg	30.0							
Carbon disulfide	ND	µg/kg	30.0							
Carbon tetrachloride	ND	µg/kg	30.0							
Chlorobenzene	ND	µg/kg	30.0							
Chlorodibromomethane	ND	µg/kg	30.0							
Chloroethane (Ethyl chloride)	ND	µg/kg	100							
Chloroform	ND	µg/kg	30.0							
cis & trans-1,2-Dichloroethene	ND	µg/kg	60.0							
cis-1,2-Dichloroethylene	ND	µg/kg	30.0							
cis-1,3-Dichloropropene	ND	µg/kg	30.0							
Cyclohexane	ND	µg/kg	100							
Dichlorodifluoromethane (Freon-12)	ND	µg/kg	100							

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2166547

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3416493

MB	CLIENT ID: Method Blank	Lab ID: QC-2166547-001
----	-------------------------	------------------------

Method: EPA 8260D

Dilution: 1

Analysis Date: 08/20/25 01:20

Prep Date: 08/18/25 14:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Ethylbenzene	ND	µg/kg	30.0							
Isopropylbenzene	ND	µg/kg	30.0							
m+p-Xylene	ND	µg/kg	60.0							
Methyl acetate	ND	µg/kg	250							
Methyl bromide (Bromomethane)	ND	µg/kg	100							
Methyl chloride (Chloromethane)	ND	µg/kg	100							
Methyl tert-butyl ether (MTBE)	ND	µg/kg	30.0							
Methylcyclohexane	ND	µg/kg	30.0							
Methylene chloride (Dichloromethane)	ND	µg/kg	250							
o-Xylene	ND	µg/kg	30.0							
Styrene	ND	µg/kg	30.0							
Tetrachloroethylene (Perchloroethylene)	ND	µg/kg	30.0							
Toluene	ND	µg/kg	30.0							
Total Xylene	ND	µg/kg	90.0							
trans-1,2-Dichloroethylene	ND	µg/kg	30.0							
trans-1,3-Dichloropropylene	ND	µg/kg	30.0							
Trichloroethene (Trichloroethylene)	ND	µg/kg	30.0							
Trichlorofluoromethane	ND	µg/kg	30.0							
(Fluorotrichloromethane, Freon 11)										
Vinyl chloride (Chloroethene)	ND	µg/kg	30.0							
Surr: 1,2-Dichloroethane-d4	950	µg/kg		1000		95.0	80-120			
Surr: 4-Bromofluorobenzene	986	µg/kg		1000		98.6	80-120			
Surr: Dibromofluoromethane	906	µg/kg		1000		90.6	72-120			
Surr: Toluene-d8	1000	µg/kg		1000		100	80-120			

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2166547-002
-----	--------------------------------------	------------------------

Method: EPA 8260D

Dilution: 1

Analysis Date: 08/20/25 00:25

Prep Date: 08/18/25 14:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	958	µg/kg	30.0	1000		95.8	75-121			
1,1,2,2-Tetrachloroethane	1000	µg/kg	30.0	1000		100	79-125			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	1030	µg/kg	30.0	1000		103	62-129			
1,1,2-Trichloroethane	1010	µg/kg	30.0	1000		101	80-123			
1,1-Dichloroethane	930	µg/kg	30.0	1000		93.0	74-124			
1,1-Dichloroethylene	939	µg/kg	30.0	1000		93.9	68-131			
1,2,3-Trichlorobenzene	1030	µg/kg	100	1000		103	60-135			
1,2,3-Trichloropropane	1010	µg/kg	30.0	1000		101	77-121			
1,2,4-Trichlorobenzene	991	µg/kg	100	1000		99.1	63-130			
1,2,4-Trimethylbenzene	1100	µg/kg	30.0	1000		110	64-126			
1,2-Dibromo-3-chloropropane (DBCP)	850	µg/kg	100	1000		85.0	55-135			
1,2-Dibromoethane (EDB, Ethylene dibromide)	976	µg/kg	30.0	1000		97.6	63-155			



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2166547

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3416493

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2166547-002
-----	--------------------------------------	------------------------

Method: EPA 8260D

Dilution: 1

Analysis Date: 08/20/25 00:25

Prep Date: 08/18/25 14:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,2-Dichlorobenzene (o-Dichlorobenzene)	1030	µg/kg	30.0	1000		103	77-122			
1,2-Dichloroethane (Ethylene dichloride)	1000	µg/kg	100	1000		100	70-130			
1,2-Dichloropropane	954	µg/kg	30.0	1000		95.4	71-130			
1,3,5-Trimethylbenzene	1080	µg/kg	100	1000		108	66-130			
1,3-Dichlorobenzene (m-Dichlorobenzene)	982	µg/kg	30.0	1000		98.2	78-121			
1,3-Dichloropropene	1750	µg/kg	60.0	2000		87.4	62-124			
1,4-Dichlorobenzene (p-Dichlorobenzene)	998	µg/kg	30.0	1000		99.8	78-122			
2-Butanone (Methyl ethyl ketone, MEK)	1070	µg/kg	200	1000		107	47-164			
2-Hexanone	1060	µg/kg	30.0	1000		106	70-137			
4-Methyl-2-pentanone (MIBK)	1490	µg/kg	30.0	1000		149	57-200			
Acetone	1600	µg/kg	100	1000		160	52-190			
Benzene	1010	µg/kg	30.0	1000		101	78-122			
Bromochloromethane	926	µg/kg	30.0	1000		92.6	68-130			
Bromodichloromethane	891	µg/kg	30.0	1000		89.1	75-125			
Bromoform	821	µg/kg	30.0	1000		82.1	59-120			
Carbon disulfide	858	µg/kg	30.0	1000		85.8	60-163			
Carbon tetrachloride	894	µg/kg	30.0	1000		89.4	69-123			
Chlorobenzene	1020	µg/kg	30.0	1000		102	79-120			
Chlorodibromomethane	814	µg/kg	30.0	1000		81.4	57-123			
Chloroethane (Ethyl chloride)	981	µg/kg	100	1000		98.1	38-132			
Chloroform	947	µg/kg	30.0	1000		94.7	72-122			
cis & trans-1,2-Dichloroethene	1890	µg/kg	60.0	2000		94.4	72-127			
cis-1,2-Dichloroethylene	953	µg/kg	30.0	1000		95.3	74-125			
cis-1,3-Dichloropropene	903	µg/kg	30.0	1000		90.3	62-124			
Dichlorodifluoromethane (Freon-12)	625	µg/kg	100	1000		62.5	28-137			
Ethylbenzene	998	µg/kg	30.0	1000		99.8	75-121			
Isopropylbenzene	1020	µg/kg	30.0	1000		102	74-121			
m+p-Xylene	2010	µg/kg	60.0	2000		100	67-129			
Methyl acetate	742	µg/kg	250	1000		74.2	61-125			
Methyl bromide (Bromomethane)	1260	µg/kg	100	1000		126	31-169			
Methyl chloride (Chloromethane)	776	µg/kg	100	1000		77.6	24-119			
Methyl tert-butyl ether (MTBE)	1080	µg/kg	30.0	1000		108	79-139			
Methylene chloride (Dichloromethane)	980	µg/kg	250	1000		98.0	62-135			
o-Xylene	1020	µg/kg	30.0	1000		102	75-120			
Styrene	1010	µg/kg	30.0	1000		101	74-126			
Tetrachloroethylene (Perchloroethylene)	988	µg/kg	30.0	1000		98.8	76-128			
Toluene	992	µg/kg	30.0	1000		99.2	76-120			
Total Xylene	3020	µg/kg	90.0	3000		101	67-129			
trans-1,2-Dichloroethylene	936	µg/kg	30.0	1000		93.6	72-127			
trans-1,3-Dichloropropylene	845	µg/kg	30.0	1000		84.5	66-120			
Trichloroethene (Trichloroethylene)	993	µg/kg	30.0	1000		99.3	75-122			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: 12541_Dresden
Matrix: SOIL/SOLID
QC Lot: 2166547

Work Order: HN2511331
Date Collected: NA
Date Received: NA
Run ID: 3416493

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2166547-002
------------	---	-------------------------------

Method: EPA 8260D

Dilution: 1

Analysis Date: 08/20/25 00:25

Prep Date: 08/18/25 14:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	842	µg/kg	30.0	1000		84.2	51-115			
Vinyl chloride (Chloroethene)	861	µg/kg	30.0	1000		86.1	43-128			
<i>Surr: 1,2-Dichloroethane-d4</i>	1000	µg/kg		1000		100	80-120			
<i>Surr: 4-Bromofluorobenzene</i>	1010	µg/kg		1000		101	80-120			
<i>Surr: Dibromofluoromethane</i>	1020	µg/kg		1000		102	72-120			
<i>Surr: Toluene-d8</i>	990	µg/kg		1000		99.0	80-120			

The following samples were analyzed in this batch: HN2511331-003



right solutions.
right partner.

October 22, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Re: **DETR0060**

Date Received: **10/14/2025**

Work Order: **HN2515198**

Dear Ryan,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Dale Schipper

/S/ DALE SCHIPPER

Project Manager



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2515198
Date Received: 14-Oct-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

1 soil/solid sample was received for analysis at ALS Environmental on 14-Oct-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Workorder: HN2515198

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2515198-001	12541 Dresden SB02 TCLP	SOIL/SOLID	10/13/25 09:02	10/14/25 07:00

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2515198
Date Collected: 10/13/25 09:02
Date Received: 10/14/25 07:00

CLIENT ID: 12541 Dresden SB02 TCLP	Lab ID: HN2515198-001
---	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
TCLP Metals								
Chromium	EPA 6020B	<0.00610	U	mg/L	0.0499	1	10/21/25 02:16	10/19/25 08:11



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2284412

Work Order: HN2515198
Date Collected: NA
Date Received: NA
Run ID: 3605054

TCLP Metals

MB	CLIENT ID: Method Blank	Lab ID: QC-2284412-001
-----------	--------------------------------	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/21/25 02:03
Prep Date: 10/19/25 08:12

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Chromium	<0.00610	mg/L	0.0499							U

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2284412-002
------------	---	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/21/25 02:05
Prep Date: 10/19/25 08:12

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Chromium	0.971	mg/L	0.0499	1		97.1	80-120			

The following samples were analyzed in this batch: HN2515198-001

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2515198

Sample Name: 12541 Dresden SB02 TCLP
Laboratory Code: HN2515198-001
Sample Matrix: SOIL/SOLID

Date Collected: 10/13/25
Date Received: 10/14/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 6020B	EPA 3015A	001-AD	2284412	Nicolee Allen	3605054	Stephanie Pierson



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information		Project Information						Parameter/Method Request for Analysis			
Purchase Order		Project Name	12541 Dresden				A	TCLP Chromium			
Work Order	Quote ID - 11631	Project Number	DETR0060				B				
Company Name	Mannik Smith Group	Bill To Company	Mannik Smith Group				C				
Send Report To	Ryan Montri	Invoice Attn.					D				
Address	2365 South Haggerty Road	Address	2365 South Haggerty Road				E				
City/State/Zip	Canton, Mi 48188	City/State/Zip	Canton, Mi 48188				F				
Phone	734-397-3100	Phone	734-397-3100				G				
Fax		Fax					H				
e-Mail Address	rmontri@manniksmithgroup.com	e-Mail Address					I				
						J					
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	Hold
1	12541 Dresden S302 TCLP	10/13/25	9:02	Soil		2	X				
2											
3											
4											
5											
6											
7											
8											
9											
10											
Sampler(s): Please Print & Sign <i>Shannon Hartzmanek</i>		Shipment Method:		Required Turnaround Time: ☐ STD 10 Wk Days ☒ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour			Results Due Date:				
Relinquished by: <i>Shannon Hartzmanek</i>	Date: 10/13/25	Time: 1547	Received by: <i>Colin</i>			Notes:					
Relinquished by: QS	Date: 10/14/25	Time: 0700	Received by (Laboratory): 10/14/25 Brittany H 0700			Cooler Temp. 127 37C					
Logged by (Laboratory): BH	Date: 10/14/25	Time: 10:06	Checked by (Laboratory):			QC Package: (Check Box Below) ☐ Level II: Standard QC ☐ TRRP-Checklist ☐ Level III: Std QC + Raw Data ☐ TRRP Level IV ☐ Level IV: SW846 CLP-Like Other:					
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035											

Environmental Division
Holland
Work Order Reference
HN2515198

Telephone : + 1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland Sample Receiving Checklist

Received by: Brittany H

Date/Time: 10/14/25 0700

Carrier Name: QS

Shipping container/cooler in good condition? (Yes) / No / Not Present

Custody seals intact on shipping container/cooler? Yes / No / ~~Not Present~~

Custody seals intact on sample bottles? Yes / No / ~~Not Present~~

Chain of Custody present? (Yes) / No

COC signed when relinquished and received? (Yes) / No

COC agrees with sample labels? (Yes) / No

Samples in proper container/bottle? (Yes) / No

Sample containers intact? (Yes) / No

Sufficient sample volume for indicated test? (Yes) / No

All samples received within holding time? (Yes) / No

Container/Temp Blank temperature in compliance? (Yes) / No

Temperature(s) (°C): 3.7/3.7c

Thermometer(s): 1R7

Sample(s) received on ice? (Yes) / No

Matrix/Matrices: Soil

Cooler(s)/Kit(s): 1

Date/Time sample(s) sent to storage: 10/14/25 10:06

Water – VOA vials have zero headspace? Yes / No / No Vials

Water – pH acceptable upon receipt? Yes / No / N/A

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)? Yes / No / N/A

pH adjusted by: _____

Login Notes:



right solutions.
right partner.

November 04, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Re: **DETR0060**

Date Received: **10/29/2025**

Work Order: **HN2516150**

Dear Ryan,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Kathy Jones-Gronda

/S/ KATHY JONES-GRONDA

Project Manager



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2516150
Date Received: 29-Oct-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

1 soil/solid sample was received for analysis at ALS Environmental on 29-Oct-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Organics

EPA 8270E-FULL HN-3546-S

Run ID: 3655130

The LCS result for Atrazine is unavailable due to exceeding the calibration range. The associated samples are non-detect; therefore, no qualification is necessary.

EPA 8081B-3546-S (High)

Run ID: 3641348

HN2516150-001: The reporting limit is elevated due to dilution needed to eliminate matrix-related interference, the sample results may be biased low.

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 12541 Dresden SB02(2-3')-R

Lab ID: HN2516150-001

Analyte	Results	Flag	MRL	Units	Method
Benzo(a)anthracene	517		369	µg/kg	EPA 8270E
Benzo(a)pyrene	627		369	µg/kg	EPA 8270E
Benzo(b)fluoranthene	701		369	µg/kg	EPA 8270E
Benzo(g,h,i)perylene	627		369	µg/kg	EPA 8270E
Fluoranthene	701		369	µg/kg	EPA 8270E
Indeno(1,2,3-cd) pyrene	517		369	µg/kg	EPA 8270E
Percent Moisture	10.0		0.1	%	EPA 3550C
Pyrene	701		369	µg/kg	EPA 8270E

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Workorder: HN2516150

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2516150-001	12541 Dresden SB02(2-3')-R	SOIL/SOLID	10/28/25 10:00	10/29/25 08:00



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1



Customer Information		Project Information					Parameter/Method Request for Analysis													
Purchase Order		Project Name	12541 DRESDEN					A	Pesticides (U.S. EPA Method 8081B (or Method 8081))											
Work Order		Project Number	DETR0060					B	Herbicides (U.S. EPA Method 8151A (or Method 8151))											
Company Name	The Mannik and Smith Group	Bill To Company	The Mannik and Smith Group					C	SVOCs (US EPA METH 8270D (or 8270))											
Send Report To	Ryan Montri	Invoice Attn.						D												
Address	2365 Haggerty Rd South Suite 100	Address	2365 Haggerty Rd South Suite 100					E												
								F												
City/State/Zip	Canton, MI 48188	City/State/Zip	Canton, MI 48188					G												
Phone	734-397-3100	Phone	734-397-3100					H												
Fax		Fax						I												
e-Mail Address	RMontri@manniksmithgroup.com	e-Mail Address						J												

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	12541 DRESDEN SB02(2-3')-R	10/28/25	1000	S	NA	1	X	X	X								
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Environmental Division
Holland
Work Order Reference
HN2516150



Telephone : +1 616 399 6070

Sampler(s): Please Print & Sign WILEY DAVENPORT		Shipment Method:		Required Turnaround Time: ☐ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour ☒ Other: 72 hours		Quote# HN-061825-M&S-MA	
Relinquished by: WILEY DAVENPORT	Date: 10/28/25	Time: 1617	Received by: 		Notes:		
Relinquished by: 	Date: 10/28/25	Time: 1617	Received by (Laboratory): DS		Cooler Temp. 3.4		
Logged by (Laboratory): 	Date: 10.24.25	Time: 800	Checked by (Laboratory):		QC Package: (Check Box Below)		
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035					☐ Level II: Standard QC		TRRP-Checklist
					☐ Level III: Std QC + Raw Data		TRRP Level IV
					☐ Level IV: SW846 CLP-Like		
					Other:		

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.

Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland
3352 128th Ave., Holland MI 49424

ALS Holland Sample Receiving Checklist

Received by: _____

Date/Time: _____

Carrier Name: _____

Shipping container/cooler in good condition?

Yes / No / Not Present

Custody seals intact on shipping container/cooler?

Yes / No / Not Present

Custody seals intact on sample bottles?

Yes / No / Not Present

Chain of Custody present?

Yes / No

COC signed when relinquished and received?

Yes / No

COC agrees with sample labels?

Yes / No

Samples in proper container/bottle?

Yes / No

Sample containers intact?

Yes / No

Sufficient sample volume for indicated test?

Yes / No

All samples received within holding time?

Yes / No

Container/Temp Blank temperature in compliance?

Yes / No

Temperature(s) (°C): _____

Thermometer(s): _____

Sample(s) received on ice?

Yes / No

Matrix/Matrices: _____

Cooler(s)/Kit(s): _____

Date/Time sample(s) sent to storage: _____

Water – VOA vials have zero headspace?

Yes / No / No Vials

Water – pH acceptable upon receipt?

Yes / No / N/A

pH strip lot #: _____

< 2 _____

> 12 _____

Other _____

pH adjusted (note adjustments below)?

Yes / No / N/A

pH adjusted by: _____

Login Notes: _____

HN-SHT-160-R01, Sample Receipt Checklist

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2516150

Sample Name: 12541 Dresden SB02(2-3')-R
Laboratory Code: HN2516150-001
Sample Matrix: SOIL/SOLID

Date Collected: 10/28/25
Date Received: 10/29/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		001-AA	2305586		3636414	Nicole Maleski
EPA 8081B	EPA 3546	001-AA	2305050	Mya Harmer	3641348	Madison VandenBer
EPA 8151A	Method	001-AA	2309163	Sam Bruzan	3642247	Kathy Malmyga
EPA 8270E	EPA 3546	001-AA	2305039	Erin Wall	3655130	Erin Wall

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516150
Date Collected: 10/28/25 10:00
Date Received: 10/29/25 08:00

CLIENT ID: 12541 Dresden SB02(2-3')-R

Lab ID: HN2516150-001

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Chlorinated Herbicides by GC/ECD								
2,4,5-T	EPA 8151A	<2.47	U	µg/kg	13.4	1	10/30/25 20:16	10/29/25 10:50
2,4,5-TP (Silvex)	EPA 8151A	<4.41	U	µg/kg	13.4	1	10/30/25 20:16	10/29/25 10:50
2,4-D	EPA 8151A	<7.18	U	µg/kg	26.9	1	10/30/25 20:16	10/29/25 10:50
Surr: DCAA	EPA 8151A	58.0		%REC	10-116	1	10/30/25 20:16	10/29/25 10:50
General Chemistry Parameters								
Percent Moisture	EPA 3550C	10.0		%	0.1	1	10/29/25 13:57	NA
Organochlorine Pesticides by GC/ECD								
4,4'-DDD	EPA 8081B	<70.5	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
4,4'-DDE	EPA 8081B	<72.7	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
4,4'-DDT	EPA 8081B	<73.4	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Aldrin	EPA 8081B	<71.7	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
alpha-BHC	EPA 8081B	<72.6	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
beta-BHC	EPA 8081B	<72.4	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Chlordane, Technical	EPA 8081B	<109	U	µg/kg	276	10	10/30/25 03:27	10/29/25 11:36
cis-Chlordane	EPA 8081B	<73.7	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
delta-BHC	EPA 8081B	<72.2	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Dieldrin	EPA 8081B	<77.2	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endosulfan I	EPA 8081B	<74.1	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endosulfan II	EPA 8081B	<73.1	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endosulfan sulfate	EPA 8081B	<67.9	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endrin	EPA 8081B	<89.3	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endrin aldehyde	EPA 8081B	<69.9	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Endrin ketone	EPA 8081B	<67.1	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
gamma-BHC (Lindane)	EPA 8081B	<72.4	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Heptachlor	EPA 8081B	<71.2	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Heptachlor epoxide	EPA 8081B	<73.0	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Methoxychlor	EPA 8081B	<73.8	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36
Toxaphene	EPA 8081B	<119	U	µg/kg	662	10	10/30/25 03:27	10/29/25 11:36
trans-Chlordane	EPA 8081B	<73.3	U	µg/kg	110	10	10/30/25 03:27	10/29/25 11:36

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516150
Date Collected: 10/28/25 10:00
Date Received: 10/29/25 08:00

CLIENT ID: 12541 Dresden SB02(2-3')-R

Lab ID: HN2516150-001

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
<i>Surr: Decachlorobiphenyl</i>	EPA 8081B	54.0		%REC	53-151	10	10/30/25 03:27	10/29/25 11:36
<i>Surr: Tetrachloro-m-xylene</i>	EPA 8081B	43.5	S	%REC	67-127	10	10/30/25 03:27	10/29/25 11:36

Semivolatile Organic Compounds by GC-MS

1,1'-Biphenyl (BZ-0)	EPA 8270E	<299	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
1,2,4,5-Tetrachlorobenzene	EPA 8270E	<426	U	µg/kg	18400	50	10/31/25 21:30	10/29/25 13:49
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8270E	<1320	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
1-Methylnaphthalene	EPA 8270E	<266	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl) ether	EPA 8270E	<432	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,3,4,6-Tetrachlorophenol	EPA 8270E	<1350	U	µg/kg	3690	50	10/31/25 21:30	10/29/25 13:49
2,4,5-Trichlorophenol	EPA 8270E	<1090	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,4,6-Trichlorophenol	EPA 8270E	<491	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,4-Dichlorophenol	EPA 8270E	<993	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,4-Dimethylphenol	EPA 8270E	<949	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,4-Dinitrophenol	EPA 8270E	<13500	U	µg/kg	18400	50	10/31/25 21:30	10/29/25 13:49
2,4-Dinitrotoluene (2,4-DNT)	EPA 8270E	<1200	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2,6-Dinitrotoluene (2,6-DNT)	EPA 8270E	<471	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2-Chloronaphthalene	EPA 8270E	<258	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
2-Chlorophenol	EPA 8270E	<1210	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	EPA 8270E	<1540	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2-Methylnaphthalene	EPA 8270E	<188	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
2-Methylphenol (o-Cresol)	EPA 8270E	<499	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2-Nitroaniline	EPA 8270E	<1020	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
2-Nitrophenol	EPA 8270E	<526	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
3&4-Methylphenol	EPA 8270E	<1010	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
3,3'-Dichlorobenzidine	EPA 8270E	<861	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
3-Nitroaniline	EPA 8270E	<1070	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
4-Bromophenyl phenyl ether (BDE-3)	EPA 8270E	<1010	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516150
Date Collected: 10/28/25 10:00
Date Received: 10/29/25 08:00

CLIENT ID: 12541 Dresden SB02(2-3')-R

Lab ID: HN2516150-001

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
4-Chloro-3-methylphenol	EPA 8270E	<526	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
4-Chloroaniline	EPA 8270E	<938	U	µg/kg	3690	50	10/31/25 21:30	10/29/25 13:49
4-Chlorophenyl phenylether	EPA 8270E	<510	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
4-Nitroaniline	EPA 8270E	<2860	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
4-Nitrophenol	EPA 8270E	<4320	U	µg/kg	18400	50	10/31/25 21:30	10/29/25 13:49
Acenaphthene	EPA 8270E	<267	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Acenaphthylene	EPA 8270E	<320	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Acetophenone	EPA 8270E	<289	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Anthracene	EPA 8270E	<260	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Atrazine	EPA 8270E	<1080	SU	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Benzaldehyde	EPA 8270E	<2830	U	µg/kg	3690	50	10/31/25 21:30	10/29/25 13:49
Benzo(a)anthracene	EPA 8270E	517		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Benzo(a)pyrene	EPA 8270E	627		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Benzo(b)fluoranthene	EPA 8270E	701		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Benzo(g,h,i)perylene	EPA 8270E	627		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Benzo(k)fluoranthene	EPA 8270E	<280	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
bis(2-Chloroethoxy) methane	EPA 8270E	<1170	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
bis(2-Chloroethyl) ether	EPA 8270E	<523	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Butyl benzyl phthalate	EPA 8270E	<2310	U	µg/kg	3690	50	10/31/25 21:30	10/29/25 13:49
Caprolactam	EPA 8270E	<1670	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Carbazole	EPA 8270E	<544	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Chrysene	EPA 8270E	<298	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl) phthalate, DEHP)	EPA 8270E	<1530	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Dibenz(a,h) anthracene	EPA 8270E	<199	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Dibenzofuran	EPA 8270E	<271	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Diethyl phthalate	EPA 8270E	<628	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Dimethyl phthalate	EPA 8270E	<360	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Fluoranthene	EPA 8270E	701		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Fluorene	EPA 8270E	<268	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Hexachlorobenzene	EPA 8270E	<537	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516150
Date Collected: 10/28/25 10:00
Date Received: 10/29/25 08:00

CLIENT ID: 12541 Dresden SB02(2-3')-R

Lab ID: HN2516150-001

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Hexachlorobutadiene	EPA 8270E	<435	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Hexachlorocyclopentadiene	EPA 8270E	<1750	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Hexachloroethane	EPA 8270E	<764	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Indeno(1,2,3-cd) pyrene	EPA 8270E	517		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Isophorone	EPA 8270E	<360	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
Methylphenol, Total	EPA 8270E	<499	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Naphthalene	EPA 8270E	<236	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Nitrobenzene	EPA 8270E	<620	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
n-Nitrosodi-n-propylamine	EPA 8270E	<304	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
N-Nitrosodiphenylamine	EPA 8270E	<1070	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Pentachlorophenol	EPA 8270E	<1470	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Phenanthrene	EPA 8270E	<172	U	µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Phenol	EPA 8270E	<927	U	µg/kg	1830	50	10/31/25 21:30	10/29/25 13:49
Pyrene	EPA 8270E	701		µg/kg	369	50	10/31/25 21:30	10/29/25 13:49
Pyridine	EPA 8270E	<3630	U	µg/kg	9230	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: 2,4,6-Tribromophenol</i>	<i>EPA 8270E</i>	73.0		%REC	48-94	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: 2-Fluorobiphenyl</i>	<i>EPA 8270E</i>	89.0		%REC	50-103	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: 2-Fluorophenol</i>	<i>EPA 8270E</i>	69.0		%REC	43-105	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: 4-Terphenyl-d14</i>	<i>EPA 8270E</i>	93.0		%REC	55-111	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: Nitrobenzene-d5</i>	<i>EPA 8270E</i>	70.0		%REC	47-100	50	10/31/25 21:30	10/29/25 13:49
<i>Surr: Phenol-d6</i>	<i>EPA 8270E</i>	73.0		%REC	49-110	50	10/31/25 21:30	10/29/25 13:49



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2309163

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3642247

Chlorinated Herbicides by GC/ECD

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2309163-002
------------	---	-------------------------------

Method: EPA 8151A **Dilution:** 1 **Analysis Date:** 10/30/25 16:49
Prep Date: 10/29/25 10:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-T	30.0	µg/kg	5.00	50		60.0	10-119			
2,4,5-TP (Silvex)	29.0	µg/kg	5.00	50		58.0	10-101			
2,4-D	26.0	µg/kg	10.0	50		52.0	10-128			
Surr: DCAA	27.0	µg/kg		50		54.0	10-116			

MS	CLIENT ID: Batch QC	Lab ID: QC-2309163-005
-----------	----------------------------	-------------------------------

Method: EPA 8151A **Dilution:** 1 **Analysis Date:** 10/30/25 17:02
Prep Date: 10/29/25 10:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-T	74.5	µg/kg	14.5	124.22	<2.29	60.0	10-119			
2,4,5-TP (Silvex)	72.0	µg/kg	14.5	124.22	<4.07	58.0	10-101			
2,4-D	72.0	µg/kg	29.0	124.22	<6.63	58.0	10-128			
Surr: DCAA	77.0	µg/kg		124.22		62.0	10-116			

MSD	CLIENT ID: Batch QC	Lab ID: QC-2309163-006
------------	----------------------------	-------------------------------

Method: EPA 8151A **Dilution:** 1 **Analysis Date:** 10/30/25 17:15
Prep Date: 10/29/25 10:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-T	67.3	µg/kg	14.6	124.69	<2.29	54.0	10-119	10.2	30	
2,4,5-TP (Silvex)	64.8	µg/kg	14.6	124.69	<4.09	52.0	10-101	10.5	30	
2,4-D	67.3	µg/kg	29.1	124.69	<6.66	54.0	10-128	6.77	30	
Surr: DCAA	67.3	µg/kg		124.69		54.0	10-116	13.4	30	

MB	CLIENT ID: Method Blank	Lab ID: QC-MRG2-2309163001
-----------	--------------------------------	-----------------------------------

Method: EPA 8151A **Dilution:** 1 **Analysis Date:** 10/30/25 16:36
Prep Date: 10/29/25 10:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-T	<0.920	µg/kg	5.00							U
2,4,5-TP (Silvex)	<1.64	µg/kg	5.00							U
2,4-D	<2.67	µg/kg	10.0							U
Surr: DCAA	30.0	µg/kg		50		60.0	10-116			

The following samples were analyzed in this batch: HN2516150-001



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305586

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3636414

General Chemistry Parameters

MB	CLIENT ID: Method Blank	Lab ID: QC-2305586-001
-----------	--------------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	<0.1	%	0.1							U

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305586-002
------------	---	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	100	%	0.1	100		100.0	98-102			

DUP	CLIENT ID: Batch QC	Lab ID: QC-2305586-004
------------	----------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	18.3	%	0.1		17.3			6.01	10	

The following samples were analyzed in this batch: HN2516150-001



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305050

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3641348

Organochlorine Pesticides by GC/ECD

MB	CLIENT ID: Method Blank	Lab ID: QC-2305050-001
----	-------------------------	------------------------

Method: EPA 8081B

Dilution: 1

Analysis Date: 10/29/25 23:02

Prep Date: 10/29/25 11:37

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
4,4'-DDD	<6.39	µg/kg	10.0							U
4,4'-DDE	<6.59	µg/kg	10.0							U
4,4'-DDT	<6.65	µg/kg	10.0							U
Aldrin	<6.50	µg/kg	10.0							U
alpha-BHC	<6.58	µg/kg	10.0							U
beta-BHC	<6.57	µg/kg	10.0							U
Chlordane, Technical	<9.92	µg/kg	25.0							U
cis-Chlordane	<6.68	µg/kg	10.0							U
delta-BHC	<6.55	µg/kg	10.0							U
Dieldrin	<6.99	µg/kg	10.0							U
Endosulfan I	<6.72	µg/kg	10.0							U
Endosulfan II	<6.62	µg/kg	10.0							U
Endosulfan sulfate	<6.15	µg/kg	10.0							U
Endrin	<8.09	µg/kg	10.0							U
Endrin aldehyde	<6.34	µg/kg	10.0							U
Endrin ketone	<6.08	µg/kg	10.0							U
gamma-BHC (Lindane)	<6.56	µg/kg	10.0							U
Heptachlor	<6.45	µg/kg	10.0							U
Heptachlor epoxide	<6.62	µg/kg	10.0							U
Methoxychlor	<6.69	µg/kg	10.0							U
Toxaphene	<10.8	µg/kg	60.0							U
trans-Chlordane	<6.64	µg/kg	10.0							U
Surr: Decachlorobiphenyl	35.8	µg/kg		33.33		107	53-151			
Surr: Tetrachloro-m-xylene	28.7	µg/kg		33.33		86.2	67-127			

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305050-002
-----	--------------------------------------	------------------------

Method: EPA 8081B

Dilution: 1

Analysis Date: 10/29/25 23:14

Prep Date: 10/29/25 11:37

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
4,4'-DDD	27.5	µg/kg	10.0	33.33		82.6	55-141			
4,4'-DDE	29.8	µg/kg	10.0	33.33		89.5	55-143			
4,4'-DDT	34.7	µg/kg	10.0	33.33		104	50-144			
Aldrin	30.6	µg/kg	10.0	33.33		91.7	57-141			
alpha-BHC	30.4	µg/kg	10.0	33.33		91.2	58-144			
beta-BHC	30.4	µg/kg	10.0	33.33		91.2	55-147			
cis-Chlordane	30.0	µg/kg	10.0	33.33		90.2	58-142			
delta-BHC	24.8	µg/kg	10.0	33.33		74.4	59-142			
Dieldrin	30.7	µg/kg	10.0	33.33		92.1	59-142			
Endosulfan I	29.2	µg/kg	10.0	33.33		87.8	57-145			
Endosulfan II	29.2	µg/kg	10.0	33.33		87.8	58-138			
Endosulfan sulfate	28.3	µg/kg	10.0	33.33		85.0	54-136			
Endrin	34.8	µg/kg	10.0	33.33		104	45-150			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305050

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3641348

LCS		CLIENT ID: Laboratory Control Sample				Lab ID: QC-2305050-002			
Method: EPA 8081B		Dilution: 1		Analysis Date: 10/29/25 23:14		Prep Date: 10/29/25 11:37			
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit Qual
Endrin aldehyde	36.8	µg/kg	10.0	33.33		111	41-147		
Endrin ketone	27.6	µg/kg	10.0	33.33		82.7	54-146		
gamma-BHC (Lindane)	30.6	µg/kg	10.0	33.33		91.9	58-145		
Heptachlor	31.8	µg/kg	10.0	33.33		95.3	51-145		
Heptachlor epoxide	30.7	µg/kg	10.0	33.33		92.1	59-143		
Methoxychlor	33.4	µg/kg	10.0	33.33		100	43-144		
trans-Chlordane	30.0	µg/kg	10.0	33.33		90.0	56-145		
Surr: Decachlorobiphenyl	29.8	µg/kg		33.33		89.3	51-151		
Surr: Tetrachloro-m-xylene	25.8	µg/kg		33.33		77.4	67-127		

The following samples were analyzed in this batch: HN2516150-001



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

Semivolatile Organic Compounds by GC-MS

MB	CLIENT ID: Method Blank	Lab ID: QC-2305039-001
----	-------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:24

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	<5.41	µg/kg	33.0							U
1,2,4,5-Tetrachlorobenzene	<7.69	µg/kg	333							U
1,4-Dioxane (1,4- Diethyleneoxide)	<23.9	µg/kg	167							U
1-Methylnaphthalene	<4.80	µg/kg	6.67							U
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	<7.81	µg/kg	33.0							U
2,3,4,6-Tetrachlorophenol	<24.4	µg/kg	67.0							U
2,4,5-Trichlorophenol	<19.8	µg/kg	33.0							U
2,4,6-Trichlorophenol	<8.87	µg/kg	33.0							U
2,4-Dichlorophenol	<17.9	µg/kg	33.0							U
2,4-Dimethylphenol	<17.1	µg/kg	33.0							U
2,4-Dinitrophenol	<244	µg/kg	333							U
2,4-Dinitrotoluene (2,4-DNT)	<21.6	µg/kg	33.0							U
2,6-Dinitrotoluene (2,6-DNT)	<8.51	µg/kg	33.0							U
2-Chloronaphthalene	<4.66	µg/kg	6.67							U
2-Chlorophenol	<21.8	µg/kg	33.0							U
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<27.8	µg/kg	33.0							U
2-Methylnaphthalene	<3.39	µg/kg	6.67							U
2-Methylphenol (o-Cresol)	<9.01	µg/kg	33.0							U
2-Nitroaniline	<18.5	µg/kg	33.0							U
2-Nitrophenol	<9.50	µg/kg	33.0							U
3&4-Methylphenol	<18.2	µg/kg	33.0							U
3,3'-Dichlorobenzidine	<15.6	µg/kg	167							U
3-Nitroaniline	<19.4	µg/kg	33.0							U
4-Bromophenyl phenyl ether (BDE-3)	<18.3	µg/kg	33.0							U
4-Chloro-3-methylphenol	<9.50	µg/kg	33.0							U
4-Chloroaniline	<16.9	µg/kg	67.0							U
4-Chlorophenyl phenylether	<9.21	µg/kg	33.0							U
4-Nitroaniline	<51.7	µg/kg	167							U
4-Nitrophenol	<78.1	µg/kg	333							U
Acenaphthene	<4.82	µg/kg	6.67							U
Acenaphthylene	<5.78	µg/kg	6.67							U
Acetophenone	<5.22	µg/kg	33.0							U
Anthracene	<4.70	µg/kg	6.67							U
Atrazine	<19.5	µg/kg	33.0							U
Benzaldehyde	<51.2	µg/kg	67.0							U
Benzo(a)anthracene	<5.76	µg/kg	6.67							U
Benzo(a)pyrene	<4.09	µg/kg	6.67							U
Benzo(b)fluoranthene	<4.97	µg/kg	6.67							U
Benzo(g,h,i)perylene	<5.11	µg/kg	6.67							U
Benzo(k)fluoranthene	<5.05	µg/kg	6.67							U
bis(2-Chloroethoxy)methane	<21.1	µg/kg	33.0							U
bis(2-Chloroethyl) ether	<9.44	µg/kg	33.0							U

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

MB	CLIENT ID: Method Blank	Lab ID: QC-2305039-001
----	-------------------------	------------------------

Method: EPA 8270E**Dilution:** 1**Analysis Date:** 10/31/25 11:24**Prep Date:** 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Butyl benzyl phthalate	<41.7	µg/kg	67.0							U
Caprolactam	<30.1	µg/kg	33.0							U
Carbazole	<9.82	µg/kg	33.0							U
Chrysene	<5.39	µg/kg	6.67							U
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	<27.6	µg/kg	33.0							U
Dibenz(a,h) anthracene	<3.60	µg/kg	33.0							U
Dibenzofuran	<4.90	µg/kg	33.0							U
Diethyl phthalate	<11.3	µg/kg	33.0							U
Dimethyl phthalate	<6.50	µg/kg	33.0							U
Fluoranthene	<3.20	µg/kg	6.67							U
Fluorene	<4.84	µg/kg	6.67							U
Hexachlorobenzene	<9.70	µg/kg	33.0							U
Hexachlorobutadiene	<7.85	µg/kg	33.0							U
Hexachlorocyclopentadiene	<31.6	µg/kg	33.0							U
Hexachloroethane	<13.8	µg/kg	33.0							U
Indeno(1,2,3-cd) pyrene	<4.64	µg/kg	6.67							U
Isophorone	<6.51	µg/kg	167							U
Methylphenol, Total	<9.01	µg/kg	67.0							U
Naphthalene	<4.26	µg/kg	6.67							U
Nitrobenzene	<11.2	µg/kg	167							U
n-Nitrosodi-n-propylamine	<5.50	µg/kg	33.0							U
N-Nitrosodiphenylamine	<19.3	µg/kg	33.0							U
Pentachlorophenol	<26.5	µg/kg	33.0							U
Phenanthrene	<3.10	µg/kg	6.67							U
Phenol	<16.7	µg/kg	33.0							U
Pyrene	<3.33	µg/kg	6.67							U
Pyridine	<65.6	µg/kg	167							U
Surr: 2,4,6-Tribromophenol	2610	µg/kg		3333		78.4	48-94			
Surr: 2-Fluorobiphenyl	2550	µg/kg		3333		76.6	50-103			
Surr: 2-Fluorophenol	2670	µg/kg		3333		80.0	43-105			
Surr: 4-Terphenyl-d14	2660	µg/kg		3333		79.9	55-111			
Surr: Nitrobenzene-d5	2260	µg/kg		3333		67.8	47-100			
Surr: Phenol-d6	2670	µg/kg		3333		80.1	49-110			

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
-----	--------------------------------------	------------------------

Method: EPA 8270E**Dilution:** 1**Analysis Date:** 10/31/25 11:45**Prep Date:** 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1100	µg/kg	33.0	1333		82.9	57-101			
1,2,4,5-Tetrachlorobenzene	1090	µg/kg	33.0	1333		81.4	54-98			
1-Methylnaphthalene	1100	µg/kg	6.67	1333		82.5	56-100			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1010	µg/kg	33.0	1333		75.5	50-101			
2,3,4,6-Tetrachlorophenol	1150	µg/kg	67.0	1333		86.0	48-103			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
-----	--------------------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:45

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-Trichlorophenol	1130	µg/kg	33.0	1333		84.8	54-98			
2,4,6-Trichlorophenol	1140	µg/kg	33.0	1333		85.5	56-97			
2,4-Dichlorophenol	1070	µg/kg	33.0	1333		80.6	54-99			
2,4-Dimethylphenol	919	µg/kg	33.0	1333		68.9	47-102			
2,4-Dinitrophenol	967	µg/kg	333	1333		72.6	10-100			
2,4-Dinitrotoluene (2,4-DNT)	1140	µg/kg	33.0	1333		85.5	62-105			
2,6-Dinitrotoluene (2,6-DNT)	1150	µg/kg	33.0	1333		86.5	62-103			
2-Chloronaphthalene	1100	µg/kg	6.67	1333		82.9	57-101			
2-Chlorophenol	1100	µg/kg	33.0	1333		82.3	52-102			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	1090	µg/kg	33.0	1333		82.0	42-104			
2-Methylnaphthalene	1090	µg/kg	6.67	1333		81.8	55-102			
2-Methylphenol (o-Cresol)	1090	µg/kg	33.0	1333		82.1	54-103			
2-Nitroaniline	1110	µg/kg	33.0	1333		83.6	57-103			
2-Nitrophenol	1140	µg/kg	33.0	1333		85.5	52-102			
3&4-Methylphenol	1090	µg/kg	33.0	1333		82.1	56-103			
3,3'-Dichlorobenzidine	825	µg/kg	167	1333		61.9	41-91			
3-Nitroaniline	837	µg/kg	33.0	1333		62.8	35-107			
4-Bromophenyl phenyl ether (BDE-3)	1120	µg/kg	33.0	1333		84.3	63-104			
4-Chloro-3-methylphenol	1110	µg/kg	33.0	1333		83.0	57-103			
4-Chloroaniline	1150	µg/kg	67.0	1333		86.0	32-99			
4-Chlorophenyl phenylether	1160	µg/kg	33.0	1333		86.8	62-100			
4-Nitroaniline	657	µg/kg	167	1333		49.3	19-124			
4-Nitrophenol	1030	µg/kg	333	1333		77.6	44-106			
Acenaphthene	1120	µg/kg	6.67	1333		84.3	60-101			
Acenaphthylene	1130	µg/kg	6.67	1333		84.9	59-101			
Acetophenone	1090	µg/kg	33.0	1333		82.0	54-102			
Anthracene	1130	µg/kg	6.67	1333		85.0	63-96			
Atrazine	<19.5	µg/kg	33.0	1333		0.00	60-110			SU
Benzaldehyde	245	µg/kg	67.0	1333		18.4	10-143			
Benzo(a)anthracene	1120	µg/kg	6.67	1333		84.3	66-102			
Benzo(a)pyrene	1180	µg/kg	6.67	1333		88.6	66-105			
Benzo(b)fluoranthene	1180	µg/kg	6.67	1333		88.7	67-105			
Benzo(g,h,i)perylene	1160	µg/kg	6.67	1333		87.1	59-110			
Benzo(k)fluoranthene	1120	µg/kg	6.67	1333		83.9	68-106			
bis(2-Chloroethoxy)methane	1050	µg/kg	33.0	1333		78.6	54-102			
bis(2-Chloroethyl) ether	1090	µg/kg	33.0	1333		81.5	51-101			
Butyl benzyl phthalate	1150	µg/kg	67.0	1333		86.3	59-107			
Caprolactam	1060	µg/kg	33.0	1333		79.6	49-103			
Carbazole	1120	µg/kg	33.0	1333		84.0	63-103			
Chrysene	1130	µg/kg	6.67	1333		85.0	66-105			
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1200	µg/kg	33.0	1333		89.7	63-101			
Dibenz(a,h) anthracene	1210	µg/kg	33.0	1333		90.7	61-109			
Dibenzofuran	1140	µg/kg	33.0	1333		85.4	61-101			
Diethyl phthalate	1140	µg/kg	33.0	1333		85.9	63-105			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
------------	---	-------------------------------

Method: EPA 8270E**Dilution:** 1**Analysis Date:** 10/31/25 11:45**Prep Date:** 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Dimethyl phthalate	1140	µg/kg	33.0	1333		85.7	64-104			
Fluoranthene	1130	µg/kg	6.67	1333		84.9	66-105			
Fluorene	1150	µg/kg	6.67	1333		86.2	62-101			
Hexachlorobenzene	1120	µg/kg	33.0	1333		83.9	61-104			
Hexachlorobutadiene	1040	µg/kg	33.0	1333		78.0	52-99			
Hexachlorocyclopentadiene	884	µg/kg	33.0	1333		66.3	39-106			
Hexachloroethane	1080	µg/kg	33.0	1333		81.2	59-99			
Indeno(1,2,3-cd) pyrene	1320	µg/kg	6.67	1333		98.7	57-114			
Isophorone	1070	µg/kg	167	1333		79.9	55-101			
Methylphenol, Total	2190	µg/kg	67.0	2667		82.1	54-103			
Naphthalene	1050	µg/kg	6.67	1333		79.0	54-99			
Nitrobenzene	1040	µg/kg	167	1333		78.0	53-100			
n-Nitrosodi-n-propylamine	1100	µg/kg	33.0	1333		82.8	52-104			
N-Nitrosodiphenylamine	1120	µg/kg	33.0	1333		83.9	61-104			
Pentachlorophenol	1050	µg/kg	33.0	1333		78.5	35-100			
Phenanthrene	1120	µg/kg	6.67	1333		84.2	64-101			
Phenol	1080	µg/kg	33.0	1333		80.9	51-107			
Pyrene	1160	µg/kg	6.67	1333		87.3	62-114			
Pyridine	829	µg/kg	167	1333		62.2	40-84			
Surr: 2,4,6-Tribromophenol	2930	µg/kg		3333		87.8	48-94			
Surr: 2-Fluorobiphenyl	2740	µg/kg		3333		82.2	50-103			
Surr: 2-Fluorophenol	2690	µg/kg		3333		80.7	43-105			
Surr: 4-Terphenyl-d14	2810	µg/kg		3333		84.4	55-111			
Surr: Nitrobenzene-d5	2410	µg/kg		3333		72.2	47-100			
Surr: Phenol-d6	2770	µg/kg		3333		83.1	49-110			

MS	CLIENT ID: Batch QC	Lab ID: QC-2305039-005
-----------	----------------------------	-------------------------------

Method: EPA 8270E**Dilution:** 20**Analysis Date:** 10/31/25 16:38**Prep Date:** 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1160	µg/kg	724	1306.8	<106	89.0	57-101			
1,2,4,5-Tetrachlorobenzene	<151	µg/kg	7310	1306.8	<151	79.0	54-98			U
1-Methylnaphthalene	1290	µg/kg	146	1306.8	<94.1	99.0	56-100			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1010	µg/kg	724	1306.8	<153	77.0	50-101			
2,3,4,6-Tetrachlorophenol	<479	µg/kg	1460	1306.8	<479	35.0	48-103			SU
2,4,5-Trichlorophenol	993	µg/kg	724	1306.8	<387	76.0	54-98			
2,4,6-Trichlorophenol	<174	µg/kg	724	1306.8	<174	52.0	56-97			SU
2,4-Dichlorophenol	1100	µg/kg	724	1306.8	<352	84.0	54-99			
2,4-Dimethylphenol	1760	µg/kg	724	1306.8	<336	135	47-102			S
2,4-Dinitrophenol	<4780	µg/kg	7310	1306.8	<4780	0.00	10-100			SU
2,4-Dinitrotoluene (2,4-DNT)	1590	µg/kg	724	1306.8	<424	122	62-105			S
2,6-Dinitrotoluene (2,6-DNT)	1280	µg/kg	724	1306.8	<167	98.0	62-103			
2-Chloronaphthalene	1110	µg/kg	146	1306.8	<91.4	85.0	57-101			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

MS	CLIENT ID: Batch QC	Lab ID: QC-2305039-005
----	---------------------	------------------------

Method: EPA 8270E

Dilution: 20

Analysis Date: 10/31/25 16:38

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2-Chlorophenol	1050	µg/kg	724	1306.8	<428	80.0	52-102			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<546	µg/kg	724	1306.8	<546	55.0	42-104			U
2-Methylnaphthalene	1330	µg/kg	146	1306.8	<66.5	102	55-102			
2-Methylphenol (o-Cresol)	1230	µg/kg	724	1306.8	<177	94.0	54-103			
2-Nitroaniline	1280	µg/kg	724	1306.8	<363	98.0	57-103			
2-Nitrophenol	1220	µg/kg	724	1306.8	<186	93.0	52-102			
3&4-Methylphenol	1690	µg/kg	724	1306.8	<356	129	56-103			S
3,3'-Dichlorobenzidine	<305	µg/kg	3660	1306.8	<305	98.0	41-91			SU
3-Nitroaniline	1150	µg/kg	724	1306.8	<379	88.0	35-107			
4-Bromophenyl phenyl ether (BDE-3)	1280	µg/kg	724	1306.8	<358	98.0	63-104			
4-Chloro-3-methylphenol	1240	µg/kg	724	1306.8	<186	95.0	57-103			
4-Chloroaniline	<332	µg/kg	1460	1306.8	<332	57.0	32-99			U
4-Chlorophenyl phenylether	1200	µg/kg	724	1306.8	<181	92.0	62-100			
4-Nitroaniline	<1010	µg/kg	3660	1306.8	<1010	82.0	19-124			U
4-Nitrophenol	<1530	µg/kg	7310	1306.8	<1530	0.00	44-106			SU
Acenaphthene	1400	µg/kg	146	1306.8	<94.5	101	60-101			
Acenaphthylene	1120	µg/kg	146	1306.8	<113	86.0	59-101			
Acetophenone	1110	µg/kg	724	1306.8	<102	85.0	54-102			
Anthracene	1930	µg/kg	146	1306.8	470	116	63-96			S
Atrazine	1460	µg/kg	724	1306.8	<383	112	60-110			S
Benzaldehyde	<1000	µg/kg	1460	1306.8	<1000	17.0	10-143			U
Benzo(a)anthracene	2640	µg/kg	146	1306.8	1150	124	66-102			S
Benzo(a)pyrene	2630	µg/kg	146	1306.8	1160	122	66-105			S
Benzo(b)fluoranthene	2980	µg/kg	146	1306.8	1480	127	67-105			S
Benzo(g,h,i)perylene	2240	µg/kg	146	1306.8	881	111	59-110			S
Benzo(k)fluoranthene	1930	µg/kg	146	1306.8	455	117	68-106			S
bis(2-Chloroethoxy)methane	1010	µg/kg	724	1306.8	<414	77.0	54-102			
bis(2-Chloroethyl) ether	1150	µg/kg	724	1306.8	<185	88.0	51-101			
Butyl benzyl phthalate	<818	µg/kg	1460	1306.8	<818	111	59-107			SU
Caprolactam	<590	µg/kg	724	1306.8	<590	0.00	49-103			SU
Carbazole	1400	µg/kg	724	1306.8	323	84.9	63-103			
Chrysene	2480	µg/kg	146	1306.8	910	128	66-105			S
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1540	µg/kg	724	1306.8	<541	118	63-101			S
Dibenz(a,h) anthracene	1370	µg/kg	724	1306.8	250	88.0	61-109			
Dibenzofuran	1370	µg/kg	724	1306.8	<96.1	105	61-101			S
Diethyl phthalate	1150	µg/kg	724	1306.8	<222	88.0	63-105			
Dimethyl phthalate	1140	µg/kg	724	1306.8	<127	87.0	64-104			
Fluoranthene	4880	µg/kg	146	1306.8	2440	206	66-105			S
Fluorene	1500	µg/kg	146	1306.8	132	106	62-101			S
Hexachlorobenzene	1160	µg/kg	724	1306.8	<190	89.0	61-104			
Hexachlorobutadiene	1120	µg/kg	724	1306.8	<154	86.0	52-99			
Hexachlorocyclopentadiene	<639	µg/kg	724	1306.8	<639	0.00	39-106			SU
Hexachloroethane	1330	µg/kg	724	1306.8	<271	102	59-99			S
Indeno(1,2,3-cd) pyrene	2540	µg/kg	146	1306.8	998	126	57-114			S

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

MS	CLIENT ID: Batch QC				Lab ID: QC-2305039-005					
Method: EPA 8270E			Dilution: 20		Analysis Date: 10/31/25 16:38					
Prep Date: 10/29/25 13:50										
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Isophorone	<128	µg/kg	3660	1306.8	<128	88.0	55-101			U
Methylphenol, Total	2910	µg/kg	724	2614.6	<177	111	54-103			S
Naphthalene	1180	µg/kg	146	1306.8	<83.5	90.0	54-99			
Nitrobenzene	<220	µg/kg	3660	1306.8	<220	89.0	53-100			U
n-Nitrosodi-n-propylamine	993	µg/kg	724	1306.8	<108	76.0	52-104			
N-Nitrosodiphenylamine	2070	µg/kg	724	1306.8	<378	158	61-104			S
Pentachlorophenol	941	µg/kg	724	1306.8	<519	72.0	35-100			
Phenanthrene	3880	µg/kg	146	1306.8	1440	199	64-101			S
Phenol	1080	µg/kg	724	1306.8	<328	83.0	51-107			
Pyrene	4350	µg/kg	146	1306.8	2080	191	52-114			S
Pyridine	<1290	µg/kg	3660	1306.8	<1290	65.0	40-84			U
Surr: 2,4,6-Tribromophenol	1450	µg/kg		3267.6		44.4	48-94			S
Surr: 2-Fluorobiphenyl	2580	µg/kg		3267.6		78.8	50-103			
Surr: 2-Fluorophenol	1840	µg/kg		3267.6		56.4	43-105			
Surr: 4-Terphenyl-d14	2760	µg/kg		3267.6		84.4	55-111			
Surr: Nitrobenzene-d5	2210	µg/kg		3267.6		67.6	47-100			
Surr: Phenol-d6	2240	µg/kg		3267.6		68.4	49-110			

MSD		CLIENT ID: Batch QC				Lab ID: QC-2305039-006				
Method: EPA 8270E			Dilution: 20			Analysis Date: 10/31/25 16:59				
						Prep Date: 10/29/25 13:50				
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1170	µg/kg	737	1329.3	<108	88.0	57-101	0.573	30	
1,2,4,5-Tetrachlorobenzene	<153	µg/kg	7430	1329.3	<153	79.0	54-98	NC		U
1-Methylnaphthalene	1140	µg/kg	149	1329.3	<95.7	86.0	56-100	12.4	30	
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1050	µg/kg	737	1329.3	<156	79.0	50-101	4.27	30	
2,3,4,6-Tetrachlorophenol	<487	µg/kg	1490	1329.3	<487	49.0	48-103	NC		U
2,4,5-Trichlorophenol	1140	µg/kg	737	1329.3	<394	86.0	54-98	14.0	30	
2,4,6-Trichlorophenol	824	µg/kg	737	1329.3	<177	62.0	56-97	12.9	30	
2,4-Dichlorophenol	1160	µg/kg	737	1329.3	<358	87.0	54-99	5.21	30	
2,4-Dimethylphenol	1780	µg/kg	737	1329.3	<342	134	47-102	0.959	30	S
2,4-Dinitrophenol	<4860	µg/kg	7430	1329.3	<4860	0.00	10-100	NC		US
2,4-Dinitrotoluene (2,4-DNT)	1410	µg/kg	737	1329.3	<432	106	62-105	12.3	30	S
2,6-Dinitrotoluene (2,6-DNT)	1330	µg/kg	737	1329.3	<170	100	62-103	3.72	30	
2-Chloronaphthalene	1180	µg/kg	149	1329.3	<92.9	89.0	57-101	6.30	30	
2-Chlorophenol	1170	µg/kg	737	1329.3	<435	88.0	52-102	11.2	30	
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<555	µg/kg	737	1329.3	<555	0.00	42-104	NC		US
2-Methylnaphthalene	1180	µg/kg	149	1329.3	<67.6	89.0	55-102	11.9	30	
2-Methylphenol (o-Cresol)	1400	µg/kg	737	1329.3	<180	105	54-103	12.8	30	S
2-Nitroaniline	1170	µg/kg	737	1329.3	<369	88.0	57-103	9.05	30	
2-Nitrophenol	1090	µg/kg	737	1329.3	<189	82.0	52-102	10.9	30	
3&4-Methylphenol	1330	µg/kg	737	1329.3	<362	100	56-103	23.7	30	
3,3'-Dichlorobenzidine	<310	µg/kg	3720	1329.3	<310	116	41-91	NC		US

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

MSD	CLIENT ID: Batch QC	Lab ID: QC-2305039-006
-----	---------------------	------------------------

Method: EPA 8270E

Dilution: 20

Analysis Date: 10/31/25 16:59

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
3-Nitroaniline	1340	µg/kg	737	1329.3	<386	101	35-107	15.5	30	
4-Bromophenyl phenyl ether (BDE-3)	1250	µg/kg	737	1329.3	<364	94.0	63-104	2.46	30	
4-Chloro-3-methylphenol	1330	µg/kg	737	1329.3	<189	100	57-103	6.83	30	
4-Chloroaniline	<338	µg/kg	1490	1329.3	<338	62.0	32-99	NC		U
4-Chlorophenyl phenylether	1250	µg/kg	737	1329.3	<184	94.0	62-100	3.85	30	
4-Nitroaniline	<1030	µg/kg	3720	1329.3	<1030	99.0	19-124	NC		U
4-Nitrophenol	<1560	µg/kg	7430	1329.3	<1560	0.00	44-106	NC		US
Acenaphthene	1300	µg/kg	149	1329.3	<96.1	92.1	60-101	7.08	30	
Acenaphthylene	1200	µg/kg	149	1329.3	<115	90.0	59-101	6.25	30	
Acetophenone	1090	µg/kg	737	1329.3	<104	82.0	54-102	1.89	30	
Anthracene	1650	µg/kg	149	1329.3	470	92.5	63-96	16.0	30	
Atrazine	1330	µg/kg	737	1329.3	<390	100	60-110	9.62	30	
Benzaldehyde	<1020	µg/kg	1490	1329.3	<1020	13.0	10-143	NC		U
Benzo(a)anthracene	2170	µg/kg	149	1329.3	1150	86.1	66-102	19.7	30	
Benzo(a)pyrene	2150	µg/kg	149	1329.3	1160	84.1	66-105	19.8	30	
Benzo(b)fluoranthene	2370	µg/kg	149	1329.3	1480	78.4	67-105	23.0	30	
Benzo(g,h,i)perylene	1940	µg/kg	149	1329.3	881	86.8	59-110	14.1	30	
Benzo(k)fluoranthene	1650	µg/kg	149	1329.3	455	93.4	68-106	16.0	30	
bis(2-Chloroethoxy)methane	1080	µg/kg	737	1329.3	<421	81.0	54-102	6.76	30	
bis(2-Chloroethyl) ether	1050	µg/kg	737	1329.3	<188	79.0	51-101	9.08	30	
Butyl benzyl phthalate	1620	µg/kg	1490	1329.3	<832	122	59-107	10.3	30	S
Caprolactam	1530	µg/kg	737	1329.3	<600	115	49-103	71.4	30	RS
Carbazole	1410	µg/kg	737	1329.3	323	84.3	63-103	0.764	30	
Chrysene	1990	µg/kg	149	1329.3	910	88.9	66-105	21.8	30	
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1640	µg/kg	737	1329.3	<550	123	63-101	5.85	30	S
Dibenz(a,h) anthracene	1400	µg/kg	737	1329.3	250	88.3	61-109	1.70	30	
Dibenzofuran	1300	µg/kg	737	1329.3	<97.7	98.0	61-101	5.20	30	
Diethyl phthalate	1240	µg/kg	737	1329.3	<226	93.0	63-105	7.23	30	
Dimethyl phthalate	1160	µg/kg	737	1329.3	<130	87.0	64-104	1.70	30	
Fluoranthene	3260	µg/kg	149	1329.3	2440	81.3	66-105	39.8	30	R
Fluorene	1280	µg/kg	149	1329.3	132	87.1	62-101	16.3	30	
Hexachlorobenzene	1180	µg/kg	737	1329.3	<193	89.0	61-104	1.70	30	
Hexachlorobutadiene	1170	µg/kg	737	1329.3	<157	88.0	52-99	4.00	30	
Hexachlorocyclopentadiene	<650	µg/kg	737	1329.3	<650	0.00	39-106	NC		US
Hexachloroethane	1180	µg/kg	737	1329.3	<275	89.0	59-99	11.9	30	
Indeno(1,2,3-cd) pyrene	2220	µg/kg	149	1329.3	998	99.9	57-114	13.3	30	
Isophorone	<130	µg/kg	3720	1329.3	<130	77.0	55-101	NC		U
Methylphenol, Total	2730	µg/kg	737	2659.5	<180	102	54-103	6.71	30	
Naphthalene	1120	µg/kg	149	1329.3	<85.0	84.0	54-99	5.20	30	
Nitrobenzene	<223	µg/kg	3720	1329.3	<223	99.0	53-100	NC		U
n-Nitrosodi-n-propylamine	1100	µg/kg	737	1329.3	<110	83.0	52-104	10.5	30	
N-Nitrosodiphenylamine	1490	µg/kg	737	1329.3	<385	112	61-104	32.4	30	RS
Pentachlorophenol	824	µg/kg	737	1329.3	<528	62.0	35-100	13.2	30	
Phenanthrene	2470	µg/kg	149	1329.3	1440	89.3	64-101	44.3	30	R
Phenol	1020	µg/kg	737	1329.3	<334	77.0	51-107	5.80	30	

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516150
Date Collected: NA
Date Received: NA
Run ID: 3655130

MSD	CLIENT ID: Batch QC	Lab ID: QC-2305039-006
-----	---------------------	------------------------

Method: EPA 8270E **Dilution:** 20 **Analysis Date:** 10/31/25 16:59

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Pyrene	3030	µg/kg	149	1329.3	2080	87.9	52-114	35.8	30	R
Pyridine	<1310	µg/kg	3720	1329.3	<1310	74.0	40-84	NC		U
Surr: 2,4,6-Tribromophenol	2020	µg/kg		3323.7		60.8	48-94	32.8	30	R
Surr: 2-Fluorobiphenyl	2770	µg/kg		3323.7		83.2	50-103	7.13	30	
Surr: 2-Fluorophenol	2300	µg/kg		3323.7		69.2	43-105	22.1	30	
Surr: 4-Terphenyl-d14	3020	µg/kg		3323.7		90.8	55-111	9.01	30	
Surr: Nitrobenzene-d5	2370	µg/kg		3323.7		71.2	47-100	6.89	30	
Surr: Phenol-d6	2550	µg/kg		3323.7		76.8	49-110	13.3	30	

The following samples were analyzed in this batch: HN2516150-001