

DRAFT

FILL MATERIAL SAMPLING REPORT

**8124 ELGIN STREET
DETROIT, WAYNE COUNTY, MICHIGAN 48234**



**NOVEMBER 7, 2025
REVISED DECEMBER 12, 2025**

PREPARED FOR:
THE CITY OF DETROIT DEMOLITION DEPARTMENT
1301 THIRD STREET, SUITE 606
DETROIT, MICHIGAN 48226



FILL MATERIAL SAMPLING REPORT

8124 ELGIN STREET
DETROIT, WAYNE COUNTY, MICHIGAN 48234

PREPARED BY: _____

OLIVIA MITCHELL
ENVIRONMENTAL SCIENTIST

REVIEWED BY: _____

MICHAEL REECE
SENIOR PROJECT MANAGER

REVIEWED AND
APPROVED BY: _____

RYAN MONTRI, CPG
SENIOR PROJECT MANAGER



EXECUTIVE SUMMARY

The Mannik & Smith Group, Inc. (MSG) was retained by the City of Detroit (COD) to perform sampling and analysis of fill materials at the property commonly addressed as 8124 Elgin Street, Detroit, Wayne County, Michigan (hereinafter, the "Site"). The Site location, as referenced to nearby roads and major geographic features, is shown on Figure 1, *Site Location Map*. Figure 2, *Site Layout*, depicts the current layout of the Site.

This Executive Summary is provided to summarize the results of the work performed at the Site. The Executive Summary is general in nature and should not be used to replace or be considered apart from the entirety of this report.

The purpose of the work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. Sample analyses associated with this work included volatile organic compounds (VOCs); semivolatile organic compounds (SVOCs); polychlorinated biphenyls (PCBs); arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc (10 Michigan metals); chloride; herbicides; and pesticides. Analytical results were compared to the current generic residential cleanup criteria (GRCC) promulgated under Part 201 of the *Natural Resources and Environmental Protection Act* (NREPA), 1994 P.A. 451, as amended (Part 201).

Pursuant to a request by the COD, MSG has completed sampling and analysis of fill material at the Site, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. Results of this work, which are subject to the limitations presented in *Appendix A, Limitations*, incorporated by reference herewith, revealed the following:

- The stratigraphy encountered during soil boring advancement of 8124 SB01, 8124 SB02, and 8124 SB03 generally consisted of up to four feet of brown or dark brown clayey sand underlain by brown to gray silty clay to six feet below ground surface (bgs), the maximum depth explored for this investigation. Field photoionization detector (PID) readings of the recovered soil cores ranged from 0.0 to 18.5 parts per million (ppm). There were no visual (staining) and/or olfactory (e.g., petroleum-like odors) indications of contamination observed during soil sampling activities, however, concrete and/or brick debris was observed in all borings.
- Concentrations of arsenic and chromium (Total) were detected in soil samples 8124 SB01 (1-2') and/or 8124 SB03 (5-6') in excess of its respective Part 201 drinking water protection criteria (DWPC) and/or groundwater surface water interface protection criteria (GSIPC).
- Concentrations of 1,2,4-trimethylbenzene, 2-methylnaphthalene, 4,4-DDD, 4,4-DDE, 4,4-DDT, Aroclor 1260, barium, chloride, copper, fluoranthene, indeno(1,2,3-cd)pyrene, lead, mercury, pyrene, total xylenes, and zinc were detected in soil samples 8124 SB01 (1-2'), 8124 SB02 (3-4'), 8124 SB03 (5-6'), and/or 8124 Elgin SB02 (3-4')-R at concentrations above laboratory method detection limits; however, detected concentrations were below their respective Part 201 GRCC and/or Statewide Default Background Levels.
- Toxicity Characteristic Leaching Procedure (TCLP) laboratory analytical results revealed that concentrations of arsenic and chromium were not in excess of 40 C.F.R. § 261.24 Title 40 - *Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261- Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste*.
- Groundwater was not encountered during soil boring activities completed as part of this investigation. Groundwater is not utilized as drinking water at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the drinking water (DW) exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to either

storm sewers or surface water and the clay layer also inhibits migration. Therefore, the groundwater surface water exposure pathway can be considered not applicable.

MSG has evaluated the analytical results of the fill material. Based upon the analytical results, we have determined that the material is contaminated above the state's Part 201 GRCC, as applicable.

MSG warrants that no substantive information or documentation was deleted, omitted, or changed that would otherwise cause the MSG to reach a different conclusion. Furthermore, MSG understands that the COD and its agencies and authorities may rely upon the overall completeness, accuracy, and conclusions in this report and hereby provides reliance on the contents presented herein.

DRAFT

TABLE OF CONTENTS

Executive Summary	ES-1
1.0 Introduction	1
2.0 Purpose and Scope of Work	1
3.0 Site Assessment Methodology	1
3.1 Preliminary Site Work Activities	1
3.2 Soil Sample Collection.....	2
3.3 Toxicity Characteristic Leaching Procedure (TCLP) Soil Sample Collection	2
3.4 Decontamination.....	3
3.5 Analytical Methods	3
3.6 Quality Assurance/Quality Control.....	3
4.0 Summary of results	3
4.1 Site Geology and Hydrogeology	3
4.2 Soil Sample Analytical Results	4
4.3 TCLP Analytical Results	4
4.4 Exposure Evaluation.....	4
5.0 Findings	5
Figures	
Figure 1	Site Location Map
Figure 2	Site Layout
Tables	
Table 1	Soil Sample Analytical Detection Summary
Table 2	TCLP Analytical Detection Summary
Appendices	
Appendix A	Limitations
Appendix B	Daily Field Reports
Appendix C	Investigation Photographs
Appendix D	Soil Boring Logs
Appendix E	Laboratory Analytical Reports and Chain of Custody Forms

1.0 INTRODUCTION

The Mannik & Smith Group, Inc. (MSG) was retained by the City of Detroit (COD) to conduct sampling and analysis of fill materials at the property commonly addressed as 8124 Elgin Street, Detroit, Wayne County, Michigan (hereinafter, the "Site"). The Site location as referenced to nearby roads and major geographic features is presented as *Figure 1, Site Location Map*. *Figure 2, Site Layout*, depicts the current layout of the Site.

The purpose of this work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths. The scope of work for this investigation was performed in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. This report presents the findings of this investigation. Soil samples were collected by MSG on August 14, 2025. The findings of this report are valid as of the report date, subject to the limitations presented in *Appendix A, Limitations*.

At the time of this investigation, the Site was vacant and formerly occupied by residential structures. Former Site building(s) had been demolished as part of the Blight Removal Program prior to commencement of this work.

2.0 PURPOSE AND SCOPE OF WORK

The purpose of the work was to assist the COD's blight remediation efforts with the sampling and analysis of fill material at the Site through soil sample collection from pre-determined depths, as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and modified in the field (when necessary) based on encountered conditions and professional judgment of the MSG field geologist.

MSG performed the following scope of work in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025:

- Advanced three (3) onsite soil borings to a maximum depth of six (6) feet below ground surface (bgs) utilizing a direct push drill rig at the locations depicted on Figure 2.
- Collected one (1) discrete soil sample for laboratory analysis from each soil boring at a depth of 1-2 feet bgs, 3-4 feet bgs, or 5-6 feet bgs, depending on the soil boring.
- Submitted soil samples to an independent analytical laboratory for chemical analysis.
- Prepared this report summarizing the activities and results of this work.

Per the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, sample analyses included volatile organic compounds (VOCs); semivolatile organic compounds (SVOCs); polychlorinated biphenyls (PCBs); arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc (10 Michigan metals); chloride; herbicides; and pesticides. Soil sample analytical results were compared to the current generic residential cleanup criteria (GRCC) promulgated under Part 201 of the *Natural Resources and Environmental Protection Act* (NREPA), 1994 P.A. 451, as amended (Part 201).

3.0 SITE ASSESSMENT METHODOLOGY

The following subsections describe the methodologies employed by MSG at the Site during sampling activities that were conducted on August 14, 2025, October 13, 2025, and October 28, 2025. Daily field activity reports prepared by MSG are presented in *Appendix B, Daily Field Reports*.

3.1 Preliminary Site Work Activities

Prior to conducting subsurface soil sampling activities, MSG contacted the MISSDIG utility locating system to identify and physically mark underground utilities. If necessary, proposed soil boring locations were modified based on the results of the utility markings. Additionally, MSG reviewed readily available Site building records

or documents to ensure that this scope of work was conducted on the correct property and in the areas of the former Site structure.

3.2 Soil Sample Collection

The sampling plan for the Site was based on the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and modified in the field (if necessary) based on encountered conditions and professional judgment of MSG's field personnel. MSG advanced three (3) initial soil borings, designated 8124 SB01, 8124 SB02, and 8124 SB03, using a direct push drill rig at the locations depicted on Figure 2. Photographs collected during completion of this work are provided in *Appendix C, Investigation Photographs*.

Soils were continuously profiled at each soil boring location from the ground surface to the termination depth of six feet bgs using a 5-foot long, closed-piston Macro-Core® sampling device. A new disposable high-density polyethylene (HDPE) liner was placed within the sampler between each 5-foot sample interval. The recovered soil samples were examined and logged in the field by the MSG field geologist. The soils were classified by MSG's field geologist in general accordance with *ASTM D 2488, Standard Practice for Description and Identification of Soils (Visual-Manual Procedure)*. Soil descriptions were based on visual examination and interpretation by the field geologist.

Soil samples were examined for visual and olfactory indications of impact in accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and were continuously screened upon retrieval of each sample interval with a MiniRAE 10.6 electron volt (eV) photoionization detector (PID) calibrated with isobutylene span gas. The PID measures the concentration of airborne ionizable gasses and vapors and automatically displays any detected concentrations in parts per million (ppm). The PID measures total concentrations of VOC vapors present and cannot distinguish between individual VOC constituents. PID readings for each sample interval were recorded on the individual soil boring logs, which are included in *Appendix D, Soil Boring Logs*.

Soil samples were collected in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. The soil samples were placed into appropriate pre-preserved and unpreserved laboratory-supplied sample containers, as appropriate for the associated laboratory analyses. Soil samples collected for VOC analysis were placed in laboratory supplied pre-sterilized 40-milliliter (ml) vials with septum sealed threaded caps that were pre-preserved with methanol provided by the analytical laboratory. Groundwater was not encountered during the investigation.

3.3 Toxicity Characteristic Leaching Procedure (TCLP) Soil Sample Collection

On October 13, 2025 MSG mobilized to the Site to collect an additional soil sample based on request from the COD. Sample location and analyte(s) were based on the laboratory results of the initial soil investigation. MSG personnel advanced one soil boring in the immediate vicinity of the soil boring location that exhibited the highest laboratory result(s) in excess of Part 201 GRCC. Soils were continuously profiled from the ground surface to the termination depth of six feet bgs using a direct push drill rig. These soils were homogenized in a stainless-steel bowl (or equivalent) to produce a single, composite soil sample. The composite soil sample was placed into unpreserved laboratory-supplied sample containers, as appropriate for the associated laboratory analyses.

The composite soil sample was collected to create a single, representative sample to provide a laboratory result that includes the overlying and/or underlying soils in the area of concern to comprehensively represent the backfill soils that may be removed.

On October 28, 2025, MSG mobilized to the Site to collect an additional soil sample based on request from the COD in order to fulfill waste characterization parameters required at a Type II landfill. Sample location and analyte(s) were based on the laboratory results of the initial soil sampling event, as compared to 40 C.F.R. §

261.24 Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261 - Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste. Soils were continuously profiled at the supplemental soil boring locations from the ground surface to the termination depth using a 5-foot long, closed-piston Macro-Core® sampling device. When warranted, a new disposable high-density polyethylene (HDPE) liner was placed within the sampler between each 5-foot sample interval. The recovered soil samples were examined and logged in the field by the MSG field geologist.

3.4 Decontamination

Before initiation of sampling and drilling activities and between each sampling/soil boring, equipment was cleaned to avoid the potential for cross-contamination during field activities. Pertinent equipment and tooling were thoroughly cleaned using a phosphate-free soap to remove chemical residue and caked-on soils. After sample collection was completed, each soil boring location was abandoned with the soil cuttings generated at each soil boring location and finished to match the original surface.

3.5 Analytical Methods

A total of four (4) soil samples, designated 8124 SB01 (1-2'), 8124 SB02 (3-4'), 8124 SB03 (5-6'), and 8124 Elgin SB02 (3-4')-R, and one (1) composite soil sample designated 8124 Elgin SB1,2 (0'-6') Comp were collected as part of this investigation. These soil samples were submitted to ALS Environmental Laboratory (ALS) in Holland, Michigan for laboratory analysis of the following parameters per the requested parameters as described in the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, and individual TCLP analysis:

- VOCs by United States Environmental Protection Agency (USEPA) Method SW8260D;
- SVOCs by USEPA Method SW8270E;
- PCBs by USEPA Method SW8082A;
- 10 Michigan metals by USEPA Method SW6020B and SW7471B;
- Chloride by USEPA Method SW9056A;
- Herbicides by USEPA Method SW8151A; and
- Pesticides by USEPA Method SW8081B.

3.6 Quality Assurance/Quality Control

Quality assurance and quality control (QA/QC) was achieved in the field by using MSG's standard operating procedures (SOPs) for sample collection, sample screening, sample preservation, and chain-of-custody protocols to ensure sample integrity. Per the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025, duplicate soil samples and field blanks were not collected.

Laboratory QC was achieved by using standard analytical methods, the analyses of spiked and laboratory quality control samples, and the use of internal laboratory quality assurance protocols. Review of the laboratory's QC data indicated the validity of the data and that it is able to be used for assessing soil samples collected during this work.

4.0 SUMMARY OF RESULTS

The following subsections include a discussion of the soil samples that were collected from the Site on August 14, 2025, October 13, 2025 and October 28, 2025.

4.1 Site Geology and Hydrogeology

The stratigraphy encountered during soil boring advancement of 8124 SB01, 8124 SB02, and 8124 SB03 generally consisted of up to four feet of brown or dark brown clayey sand underlain by brown to gray silty clay to six feet bgs, the maximum depth explored for this investigation. Field PID readings of the recovered soil cores ranged from 0.0 to 18.5 ppm. There were no visual (staining) and/or olfactory (e.g., petroleum-like odors)

indications of contamination observed during soil sampling activities; however, concrete and/or brick debris was observed in all borings.

Groundwater was not encountered during soil boring activities completed as part of this investigation.

4.2 Soil Sample Analytical Results

Four (4) soil samples, designated 8124 SB01 (1-2'), 8124 SB02 (3-4'), 8124 SB03 (5-6'), and 8124 Elgin SB02 (3-4')-R were collected from the Site and submitted to ALS for laboratory analysis of VOCs, SVOCs, PCBs, Michigan 10 Metals, chloride, herbicides, and/or pesticides.

The analytical results and comparisons to applicable Part 201 GRCC are summarized in *Table 1, Soil Sample Analytical Detection Summary*. Copies of the laboratory analytical data reports and chain of custody forms are included in *Appendix E, Laboratory Analytical Reports and Chain of Custody Forms*.

A summary of the soil sample analytical detections in excess of Part 201 GRCC is provided below:

Chemical	CAS Number	Soil Sample (feet bgs)	Part 201 GRCC Exceeded / Concentration ($\mu\text{g}/\text{kg}^1$)	Maximum Detected Concentration ($\mu\text{g}/\text{kg}$)
Arsenic	7440-38-2	8124 SB01 (1-2')	DWPC ² / 4,600 GSIPC ³ / 4,600	7,100
Chromium (Total)	7440-47-3	8124 SB01 (1-2') 8124 SB03 (5-6')	GSIPC / 3,300	24,500

¹ $\mu\text{g}/\text{kg}$ – micrograms per kilogram;

²DWPC – Drinking Water Protection Criteria

³GSIPC – Groundwater Surface Water Interface Protection Criteria

4.3 TCLP Analytical Results

Arsenic and chromium were analyzed following leach testing using USEPA method EPA 6020 B. Laboratory results are summarized and compared to 40 C.F.R. § 261.24 Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261 - Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste in *Table 2, TCLP Analytical Detection Summary Table*. Upon comparison, the laboratory analytical results following TCLP testing were below laboratory method detection limits.

4.4 Exposure Evaluation

MSG has completed a preliminary evaluation for the Site and associated exposure pathways. Cleanup criteria are applicable if it is reasonable and relevant for the corresponding exposure pathway to be or become complete.

Groundwater was not encountered during soil boring activities completed as part of this investigation. Groundwater is not utilized as drinking water at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the drinking water (DW) exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to either storm sewers or surface water and the clay layer also inhibits migration. Therefore, the groundwater surface water exposure pathway can be considered not applicable.

5.0 FINDINGS

MSG has evaluated the analytical results of the fill material samples collected at the Site in general accordance with the COD's *Sampling and Analysis of Fill Materials Scope of Services*, dated June 17, 2025. The findings of this investigation are presented below:


- The stratigraphy encountered during soil boring advancement of 8124 SB01, 8124 SB02, and 8124 SB03 generally consisted of up to four feet of brown or dark brown clayey sand underlain by brown to gray silty clay to six feet bgs, the maximum depth explored for this investigation. Field PID readings of the recovered soil cores ranged from 0.0 to 18.5 ppm. There were no visual (staining) and/or olfactory (e.g., petroleum-like odors) indications of contamination observed during soil sampling activities; however, concrete and/or brick debris was observed in all borings.
- Concentrations of arsenic and chromium (Total) were detected in soil samples 8124 SB01 (1-2') and/or 8124 SB03 (5-6') in excess of its respective Part 201 DWPC and/or GSIPC.
- Concentrations of 1,2,4-trimethylbenzene, 2-methylnaphthalene, 4,4-DDD, 4,4-DDE, 4,4-DDT, Aroclor 1260, barium, chloride, copper, fluoranthene, indeno(1,2,3-cd)pyrene, lead, mercury, pyrene, total xylenes, and zinc were detected in soil samples 8124 SB01 (1-2'), 8124 SB02 (3-4'), 8124 SB03 (5-6'), and/or 8124 Elgin SB02 (3-4')-R at concentrations above laboratory method detection limits; however, detected concentrations were below their respective Part 201 GRCC and/or Statewide Default Background Levels.
- TCLP laboratory analytical results revealed that concentrations of arsenic and chromium were not in excess of 40 C.F.R. § 261.24 Title 40 - *Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261- Identification and Listing of Hazardous Waste, Subpart C - Characteristics of Hazardous Waste*.
- Groundwater was not encountered during soil boring activities completed as part of this investigation. Groundwater is not utilized as drinking water at or near the Site, as municipal water is supplied via the COD, and the general geology of the Site and surrounding area consists of fill materials underlain by clay overlying bedrock. Therefore, the DW exposure pathway can be considered not applicable. Additionally, groundwater was not encountered during this investigation to transport contaminants to either storm sewers or surface water and the clay layer also inhibits migration. Therefore, the groundwater surface water exposure pathway can be considered not applicable. Given that the site is residential, exceedances of direct contact criteria may merit further consideration.

MSG has evaluated the analytical results of the fill material. Based upon the analytical results, we have determined that the material is contaminated above the state's Part 201 GRCC, as applicable.

MSG warrants that no substantive information or documentation was deleted, omitted, or changed that would otherwise cause the MSG to reach a different conclusion. Furthermore, MSG understands that the COD and its agencies and authorities may rely upon the overall completeness, accuracy, and conclusions in this report and hereby provides reliance on the contents presented herein.

FIGURES





Date Saved: 9/22/2025 8:38 PM Coordinate System: GCS WGS 1984
Path: W:\Projects\Projects A-ED\ETR0060\ENG\APPS\GIS\21_QQ 6.17.2025 Backfill Sampling\21_QQ 6.17.2025 Backfill Sampling.aprx

Basemap Source: ESRI USA_Topo_Maps Web Service



- Sample Locations
- - - Parcels (Current)
- - - Subject Property

Notes
• Parcel boundaries are approximate
• Basemap Credits: Wayne - 2020 - 6in - 4-band:



FIGURE 2
Site Layout

8124 Elgin, Detroit, MI

DATE 9/22/2025	DRAWN BY JWW	DESIGNED BY KRB	PROJECT NO. DETR0060
-------------------	-----------------	--------------------	-------------------------

TABLES



Table 1
Soil Sample Analytical Detection Summary

Detroit Backfill Sampling
8124 Elgin, Detroit, Michigan

SOIL: Part 201/213 Generic Residential Cleanup Criteria Revised October 12, 2023 Units: µg/kg	Volatile Organic Compounds (VOCs)		Semiolatile Organic Compounds (SVOCs)				Michigan 10 Metals										Pesticides/Herbicides			Polychlorinated Biphenyls (PCBs)	Inorganic Anions/Ions	
	1,2,4-Trimethylbenzene	Total Xylenes	2-Methylnaphthalene	Fluoranthene	Indeno(1,2,3-cd)pyrene	Pyrene	Arsenic	Barium (B)	Cadmium (B)	Chromium (Total)	Copper (B)	Lead (B)	Mercury (B,Z)	Selenium (B)	Silver (B)	Zinc (B)	4,4'-DDD	4,4'-DDE	4,4'-DDT	Aroclor 1260	Chloride	
CAS Number	95-63-6	1330-20-7	91-57-6	206-44-0	193-39-5	129-00-0	7440-38-2	7440-39-3	7440-43-9	7440-47-3	7440-50-8	7439-92-1	7439-97-6	7782-49-2	7440-22-4	7440-66-6	72548	72559	50-29-3	11096-82-5	16887006	
Statewide Default Background Levels	NA	NA	NA	NA	NA	NA	5,800	75,000	1,200	18,000	32,000	21,000	130	410	1,000	47,000	NA	NA	NA	NA	NA	
Drinking Water Protection Criteria (DWPC)	2,100	5,600	57,000	7.3E+05	NLL	4.8E+05	4,600	1.3E+06	6,000	30,000	5.8E+06	7.0E+05	1,700	4,000	4,500	2.4E+06	NLL	NLL	NLL	NA	5.00E+06	
Groundwater Surface Water Interface Protection Criteria (GSIPC)	570	980	4,200	5,500	NLL	ID	4,600	(G)	(G,X)	3,300	(G)	(G,X)	50 (M); 1.2	400	100 (M); 27	(G)	NLL	NLL	NLL	NA	(X)	
Soil Volatilization to Indoor Air Inhalation (SVIIC)	4.3E+6 (C)	6.3E+6 (C)	2.7E+06	1.0E+09 (D)	NLV	1.0E+09 (D)	NLV	NLV	NLV	NLV	NLV	NLV	48,000	NLV	NLV	NLV	NLV	NLV	NLV	NA	NLV	
Soil Volatilization to Indoor Air Pathway (SVIAP)	150 (JT)	280 (J)	1,700	NA	NA	2.5E+07	NA	NA	NA	--	NA	NA	22 (M)	NA	NA	NA	NLV	NA	--	--	--	
Infinite Source Volatile Soil Inhalation Criteria (VSIC)	2.1E+07	4.6E+07	1.5E+06	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV	NLV	NLV	NLV	NA	NLV	
Finite Source Volatile Soil Inhalation Criteria (5 m) (VSIC 5m)	5.0E+08	6.1E+07	1.5E+06	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV	NLV	NLV	NLV	NA	NLV	
Finite Source Volatile Soil Inhalation Criteria (2 m) (VSIC 2m)	5.0E+08	1.3E+08	1.5E+06	7.4E+08	NLV	6.5E+08	NLV	NLV	NLV	NLV	NLV	NLV	52,000	NLV	NLV	NLV	NLV	NLV	NLV	NA	NLV	
Particulate Soil Inhalation Criteria (PSIC)	8.2E+10	2.9E+11	6.7E+08	9.3E+09	ID	6.7E+09	7.2E+05	3.3E+08	1.7E+06	2.6E+05	1.3E+08	1.0E+08	2.0E+07	1.3E+08	6.7E+06	ID	4.4E+07	3.20E+07	3.20E+07	NA	ID	
Direct Contact Criteria (DCC)	3.2E+07 (C)	4.1E+08 (C)	8.1E+06	4.6E+07	20,000	2.9E+07	7,600	3.7E+07	5.5E+05	2.5E+06	2.0E+07	4.0E+05	1.6E+05	2.6E+06	2.5E+06	1.7E+08	95,000	45,000	57,000	NA	5.0E+5 (F)	
Soil Saturation Concentration Screening Levels (C _{sat})	1.1E+05	1.5E+05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Recommended Interim Action Screening Level (RIASL)	150	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.7E-02	NA	NA	NA	NA	NA	--	NA	--	
SAMPLE ID	DEPTH (ft)	SAMPLE DATE																				
8124 SB01	1-2	8/14/2025	<43.3	<130	<1,200	<1,200	<1,200	7,100	89,400	<1,450	20,100	13,600	20,000	30.0	<3,620	<3,620	64,200	<6.1	<6.1	<6.1	<120	<11,800
8124 SB02	3-4	8/14/2025	114	37.7	<3,700	<3,700	<3,700	<3,100	58,200	<1,240	9,320	5,670	97,800	42.6	<3,100	<3,100	30,200	15	58	6.7	73	53,800
8124 SB03	5-6	8/14/2025	<41.8	<125	<400	<400	<400	5,020	108,000	<1,360	24,500	18,000	11,500	29.6	<3,400	<3,400	60,100	<6.1	<6.1	<6.1	<120	<12,000
8124 Elgin SB02 - R	3-4	10/28/2025	NS	NS	416	491	453	453	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Notes:
Bold indicates concentration above laboratory reporting limits.
Exceeds DWPC
Exceeds GSIPC
Exceeds Applicable Soil Vapor Inhalation screening level
Exceeds Two or More DWPC, GSIPC, and/or Applicable Soil Vapor Inhalation screening levels
Exceeds PSIC, DCC, and/or Csat, likely exceeds others
ND = Not Detected above laboratory reporting limits
NS = Not Sampled or Not Analyzed
NR = Not Reported (Data missing from provided report)
Notes in parentheses and standard abbreviations from Part 201 Rules 299.1 through 299.50, updated October 12, 2023
VIAP Screening Levels and notes from EGLE Guidance Document For The Vapor Intrusion Pathway, Appendix D.1 Vapor Intrusion Screening Values, May 2013, updated February 26, 2024

Table 2
TCLP Analytical Detection Summary

Detroit Backfill Sampling
8124 Elgin, Detroit, Michigan

40 C.F.R. § 261.24 Code of Federal Regulations Title 40 - Protection of Environment Chapter I - Environmental Protection Agency Subchapter I - Solid Wastes Part 261- Identification and Listing of Hazardous Waste Subpart C - Characteristics of Hazardous Waste <i>Units: mg/L</i>		TCLP Metals	
		Arsenic	Chromium
Maximum Concentration of Contaminants for the Toxicity Characteristic		5.00	5.00
SAMPLE ID	SAMPLE DATE		
8124 Elgin SB1,2 (0'-6') Comp	10/13/2025	<0.00190	<0.00610

Notes:
Bold indicates concentration above method detection limits.
Exceeds Maximum Concentration of Contaminates for the Toxicity Characteristic

APPENDIX A

LIMITATIONS



LIMITATIONS

This investigation and related documentation are site-specific, which means they pertain to the environmental conditions of the Site only.

The Mannik & Smith Group, Inc. (MSG) performed its services associated with the investigation in conformance with the care and skill ordinarily used by other reputable environmental consulting firms practicing under similar conditions, at the same time, and in the same or similar locality. In preparing this report, MSG may have relied on information obtained from or provided by others. MSG makes no representation or warranty regarding the accuracy or completeness of this information gathered through outside sources or subcontracted services. No warranty, guarantee, or certification of any kind, expressed or implied, at common law or created by statute, is extended, made, or intended by rendering these environmental consulting services or by furnishing this written report. Environmental conditions and regulations are subject to constant change and reinterpretation. One should not assume that any on-site conditions and/or regulatory statutes or rules will remain constant after MSG has completed the scope of work for this project. Furthermore, because the facts stated in these reports are subject to professional interpretation, differing conclusions could be reached by other environmental professionals.

Contaminants may be hidden in subsurface material, covered by pavement, vegetation, or other substances. Additionally, contamination may not be present in predictable locations. MSG has prepared a logical investigation program to reduce the client's risk of discovering unknown contamination. This risk may be reduced by more extensive exploration on the Site. Even with additional exploration, it is not possible to completely eliminate the risk of discovering contamination on the Site. It can not be assumed that samples collected and conditions observed are representative of an area that has not been sampled and/or tested.

Some environmental assessments are undertaken to satisfy "due diligence", "all appropriate inquiry," or other regulatory requirements provided in federal, state, or local law. Although MSG strives to investigate a site in accordance with the scope of work as defined by written agreement with a client, it cannot warrant that the work undertaken for this report will satisfy "due diligence", "all appropriate inquiry," or any other similar standard under any federal, state, or local law.

Due to changing environmental regulatory conditions and potential on-site activities after the completion of investigation, the client may rely upon the conditions within this investigation report for a period of six months from the report's issuance date.

APPENDIX B

DAILY FIELD REPORTS



**DAILY FIELD REPORT****Client:** City of Detroit Demolition Department**Project:** Sampling and Analysis of Fill Material**Report No.:** 1**Job No.:** DETR0060

Date: 08/14/2025	Day: Thursday	Temp: 70 ° F	(AM)	N/A	(PM)
MSG Personnel: SRK, BM		Cloud Cover: 0%	(AM)	N/A	(PM)
		Precip.: N/A	(AM)	N/A	(PM)
Personnel: MSG					
MSG Hours On-Site: ~ 1 hours					
Contractors Information					
Contractor: MSG		No. Men and Type: 2; Operator/Geologist		Equipment Type: Geoprobe 7822DT	
Summary of Work Performed:					
- Advanced three (3) onsite soil borings to a maximum depth of 6 feet below ground surface (bgs) - Collected soil samples from each soil boring (from the interval with the greatest potential to be impacted based on field indicators).					
Field Notes:					
1040 – SRK and BM onsite (8124 Elgin Street) 1042 – Unloaded equipment and marked boring locations 1049 – Began drilling SB01 1051 – Finished drilling SB01 1053 – Began drilling SB02 1055 – Finished drilling SB02 1056 – Sampled 8124 SB01 (1-2') 1057 – Began drilling SB03 1059 – Finished drilling SB03 1109 – Sampled 8124 SB02 (3-4') 1121 – Sampled 8124 SB03 (5-6') 1125 – Packed up equipment 1135 – MSG off site					

Supporting Documentation					
Photograph Taken	Yes ☒	No ☐	Samples Collected	Yes ☒	No ☐
Photo Log Attached	☒	☐	COC Attached	☒	☐
Boring/MW Logs	☒	☐	Field Note Book Taken	☒	☐
Problem Identification and Corrective Measures					
N/A					
Resolved?	Yes ☐	No ☐			

**DAILY FIELD REPORT**

Client: City of Detroit Demolition Department
Project: Sampling and Analysis of Fill Material – 8124 Elgin

Report No.: 2
Job No.: DETR0060

Date: 10/13/2025	Day: Monday	Temp: 57° F (AM) (PM)
MSG Personnel: EMB, BSM		Cloud Cover: 0% (AM) (PM)
		Precip.: None (AM) (PM)
Personnel: MSG		Wind: 6 mph NE (AM) (PM)
MSG Hours On-Site: ~0.75 hours		

Contractors Information		
Contractor: MSG	No. Men and Type: 2; Helper/Geologist/Driller	Equipment Type: Geoprobe 7822DT

Summary of Work Performed:

- Advanced two (2) onsite soil borings to a maximum depth of 6 feet below ground surface (bgs)
- Collected a composite soil sample from the soil boring from 0'-6' for TCLP analysis.

Field Notes:

- 1100 – MSG onsite (8124 Elgin).
- 1130 - Collected composite sample from SB-1,2 from 0'-6'.
 - 8124 Elgin SB-1,2 (0'-6') Comp.
 - MSG GPS'd SB location.
- 1145 – MSG off site.

Supporting Documentation

Photograph Taken	Yes ☒ No ☐	Samples Collected	Yes ☒ No ☐	Boring/MW Logs	Yes ☒ No ☐
Photo Log Attached	☐ ☒	COC Attached	☒ ☐	Field Note Book Taken	☒ ☐

Problem Identification and Corrective Measures

N/A

Resolved? Yes ☐ No ☐

**DAILY FIELD REPORT****Client:** City of Detroit Demolition Department**Project:** Sampling and Analysis of Fill Material**Report No.:** 3**Job No.:** DETR0060

Date: 10/28/2025	Day: Tuesday	Temp: 49 ° F	(AM)	N/A	(PM)
MSG Personnel: WRD, BM		Cloud Cover: ~5%	(AM)	N/A	(PM)
		Precip.: N/A	(AM)	N/A	(PM)
Personnel: MSG					
MSG Hours On-Site: ~ 1 hour					

Contractors Information

Contractor:

MSG

No. Men and Type:

2; Operator/Geologist

Equipment Type:

Geoprobe 7822DT

Summary of Work Performed:

- Advanced one (1) onsite soil borings to a maximum depth of 4 feet below ground surface (bgs)
- Collected soil sample from soil boring (from the interval 3-4' to analyze for SVOCs)

Field Notes:

- 1045 – MSG (WRD, BM) onsite (8124 Elgin)
- 1050 – Attempted to locate previous boring locations. Marked out new boring location.
- 1055 – Began drilling SB02 (3-4')-R
- 1103 – Finished drilling SB02 (3-4')-R
- 1106 – Sampled 8124 Elgin SB01 (3-4')-R
- 1115 – Packed up equipment
- 1127 – MSG off site

Supporting Documentation

Photograph Taken	Yes ☒	No ☐	Samples Collected	Yes ☒	No ☐	Boring/MW Logs	Yes ☐	No ☒
Photo Log Attached	Yes ☒	No ☐	COC Attached	Yes ☒	No ☐	Field Note Book Taken	Yes ☐	No ☒

Problem Identification and Corrective Measures

N/A

Resolved? Yes ☐ No ☐

APPENDIX C

INVESTIGATION PHOTOGRAPHS



APPENDIX D

SOIL BORING LOGS





The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

BORING ID: SB01

PAGE 1 OF 1

CLIENT	City of Detroit	PROJECT NAME	8124 Elgin
PROJECT NUMBER	DETR0060	PROJECT LOCATION	8124 Elgin St, Detroit, Michigan
DATE STARTED	8/14/25	COMPLETED	8/14/25
BORING DIAMETER:	3.25 inches		
DRILLING CONTRACTOR	MSG		
SURVEY COORDINATES:	N/A		
DRILLING METHOD	Direct Push		
GROUND SURFACE ELEV.:	N/A		
LOGGED BY	SRK	CHECKED BY	PDH
		GROUND WATER ENCOUNTERED DURING DRILLING:	Not Encountered
NOTES	WATER LEVEL AFTER DRILLING: N/A		

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 9/8/25 12:22 - W:\PROJECTS\PROJECTS A-EIDETRO060ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\8124 ELGINBORING LOGS\DETR0060_8124.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
5	MC 1	5.0		6.0	Brown and Gray Silty CLAY, some gravel, little sand Some brick debris at 1 foot bgs	0.0 0.0 0.0 0.0 0.0 0.0		Collected soil sample 8124 SB01 (1-2) at 10:56
					Bottom of borehole at 6.0 feet.			



The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

CLIENT City of Detroit PROJECT NAME 8124 Elgin
PROJECT NUMBER DETR0060 PROJECT LOCATION 8124 Elgin St, Detroit, Michigan
DATE STARTED 8/14/25 COMPLETED 8/14/25 BORING DIAMETER: 3.25 inches
DRILLING CONTRACTOR MSG SURVEY COORDINATES: N/A
DRILLING METHOD Direct Push GROUND SURFACE ELEV.: N/A
LOGGED BY SRK CHECKED BY PDH ☒ GROUND WATER ENCOUNTERED DURING DRILLING: Not Encountered
NOTES ☒ WATER LEVEL AFTER DRILLING: N/A

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 9/8/25 12:22 - W:\PROJECTS\PROJECTS A-EIDETRO060ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\8124 ELGINBORING LOGS\DETR0060_8124.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
				0.3	Concrete debris (Fill)			
					Brown Clayey SAND, some gravel	15.0		
						18.5		
						5.3		
					Some concrete debris at 3 feet bgs			
				4.0		2.2		
					Brown and Gray Silty CLAY, little gravel			
						1.2		
				6.0		0.8		
					Bottom of borehole at 6.0 feet.			

Collected soil sample 8124 SB02 (3-4) at 11:09



The Mannik & Smith Group, Inc.
2365 Haggerty Rd South Canton, MI 48188
ph: 734-397-3100 fax: 734-397-3131
www.manniksmithgroup.com

BORING ID: SB03

PAGE 1 OF 1

CLIENT	City of Detroit	PROJECT NAME	8124 Elgin
PROJECT NUMBER	DETR0060	PROJECT LOCATION	8124 Elgin St, Detroit, Michigan
DATE STARTED	8/14/25	COMPLETED	8/14/25
BORING DIAMETER:	3.25 inches		
DRILLING CONTRACTOR	MSG		
SURVEY COORDINATES:	N/A		
DRILLING METHOD	Direct Push		
GROUND SURFACE ELEV.:	N/A		
LOGGED BY	SRK	CHECKED BY	PDH
		GROUND WATER ENCOUNTERED DURING DRILLING:	Not Encountered
NOTES	WATER LEVEL AFTER DRILLING: N/A		

ENV BORING LOG (PID) - GINT STD US LAB.GDT - 9/8/25 12:22 - W:\PROJECTS\PROJECTS A-EIDETRO060ADMIN\23_QQ 7.25.2025 BACKFILL SAMPLING (48 SITES)\8124 ELGIN\BORING LOGS\DETR0060_8124.GPJ

DEPTH (FEET)	SAMPLE TYPE NUMBER	RECOVERY (FEET)	GRAPHIC LOG	DEPTH (FEET)	MATERIAL DESCRIPTION	PID (ppm)	LABORATORY SAMPLE	REMARKS
0								
					Brown to Dark Brown Clayey SAND, trace gravel			
					Some concrete debris from 1 - 3 feet bgs	4.2		
						11.1		
						10.3		
	MC 1	3.0		4.0		3.3		
					Brown to Gray Silty CLAY, some gravel			
5				6.0		1.4		
						1.0		Collected soil sample 8124 SB03 (5-6) at 11:21
					Bottom of borehole at 6.0 feet.			

APPENDIX E
LABORATORY ANALYTICAL REPORTS AND CHAIN OF CUSTODY FORMS





right solutions.
right partner.

CERTIFICATE OF ANALYSIS

Work Order

HN2511517

Client

The Mannik & Smith Group, Inc.

Project

8124_Elgin

Project Date

August 15, 2025

Reporting Contact

Ryan Montri



right solutions.
right partner.

September 11, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Work Order: **HN2511517**

Re: **8124_Elgin**

Dear Ryan,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Bill Carey

/S/ **BILL CAREY**

Project Manager



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin

Work Order: HN2511517
Date Received: 15-Aug-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

3 soil/solid samples were received for analysis at ALS Environmental on 15-Aug-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals

EPA 6020B-3050B-S

Run ID: 3418146

The MS recovery was outside of the control limit. However, the MSD recovery and the RPD between the MS and MSD was in control. No qualification is required for this analyte: Cu Batch 2170126

The MSD recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Ba, Pb, Zn Batch 2170126

The MS recovery was outside of the control limit; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required for this analyte: Ba, Pb, Zn Batch 2170126

HN2511517-001: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511517-001: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511517-001: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511517-002: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511517-002: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511517-002: Arsenic - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511517-002: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. As, Cd, Se, Ag

HN2511517-003: Cadmium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511517-003: Silver - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

HN2511517-003: Selenium - The reporting limit is elevated due to dilution for high concentrations of non-target analytes. Cd, Se, Ag

Organics

EPA 8260D-FULL HN-5035A-10mL-S

Run ID: 3431701

The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification:

Carbon disulfide, 1,1-Dichloroethylene

The MSD recovery was outside of the control limit. However, the MS recovery and the RPD between the MS and MSD was in control. No qualification is required for this analyte: trichloroethane

The MSD recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for the following analyte(s): 1,1,2,2-tetrachloroethane, bromodichloromethane

The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: acetone, tetrachloroethene

The MS recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: acetone, tetrachloroethene

The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: bromomethane

The MS recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for this analyte: 1,1,2,2-tetrachloroethane, bromodichloromethane

Run ID: 3424975

The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification:

dichlorodifluoromethane

The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary. see qc report

The MSD recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for the following analyte(s): 1,1,2,2-tetrachloroethane

The MS recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: see qc report

The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: chloromethane

The MS recovery was below the lower control limit. The corresponding result in the parent sample may be biased low for this analyte: 1,1,2,2-tetrachloroethane

Inorganics**EPA 9056A-S (High)****Run ID: 3408572**

The MSD recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Chloride, Sulfate

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 8124 SB01 (1-2)	Lab ID: HN2511517-001
----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
Arsenic	7.10		3.62	mg/kg	EPA 6020B
Barium	89.4		3.62	mg/kg	EPA 6020B
Chromium	20.1		3.62	mg/kg	EPA 6020B
Copper	13.6		3.62	mg/kg	EPA 6020B
Lead	20.0		3.62	mg/kg	EPA 6020B
Mercury	0.0300		0.0200	mg/kg	EPA 7471B
Percent Moisture	17.7		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B
Subcontract Analysis	See attached.			-	EPA 8082A
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	64.2		7.23	mg/kg	EPA 6020B

CLIENT ID: 8124 SB02 (3-4)	Lab ID: HN2511517-002
----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
1,2,4-Trimethylbenzene	114		37.1	µg/kg	EPA 8260D
Barium	58.2		3.10	mg/kg	EPA 6020B
Chloride	53.8		11.2	mg/kg	EPA 9056A
Chromium	9.32		3.10	mg/kg	EPA 6020B
Copper	5.67		3.10	mg/kg	EPA 6020B
Lead	97.8		3.10	mg/kg	EPA 6020B
Mercury	0.0426		0.0204	mg/kg	EPA 7471B
o-Xylene	37.7		37.1	µg/kg	EPA 8260D
Percent Moisture	11.4		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B
Subcontract Analysis	See attached.			-	EPA 8082A
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	30.2		6.20	mg/kg	EPA 6020B

CLIENT ID: 8124 SB03 (5-6)	Lab ID: HN2511517-003
----------------------------	-----------------------

Analyte	Results	Flag	MRL	Units	Method
Arsenic	5.02		3.40	mg/kg	EPA 6020B
Barium	108		3.40	mg/kg	EPA 6020B
Chromium	24.5		3.40	mg/kg	EPA 6020B
Copper	18.0		3.40	mg/kg	EPA 6020B
Lead	11.5		3.40	mg/kg	EPA 6020B
Mercury	0.0296		0.0217	mg/kg	EPA 7471B
Percent Moisture	16.5		0.1	%	EPA 3550C
Subcontract Analysis	See attached.			-	EPA 8151A
Subcontract Analysis	See attached.			-	EPA 8081B

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 8124 SB03 (5-6)

Lab ID: HN2511517-003

Analyte	Results	Flag	MRL	Units	Method
Subcontract Analysis	See attached.			-	EPA 8082A
Subcontract Analysis	See attached.			-	EPA 8270E
Zinc	60.1		6.79	mg/kg	EPA 6020B

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Workorder: HN2511517

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2511517-001	8124 SB01 (1-2)	SOIL/SOLID	08/14/25 10:56	08/15/25 08:00
HN2511517-002	8124 SB02 (3-4)	SOIL/SOLID	08/14/25 11:09	08/15/25 08:00
HN2511517-003	8124 SB03 (5-6)	SOIL/SOLID	08/14/25 11:21	08/15/25 08:00



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information			Project Information				Parameter/Method Request for Analysis												
Purchase Order		Project Name	8124_Elgin				A VOCs (U.S. EPA Method 8260C (or Method 8260))												
Work Order		Project Number	DETR0060				B SVOCs (U.S. EPA Method 8270D (or Method 8270))												
Company Name	The Mannik and Smith Group		Bill To Company	The Mannik and Smith Group				C PCBs (U.S. EPA Method 8082)											
Send Report To	Ryan Montri		Invoice Attn.					D Mi 10 Metals (U.S. EPA 6000/7000 Series Methods)											
Address	2365 Haggerty Rd South Suite 100		Address	2365 Haggerty Rd South Suite 100				E Chorides (U.S. EPA Method 9056A)											
								F Pesticides (U.S. EPA Method 8081B (or Method 8081))											
City/State/Zip	Canton, MI 48188		City/State/Zip	Canton, MI 48188				G Herbicides (U.S. EPA Method 8151A (or Method 8151))											
Phone	734-397-3100		Phone	734-397-3100				H											
Fax			Fax					I											
e-Mail Address	RMontri@manniksmithgroup.com		e-Mail Address					J											

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	8124 SB01 (1-2)	8/14/25	1056	Soil	7	3	X	X	X	X	X	X	X				
2	8124 SB02 (3-4)	↓	1109	Soil	7	3	X	X	X	X	X	X	X				
3	8124 SB03 (5-6)	↓	1121	Soil	7	3	X	X	X	X	X	X	X				
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s): Please Print & Sign <i>Stevan Kaczmarek</i>		Shipment Method:		Required Turnaround Time: ☐ STD 10 Wk Days ☒ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:			
Relinquished by: <i>[Signature]</i>		Date: 8/14/25	Time:	Received by: <i>[Signature]</i>		Notes: Quote# HN-061825-M&S-MA					
Relinquished by: <i>[Signature]</i>		Date: 8/14/25	Time: 1700	Received by (Laboratory): <i>[Signature]</i>		Cooler Temp.		QC Package: (Check Box Below)			
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):				Level II: Standard QC		TRRP-Checklist	
								Level III: Std QC + Raw Data		TRRP Level IV	
								Level IV: SW846 CLP-Like			
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035								Other: _____			

Environmental Division
Holland
Work Order Reference
HN2511517

Telephone : + 1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.

Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland Sample Receiving Checklist

Received by: BC

Date/Time: 8/15/25 08:00

Carrier Name: Q.S

Shipping container/cooler in good condition? Yes / No / Not Present

Custody seals intact on shipping container/cooler? Yes / No / ~~No~~ Present

Custody seals intact on sample bottles? Yes / No / ~~No~~ Present

Chain of Custody present? Yes / No

COC signed when relinquished and received? Yes / No

COC agrees with sample labels? Yes / No

Samples in proper container/bottle? Yes / No

Sample containers intact? Yes / No

Sufficient sample volume for indicated test? Yes / No

All samples received within holding time? Yes / No

Container/Temp Blank temperature in compliance? Yes / No

Temperature(s) (°C): 2.1°C

Thermometer(s): FR6

Sample(s) received on ice? Yes / No

Matrix/Matrices: ~~water~~ DC soil

Cooler(s)/Kit(s): 1

Date/Time sample(s) sent to storage: 8/15/25

Water – VOA vials have zero headspace? Yes / No / No Vials

Water – pH acceptable upon receipt? Yes / No / ~~N/A~~

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)? Yes / No / ~~N/A~~

pH adjusted by: _____

Login Notes:



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information			Project Information			Parameter/Method Request for Analysis													
Purchase Order		Project Name	8124_Elgin			A VOCs (U.S. EPA Method 8260C (or Method 8260))													
Work Order		Project Number	DETR0060			B SVOCs (U.S. EPA Method 8270D (or Method 8270))													
Company Name	The Mannik and Smith Group		Bill To Company	The Mannik and Smith Group			C PCBs (U.S. EPA Method 8082)												
Send Report To	Ryan Montri		Invoice Attn.				D Mi 10 Metals (U.S. EPA 6000/7000 Series Methods)												
Address	2365 Haggerty Rd South Suite 100		Address	2365 Haggerty Rd South Suite 100			E Chorides (U.S. EPA Method 9056A)												
							F Pesticides (U.S. EPA Method 8081B (or Method 8081))												
City/State/Zip	Canton, MI 48188		City/State/Zip	Canton, MI 48188			G Herbicides (U.S. EPA Method 8151A (or Method 8151))												
Phone	734-397-3100		Phone	734-397-3100			H												
Fax			Fax				I												
e-Mail Address	RMontri@manniksmithgroup.com		e-Mail Address				J												
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold		
1	8124 SB01 (1-2)	8/14/25	10:56	Soil	7	3	X	X	X	X	X	X	X						
2	8124 SB02 (3-4)	↓	11:09	Soil	7	3	↓	↓	↓	↓	↓	↓	↓						
3	8124 SB03 (5-6)	↓	11:21	Soil	7	3	↓	↓	↓	↓	↓	↓	↓						
4																			
5																			
6																			
7																			
8																			
9																			
10																			
Sampler(s): Please Print & Sign <i>Stevan Kacprzak</i>			Shipment Method:			Required Turnaround Time: ☐ STD 10 Wk Days ☒ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour			Results Due Date:										
Relinquished by: <i>[Signature]</i>		Date: 8/14/25	Time:	Received by: <i>[Signature]</i>		Notes: Quote# HN-061825-M&S-MA													
Relinquished by: <i>[Signature]</i>		Date: 8/14/25	Time: 17:00	Received by (Laboratory): <i>[Signature]</i>		Cooler Temp. 2.1°C IR6		QC Package: (Check Box Below)											
Logged by (Laboratory): BC		Date: 8/15/25	Time: 10:00	Checked by (Laboratory):		Level II: Standard QC TRRP-Checklist													
						Level III: Std QC + Raw Data TRRP Level IV													
						Level IV: SW846 CLP-Like													
						Other:													
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035																			

Environmental Division
Holland
Work Order Reference
HN2511517

Telephone : +1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.

Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland Sample Receiving Checklist

Received by: BC

Date/Time: 8/15/25 08:00

Carrier Name: Q.S.

Shipping container/cooler in good condition? Yes / No / Not Present

Custody seals intact on shipping container/cooler? Yes / No / Not Present

Custody seals intact on sample bottles? Yes / No / Not Present

Chain of Custody present? Yes / No

COC signed when relinquished and received? Yes / No

COC agrees with sample labels? Yes / No

Samples in proper container/bottle? Yes / No

Sample containers intact? Yes / No

Sufficient sample volume for indicated test? Yes / No

All samples received within holding time? Yes / No

Container/Temp Blank temperature in compliance? Yes / No

Temperature(s) (°C): 2.7°C

Thermometer(s): FR6

Sample(s) received on ice? Yes / No

Matrix/Matrices: water PC soil

Cooler(s)/Kit(s): 1

Date/Time sample(s) sent to storage: 8/15/25

Water – VOA vials have zero headspace? Yes / No / No Vials

Water – pH acceptable upon receipt? Yes / No / N/A

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)? Yes / No / N/A

pH adjusted by: _____

Login Notes:

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin

Work Order: HN2511517

Sample Name: 8124 SB01 (1-2) **Date Collected:** 08/14/25
Laboratory Code: HN2511517-001 **Date Received:** 08/15/25
Sample Matrix: SOIL/SOLID

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		001-AC	2170197		3416403	Nicole Maleski
EPA 6020B	EPA 3050B	001-AC	2170126	Weston Kotecki	3418146	Hunter Johnson
EPA 7471B	Method	001-AC	2170118	Maxx Richey	3420366	Maxx Richey
EPA 8081B		001-AD			3484516	Bill Carey
EPA 8082A		001-AD			3484516	Bill Carey
EPA 8151A		001-AD			3484516	Bill Carey
EPA 8260D	EPA 5035A	001-AA	2162539	Jonathan Vazquez	3424975	Nathan Jenkins
EPA 8270E		001-AD			3484516	Bill Carey
EPA 9056A	EPA 9056A	001-AC	2165419	Katrina Grassel	3408572	Riley Miller

Sample Name: 8124 SB02 (3-4) **Date Collected:** 08/14/25
Laboratory Code: HN2511517-002 **Date Received:** 08/15/25
Sample Matrix: SOIL/SOLID

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		002-AC	2170197		3416403	Nicole Maleski
EPA 6020B	EPA 3050B	002-AC	2170126	Weston Kotecki	3418146	Hunter Johnson
EPA 7471B	Method	002-AC	2170118	Maxx Richey	3420366	Maxx Richey
EPA 8081B		002-AD			3484516	Bill Carey
EPA 8082A		002-AD			3484516	Bill Carey
EPA 8151A		002-AD			3484516	Bill Carey
EPA 8260D	EPA 5035A	002-AA	2162539	Jonathan Vazquez	3424975	Nathan Jenkins
EPA 8270E		002-AD			3484516	Bill Carey
EPA 9056A	EPA 9056A	002-AC	2165419	Katrina Grassel	3408572	Riley Miller

Sample Name: 8124 SB03 (5-6) **Date Collected:** 08/14/25
Laboratory Code: HN2511517-003 **Date Received:** 08/15/25
Sample Matrix: SOIL/SOLID

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		003-AC	2170197		3416403	Nicole Maleski

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin

Work Order: HN2511517

Sample Name: 8124 SB03 (5-6)
Laboratory Code: HN2511517-003
Sample Matrix: SOIL/SOLID

Date Collected: 08/14/25
Date Received: 08/15/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 6020B	EPA 3050B	003-AC	2170126	Weston Kotecki	3418146	Hunter Johnson
EPA 7471B	Method	003-AC	2170118	Maxx Richey	3420366	Maxx Richey
EPA 8081B		003-AD			3484516	Bill Carey
EPA 8082A		003-AD			3484516	Bill Carey
EPA 8151A		003-AD			3484516	Bill Carey
EPA 8260D	EPA 5035A	003-AA	2162539	Jonathan Vazquez	3431701	John Garvale
EPA 8270E		003-AD			3484516	Bill Carey
EPA 9056A	EPA 9056A	003-AC	2165419	Katrina Grassel	3408572	Riley Miller

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 10:56
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB01 (1-2) **Lab ID: HN2511517-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	17.7		%	0.1	1	08/20/25 14:08	NA
Chloride	EPA 9056A	ND		mg/kg	11.8	1	08/17/25 18:06	08/17/25 14:43
Metals								
Arsenic	EPA 6020B	7.10		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Barium	EPA 6020B	89.4		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Cadmium	EPA 6020B	ND		mg/kg	1.45	10	08/20/25 20:40	08/20/25 09:47
Chromium	EPA 6020B	20.1		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Copper	EPA 6020B	13.6		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Lead	EPA 6020B	20.0		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Selenium	EPA 6020B	ND		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Silver	EPA 6020B	ND		mg/kg	3.62	10	08/20/25 20:40	08/20/25 09:47
Zinc	EPA 6020B	64.2		mg/kg	7.23	10	08/20/25 20:40	08/20/25 09:47
Mercury	EPA 7471B	0.0300		mg/kg	0.0200	1	08/21/25 10:37	08/21/25 08:13
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/11/25 10:47	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
1,2,4-Trimethylbenzene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 10:56
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB01 (1-2) **Lab ID: HN2511517-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	86.6	1	08/22/25 05:54	08/15/25 13:16
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	289	1	08/22/25 05:54	08/15/25 13:16
2-Hexanone	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Acetone	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Benzene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Bromochloromethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Bromodichloromethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Bromoform	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Carbon disulfide	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Carbon tetrachloride	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Chlorobenzene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Chlorodibromomethane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Chloroform	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	86.6	1	08/22/25 05:54	08/15/25 13:16
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Cyclohexane	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Ethylbenzene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Isopropylbenzene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 10:56
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB01 (1-2)	Lab ID: HN2511517-001
-----------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	86.6	1	08/22/25 05:54	08/15/25 13:16
Methyl acetate	EPA 8260D	ND		µg/kg	361	1	08/22/25 05:54	08/15/25 13:16
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	144	1	08/22/25 05:54	08/15/25 13:16
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Methylcyclohexane	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	361	1	08/22/25 05:54	08/15/25 13:16
o-Xylene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Styrene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Toluene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Total Xylene	EPA 8260D	ND		µg/kg	130	1	08/22/25 05:54	08/15/25 13:16
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	43.3	1	08/22/25 05:54	08/15/25 13:16
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>EPA 8260D</i>	103		%REC	80-120	1	08/22/25 05:54	08/15/25 13:16
<i>Surr: 4-Bromofluorobenzene</i>	<i>EPA 8260D</i>	105		%REC	80-120	1	08/22/25 05:54	08/15/25 13:16
<i>Surr: Dibromofluoromethane</i>	<i>EPA 8260D</i>	96.4		%REC	80-120	1	08/22/25 05:54	08/15/25 13:16
<i>Surr: Toluene-d8</i>	<i>EPA 8260D</i>	99.5		%REC	80-120	1	08/22/25 05:54	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:09
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB02 (3-4)	Lab ID: HN2511517-002
-----------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	11.4		%	0.1	1	08/20/25 14:08	NA
Chloride	EPA 9056A	53.8		mg/kg	11.2	1	08/17/25 18:16	08/17/25 14:43
Metals								
Arsenic	EPA 6020B	ND		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Barium	EPA 6020B	58.2		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Cadmium	EPA 6020B	ND		mg/kg	1.24	10	08/20/25 20:42	08/20/25 09:47
Chromium	EPA 6020B	9.32		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Copper	EPA 6020B	5.67		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Lead	EPA 6020B	97.8		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Selenium	EPA 6020B	ND		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Silver	EPA 6020B	ND		mg/kg	3.10	10	08/20/25 20:42	08/20/25 09:47
Zinc	EPA 6020B	30.2		mg/kg	6.20	10	08/20/25 20:42	08/20/25 09:47
Mercury	EPA 7471B	0.0426		mg/kg	0.0204	1	08/21/25 10:39	08/21/25 08:13
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/11/25 10:47	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
1,2,4-Trimethylbenzene	EPA 8260D	114		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:09
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB02 (3-4) **Lab ID: HN2511517-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	74.2	1	08/22/25 06:10	08/15/25 13:16
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	247	1	08/22/25 06:10	08/15/25 13:16
2-Hexanone	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Acetone	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Benzene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Bromochloromethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Bromodichloromethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Bromoform	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Carbon disulfide	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Carbon tetrachloride	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Chlorobenzene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Chlorodibromomethane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Chloroform	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	74.2	1	08/22/25 06:10	08/15/25 13:16
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Cyclohexane	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Ethylbenzene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Isopropylbenzene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:09
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB02 (3-4) **Lab ID: HN2511517-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	74.2	1	08/22/25 06:10	08/15/25 13:16
Methyl acetate	EPA 8260D	ND		µg/kg	309	1	08/22/25 06:10	08/15/25 13:16
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	124	1	08/22/25 06:10	08/15/25 13:16
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Methylcyclohexane	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	309	1	08/22/25 06:10	08/15/25 13:16
o-Xylene	EPA 8260D	37.7		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Styrene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Toluene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Total Xylene	EPA 8260D	ND		µg/kg	111	1	08/22/25 06:10	08/15/25 13:16
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	37.1	1	08/22/25 06:10	08/15/25 13:16
Surr: 1,2-Dichloroethane-d4	EPA 8260D	103		%REC	80-120	1	08/22/25 06:10	08/15/25 13:16
Surr: 4-Bromofluorobenzene	EPA 8260D	104		%REC	80-120	1	08/22/25 06:10	08/15/25 13:16
Surr: Dibromofluoromethane	EPA 8260D	91.0		%REC	80-120	1	08/22/25 06:10	08/15/25 13:16
Surr: Toluene-d8	EPA 8260D	99.6		%REC	80-120	1	08/22/25 06:10	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:21
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB03 (5-6) **Lab ID: HN2511517-003**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	16.5		%	0.1	1	08/20/25 14:08	NA
Chloride	EPA 9056A	ND		mg/kg	12.0	1	08/17/25 18:26	08/17/25 14:43
Metals								
Arsenic	EPA 6020B	5.02		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Barium	EPA 6020B	108		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Cadmium	EPA 6020B	ND		mg/kg	1.36	10	08/20/25 20:44	08/20/25 09:47
Chromium	EPA 6020B	24.5		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Copper	EPA 6020B	18.0		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Lead	EPA 6020B	11.5		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Selenium	EPA 6020B	ND		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Silver	EPA 6020B	ND		mg/kg	3.40	10	08/20/25 20:44	08/20/25 09:47
Zinc	EPA 6020B	60.1		mg/kg	6.79	10	08/20/25 20:44	08/20/25 09:47
Mercury	EPA 7471B	0.0296		mg/kg	0.0217	1	08/21/25 10:41	08/21/25 08:13
Subcontracted Parameters								
Subcontract Analysis	EPA 8081B	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8082A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8151A	See attached.		-		1	09/11/25 10:47	NA
Subcontract Analysis	EPA 8270E	See attached.		-		1	09/11/25 10:47	NA
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,1,2-Trichloroethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,1-Dichloroethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,1-Dichloroethylene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,2,3-Trichlorobenzene	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
1,2,3-Trichloropropane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,2,4-Trichlorobenzene	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
1,2,4-Trimethylbenzene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:21
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB03 (5-6) **Lab ID: HN2511517-003**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,2-Dichlorobenzene (o-Dichlorobenzene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
1,2-Dichloropropane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,3,5-Trimethylbenzene	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
1,3-Dichlorobenzene (m-Dichlorobenzene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
1,3-Dichloropropene	EPA 8260D	ND		µg/kg	83.6	1	08/23/25 03:07	08/15/25 13:16
1,4-Dichlorobenzene (p-Dichlorobenzene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/kg	278	1	08/23/25 03:07	08/15/25 13:16
2-Hexanone	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Acetone	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Benzene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Bromochloromethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Bromodichloromethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Bromoform	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Carbon disulfide	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Carbon tetrachloride	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Chlorobenzene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Chlorodibromomethane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Chloroform	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
cis & trans-1,2-Dichloroethene	EPA 8260D	ND		µg/kg	83.6	1	08/23/25 03:07	08/15/25 13:16
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Cyclohexane	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Dichlorodifluoromethane (Freon-12)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Ethylbenzene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Isopropylbenzene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: 8124_Elgin
Matrix: SOIL/SOLID

Work Order: HN2511517
Date Collected: 08/14/25 11:21
Date Received: 08/15/25 08:00

CLIENT ID: 8124 SB03 (5-6)	Lab ID: HN2511517-003
-----------------------------------	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
m+p-Xylene	EPA 8260D	ND		µg/kg	83.6	1	08/23/25 03:07	08/15/25 13:16
Methyl acetate	EPA 8260D	ND		µg/kg	348	1	08/23/25 03:07	08/15/25 13:16
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/kg	139	1	08/23/25 03:07	08/15/25 13:16
Methyl tert-butyl ether (MTBE)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Methylcyclohexane	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/kg	348	1	08/23/25 03:07	08/15/25 13:16
o-Xylene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Styrene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Toluene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Total Xylene	EPA 8260D	ND		µg/kg	125	1	08/23/25 03:07	08/15/25 13:16
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/kg	41.8	1	08/23/25 03:07	08/15/25 13:16
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>EPA 8260D</i>	104		%REC	80-120	1	08/23/25 03:07	08/15/25 13:16
<i>Surr: 4-Bromofluorobenzene</i>	<i>EPA 8260D</i>	97.9		%REC	80-120	1	08/23/25 03:07	08/15/25 13:16
<i>Surr: Dibromofluoromethane</i>	<i>EPA 8260D</i>	99.3		%REC	80-120	1	08/23/25 03:07	08/15/25 13:16
<i>Surr: Toluene-d8</i>	<i>EPA 8260D</i>	104		%REC	80-120	1	08/23/25 03:07	08/15/25 13:16



November 20, 2025

Service Request No:R2510167

Bill Carey
ALS Environmental - Holland
3352 128th Avenue
Holland, MI 49424

Laboratory Results for: 8124_Elgin

Dear Bill,

Enclosed are the results of the sample(s) submitted to our laboratory August 20, 2025
For your reference, these analyses have been assigned our service request number **R2510167**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE

+1 585 288 5380

FAX

+1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Received: 08/20/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Three soil samples were received for analysis at ALS Environmental on 08/20/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivolatiles by GC/MS:

Method 8270E: The Method Reporting Limit (MRL) was elevated due to less than optimal sample mass (15g) used in the microwave preparation process. The nature of the sample necessitated using less mass of sample to avoid overheating. Overheating causes the extraction solvent to vent out of the vessel and may cause damage to the microwave vessels.

Method 8270E, 891252: The reporting limit is elevated for one or more analytes. The sample extract was diluted prior to instrumental analysis due to relatively high levels of non-target background components. The extract was highly colored and viscous, which indicated the need to perform a dilution prior to injection into the instrument. The result(s) are flagged to indicate the matrix interference.

Semivolatile GC:

Method 8081B, 09/10/2025: The control limits were exceeded for analytes in the Continuing Calibration Verification (CCV). The QC failure was most likely due to the composition of the sample(s) immediately preceding the failing CCV. In order to protect the integrity of the instrument, no further corrective action was taken. Results should be considered estimated.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by 

Date 11/20/2025



SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 8124 SB02 (3-4)	Lab ID: R2510167-002
-----------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
4,4'-DDD	15		0.95	1.9	ug/Kg	8081B
4,4'-DDE	58		0.95	1.9	ug/Kg	8081B
4,4'-DDT	6.7	P	0.95	1.9	ug/Kg	8081B
alpha-Chlordane	1.8	J	0.95	1.9	ug/Kg	8081B
Aroclor 1260	73		20	37	ug/Kg	8082A
gamma-Chlordane	1.2	J	0.95	1.9	ug/Kg	8081B
Pyrene	720	J	620	3700	ug/Kg	8270E
Total Solids	88.6				Percent	ALS SOP

CLIENT ID: 8124 SB01 (1-2)	Lab ID: R2510167-001
-----------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Total Solids	82.3				Percent	ALS SOP

CLIENT ID: 8124 SB03 (5-6)	Lab ID: R2510167-003
-----------------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Total Solids	83.5				Percent	ALS SOP



Sample Receipt Information

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: ALS Environmental - US
Project: 8124_Elgin

Service Request:R2510167

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2510167-001	8124 SB01 (1-2)	8/14/2025	1056
R2510167-002	8124 SB02 (3-4)	8/14/2025	1109
R2510167-003	8124 SB03 (5-6)	8/14/2025	1121

ALS Group USA, Corp.

3352 128th Ave Holland Michigan 49424 United States
T+1 616 399 6070 | F



right solutions.
right partner.

Subcontract Chain of Custody

SAMPLING STATE:

COC ID: HN2511517

Subcontract To:

Rochester - Environmental TEL: +1 585 288 5380
1565 Jefferson Road, Building 300, Suite 360 FAX:
Rochester New York 14623

Due Date: 08/26/2025

Analysis Report Format: ALS Standard – Level II

Electronic Data Deliverable:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order		Project Name	8124_Elgin	A	EPA 8081B-3546-S (INT SUB)
Work Order	HN2511517			B	EPA 8082A-3546-S (INT SUB)
Company Name	Holland - Environmental	Bill To Company	Holland - Environmental	C	EPA 8151A-S (INT SUB)
Send Report To	Bill Carey	Inv Attn	Accounts Payable	D	EPA 8270E-TCL-3546-S (INT SUB)
Address	3352 128th Ave	Address	3352 128th Ave	E	
				F	
City/State/Zip	Holland Michigan 49424	City/State/Zip	Holland Michigan 49424	G	
Phone	+1 616 399 6070	Phone	+1 616 399 6070	H	
Fax		Fax		I	
Email Address	bill.carey@alsglobal.com			J	

ALS Sample ID	Client Sample ID	Matrix	Collection Date	Bottle	A	B	C	D	E	F	G	H	I	J
HN2511517-001	8124 SB01 (1-2)	Soil/Solid	08/14/2025 10:56	001-AD	x	x	x	x						
HN2511517-002	8124 SB02 (3-4)	Soil/Solid	08/14/2025 11:09	002-AD	x	x	x	x						
HN2511517-003	8124 SB03 (5-6)	Soil/Solid	08/14/2025 11:21	003-AD	x	x	x	x						

Relinquished by	Date Time	Received by	Date Time	Cooler ID's _____ _____ _____
Relinquished by	Date Time	Received by	Date Time	
Sampled by				





Cooler Receipt and Preservation Check Form

R2510167

ALS Environmental - Holland
8124_Elgin

5



Project/Client _____ Folder Number _____

Cooler received on 8/20/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <u>(N)</u>
2	Custody papers properly completed (ink, signed)?	<u>(Y)</u> N
3	Did all bottles arrive in good condition (unbroken)?	<u>(Y)</u> N
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	<u>(Y)</u> N

5a	Did VOA vials have sig* bubbles?	Y N <u>(NA)</u>
5b	Sig* bubbles: Alk? Y N <u>(NA)</u> Sulfide? Y N <u>(NA)</u>	
6	Where did the bottles originate?	ALS/ROC <u>(CLIENT)</u>
7	Soil VOA received as: Bulk Encore 5035set	<u>(CNA)</u>

8. Temperature Readings Date: 8/20/25 Time: 10:01 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	<u>4.2</u>	<u>4.5</u>	<u>5.5</u>				
Within 0-6°C?	<u>(Y)</u> N	<u>(Y)</u> N	<u>(Y)</u> N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule

& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMO by RM on 8/20 at 12:16
5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 8/20/25 Time: 15:55 by: MM

- Were all bottle labels complete (i.e. analysis, preservation, etc.)? (YES) NO
- Did all bottle labels and tags agree with custody papers? (YES) NO
- Were correct containers used for the tests indicated? (YES) NO
- Were 5035 vials acceptable (no extra labels, not leaking)? (YES) NO (N/A)
- Were dissolved metals filtered in the field? (YES) NO (N/A)
- Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃								
		ZnAcetate	-	-						
		HCl	**	**						

**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: 062325-152

Explain all Discrepancies/ Other Comments: _____

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: MM

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.	+	Correlation coefficient for MSA is <0.995.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).	N	Inorganics- Matrix spike recovery was outside laboratory limits.
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.	N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.	S	Concentration has been determined using Method of Standard Additions (MSA).
E	Organics- Concentration has exceeded the calibration range for that specific analysis.	W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.	P	Concentration >40% difference between the two GC columns.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.	C	Confirmed by GC/MS
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.	Q	DoD reports: indicates a pesticide/Aroclor is not confirmed ($\geq 100\%$ Difference between two GC columns).
#	Spike was diluted out.	X	See Case Narrative for discussion.
		MRL	Method Reporting Limit. Also known as:
		LOQ	Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
		MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
		LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
		ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations¹



NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to <https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx>.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: ALS Environmental - US
Project: 8124_Elgin

Service Request: R2510167

Non-Certified Analytes

Certifying Agency: New York Department of Health

Method	Matrix	Analyte
8270E	Soil	1-Methylnaphthalene
ALS SOP	Soil	Total Solids

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: ALS Environmental - US
Project: 8124_Elgin/

Service Request: R2510167

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001
Sample Matrix: Soil

Date Collected: 08/14/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER
8151A	JVANHEYNINGEN	AFELSER
8270E	JVANHEYNINGEN	AMOSSES
ALS SOP		CKUTZER

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002
Sample Matrix: Soil

Date Collected: 08/14/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER
8151A	JVANHEYNINGEN	AFELSER
8270E	JVANHEYNINGEN	AMOSSES
ALS SOP		CKUTZER

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003
Sample Matrix: Soil

Date Collected: 08/14/25
Date Received: 08/20/25

Analysis Method	Extracted/Digested By	Analyzed By
8081B	JVANHEYNINGEN	AFELSER
8082A	JVANHEYNINGEN	AFELSER
8151A	JVANHEYNINGEN	AFELSER
8270E	JVANHEYNINGEN	AMOSSES
ALS SOP		CKUTZER



PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":

For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.



Sample Results

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Semivolatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
1,2,4,5-Tetrachlorobenzene	260 U	1200	260	1	08/26/25 19:08	8/25/25	
1-Methylnaphthalene	220 U	1200	220	1	08/26/25 19:08	8/25/25	
2-Methylnaphthalene	410 U	1200	410	1	08/26/25 19:08	8/25/25	
Acenaphthene	220 U	1200	220	1	08/26/25 19:08	8/25/25	
Acenaphthylene	240 U	1200	240	1	08/26/25 19:08	8/25/25	
Anthracene	200 U	1200	200	1	08/26/25 19:08	8/25/25	
Benz(a)anthracene	180 U	1200	180	1	08/26/25 19:08	8/25/25	
Benzo(a)pyrene	310 U	1200	310	1	08/26/25 19:08	8/25/25	
Benzo(b)fluoranthene	200 U	1200	200	1	08/26/25 19:08	8/25/25	
Benzo(g,h,i)perylene	270 U	1200	270	1	08/26/25 19:08	8/25/25	
Benzo(k)fluoranthene	190 U	1200	190	1	08/26/25 19:08	8/25/25	
1,4-Dichlorobenzene	200 U	1200	200	1	08/26/25 19:08	8/25/25	
Biphenyl	340 U	1200	340	1	08/26/25 19:08	8/25/25	
Chrysene	170 U	1200	170	1	08/26/25 19:08	8/25/25	
Dibenz(a,h)anthracene	250 U	1200	250	1	08/26/25 19:08	8/25/25	
1,4-Dioxane	120 U	230	120	1	08/26/25 19:08	8/25/25	
Dibenzofuran	210 U	1200	210	1	08/26/25 19:08	8/25/25	
Fluoranthene	290 U	1200	290	1	08/26/25 19:08	8/25/25	
Fluorene	220 U	1200	220	1	08/26/25 19:08	8/25/25	
Indeno(1,2,3-cd)pyrene	370 U	1200	370	1	08/26/25 19:08	8/25/25	
Naphthalene	220 U	1200	220	1	08/26/25 19:08	8/25/25	
Phenanthrene	170 U	1200	170	1	08/26/25 19:08	8/25/25	
Pyrene	200 U	1200	200	1	08/26/25 19:08	8/25/25	
2,3,4,6-Tetrachlorophenol	410 U	1200	410	1	08/26/25 19:08	8/25/25	
2,4,5-Trichlorophenol	290 U	1200	290	1	08/26/25 19:08	8/25/25	
2,4,6-Trichlorophenol	260 U	1200	260	1	08/26/25 19:08	8/25/25	
2,4-Dichlorophenol	230 U	1200	230	1	08/26/25 19:08	8/25/25	
2,4-Dimethylphenol	210 U	1200	210	1	08/26/25 19:08	8/25/25	
2,4-Dinitrophenol	2000 U	5900	2000	1	08/26/25 19:08	8/25/25	
2,4-Dinitrotoluene	450 U	1200	450	1	08/26/25 19:08	8/25/25	
2,6-Dinitrotoluene	260 U	1200	260	1	08/26/25 19:08	8/25/25	
2-Chloronaphthalene	230 U	1200	230	1	08/26/25 19:08	8/25/25	
2-Chlorophenol	200 U	1200	200	1	08/26/25 19:08	8/25/25	
2-Methylphenol	240 U	1200	240	1	08/26/25 19:08	8/25/25	
2-Nitroaniline	280 U	5900	280	1	08/26/25 19:08	8/25/25	
2-Nitrophenol	270 U	1200	270	1	08/26/25 19:08	8/25/25	
3,3'-Dichlorobenzidine	420 U	1200	420	1	08/26/25 19:08	8/25/25	
3- and 4-Methylphenol Coelution	220 U	1200	220	1	08/26/25 19:08	8/25/25	
3-Nitroaniline	240 U	5900	240	1	08/26/25 19:08	8/25/25	
4,6-Dinitro-2-methylphenol	650 U	5900	650	1	08/26/25 19:08	8/25/25	
4-Bromophenyl Phenyl Ether	310 U	1200	310	1	08/26/25 19:08	8/25/25	
4-Chloro-3-methylphenol	240 U	1200	240	1	08/26/25 19:08	8/25/25	
4-Chloroaniline	420 U	1200	420	1	08/26/25 19:08	8/25/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4-Chlorophenyl Phenyl Ether	250 U	1200	250	1	08/26/25 19:08	8/25/25	
4-Nitroaniline	250 U	5900	250	1	08/26/25 19:08	8/25/25	
4-Nitrophenol	600 U	5900	600	1	08/26/25 19:08	8/25/25	
Acetophenone	340 U	1200	340	1	08/26/25 19:08	8/25/25	
Atrazine	350 U	1200	350	1	08/26/25 19:08	8/25/25	
Benzaldehyde	280 U	5900	280	1	08/26/25 19:08	8/25/25	
Benzoic Acid	1900 U	5900	1900	1	08/26/25 19:08	8/25/25	
Bis(1-chloroisopropyl) Ether	240 U	1200	240	1	08/26/25 19:08	8/25/25	
Bis(2-chloroethoxy)methane	290 U	1200	290	1	08/26/25 19:08	8/25/25	
Bis(2-chloroethyl) Ether	230 U	1200	230	1	08/26/25 19:08	8/25/25	
Bis(2-ethylhexyl) Phthalate	210 U	1700	210	1	08/26/25 19:08	8/25/25	
Butyl Benzyl Phthalate	340 U	1200	340	1	08/26/25 19:08	8/25/25	
Caprolactam	260 U	1200	260	1	08/26/25 19:08	8/25/25	
Carbazole	190 U	1200	190	1	08/26/25 19:08	8/25/25	
Di-n-butyl Phthalate	190 U	1200	190	1	08/26/25 19:08	8/25/25	
Di-n-octyl Phthalate	410 U	1200	410	1	08/26/25 19:08	8/25/25	
Diethyl Phthalate	210 U	1200	210	1	08/26/25 19:08	8/25/25	
Dimethyl Phthalate	220 U	1200	220	1	08/26/25 19:08	8/25/25	
Hexachlorobenzene	280 U	1200	280	1	08/26/25 19:08	8/25/25	
Hexachlorobutadiene	410 U	1200	410	1	08/26/25 19:08	8/25/25	
Hexachlorocyclopentadiene	370 U	1200	370	1	08/26/25 19:08	8/25/25	
Hexachloroethane	220 U	1200	220	1	08/26/25 19:08	8/25/25	
Isophorone	240 U	1200	240	1	08/26/25 19:08	8/25/25	
N-Nitrosodi-n-propylamine	360 U	1200	360	1	08/26/25 19:08	8/25/25	
N-Nitrosodiphenylamine	720 U	1200	720	1	08/26/25 19:08	8/25/25	
Nitrobenzene	210 U	1200	210	1	08/26/25 19:08	8/25/25	
Pentachlorophenol (PCP)	1200 U	5900	1200	1	08/26/25 19:08	8/25/25	
Phenol	240 U	1200	240	1	08/26/25 19:08	8/25/25	
Pyridine	160 U	5900	160	1	08/26/25 19:08	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	76	18 - 104	08/26/25 19:08	
Nitrobenzene-d5	76	12 - 98	08/26/25 19:08	
p-Terphenyl-d14	99	26 - 134	08/26/25 19:08	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
1,2,4,5-Tetrachlorobenzene	830 U	3700	830	10	08/26/25 19:32	8/25/25	
1-Methylnaphthalene	690 U	3700	690	10	08/26/25 19:32	8/25/25	
2-Methylnaphthalene	1400 U	3700	1400	10	08/26/25 19:32	8/25/25	
Acenaphthene	710 U	3700	710	10	08/26/25 19:32	8/25/25	
Acenaphthylene	760 U	3700	760	10	08/26/25 19:32	8/25/25	
Anthracene	630 U	3700	630	10	08/26/25 19:32	8/25/25	
Benz(a)anthracene	560 U	3700	560	10	08/26/25 19:32	8/25/25	
Benzo(a)pyrene	990 U	3700	990	10	08/26/25 19:32	8/25/25	
Benzo(b)fluoranthene	620 U	3700	620	10	08/26/25 19:32	8/25/25	
Benzo(g,h,i)perylene	860 U	3700	860	10	08/26/25 19:32	8/25/25	
1,4-Dichlorobenzene	620 U	3700	620	10	08/26/25 19:32	8/25/25	
Benzo(k)fluoranthene	600 U	3700	600	10	08/26/25 19:32	8/25/25	
Biphenyl	1100 U	3700	1100	10	08/26/25 19:32	8/25/25	
Chrysene	550 U	3700	550	10	08/26/25 19:32	8/25/25	
Dibenz(a,h)anthracene	810 U	3700	810	10	08/26/25 19:32	8/25/25	
1,4-Dioxane	370 U	760	370	10	08/26/25 19:32	8/25/25	
Dibenzofuran	680 U	3700	680	10	08/26/25 19:32	8/25/25	
Fluoranthene	940 U	3700	940	10	08/26/25 19:32	8/25/25	
Fluorene	700 U	3700	700	10	08/26/25 19:32	8/25/25	
Indeno(1,2,3-cd)pyrene	1200 U	3700	1200	10	08/26/25 19:32	8/25/25	
Naphthalene	700 U	3700	700	10	08/26/25 19:32	8/25/25	
Phenanthrene	530 U	3700	530	10	08/26/25 19:32	8/25/25	
Pyrene	720 J	3700	620	10	08/26/25 19:32	8/25/25	
2,3,4,6-Tetrachlorophenol	1300 U	3700	1300	10	08/26/25 19:32	8/25/25	
2,4,5-Trichlorophenol	920 U	3700	920	10	08/26/25 19:32	8/25/25	
2,4,6-Trichlorophenol	830 U	3700	830	10	08/26/25 19:32	8/25/25	
2,4-Dichlorophenol	720 U	3700	720	10	08/26/25 19:32	8/25/25	
2,4-Dimethylphenol	670 U	3700	670	10	08/26/25 19:32	8/25/25	
2,4-Dinitrophenol	6400 U	19000	6400	10	08/26/25 19:32	8/25/25	
2,4-Dinitrotoluene	1500 U	3700	1500	10	08/26/25 19:32	8/25/25	
2,6-Dinitrotoluene	820 U	3700	820	10	08/26/25 19:32	8/25/25	
2-Chloronaphthalene	750 U	3700	750	10	08/26/25 19:32	8/25/25	
2-Chlorophenol	620 U	3700	620	10	08/26/25 19:32	8/25/25	
2-Methylphenol	770 U	3700	770	10	08/26/25 19:32	8/25/25	
2-Nitroaniline	880 U	19000	880	10	08/26/25 19:32	8/25/25	
2-Nitrophenol	870 U	3700	870	10	08/26/25 19:32	8/25/25	
3,3'-Dichlorobenzidine	1400 U	3700	1400	10	08/26/25 19:32	8/25/25	
3- and 4-Methylphenol Coelution	720 U	3700	720	10	08/26/25 19:32	8/25/25	
3-Nitroaniline	750 U	19000	750	10	08/26/25 19:32	8/25/25	
4,6-Dinitro-2-methylphenol	2100 U	19000	2100	10	08/26/25 19:32	8/25/25	
4-Bromophenyl Phenyl Ether	980 U	3700	980	10	08/26/25 19:32	8/25/25	
4-Chloro-3-methylphenol	750 U	3700	750	10	08/26/25 19:32	8/25/25	
4-Chloroaniline	1400 U	3700	1400	10	08/26/25 19:32	8/25/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4-Chlorophenyl Phenyl Ether	800 U	3700	800	10	08/26/25 19:32	8/25/25	
4-Nitroaniline	810 U	19000	810	10	08/26/25 19:32	8/25/25	
4-Nitrophenol	2000 U	19000	2000	10	08/26/25 19:32	8/25/25	
Acetophenone	1100 U	3700	1100	10	08/26/25 19:32	8/25/25	
Atrazine	1200 U	3700	1200	10	08/26/25 19:32	8/25/25	
Benzaldehyde	900 U	19000	900	10	08/26/25 19:32	8/25/25	
Benzoic Acid	5900 U	19000	5900	10	08/26/25 19:32	8/25/25	
Bis(1-chloroisopropyl) Ether	770 U	3700	770	10	08/26/25 19:32	8/25/25	
Bis(2-chloroethoxy)methane	910 U	3700	910	10	08/26/25 19:32	8/25/25	
Bis(2-chloroethyl) Ether	740 U	3700	740	10	08/26/25 19:32	8/25/25	
Bis(2-ethylhexyl) Phthalate	680 U	5600	680	10	08/26/25 19:32	8/25/25	
Butyl Benzyl Phthalate	1100 U	3700	1100	10	08/26/25 19:32	8/25/25	
Caprolactam	820 U	3700	820	10	08/26/25 19:32	8/25/25	
Carbazole	610 U	3700	610	10	08/26/25 19:32	8/25/25	
Di-n-butyl Phthalate	610 U	3700	610	10	08/26/25 19:32	8/25/25	
Di-n-octyl Phthalate	1300 U	3700	1300	10	08/26/25 19:32	8/25/25	
Diethyl Phthalate	660 U	3700	660	10	08/26/25 19:32	8/25/25	
Dimethyl Phthalate	710 U	3700	710	10	08/26/25 19:32	8/25/25	
Hexachlorobenzene	900 U	3700	900	10	08/26/25 19:32	8/25/25	
Hexachlorobutadiene	1400 U	3700	1400	10	08/26/25 19:32	8/25/25	
Hexachlorocyclopentadiene	1200 U	3700	1200	10	08/26/25 19:32	8/25/25	
Hexachloroethane	700 U	3700	700	10	08/26/25 19:32	8/25/25	
Isophorone	780 U	3700	780	10	08/26/25 19:32	8/25/25	
N-Nitrosodi-n-propylamine	1200 U	3700	1200	10	08/26/25 19:32	8/25/25	
N-Nitrosodiphenylamine	2400 U	3700	2400	10	08/26/25 19:32	8/25/25	
Nitrobenzene	670 U	3700	670	10	08/26/25 19:32	8/25/25	
Pentachlorophenol (PCP)	3700 U	19000	3700	10	08/26/25 19:32	8/25/25	
Phenol	750 U	3700	750	10	08/26/25 19:32	8/25/25	
Pyridine	500 U	19000	500	10	08/26/25 19:32	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	70	18 - 104	08/26/25 19:32	
Nitrobenzene-d5	70	12 - 98	08/26/25 19:32	
p-Terphenyl-d14	85	26 - 134	08/26/25 19:32	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
1,2,4,5-Tetrachlorobenzene	88 U	400	88	1	08/26/25 19:56	8/25/25	
1-Methylnaphthalene	73 U	400	73	1	08/26/25 19:56	8/25/25	
2-Methylnaphthalene	140 U	400	140	1	08/26/25 19:56	8/25/25	
Acenaphthene	75 U	400	75	1	08/26/25 19:56	8/25/25	
Acenaphthylene	80 U	400	80	1	08/26/25 19:56	8/25/25	
Anthracene	66 U	400	66	1	08/26/25 19:56	8/25/25	
Benz(a)anthracene	59 U	400	59	1	08/26/25 19:56	8/25/25	
Benzo(a)pyrene	110 U	400	110	1	08/26/25 19:56	8/25/25	
Benzo(b)fluoranthene	66 U	400	66	1	08/26/25 19:56	8/25/25	
Benzo(g,h,i)perylene	91 U	400	91	1	08/26/25 19:56	8/25/25	
1,4-Dichlorobenzene	66 U	400	66	1	08/26/25 19:56	8/25/25	
Benzo(k)fluoranthene	64 U	400	64	1	08/26/25 19:56	8/25/25	
Biphenyl	120 U	400	120	1	08/26/25 19:56	8/25/25	
Chrysene	58 U	400	58	1	08/26/25 19:56	8/25/25	
1,4-Dioxane	39 U	80	39	1	08/26/25 19:56	8/25/25	
Dibenz(a,h)anthracene	86 U	400	86	1	08/26/25 19:56	8/25/25	
Dibenzofuran	72 U	400	72	1	08/26/25 19:56	8/25/25	
Fluoranthene	99 U	400	99	1	08/26/25 19:56	8/25/25	
Fluorene	74 U	400	74	1	08/26/25 19:56	8/25/25	
Indeno(1,2,3-cd)pyrene	130 U	400	130	1	08/26/25 19:56	8/25/25	
Naphthalene	74 U	400	74	1	08/26/25 19:56	8/25/25	
Phenanthrene	56 U	400	56	1	08/26/25 19:56	8/25/25	
Pyrene	66 U	400	66	1	08/26/25 19:56	8/25/25	
2,3,4,6-Tetrachlorophenol	140 U	400	140	1	08/26/25 19:56	8/25/25	
2,4,5-Trichlorophenol	98 U	400	98	1	08/26/25 19:56	8/25/25	
2,4,6-Trichlorophenol	88 U	400	88	1	08/26/25 19:56	8/25/25	
2,4-Dichlorophenol	76 U	400	76	1	08/26/25 19:56	8/25/25	
2,4-Dimethylphenol	71 U	400	71	1	08/26/25 19:56	8/25/25	
2,4-Dinitrophenol	670 U	2000	670	1	08/26/25 19:56	8/25/25	
2,4-Dinitrotoluene	160 U	400	160	1	08/26/25 19:56	8/25/25	
2,6-Dinitrotoluene	86 U	400	86	1	08/26/25 19:56	8/25/25	
2-Chloronaphthalene	79 U	400	79	1	08/26/25 19:56	8/25/25	
2-Chlorophenol	66 U	400	66	1	08/26/25 19:56	8/25/25	
2-Methylphenol	82 U	400	82	1	08/26/25 19:56	8/25/25	
2-Nitroaniline	94 U	2000	94	1	08/26/25 19:56	8/25/25	
2-Nitrophenol	92 U	400	92	1	08/26/25 19:56	8/25/25	
3,3'-Dichlorobenzidine	150 U	400	150	1	08/26/25 19:56	8/25/25	
3- and 4-Methylphenol Coelution	76 U	400	76	1	08/26/25 19:56	8/25/25	
3-Nitroaniline	80 U	2000	80	1	08/26/25 19:56	8/25/25	
4,6-Dinitro-2-methylphenol	230 U	2000	230	1	08/26/25 19:56	8/25/25	
4-Bromophenyl Phenyl Ether	110 U	400	110	1	08/26/25 19:56	8/25/25	
4-Chloro-3-methylphenol	80 U	400	80	1	08/26/25 19:56	8/25/25	
4-Chloroaniline	150 U	400	150	1	08/26/25 19:56	8/25/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4-Chlorophenyl Phenyl Ether	85 U	400	85	1	08/26/25 19:56	8/25/25	
4-Nitroaniline	86 U	2000	86	1	08/26/25 19:56	8/25/25	
4-Nitrophenol	210 U	2000	210	1	08/26/25 19:56	8/25/25	
Acetophenone	120 U	400	120	1	08/26/25 19:56	8/25/25	
Atrazine	120 U	400	120	1	08/26/25 19:56	8/25/25	
Benzaldehyde	96 U	2000	96	1	08/26/25 19:56	8/25/25	
Benzoic Acid	620 U	2000	620	1	08/26/25 19:56	8/25/25	
Bis(1-chloroisopropyl) Ether	81 U	400	81	1	08/26/25 19:56	8/25/25	
Bis(2-chloroethoxy)methane	97 U	400	97	1	08/26/25 19:56	8/25/25	
Bis(2-chloroethyl) Ether	78 U	400	78	1	08/26/25 19:56	8/25/25	
Bis(2-ethylhexyl) Phthalate	72 U	600	72	1	08/26/25 19:56	8/25/25	
Butyl Benzyl Phthalate	120 U	400	120	1	08/26/25 19:56	8/25/25	
Caprolactam	87 U	400	87	1	08/26/25 19:56	8/25/25	
Carbazole	64 U	400	64	1	08/26/25 19:56	8/25/25	
Di-n-butyl Phthalate	64 U	400	64	1	08/26/25 19:56	8/25/25	
Di-n-octyl Phthalate	140 U	400	140	1	08/26/25 19:56	8/25/25	
Diethyl Phthalate	70 U	400	70	1	08/26/25 19:56	8/25/25	
Dimethyl Phthalate	75 U	400	75	1	08/26/25 19:56	8/25/25	
Hexachlorobenzene	95 U	400	95	1	08/26/25 19:56	8/25/25	
Hexachlorobutadiene	140 U	400	140	1	08/26/25 19:56	8/25/25	
Hexachlorocyclopentadiene	130 U	400	130	1	08/26/25 19:56	8/25/25	
Hexachloroethane	74 U	400	74	1	08/26/25 19:56	8/25/25	
Isophorone	83 U	400	83	1	08/26/25 19:56	8/25/25	
N-Nitrosodi-n-propylamine	130 U	400	130	1	08/26/25 19:56	8/25/25	
N-Nitrosodiphenylamine	250 U	400	250	1	08/26/25 19:56	8/25/25	
Nitrobenzene	71 U	400	71	1	08/26/25 19:56	8/25/25	
Pentachlorophenol (PCP)	400 U	2000	400	1	08/26/25 19:56	8/25/25	
Phenol	80 U	400	80	1	08/26/25 19:56	8/25/25	
Pyridine	53 U	2000	53	1	08/26/25 19:56	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	61	18 - 104	08/26/25 19:56	
Nitrobenzene-d5	57	12 - 98	08/26/25 19:56	
p-Terphenyl-d14	88	26 - 134	08/26/25 19:56	



Semivolatile Organic Compounds by GC

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
4,4'-DDE	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
4,4'-DDT	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Aldrin	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Chlordane	15 U	30	15	1	09/10/25 02:05	8/25/25	
Dieldrin	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endosulfan I	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endosulfan II	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endosulfan Sulfate	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endrin	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endrin Aldehyde	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Endrin Ketone	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Heptachlor	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Heptachlor Epoxide	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Methoxychlor	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
Toxaphene	68 U	120	68	1	09/10/25 02:05	8/25/25	
alpha-BHC	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
alpha-Chlordane	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
beta-BHC	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
delta-BHC	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
gamma-BHC (Lindane)	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	
gamma-Chlordane	3.0 U	6.1	3.0	1	09/10/25 02:05	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	72	10 - 159	09/10/25 02:05	
Tetrachloro-m-xylene	57	10 - 132	09/10/25 02:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	15	1.9	0.95	1	09/10/25 02:22	8/25/25	
4,4'-DDE	58	1.9	0.95	1	09/10/25 02:22	8/25/25	
4,4'-DDT	6.7 P	1.9	0.95	1	09/10/25 02:22	8/25/25	
Aldrin	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Chlordane	4.8 U	9.3	4.8	1	09/10/25 02:22	8/25/25	
Dieldrin	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endosulfan I	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endosulfan II	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endosulfan Sulfate	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endrin	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endrin Aldehyde	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Endrin Ketone	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Heptachlor	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Heptachlor Epoxide	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Methoxychlor	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
Toxaphene	22 U	37	22	1	09/10/25 02:22	8/25/25	
alpha-BHC	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
alpha-Chlordane	1.8 J	1.9	0.95	1	09/10/25 02:22	8/25/25	
beta-BHC	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
delta-BHC	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
gamma-BHC (Lindane)	0.95 U	1.9	0.95	1	09/10/25 02:22	8/25/25	
gamma-Chlordane	1.2 J	1.9	0.95	1	09/10/25 02:22	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	65	10 - 159	09/10/25 02:22	
Tetrachloro-m-xylene	50	10 - 132	09/10/25 02:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
4,4'-DDE	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
4,4'-DDT	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Aldrin	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Chlordane	16 U	30	16	1	09/10/25 02:40	8/25/25	
Dieldrin	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endosulfan I	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endosulfan II	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endosulfan Sulfate	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endrin	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endrin Aldehyde	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Endrin Ketone	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Heptachlor	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Heptachlor Epoxide	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Methoxychlor	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
Toxaphene	69 U	120	69	1	09/10/25 02:40	8/25/25	
alpha-BHC	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
alpha-Chlordane	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
beta-BHC	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
delta-BHC	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
gamma-BHC (Lindane)	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	
gamma-Chlordane	3.1 U	6.1	3.1	1	09/10/25 02:40	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	81	10 - 159	09/10/25 02:40	
Tetrachloro-m-xylene	62	10 - 132	09/10/25 02:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	61 U	120	61	1	08/30/25 01:21	8/25/25	
Aroclor 1221	93 U	240	93	1	08/30/25 01:21	8/25/25	
Aroclor 1232	68 U	120	68	1	08/30/25 01:21	8/25/25	
Aroclor 1242	61 U	120	61	1	08/30/25 01:21	8/25/25	
Aroclor 1248	65 U	120	65	1	08/30/25 01:21	8/25/25	
Aroclor 1254	61 U	120	61	1	08/30/25 01:21	8/25/25	
Aroclor 1260	61 U	120	61	1	08/30/25 01:21	8/25/25	
Aroclor 1262	61 U	120	61	1	08/30/25 01:21	8/25/25	
Aroclor 1268	61 U	120	61	1	08/30/25 01:21	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	70	10 - 138	08/30/25 01:21	
Tetrachloro-m-xylene	55	11 - 122	08/30/25 01:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	20 U	37	20	1	08/30/25 01:35	8/25/25	
Aroclor 1221	30 U	75	30	1	08/30/25 01:35	8/25/25	
Aroclor 1232	22 U	37	22	1	08/30/25 01:35	8/25/25	
Aroclor 1242	20 U	37	20	1	08/30/25 01:35	8/25/25	
Aroclor 1248	21 U	37	21	1	08/30/25 01:35	8/25/25	
Aroclor 1254	20 U	37	20	1	08/30/25 01:35	8/25/25	
Aroclor 1260	73	37	20	1	08/30/25 01:35	8/25/25	
Aroclor 1262	20 U	37	20	1	08/30/25 01:35	8/25/25	
Aroclor 1268	20 U	37	20	1	08/30/25 01:35	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	57	10 - 138	08/30/25 01:35	
Tetrachloro-m-xylene	44	11 - 122	08/30/25 01:35	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	61 U	120	61	1	08/30/25 01:48	8/25/25	
Aroclor 1221	94 U	240	94	1	08/30/25 01:48	8/25/25	
Aroclor 1232	69 U	120	69	1	08/30/25 01:48	8/25/25	
Aroclor 1242	61 U	120	61	1	08/30/25 01:48	8/25/25	
Aroclor 1248	65 U	120	65	1	08/30/25 01:48	8/25/25	
Aroclor 1254	61 U	120	61	1	08/30/25 01:48	8/25/25	
Aroclor 1260	61 U	120	61	1	08/30/25 01:48	8/25/25	
Aroclor 1262	61 U	120	61	1	08/30/25 01:48	8/25/25	
Aroclor 1268	61 U	120	61	1	08/30/25 01:48	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	79	10 - 138	08/30/25 01:48	
Tetrachloro-m-xylene	61	11 - 122	08/30/25 01:48	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	6.0 U	12	6.0	1	09/04/25 00:50	8/27/25	
2,4,5-TP	5.4 U	12	5.4	1	09/04/25 00:50	8/27/25	
2,4-D	7.8 U	12	7.8	1	09/04/25 00:50	8/27/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	50	10 - 151	09/04/25 00:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	5.7 U	11	5.7	1	09/04/25 01:09	8/27/25	
2,4,5-TP	5.1 U	11	5.1	1	09/04/25 01:09	8/27/25	
2,4-D	7.4 U	11	7.4	1	09/04/25 01:09	8/27/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	62	10 - 151	09/04/25 01:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	6.0 U	12	6.0	1	09/04/25 01:27	8/27/25	
2,4,5-TP	5.4 U	12	5.4	1	09/04/25 01:27	8/27/25	
2,4-D	7.8 U	12	7.8	1	09/04/25 01:27	8/27/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	46	10 - 151	09/04/25 01:27	



General Chemistry

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Sample Name: 8124 SB01 (1-2)
Lab Code: R2510167-001

Service Request: R2510167
Date Collected: 08/14/25 10:56
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	82.3	Percent	-	-	1	08/29/25 10:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Sample Name: 8124 SB02 (3-4)
Lab Code: R2510167-002

Service Request: R2510167
Date Collected: 08/14/25 11:09
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	88.6	Percent	-	-	1	08/29/25 10:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Sample Name: 8124 SB03 (5-6)
Lab Code: R2510167-003

Service Request: R2510167
Date Collected: 08/14/25 11:21
Date Received: 08/20/25 09:30

Basis: As Received

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Total Solids	ALS SOP	83.5	Percent	-	-	1	08/29/25 10:00	



QC Summary Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Semivolatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167

SURROGATE RECOVERY SUMMARY

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Extraction Method: EPA 3546

Sample Name	Lab Code	2-Fluorobiphenyl	Nitrobenzene-d5	p-Terphenyl-d14
		18 - 104	12 - 98	26 - 134
8124 SB01 (1-2)	R2510167-001	76	76	99
8124 SB02 (3-4)	R2510167-002	70	70	85
8124 SB03 (5-6)	R2510167-003	61	57	88
Method Blank	RQ2511248-01	60	58	92
Lab Control Sample	RQ2511248-02	57	50	81
Duplicate Lab Control Sample	RQ2511248-03	71	61	104

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511248-01

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
1,2,4,5-Tetrachlorobenzene	74 U	330	74	1	08/26/25 13:09	8/25/25	
1-Methylnaphthalene	61 U	330	61	1	08/26/25 13:09	8/25/25	
2-Methylnaphthalene	120 U	330	120	1	08/26/25 13:09	8/25/25	
Acenaphthene	63 U	330	63	1	08/26/25 13:09	8/25/25	
Acenaphthylene	67 U	330	67	1	08/26/25 13:09	8/25/25	
Anthracene	55 U	330	55	1	08/26/25 13:09	8/25/25	
Benz(a)anthracene	49 U	330	49	1	08/26/25 13:09	8/25/25	
Benzo(a)pyrene	88 U	330	88	1	08/26/25 13:09	8/25/25	
Benzo(b)fluoranthene	55 U	330	55	1	08/26/25 13:09	8/25/25	
Benzo(g,h,i)perylene	76 U	330	76	1	08/26/25 13:09	8/25/25	
1,4-Dichlorobenzene	55 U	330	55	1	08/26/25 13:09	8/25/25	
Benzo(k)fluoranthene	54 U	330	54	1	08/26/25 13:09	8/25/25	
Biphenyl	98 U	330	98	1	08/26/25 13:09	8/25/25	
Chrysene	49 U	330	49	1	08/26/25 13:09	8/25/25	
Dibenz(a,h)anthracene	72 U	330	72	1	08/26/25 13:09	8/25/25	
1,4-Dioxane	32 U	67	32	1	08/26/25 13:09	8/25/25	
Dibenzofuran	60 U	330	60	1	08/26/25 13:09	8/25/25	
Fluoranthene	83 U	330	83	1	08/26/25 13:09	8/25/25	
Fluorene	62 U	330	62	1	08/26/25 13:09	8/25/25	
Indeno(1,2,3-cd)pyrene	110 U	330	110	1	08/26/25 13:09	8/25/25	
Naphthalene	62 U	330	62	1	08/26/25 13:09	8/25/25	
Phenanthrene	47 U	330	47	1	08/26/25 13:09	8/25/25	
Pyrene	55 U	330	55	1	08/26/25 13:09	8/25/25	
2,3,4,6-Tetrachlorophenol	120 U	330	120	1	08/26/25 13:09	8/25/25	
2,4,5-Trichlorophenol	82 U	330	82	1	08/26/25 13:09	8/25/25	
2,4,6-Trichlorophenol	74 U	330	74	1	08/26/25 13:09	8/25/25	
2,4-Dichlorophenol	64 U	330	64	1	08/26/25 13:09	8/25/25	
2,4-Dimethylphenol	59 U	330	59	1	08/26/25 13:09	8/25/25	
2,4-Dinitrophenol	560 U	1700	560	1	08/26/25 13:09	8/25/25	
2,4-Dinitrotoluene	130 U	330	130	1	08/26/25 13:09	8/25/25	
2,6-Dinitrotoluene	72 U	330	72	1	08/26/25 13:09	8/25/25	
2-Chloronaphthalene	66 U	330	66	1	08/26/25 13:09	8/25/25	
2-Chlorophenol	55 U	330	55	1	08/26/25 13:09	8/25/25	
2-Methylphenol	69 U	330	69	1	08/26/25 13:09	8/25/25	
2-Nitroaniline	78 U	1700	78	1	08/26/25 13:09	8/25/25	
2-Nitrophenol	77 U	330	77	1	08/26/25 13:09	8/25/25	
3,3'-Dichlorobenzidine	120 U	330	120	1	08/26/25 13:09	8/25/25	
3- and 4-Methylphenol Coelution	63 U	330	63	1	08/26/25 13:09	8/25/25	
3-Nitroaniline	67 U	1700	67	1	08/26/25 13:09	8/25/25	
4,6-Dinitro-2-methylphenol	190 U	1700	190	1	08/26/25 13:09	8/25/25	
4-Bromophenyl Phenyl Ether	87 U	330	87	1	08/26/25 13:09	8/25/25	
4-Chloro-3-methylphenol	67 U	330	67	1	08/26/25 13:09	8/25/25	
4-Chloroaniline	120 U	330	120	1	08/26/25 13:09	8/25/25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511248-01

Units: ug/Kg
Basis: Dry

Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Analysis Method: 8270E
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4-Chlorophenyl Phenyl Ether	71 U	330	71	1	08/26/25 13:09	8/25/25	
4-Nitroaniline	71 U	1700	71	1	08/26/25 13:09	8/25/25	
4-Nitrophenol	170 U	1700	170	1	08/26/25 13:09	8/25/25	
Acetophenone	95 U	330	95	1	08/26/25 13:09	8/25/25	
Atrazine	98 U	330	98	1	08/26/25 13:09	8/25/25	
Benzaldehyde	80 U	1700	80	1	08/26/25 13:09	8/25/25	
Benzoic Acid	520 U	1700	520	1	08/26/25 13:09	8/25/25	
Bis(1-chloroisopropyl) Ether	68 U	330	68	1	08/26/25 13:09	8/25/25	
Bis(2-chloroethoxy)methane	81 U	330	81	1	08/26/25 13:09	8/25/25	
Bis(2-chloroethyl) Ether	65 U	330	65	1	08/26/25 13:09	8/25/25	
Bis(2-ethylhexyl) Phthalate	61 U	500	61	1	08/26/25 13:09	8/25/25	
Butyl Benzyl Phthalate	96 U	330	96	1	08/26/25 13:09	8/25/25	
Caprolactam	73 U	330	73	1	08/26/25 13:09	8/25/25	
Carbazole	54 U	330	54	1	08/26/25 13:09	8/25/25	
Di-n-butyl Phthalate	54 U	330	54	1	08/26/25 13:09	8/25/25	
Di-n-octyl Phthalate	120 U	330	120	1	08/26/25 13:09	8/25/25	
Diethyl Phthalate	59 U	330	59	1	08/26/25 13:09	8/25/25	
Dimethyl Phthalate	63 U	330	63	1	08/26/25 13:09	8/25/25	
Hexachlorobenzene	79 U	330	79	1	08/26/25 13:09	8/25/25	
Hexachlorobutadiene	120 U	330	120	1	08/26/25 13:09	8/25/25	
Hexachlorocyclopentadiene	110 U	330	110	1	08/26/25 13:09	8/25/25	
Hexachloroethane	62 U	330	62	1	08/26/25 13:09	8/25/25	
Isophorone	69 U	330	69	1	08/26/25 13:09	8/25/25	
N-Nitrosodi-n-propylamine	110 U	330	110	1	08/26/25 13:09	8/25/25	
N-Nitrosodiphenylamine	210 U	330	210	1	08/26/25 13:09	8/25/25	
Nitrobenzene	59 U	330	59	1	08/26/25 13:09	8/25/25	
Pentachlorophenol (PCP)	330 U	1700	330	1	08/26/25 13:09	8/25/25	
Phenol	67 U	330	67	1	08/26/25 13:09	8/25/25	
Pyridine	45 U	1700	45	1	08/26/25 13:09	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
2-Fluorobiphenyl	60	18 - 104	08/26/25 13:09	
Nitrobenzene-d5	58	12 - 98	08/26/25 13:09	
p-Terphenyl-d14	92	26 - 134	08/26/25 13:09	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 08/26/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Analyte Name	Lab Control Sample RQ2511248-02				Duplicate Lab Control Sample RQ2511248-03				RPD	RPD Limit
	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits		
1-Methylnaphthalene	8270E	1710	3320	51	2040	3310	62	29-100	18	30
1,2,4,5-Tetrachlorobenzene	8270E	1740	3320	52	2130	3310	64	20-126	20	30
2-Methylnaphthalene	8270E	1620	3320	49	1950	3310	59	29-99	18	30
Acenaphthene	8270E	1970	3320	59	2430	3310	73	41-110	21	30
Acenaphthylene	8270E	2180	3320	66	2700	3310	81	44-122	21	30
Anthracene	8270E	2250	3320	68	2840	3310	86	41-123	23	30
Benz(a)anthracene	8270E	2330	3320	70	3020	3310	91	44-116	26	30
Benzo(a)pyrene	8270E	2640	3320	79	3380	3310	102	56-146	25	30
Benzo(b)fluoranthene	8270E	2200	3320	66	2840	3310	86	47-120	25	30
Benzo(g,h,i)perylene	8270E	2210	3320	67	2850	3310	86	41-129	25	30
Benzo(k)fluoranthene	8270E	2350	3320	71	3020	3310	91	49-124	25	30
1,4-Dichlorobenzene	8270E	1620	3320	49	1990	3310	60	16-83	20	30
Biphenyl	8270E	1810	3320	54	2190	3310	66	24-112	19	30
Chrysene	8270E	2350	3320	71	3060	3310	92	44-119	26	30
1,4-Dioxane	8270E	955	3320	29	1220	3310	37	10-58	24	30
Dibenz(a,h)anthracene	8270E	2340	3320	71	3030	3310	92	18-146	25	30
Dibenzofuran	8270E	2050	3320	62	2550	3310	77	43-113	22	30
Fluoranthene	8270E	2360	3320	71	2930	3310	89	39-128	22	30
Fluorene	8270E	2120	3320	64	2620	3310	79	40-117	21	30
Indeno(1,2,3-cd)pyrene	8270E	2450	3320	74	3180	3310	96	43-129	26	30
Naphthalene	8270E	1620	3320	49	1950	3310	59	31-93	18	30
Phenanthrene	8270E	2080	3320	63	2600	3310	79	39-120	22	30
Pyrene	8270E	2340	3320	70	2980	3310	90	45-125	24	30
2,3,4,6-Tetrachlorophenol	8270E	2490	3320	75	3230	3310	98	42-117	26	30
2,4,5-Trichlorophenol	8270E	2230	3320	67	2790	3310	84	40-114	23	30
2,4,6-Trichlorophenol	8270E	2070	3320	62	2620	3310	79	33-108	23	30
2,4-Dichlorophenol	8270E	1890	3320	57	2270	3310	69	30-103	18	30
2,4-Dimethylphenol	8270E	1860	3320	56	2260	3310	68	32-100	19	30
2,4-Dinitrophenol	8270E	1660 J	3320	50	2200	3310	66	10-97	28	30
2,4-Dinitrotoluene	8270E	2390	3320	72	3010	3310	91	53-120	23	30
2,6-Dinitrotoluene	8270E	2350	3320	71	2890	3310	87	48-119	21	30
2-Chloronaphthalene	8270E	1920	3320	58	2370	3310	72	33-103	21	30
2-Chlorophenol	8270E	1820	3320	55	2230	3310	67	26-90	20	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 08/26/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511248-02					Duplicate Lab Control Sample RQ2511248-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
2-Methylphenol	8270E	2020	3320	61	2460	3310	74	33-99	20	30
2-Nitroaniline	8270E	2200	3320	66	2720	3310	82	41-119	22	30
2-Nitrophenol	8270E	1720	3320	52	2110	3310	64	24-98	20	30
3- and 4-Methylphenol Coelution	8270E	2100	3320	63	2580	3310	78	32-100	20	30
3-Nitroaniline	8270E	1890	3320	57	2400	3310	72	29-105	24	30
4,6-Dinitro-2-methylphenol	8270E	2280	3320	69	2890	3310	87	20-105	23	30
4-Bromophenyl Phenyl Ether	8270E	2290	3320	69	2860	3310	86	37-116	22	30
4-Chloro-3-methylphenol	8270E	2070	3320	62	2480	3310	75	40-116	18	30
4-Chloroaniline	8270E	1760	3320	53	2260	3310	68	10-87	25	30
4-Chlorophenyl Phenyl Ether	8270E	2090	3320	63	2590	3310	78	42-111	21	30
4-Nitroaniline	8270E	1900	3320	57	2390	3310	72	43-120	22	30
4-Nitrophenol	8270E	1840	3320	55	2340	3310	71	34-116	24	30
Acetophenone	8270E	1750	3320	53	2110	3310	64	23-87	18	30
Benzoic Acid	8270E	1760	3320	53	2300	3310	70	10-126	27	30
Bis(1-chloroisopropyl) Ether	8270E	1910	3320	58	2330	3310	70	22-99	20	30
Bis(2-chloroethoxy)methane	8270E	1920	3320	58	2290	3310	69	38-119	18	30
Bis(2-chloroethyl) Ether	8270E	1760	3320	53	2160	3310	65	23-94	21	30
Bis(2-ethylhexyl) Phthalate	8270E	2530	3320	76	3190	3310	96	38-139	23	30
Butyl Benzyl Phthalate	8270E	2480	3320	75	3140	3310	95	40-134	24	30
Caprolactam	8270E	1970	3320	59	2310	3310	70	21-128	16	30
Carbazole	8270E	2310	3320	70	2860	3310	86	42-131	21	30
Di-n-butyl Phthalate	8270E	2570	3320	77	3210	3310	97	42-141	22	30
Di-n-octyl Phthalate	8270E	2570	3320	77	3300	3310	100	38-143	25	30
Diethyl Phthalate	8270E	2260	3320	68	2810	3310	85	43-118	22	30
Dimethyl Phthalate	8270E	2260	3320	68	2810	3310	85	40-118	21	30
Hexachlorobenzene	8270E	2260	3320	68	2790	3310	84	35-122	21	30
Hexachlorobutadiene	8270E	1620	3320	49	1970	3310	60	28-96	20	30
Hexachlorocyclopentadiene	8270E	1860	3320	56	2330	3310	71	10-111	23	30
Hexachloroethane	8270E	1650	3320	50	2060	3310	62	18-85	22	30
Isophorone	8270E	1940	3320	58	2320	3310	70	39-104	18	30
N-Nitrosodi-n-propylamine	8270E	1890	3320	57	2330	3310	70	30-98	21	30
N-Nitrosodiphenylamine	8270E	2490	3320	75	3060	3310	92	43-130	21	30
Nitrobenzene	8270E	1730	3320	52	2090	3310	63	31-99	19	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 08/26/25

Duplicate Lab Control Sample Summary
Semivolatile Organic Compounds by GC/MS using Microwave Digestion

Units:ug/Kg
Basis:Dry

Analyte Name	Lab Control Sample				Duplicate Lab Control Sample					
	RQ2511248-02				RQ2511248-03					
	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Pentachlorophenol (PCP)	8270E	2000	3320	60	2550	3310	77	36-138	24	30
Phenol	8270E	1900	3320	57	2330	3310	70	31-100	20	30
Pyridine	8270E	2750	6640	41	3520	6620	53	12-80	24	30



Semivolatile Organic Compounds by GC

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167

SURROGATE RECOVERY SUMMARY

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Extraction Method: EPA 3546

Sample Name	Lab Code	Decachlorobiphenyl	Tetrachloro-m-xylene
		10 - 159	10 - 132
8124 SB01 (1-2)	R2510167-001	72	57
8124 SB02 (3-4)	R2510167-002	65	50
8124 SB03 (5-6)	R2510167-003	81	62
Method Blank	RQ2511247-01	78	34
Lab Control Sample	RQ2511247-02	81	46
Duplicate Lab Control Sample	RQ2511247-03	78	42

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511247-01

Units: ug/Kg
Basis: Dry

Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Analysis Method: 8081B
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
4,4'-DDD	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
4,4'-DDE	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
4,4'-DDT	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Aldrin	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Chlordane	4.2 U	8.3	4.2	1	09/08/25 21:38	8/25/25	
Dieldrin	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endosulfan I	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endosulfan II	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endosulfan Sulfate	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endrin	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endrin Aldehyde	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Endrin Ketone	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Heptachlor	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Heptachlor Epoxide	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Methoxychlor	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
Toxaphene	19 U	33	19	1	09/08/25 21:38	8/25/25	
alpha-BHC	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
alpha-Chlordane	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
beta-BHC	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
delta-BHC	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
gamma-BHC (Lindane)	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	
gamma-Chlordane	0.84 U	1.7	0.84	1	09/08/25 21:38	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	78	10 - 159	09/08/25 21:38	
Tetrachloro-m-xylene	34	10 - 132	09/08/25 21:38	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 09/08/25

Duplicate Lab Control Sample Summary
Organochlorine Pesticides by Gas Chromatography using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample RQ2511247-02					Duplicate Lab Control Sample RQ2511247-03					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
4,4'-DDD	8081B	5.27	6.62	80	5.47	6.61	83	48-121	4	30
4,4'-DDE	8081B	4.82	6.62	73	4.99	6.61	75	51-119	3	30
4,4'-DDT	8081B	5.80	6.62	88	5.66	6.61	86	51-126	2	30
Aldrin	8081B	4.02	6.62	61	4.07	6.61	62	45-109	1	30
Dieldrin	8081B	4.72	6.62	71	4.98	6.61	75	56-111	5	30
Endosulfan I	8081B	4.13	6.62	62	4.48	6.61	68	54-109	8	30
Endosulfan II	8081B	4.83	6.62	73	4.93	6.61	75	50-116	2	30
Endosulfan Sulfate	8081B	4.97	6.62	75	5.05	6.61	76	55-115	2	30
Endrin	8081B	4.91	6.62	74	5.11	6.61	77	49-124	4	30
Endrin Aldehyde	8081B	4.36	6.62	66	4.99	6.61	75	21-139	14	30
Endrin Ketone	8081B	5.56	6.62	84	5.56	6.61	84	50-124	<1	30
Heptachlor	8081B	4.20	6.62	64	4.26	6.61	64	43-115	1	30
Heptachlor Epoxide	8081B	4.60	6.62	69	4.94	6.61	75	53-113	7	30
Methoxychlor	8081B	6.09	6.62	92	6.42	6.61	97	47-141	5	30
alpha-BHC	8081B	3.91	6.62	59	3.86	6.61	58	44-109	1	30
alpha-Chlordane	8081B	4.64	6.62	70	4.76	6.61	72	52-114	3	30
beta-BHC	8081B	4.80	6.62	73	4.83	6.61	73	49-119	<1	30
delta-BHC	8081B	4.83	6.62	73	5.07	6.61	77	49-113	5	30
gamma-BHC (Lindane)	8081B	3.96	6.62	60	3.98	6.61	60	43-112	<1	30
gamma-Chlordane	8081B	4.75	6.62	72	4.87	6.61	74	51-117	2	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167

SURROGATE RECOVERY SUMMARY
Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Extraction Method: EPA 3546

Sample Name	Lab Code	Decachlorobiphenyl	Tetrachloro-m-xylene
		10 - 138	11 - 122
8124 SB01 (1-2)	R2510167-001	70	55
8124 SB02 (3-4)	R2510167-002	57	44
8124 SB03 (5-6)	R2510167-003	79	61
Method Blank	RQ2511247-01	70	32
Lab Control Sample	RQ2511247-04	79	44
Duplicate Lab Control Sample	RQ2511247-05	78	43

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511247-01

Units: ug/Kg
Basis: Dry

Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Analysis Method: 8082A
Prep Method: EPA 3546

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Aroclor 1016	17 U	33	17	1	08/29/25 21:32	8/25/25	
Aroclor 1221	26 U	67	26	1	08/29/25 21:32	8/25/25	
Aroclor 1232	19 U	33	19	1	08/29/25 21:32	8/25/25	
Aroclor 1242	17 U	33	17	1	08/29/25 21:32	8/25/25	
Aroclor 1248	18 U	33	18	1	08/29/25 21:32	8/25/25	
Aroclor 1254	17 U	33	17	1	08/29/25 21:32	8/25/25	
Aroclor 1260	17 U	33	17	1	08/29/25 21:32	8/25/25	
Aroclor 1262	17 U	33	17	1	08/29/25 21:32	8/25/25	
Aroclor 1268	17 U	33	17	1	08/29/25 21:32	8/25/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Decachlorobiphenyl	70	10 - 138	08/29/25 21:32	
Tetrachloro-m-xylene	32	11 - 122	08/29/25 21:32	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 08/29/25

Duplicate Lab Control Sample Summary
Polychlorinated Biphenyls (PCBs) by GC using Microwave Extraction

Units:ug/Kg
Basis:Dry

Lab Control Sample					Duplicate Lab Control Sample					
RQ2511247-04					RQ2511247-05					
Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
Aroclor 1016	8082A	109	165	66	110	167	66	34-141	<1	30
Aroclor 1260	8082A	138	165	83	133	167	80	30-158	3	30

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167

SURROGATE RECOVERY SUMMARY
Chlorinated Herbicides by GC

Analysis Method: 8151A
Extraction Method: Method

Sample Name	Lab Code	DCAA
		10 - 151
8124 SB01 (1-2)	R2510167-001	50
8124 SB02 (3-4)	R2510167-002	62
8124 SB03 (5-6)	R2510167-003	46
Method Blank	RQ2511443-01	53
Lab Control Sample	RQ2511443-02	45
Duplicate Lab Control Sample	RQ2511443-03	41

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2511443-01

Units: ug/Kg
Basis: Dry

Chlorinated Herbicides by GC

Analysis Method: 8151A
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
2,4,5-T	5.0 U	10	5.0	1	09/03/25 21:28	8/27/25	
2,4,5-TP	4.5 U	10	4.5	1	09/03/25 21:28	8/27/25	
2,4-D	6.5 U	10	6.5	1	09/03/25 21:28	8/27/25	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
DCAA	53	10 - 151	09/03/25 21:28	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US
Project: 8124_Elgin
Sample Matrix: Soil

Service Request: R2510167
Date Analyzed: 09/03/25

Duplicate Lab Control Sample Summary
Chlorinated Herbicides by GC

Units:ug/Kg
Basis:Dry

Lab Control Sample
RQ2511443-02

Duplicate Lab Control Sample
RQ2511443-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits	RPD	RPD Limit
2,4,5-T	8151A	17.5	24.9	70	16.2	25.0	65	19-127	7	30
2,4,5-TP	8151A	15.1	24.9	60	14.2	25.0	57	18-122	6	30
2,4-D	8151A	13.2	24.9	53	11.8	25.0	47	31-119	11	30



September 11, 2025

Service Request No:R2510167

Bill Carey
ALS Environmental - Holland
3352 128th Avenue
Holland, MI 49424

Laboratory Results for: 8124_Elgin

Dear Bill,

Enclosed are the results of the sample(s) submitted to our laboratory August 20, 2025
For your reference, these analyses have been assigned our service request number **R2510167**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE +1 585 288 5380 | **FAX** +1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



right solutions.
right partner.

October 22, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Re: **DETR0060**

Date Received: **10/14/2025**

Work Order: **HN2515184**

Dear Ryan,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Dale Schipper

/S/ DALE SCHIPPER

Project Manager



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2515184
Date Received: 14-Oct-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

1 soil/solid sample was received for analysis at ALS Environmental on 14-Oct-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Workorder: HN2515184

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2515184-001	8124 Elgin SB1,2 (0'-6') Comp	SOIL/SOLID	10/13/25 11:30	10/14/25 07:00

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2515184
Date Collected: 10/13/25 11:30
Date Received: 10/14/25 07:00

CLIENT ID: 8124 Elgin SB1,2 (0'-6') Comp

Lab ID: HN2515184-001

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
TCLP Metals								
Arsenic	EPA 6020B	<0.00190	U	mg/L	0.0499	1	10/17/25 20:46	10/17/25 10:28
Chromium	EPA 6020B	<0.00610	U	mg/L	0.0499	1	10/17/25 20:46	10/17/25 10:28

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2281436

Work Order: HN2515184
Date Collected: NA
Date Received: NA
Run ID: 3599113

TCLP Metals

MB	CLIENT ID: Method Blank	Lab ID: QC-2281436-001
-----------	--------------------------------	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/17/25 20:16
Prep Date: 10/17/25 10:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	<0.00190	mg/L	0.0499							U
Chromium	<0.00610	mg/L	0.0499							U

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2281436-002
------------	---	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/17/25 20:18
Prep Date: 10/17/25 10:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	1.02	mg/L	0.0499	1		102	80-120			
Chromium	0.994	mg/L	0.0499	1		99.4	80-120			

MS	CLIENT ID: 8124 Elgin SB1,2 (0'-6') Comp	Lab ID: QC-2281436-018
-----------	---	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/17/25 20:48
Prep Date: 10/17/25 10:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	1.06	mg/L	0.0499	1	0.00279	106	80-120			
Chromium	1.01	mg/L	0.0499	1	<0.00610	100	80-120			

MSD	CLIENT ID: 8124 Elgin SB1,2 (0'-6') Comp	Lab ID: QC-2281436-019
------------	---	-------------------------------

Method: EPA 6020B **Dilution:** 1 **Analysis Date:** 10/17/25 20:50
Prep Date: 10/17/25 10:29

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Arsenic	1.04	mg/L	0.0499	1	0.00279	103	80-120	2.23	20	
Chromium	0.992	mg/L	0.0499	1	<0.00610	98.6	80-120	1.92	20	

The following samples were analyzed in this batch: HN2515184-001

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2515184

Sample Name: 8124 Elgin SB1,2 (0'-6') Comp
Laboratory Code: HN2515184-001
Sample Matrix: SOIL/SOLID

Date Collected: 10/13/25
Date Received: 10/14/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 6020B	EPA 3015A	001-AD	2281436	Chloe Patrick	3599113	Hunter Johnson



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information		Project Information		Parameter/Method Request for Analysis								
Purchase Order		Project Name	8124 Elgin	A	TCLP Arsenic							
Work Order	Quote ID - 11631	Project Number	DETR0060	B	TCLP Chromium							
Company Name	Mannik Smith Group	Bill To Company	Mannik Smith Group	C								
Send Report To	Ryan Montri	Invoice Attn.		D								
Address	2365 South Haggerty Road	Address	2365 South Haggerty Road	E								
City/State/Zip	Canton, Mi 48188	City/State/Zip	Canton, Mi 48188	F								
Phone	734-397-3100	Phone	734-397-3100	G								
Fax		Fax		H								
e-Mail Address	rmontri@manniksmithgroup.com	e-Mail Address		I								
				J								
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	Hold	
1	8124 ELgin SB-1,2 (0-6') Comp	10-13-25	1130	Sq'l	-	2	X	X				
2												
3												
4												
5												
6												
7												
8												
9												
10												
Sampler(s): Please Print & Sign		Shipment Method:		Required Turnaround Time:				Results Due Date:				
Eddie Bosaz Edmund Bosaz				☐ STD 10 Wk Days ☒ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour								
Relinquished by:		Date:	Time:	Received by:		Notes:						
Edmund Bosaz		10-13-25	1457	Shannon Kacemanch								
Relinquished by:		Date:	Time:	Received by (Laboratory):		Cooler Temp.						
Mannik Smith		10-13-25	1547	QS to B. Wittman		127 3.7C						
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):		QC Package: (Check Box Below)						
BH		10/14/25	0932			☐ Level II: Standard QC ☐ TRRP-Checklist						
						☐ Level III: Std QC + Raw Data ☐ TRRP Level IV						
						☐ Level IV: SW846 CLP-Like						
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035						Other: _____						

Environmental Division
Holland
Work Order Reference
HN2515184

Telephone: +1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland Sample Receiving Checklist

Received by: B. L. Lang
 Date/Time: 10/14/25 0700
 Carrier Name: GS
 Shipping container/cooler in good condition? (Yes) / No / Not Present
 Custody seals intact on shipping container/cooler? Yes / No / (Not Present)
 Custody seals intact on sample bottles? Yes / No / (Not Present)
 Chain of Custody present? (Yes) / No
 COC signed when relinquished and received? (Yes) / No
 COC agrees with sample labels? (Yes) / No
 Samples in proper container/bottle? (Yes) / No
 Sample containers intact? (Yes) / No
 Sufficient sample volume for indicated test? (Yes) / No
 All samples received within holding time? (Yes) / No
 Container/Temp Blank temperature in compliance? (Yes) / No
 Temperature(s) (°C): 3.7 13.7 c
 Thermometer(s): IR7
 Sample(s) received on ice? (Yes) / No
 Matrix/Matrices: Soil
 Cooler(s)/Kit(s): 1
 Date/Time sample(s) sent to storage: 10/14/25 0932
 Water – VOA vials have zero headspace? Yes / No / No Vials
 Water – pH acceptable upon receipt? Yes / No / N/A
 pH strip lot #: _____ < 2 _____ > 12 _____ Other _____
 pH adjusted (note adjustments below)? Yes / No / N/A
 pH adjusted by: _____
 Login Notes:



right solutions.
right partner.

November 04, 2025

Ryan Montri
The Mannik & Smith Group, Inc.
2365 Haggerty Road South
Suite 100
Canton, MI 48188

Re: **DETR0060**

Date Received: **10/29/2025**

Work Order: **HN2516152**

Dear Ryan,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Kathy Jones-Gronda

/S/ KATHY JONES-GRONDA

Project Manager



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2516152
Date Received: 29-Oct-2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

1 soil/solid sample was received for analysis at ALS Environmental on 29-Oct-2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Organics

EPA 8270E-FULL HN-3546-S

Run ID: 3655130

The LCS result for Atrazine is unavailable due to exceeding the calibration range. The associated samples are non-detect; therefore, no qualification is necessary.

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.



CLIENT ID: 8124 Elgin SB02(3-4')-R			Lab ID: HN2516152-001		
Analyte	Results	Flag	MRL	Units	Method
2-Methylnaphthalene	416		378	µg/kg	EPA 8270E
Fluoranthene	491		378	µg/kg	EPA 8270E
Indeno(1,2,3-cd) pyrene	453		378	µg/kg	EPA 8270E
Percent Moisture	14.1		0.1	%	EPA 3550C
Pyrene	453		378	µg/kg	EPA 8270E

SAMPLE SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Workorder: HN2516152

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2516152-001	8124 Elgin SB02(3-4')-R	SOIL/SOLID	10/28/25 11:06	10/29/25 08:00



ALS Environmental

Laboratory location:

Chain of Custody Form

Page 1 of 1

Customer Information			Project Information				ALS Project Manager:					Work Order #:	
Parameter/Method Request for Analysis			Project Information				ALS Project Manager:					Work Order #:	
Purchase Order		Project Name	8124 Elgin				A	SVOCs (U.S. EPA Method 8270D (or Method 8270))					
Work Order		Project Number	DETR0060				B						
Company Name	The Mannik and Smith Group		Bill To Company	The Mannik and Smith Group				C					
Send Report To	Ryan Montri		Invoice Attn.					D					
Address	2365 Haggerty Rd South Suite 100		Address	2365 Haggerty Rd South Suite 100				E					
								F					
City/State/Zip	Canton, MI 48188		City/State/Zip	Canton, MI 48188				G					
Phone	734-397-3100		Phone	734-397-3100				H					
Fax			Fax					I					
e-Mail Address	RMontri@mnniksmithgroup.com		e-Mail Address:					J					
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	Hold	
1	8124 Elgin SB02(3-4')-R	10/28/25	1106	Soil	None	1	X						
2													
3													
4													
5													
6													
7													
8													
9													
10													
Sampler(s): Please Print & Sign WILEY DAVENPORT			Shipment Method:		Required Turnaround Time: ☐ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour			Other: 72 hrs ☒		Results Due Date:			
Relinquished by: WILEY DAVENPORT		Date: 10/28/25	Time: 1617	Received by:		Notes:		Quote# HN-061825-M&S-MA					
Relinquished by:		Date: 10/28	Time: 1617	Received by (Laboratory):		Cooler Temp.		QC Package: (Check Box Below)					
Logged by (Laboratory):		Date: 10/28/25	Time: 1617	Checked by (Laboratory):		3.4		Level II: Standard QC					
						2.6		Level III: Std QC + Raw Data					
								Level IV: SW846 CLP-Like					
Preservative Key: 1-HCL 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4 degrees C 9-5035							Other:						

Environmental Division
Holland
Work Order Reference
HN2516152

Telephone : + 1 616 399 6070

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.

Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Please click the link below for detailed Terms & Conditions:

<https://www.alsglobal.com/ALSGroupUSACorpTC>

ALS copyright © 2024. All rights reserved.



ALS Holland
3352 128th Ave., Holland MI 49424

ALS Holland Sample Receiving Checklist

Received by:

Date/Time: 10-29-25 800

Carrier Name: DS

Shipping container/cooler in good condition? Yes / No / Not Present

Custody seals intact on shipping container/cooler? Yes / No / Not Present

Custody seals intact on sample bottles? Yes / No / Not Present

Chain of Custody present? Yes / No

COC signed when relinquished and received? Yes / No

COC agrees with sample labels? Yes / No

Samples in proper container/bottle? Yes / No

Sample containers intact? Yes / No

Sufficient sample volume for indicated test? Yes / No

All samples received within holding time? Yes / No

Container/Temp Blank temperature in compliance? Yes / No

Temperature(s) (°C): 54/54

Thermometer(s): T118

Sample(s) received on ice? Yes / No

Matrix/Matrices: Soil

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage: 10-29-25

Water – VOA vials have zero headspace? Yes / No / No Vials

Water – pH acceptable upon receipt? Yes / No / N/A

pH strip lot #: < 2 > 12 Other

pH adjusted (note adjustments below)? Yes / No / N/A

pH adjusted by:

Login Notes:

HN-SHT-160-R01, Sample Receipt Checklist

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

Holland Laboratory Certifications¹

Agency	Type	ID	Issued	Expires
Alabama	Drinking Water (Secondary)	42500	12/17/2024	12/31/2025
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	11/14/2024	12/31/2025
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/18/2023	09/01/2025
Kansas	NELAP (Secondary)	E-10411	07/09/2024	07/31/2025
Kentucky	Waste Water	KY98004	12/20/2024	12/31/2025
Kentucky	UST	120474	06/24/2024	06/30/2025
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/17/2024	12/31/2025
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2024	6/30/2025
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	06/14/2024	07/31/2025
Texas	NELAP (Secondary)	T104704494	02/12/2025	01/31/2026
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572	03/03/2023	03/03/2026
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/15/2024	08/31/2025

¹ - Scope available upon request

ANALYST SUMMARY



Client: The Mannik & Smith Group, Inc.
Project: DETR0060

Work Order: HN2516152

Sample Name: 8124 Elgin SB02(3-4')-R
Laboratory Code: HN2516152-001
Sample Matrix: SOIL/SOLID

Date Collected: 10/28/25
Date Received: 10/29/25

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 3550C		001-AA	2305586		3636414	Nicole Maleski
EPA 8270E	EPA 3546	001-AA	2305039	Erin Wall	3655130	Erin Wall

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516152
Date Collected: 10/28/25 11:06
Date Received: 10/29/25 08:00

CLIENT ID: 8124 Elgin SB02(3-4')-R	Lab ID: HN2516152-001
---	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
General Chemistry Parameters								
Percent Moisture	EPA 3550C	14.1		%	0.1	1	10/29/25 13:57	NA
Semivolatile Organic Compounds by GC-MS								
1,1'-Biphenyl (BZ-0)	EPA 8270E	<307	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
1,2,4,5-Tetrachlorobenzene	EPA 8270E	<436	U	µg/kg	18900	20	10/31/25 21:51	10/29/25 13:49
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8270E	<1350	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
1-Methylnaphthalene	EPA 8270E	<272	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl) ether	EPA 8270E	<443	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,3,4,6-Tetrachlorophenol	EPA 8270E	<1380	U	µg/kg	3780	20	10/31/25 21:51	10/29/25 13:49
2,4,5-Trichlorophenol	EPA 8270E	<1120	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,4,6-Trichlorophenol	EPA 8270E	<503	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,4-Dichlorophenol	EPA 8270E	<1020	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,4-Dimethylphenol	EPA 8270E	<972	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,4-Dinitrophenol	EPA 8270E	<13800	U	µg/kg	18900	20	10/31/25 21:51	10/29/25 13:49
2,4-Dinitrotoluene (2,4-DNT)	EPA 8270E	<1230	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2,6-Dinitrotoluene (2,6-DNT)	EPA 8270E	<482	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2-Chloronaphthalene	EPA 8270E	<264	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
2-Chlorophenol	EPA 8270E	<1240	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	EPA 8270E	<1580	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2-Methylnaphthalene	EPA 8270E	416		µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
2-Methylphenol (o-Cresol)	EPA 8270E	<511	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2-Nitroaniline	EPA 8270E	<1050	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
2-Nitrophenol	EPA 8270E	<538	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
3&4-Methylphenol	EPA 8270E	<1030	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
3,3'-Dichlorobenzidine	EPA 8270E	<882	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
3-Nitroaniline	EPA 8270E	<1100	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
4-Bromophenyl phenyl ether (BDE-3)	EPA 8270E	<1030	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516152
Date Collected: 10/28/25 11:06
Date Received: 10/29/25 08:00

CLIENT ID: 8124 Elgin SB02(3-4')-R **Lab ID: HN2516152-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
4-Chloro-3-methylphenol	EPA 8270E	<538	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
4-Chloroaniline	EPA 8270E	<960	U	µg/kg	3780	20	10/31/25 21:51	10/29/25 13:49
4-Chlorophenyl phenylether	EPA 8270E	<522	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
4-Nitroaniline	EPA 8270E	<2930	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
4-Nitrophenol	EPA 8270E	<4430	U	µg/kg	18900	20	10/31/25 21:51	10/29/25 13:49
Acenaphthene	EPA 8270E	<273	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Acenaphthylene	EPA 8270E	<328	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Acetophenone	EPA 8270E	<296	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Anthracene	EPA 8270E	<266	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Atrazine	EPA 8270E	<1110	SU	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Benzaldehyde	EPA 8270E	<2900	U	µg/kg	3780	20	10/31/25 21:51	10/29/25 13:49
Benzo(a)anthracene	EPA 8270E	<326	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Benzo(a)pyrene	EPA 8270E	<232	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Benzo(b)fluoranthene	EPA 8270E	<282	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Benzo(g,h,i)perylene	EPA 8270E	<290	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Benzo(k)fluoranthene	EPA 8270E	<286	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
bis(2-Chloroethoxy) methane	EPA 8270E	<1200	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
bis(2-Chloroethyl) ether	EPA 8270E	<535	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Butyl benzyl phthalate	EPA 8270E	<2370	U	µg/kg	3780	20	10/31/25 21:51	10/29/25 13:49
Caprolactam	EPA 8270E	<1700	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Carbazole	EPA 8270E	<557	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Chrysene	EPA 8270E	<306	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl) phthalate, DEHP)	EPA 8270E	<1560	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Dibenz(a,h) anthracene	EPA 8270E	<204	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Dibenzofuran	EPA 8270E	<278	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Diethyl phthalate	EPA 8270E	<643	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Dimethyl phthalate	EPA 8270E	<368	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Fluoranthene	EPA 8270E	491		µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Fluorene	EPA 8270E	<274	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Hexachlorobenzene	EPA 8270E	<550	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49

Analytical Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID

Work Order: HN2516152
Date Collected: 10/28/25 11:06
Date Received: 10/29/25 08:00

CLIENT ID: 8124 Elgin SB02(3-4')-R	Lab ID: HN2516152-001
---	------------------------------

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Hexachlorobutadiene	EPA 8270E	<445	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Hexachlorocyclopentadiene	EPA 8270E	<1790	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Hexachloroethane	EPA 8270E	<782	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Indeno(1,2,3-cd) pyrene	EPA 8270E	453		µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Isophorone	EPA 8270E	<369	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
Methylphenol, Total	EPA 8270E	<511	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Naphthalene	EPA 8270E	<241	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Nitrobenzene	EPA 8270E	<635	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
n-Nitrosodi-n-propylamine	EPA 8270E	<312	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
N-Nitrosodiphenylamine	EPA 8270E	<1090	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Pentachlorophenol	EPA 8270E	<1500	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Phenanthrene	EPA 8270E	<176	U	µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Phenol	EPA 8270E	<949	U	µg/kg	1870	20	10/31/25 21:51	10/29/25 13:49
Pyrene	EPA 8270E	453		µg/kg	378	20	10/31/25 21:51	10/29/25 13:49
Pyridine	EPA 8270E	<3720	U	µg/kg	9450	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: 2,4,6-Tribromophenol</i>	<i>EPA 8270E</i>	63.6		%REC	48-94	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: 2-Fluorobiphenyl</i>	<i>EPA 8270E</i>	84.8		%REC	50-103	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: 2-Fluorophenol</i>	<i>EPA 8270E</i>	77.6		%REC	43-105	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: 4-Terphenyl-d14</i>	<i>EPA 8270E</i>	91.2		%REC	55-111	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: Nitrobenzene-d5</i>	<i>EPA 8270E</i>	77.6		%REC	47-100	20	10/31/25 21:51	10/29/25 13:49
<i>Surr: Phenol-d6</i>	<i>EPA 8270E</i>	77.2		%REC	49-110	20	10/31/25 21:51	10/29/25 13:49



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305586

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3636414

General Chemistry Parameters

MB	CLIENT ID: Method Blank	Lab ID: QC-2305586-001
-----------	--------------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	<0.1	%	0.1							U

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305586-002
------------	---	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	100	%	0.1	100		100.0	98-102			

DUP	CLIENT ID: Batch QC	Lab ID: QC-2305586-004
------------	----------------------------	-------------------------------

Method: EPA 3550C **Dilution:** 1 **Analysis Date:** 10/29/25 13:57
Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Percent Moisture	18.3	%	0.1		17.3			6.01	10	

The following samples were analyzed in this batch: HN2516152-001



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

Semivolatile Organic Compounds by GC-MS

MB	CLIENT ID: Method Blank	Lab ID: QC-2305039-001
----	-------------------------	------------------------

Method: EPA 8270E**Dilution:** 1**Analysis Date:** 10/31/25 11:24**Prep Date:** 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	<5.41	µg/kg	33.0							U
1,2,4,5-Tetrachlorobenzene	<7.69	µg/kg	333							U
1,4-Dioxane (1,4- Diethyleneoxide)	<23.9	µg/kg	167							U
1-Methylnaphthalene	<4.80	µg/kg	6.67							U
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	<7.81	µg/kg	33.0							U
2,3,4,6-Tetrachlorophenol	<24.4	µg/kg	67.0							U
2,4,5-Trichlorophenol	<19.8	µg/kg	33.0							U
2,4,6-Trichlorophenol	<8.87	µg/kg	33.0							U
2,4-Dichlorophenol	<17.9	µg/kg	33.0							U
2,4-Dimethylphenol	<17.1	µg/kg	33.0							U
2,4-Dinitrophenol	<244	µg/kg	333							U
2,4-Dinitrotoluene (2,4-DNT)	<21.6	µg/kg	33.0							U
2,6-Dinitrotoluene (2,6-DNT)	<8.51	µg/kg	33.0							U
2-Chloronaphthalene	<4.66	µg/kg	6.67							U
2-Chlorophenol	<21.8	µg/kg	33.0							U
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<27.8	µg/kg	33.0							U
2-Methylnaphthalene	<3.39	µg/kg	6.67							U
2-Methylphenol (o-Cresol)	<9.01	µg/kg	33.0							U
2-Nitroaniline	<18.5	µg/kg	33.0							U
2-Nitrophenol	<9.50	µg/kg	33.0							U
3&4-Methylphenol	<18.2	µg/kg	33.0							U
3,3'-Dichlorobenzidine	<15.6	µg/kg	167							U
3-Nitroaniline	<19.4	µg/kg	33.0							U
4-Bromophenyl phenyl ether (BDE-3)	<18.3	µg/kg	33.0							U
4-Chloro-3-methylphenol	<9.50	µg/kg	33.0							U
4-Chloroaniline	<16.9	µg/kg	67.0							U
4-Chlorophenyl phenylether	<9.21	µg/kg	33.0							U
4-Nitroaniline	<51.7	µg/kg	167							U
4-Nitrophenol	<78.1	µg/kg	333							U
Acenaphthene	<4.82	µg/kg	6.67							U
Acenaphthylene	<5.78	µg/kg	6.67							U
Acetophenone	<5.22	µg/kg	33.0							U
Anthracene	<4.70	µg/kg	6.67							U
Atrazine	<19.5	µg/kg	33.0							U
Benzaldehyde	<51.2	µg/kg	67.0							U
Benzo(a)anthracene	<5.76	µg/kg	6.67							U
Benzo(a)pyrene	<4.09	µg/kg	6.67							U
Benzo(b)fluoranthene	<4.97	µg/kg	6.67							U
Benzo(g,h,i)perylene	<5.11	µg/kg	6.67							U
Benzo(k)fluoranthene	<5.05	µg/kg	6.67							U
bis(2-Chloroethoxy)methane	<21.1	µg/kg	33.0							U
bis(2-Chloroethyl) ether	<9.44	µg/kg	33.0							U



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

MB	CLIENT ID: Method Blank	Lab ID: QC-2305039-001
----	-------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:24

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Butyl benzyl phthalate	<41.7	µg/kg	67.0							U
Caprolactam	<30.1	µg/kg	33.0							U
Carbazole	<9.82	µg/kg	33.0							U
Chrysene	<5.39	µg/kg	6.67							U
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	<27.6	µg/kg	33.0							U
Dibenz(a,h) anthracene	<3.60	µg/kg	33.0							U
Dibenzofuran	<4.90	µg/kg	33.0							U
Diethyl phthalate	<11.3	µg/kg	33.0							U
Dimethyl phthalate	<6.50	µg/kg	33.0							U
Fluoranthene	<3.20	µg/kg	6.67							U
Fluorene	<4.84	µg/kg	6.67							U
Hexachlorobenzene	<9.70	µg/kg	33.0							U
Hexachlorobutadiene	<7.85	µg/kg	33.0							U
Hexachlorocyclopentadiene	<31.6	µg/kg	33.0							U
Hexachloroethane	<13.8	µg/kg	33.0							U
Indeno(1,2,3-cd) pyrene	<4.64	µg/kg	6.67							U
Isophorone	<6.51	µg/kg	167							U
Methylphenol, Total	<9.01	µg/kg	67.0							U
Naphthalene	<4.26	µg/kg	6.67							U
Nitrobenzene	<11.2	µg/kg	167							U
n-Nitrosodi-n-propylamine	<5.50	µg/kg	33.0							U
N-Nitrosodiphenylamine	<19.3	µg/kg	33.0							U
Pentachlorophenol	<26.5	µg/kg	33.0							U
Phenanthrene	<3.10	µg/kg	6.67							U
Phenol	<16.7	µg/kg	33.0							U
Pyrene	<3.33	µg/kg	6.67							U
Pyridine	<65.6	µg/kg	167							U
Surr: 2,4,6-Tribromophenol	2610	µg/kg		3333		78.4	48-94			
Surr: 2-Fluorobiphenyl	2550	µg/kg		3333		76.6	50-103			
Surr: 2-Fluorophenol	2670	µg/kg		3333		80.0	43-105			
Surr: 4-Terphenyl-d14	2660	µg/kg		3333		79.9	55-111			
Surr: Nitrobenzene-d5	2260	µg/kg		3333		67.8	47-100			
Surr: Phenol-d6	2670	µg/kg		3333		80.1	49-110			

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
-----	--------------------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:45

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1100	µg/kg	33.0	1333		82.9	57-101			
1,2,4,5-Tetrachlorobenzene	1090	µg/kg	33.0	1333		81.4	54-98			
1-Methylnaphthalene	1100	µg/kg	6.67	1333		82.5	56-100			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1010	µg/kg	33.0	1333		75.5	50-101			
2,3,4,6-Tetrachlorophenol	1150	µg/kg	67.0	1333		86.0	48-103			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
-----	--------------------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:45

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2,4,5-Trichlorophenol	1130	µg/kg	33.0	1333		84.8	54-98			
2,4,6-Trichlorophenol	1140	µg/kg	33.0	1333		85.5	56-97			
2,4-Dichlorophenol	1070	µg/kg	33.0	1333		80.6	54-99			
2,4-Dimethylphenol	919	µg/kg	33.0	1333		68.9	47-102			
2,4-Dinitrophenol	967	µg/kg	333	1333		72.6	10-100			
2,4-Dinitrotoluene (2,4-DNT)	1140	µg/kg	33.0	1333		85.5	62-105			
2,6-Dinitrotoluene (2,6-DNT)	1150	µg/kg	33.0	1333		86.5	62-103			
2-Chloronaphthalene	1100	µg/kg	6.67	1333		82.9	57-101			
2-Chlorophenol	1100	µg/kg	33.0	1333		82.3	52-102			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	1090	µg/kg	33.0	1333		82.0	42-104			
2-Methylnaphthalene	1090	µg/kg	6.67	1333		81.8	55-102			
2-Methylphenol (o-Cresol)	1090	µg/kg	33.0	1333		82.1	54-103			
2-Nitroaniline	1110	µg/kg	33.0	1333		83.6	57-103			
2-Nitrophenol	1140	µg/kg	33.0	1333		85.5	52-102			
3&4-Methylphenol	1090	µg/kg	33.0	1333		82.1	56-103			
3,3'-Dichlorobenzidine	825	µg/kg	167	1333		61.9	41-91			
3-Nitroaniline	837	µg/kg	33.0	1333		62.8	35-107			
4-Bromophenyl phenyl ether (BDE-3)	1120	µg/kg	33.0	1333		84.3	63-104			
4-Chloro-3-methylphenol	1110	µg/kg	33.0	1333		83.0	57-103			
4-Chloroaniline	1150	µg/kg	67.0	1333		86.0	32-99			
4-Chlorophenyl phenylether	1160	µg/kg	33.0	1333		86.8	62-100			
4-Nitroaniline	657	µg/kg	167	1333		49.3	19-124			
4-Nitrophenol	1030	µg/kg	333	1333		77.6	44-106			
Acenaphthene	1120	µg/kg	6.67	1333		84.3	60-101			
Acenaphthylene	1130	µg/kg	6.67	1333		84.9	59-101			
Acetophenone	1090	µg/kg	33.0	1333		82.0	54-102			
Anthracene	1130	µg/kg	6.67	1333		85.0	63-96			
Atrazine	<19.5	µg/kg	33.0	1333		0.00	60-110			SU
Benzaldehyde	245	µg/kg	67.0	1333		18.4	10-143			
Benzo(a)anthracene	1120	µg/kg	6.67	1333		84.3	66-102			
Benzo(a)pyrene	1180	µg/kg	6.67	1333		88.6	66-105			
Benzo(b)fluoranthene	1180	µg/kg	6.67	1333		88.7	67-105			
Benzo(g,h,i)perylene	1160	µg/kg	6.67	1333		87.1	59-110			
Benzo(k)fluoranthene	1120	µg/kg	6.67	1333		83.9	68-106			
bis(2-Chloroethoxy)methane	1050	µg/kg	33.0	1333		78.6	54-102			
bis(2-Chloroethyl) ether	1090	µg/kg	33.0	1333		81.5	51-101			
Butyl benzyl phthalate	1150	µg/kg	67.0	1333		86.3	59-107			
Caprolactam	1060	µg/kg	33.0	1333		79.6	49-103			
Carbazole	1120	µg/kg	33.0	1333		84.0	63-103			
Chrysene	1130	µg/kg	6.67	1333		85.0	66-105			
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1200	µg/kg	33.0	1333		89.7	63-101			
Dibenz(a,h) anthracene	1210	µg/kg	33.0	1333		90.7	61-109			
Dibenzofuran	1140	µg/kg	33.0	1333		85.4	61-101			
Diethyl phthalate	1140	µg/kg	33.0	1333		85.9	63-105			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

LCS	CLIENT ID: Laboratory Control Sample	Lab ID: QC-2305039-002
-----	--------------------------------------	------------------------

Method: EPA 8270E

Dilution: 1

Analysis Date: 10/31/25 11:45

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Dimethyl phthalate	1140	µg/kg	33.0	1333		85.7	64-104			
Fluoranthene	1130	µg/kg	6.67	1333		84.9	66-105			
Fluorene	1150	µg/kg	6.67	1333		86.2	62-101			
Hexachlorobenzene	1120	µg/kg	33.0	1333		83.9	61-104			
Hexachlorobutadiene	1040	µg/kg	33.0	1333		78.0	52-99			
Hexachlorocyclopentadiene	884	µg/kg	33.0	1333		66.3	39-106			
Hexachloroethane	1080	µg/kg	33.0	1333		81.2	59-99			
Indeno(1,2,3-cd) pyrene	1320	µg/kg	6.67	1333		98.7	57-114			
Isophorone	1070	µg/kg	167	1333		79.9	55-101			
Methylphenol, Total	2190	µg/kg	67.0	2667		82.1	54-103			
Naphthalene	1050	µg/kg	6.67	1333		79.0	54-99			
Nitrobenzene	1040	µg/kg	167	1333		78.0	53-100			
n-Nitrosodi-n-propylamine	1100	µg/kg	33.0	1333		82.8	52-104			
N-Nitrosodiphenylamine	1120	µg/kg	33.0	1333		83.9	61-104			
Pentachlorophenol	1050	µg/kg	33.0	1333		78.5	35-100			
Phenanthrene	1120	µg/kg	6.67	1333		84.2	64-101			
Phenol	1080	µg/kg	33.0	1333		80.9	51-107			
Pyrene	1160	µg/kg	6.67	1333		87.3	62-114			
Pyridine	829	µg/kg	167	1333		62.2	40-84			
Surr: 2,4,6-Tribromophenol	2930	µg/kg		3333		87.8	48-94			
Surr: 2-Fluorobiphenyl	2740	µg/kg		3333		82.2	50-103			
Surr: 2-Fluorophenol	2690	µg/kg		3333		80.7	43-105			
Surr: 4-Terphenyl-d14	2810	µg/kg		3333		84.4	55-111			
Surr: Nitrobenzene-d5	2410	µg/kg		3333		72.2	47-100			
Surr: Phenol-d6	2770	µg/kg		3333		83.1	49-110			

MS	CLIENT ID: Batch QC	Lab ID: QC-2305039-005
----	---------------------	------------------------

Method: EPA 8270E

Dilution: 20

Analysis Date: 10/31/25 16:38

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1160	µg/kg	724	1306.8	<106	89.0	57-101			
1,2,4,5-Tetrachlorobenzene	<151	µg/kg	7310	1306.8	<151	79.0	54-98			U
1-Methylnaphthalene	1290	µg/kg	146	1306.8	<94.1	99.0	56-100			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1010	µg/kg	724	1306.8	<153	77.0	50-101			
2,3,4,6-Tetrachlorophenol	<479	µg/kg	1460	1306.8	<479	35.0	48-103			SU
2,4,5-Trichlorophenol	993	µg/kg	724	1306.8	<387	76.0	54-98			
2,4,6-Trichlorophenol	<174	µg/kg	724	1306.8	<174	52.0	56-97			SU
2,4-Dichlorophenol	1100	µg/kg	724	1306.8	<352	84.0	54-99			
2,4-Dimethylphenol	1760	µg/kg	724	1306.8	<336	135	47-102			S
2,4-Dinitrophenol	<4780	µg/kg	7310	1306.8	<4780	0.00	10-100			SU
2,4-Dinitrotoluene (2,4-DNT)	1590	µg/kg	724	1306.8	<424	122	62-105			S
2,6-Dinitrotoluene (2,6-DNT)	1280	µg/kg	724	1306.8	<167	98.0	62-103			
2-Chloronaphthalene	1110	µg/kg	146	1306.8	<91.4	85.0	57-101			

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

MS		CLIENT ID: Batch QC			Lab ID: QC-2305039-005					
Method: EPA 8270E		Dilution: 20			Analysis Date: 10/31/25 16:38					
					Prep Date: 10/29/25 13:50					
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2-Chlorophenol	1050	µg/kg	724	1306.8	<428	80.0	52-102			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<546	µg/kg	724	1306.8	<546	55.0	42-104			U
2-Methylnaphthalene	1330	µg/kg	146	1306.8	<66.5	102	55-102			
2-Methylphenol (o-Cresol)	1230	µg/kg	724	1306.8	<177	94.0	54-103			
2-Nitroaniline	1280	µg/kg	724	1306.8	<363	98.0	57-103			
2-Nitrophenol	1220	µg/kg	724	1306.8	<186	93.0	52-102			
3&4-Methylphenol	1690	µg/kg	724	1306.8	<356	129	56-103			S
3,3'-Dichlorobenzidine	<305	µg/kg	3660	1306.8	<305	98.0	41-91			SU
3-Nitroaniline	1150	µg/kg	724	1306.8	<379	88.0	35-107			
4-Bromophenyl phenyl ether (BDE-3)	1280	µg/kg	724	1306.8	<358	98.0	63-104			
4-Chloro-3-methylphenol	1240	µg/kg	724	1306.8	<186	95.0	57-103			
4-Chloroaniline	<332	µg/kg	1460	1306.8	<332	57.0	32-99			U
4-Chlorophenyl phenylether	1200	µg/kg	724	1306.8	<181	92.0	62-100			
4-Nitroaniline	<1010	µg/kg	3660	1306.8	<1010	82.0	19-124			U
4-Nitrophenol	<1530	µg/kg	7310	1306.8	<1530	0.00	44-106			SU
Acenaphthene	1400	µg/kg	146	1306.8	<94.5	101	60-101			
Acenaphthylene	1120	µg/kg	146	1306.8	<113	86.0	59-101			
Acetophenone	1110	µg/kg	724	1306.8	<102	85.0	54-102			
Anthracene	1930	µg/kg	146	1306.8	470	116	63-96			S
Atrazine	1460	µg/kg	724	1306.8	<383	112	60-110			S
Benzaldehyde	<1000	µg/kg	1460	1306.8	<1000	17.0	10-143			U
Benzo(a)anthracene	2640	µg/kg	146	1306.8	1150	124	66-102			S
Benzo(a)pyrene	2630	µg/kg	146	1306.8	1160	122	66-105			S
Benzo(b)fluoranthene	2980	µg/kg	146	1306.8	1480	127	67-105			S
Benzo(g,h,i)perylene	2240	µg/kg	146	1306.8	881	111	59-110			S
Benzo(k)fluoranthene	1930	µg/kg	146	1306.8	455	117	68-106			S
bis(2-Chloroethoxy)methane	1010	µg/kg	724	1306.8	<414	77.0	54-102			
bis(2-Chloroethyl) ether	1150	µg/kg	724	1306.8	<185	88.0	51-101			
Butyl benzyl phthalate	<818	µg/kg	1460	1306.8	<818	111	59-107			SU
Caprolactam	<590	µg/kg	724	1306.8	<590	0.00	49-103			SU
Carbazole	1400	µg/kg	724	1306.8	323	84.9	63-103			
Chrysene	2480	µg/kg	146	1306.8	910	128	66-105			S
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1540	µg/kg	724	1306.8	<541	118	63-101			S
Dibenz(a,h) anthracene	1370	µg/kg	724	1306.8	250	88.0	61-109			
Dibenzofuran	1370	µg/kg	724	1306.8	<96.1	105	61-101			S
Diethyl phthalate	1150	µg/kg	724	1306.8	<222	88.0	63-105			
Dimethyl phthalate	1140	µg/kg	724	1306.8	<127	87.0	64-104			
Fluoranthene	4880	µg/kg	146	1306.8	2440	206	66-105			S
Fluorene	1500	µg/kg	146	1306.8	132	106	62-101			S
Hexachlorobenzene	1160	µg/kg	724	1306.8	<190	89.0	61-104			
Hexachlorobutadiene	1120	µg/kg	724	1306.8	<154	86.0	52-99			
Hexachlorocyclopentadiene	<639	µg/kg	724	1306.8	<639	0.00	39-106			SU
Hexachloroethane	1330	µg/kg	724	1306.8	<271	102	59-99			S
Indeno(1,2,3-cd) pyrene	2540	µg/kg	146	1306.8	998	126	57-114			S

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

MS	CLIENT ID: Batch QC				Lab ID: QC-2305039-005					
Method: EPA 8270E			Dilution: 20		Analysis Date: 10/31/25 16:38					
Prep Date: 10/29/25 13:50										
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Isophorone	<128	µg/kg	3660	1306.8	<128	88.0	55-101			U
Methylphenol, Total	2910	µg/kg	724	2614.6	<177	111	54-103			S
Naphthalene	1180	µg/kg	146	1306.8	<83.5	90.0	54-99			
Nitrobenzene	<220	µg/kg	3660	1306.8	<220	89.0	53-100			U
n-Nitrosodi-n-propylamine	993	µg/kg	724	1306.8	<108	76.0	52-104			
N-Nitrosodiphenylamine	2070	µg/kg	724	1306.8	<378	158	61-104			S
Pentachlorophenol	941	µg/kg	724	1306.8	<519	72.0	35-100			
Phenanthrene	3880	µg/kg	146	1306.8	1440	199	64-101			S
Phenol	1080	µg/kg	724	1306.8	<328	83.0	51-107			
Pyrene	4350	µg/kg	146	1306.8	2080	191	52-114			S
Pyridine	<1290	µg/kg	3660	1306.8	<1290	65.0	40-84			U
Surr: 2,4,6-Tribromophenol	1450	µg/kg		3267.6		44.4	48-94			S
Surr: 2-Fluorobiphenyl	2580	µg/kg		3267.6		78.8	50-103			
Surr: 2-Fluorophenol	1840	µg/kg		3267.6		56.4	43-105			
Surr: 4-Terphenyl-d14	2760	µg/kg		3267.6		84.4	55-111			
Surr: Nitrobenzene-d5	2210	µg/kg		3267.6		67.6	47-100			
Surr: Phenol-d6	2240	µg/kg		3267.6		68.4	49-110			

MSD		CLIENT ID: Batch QC				Lab ID: QC-2305039-006				
Method: EPA 8270E			Dilution: 20			Analysis Date: 10/31/25 16:59				
						Prep Date: 10/29/25 13:50				
Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1'-Biphenyl (BZ-0)	1170	µg/kg	737	1329.3	<108	88.0	57-101	0.573	30	
1,2,4,5-Tetrachlorobenzene	<153	µg/kg	7430	1329.3	<153	79.0	54-98	NC		U
1-Methylnaphthalene	1140	µg/kg	149	1329.3	<95.7	86.0	56-100	12.4	30	
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether	1050	µg/kg	737	1329.3	<156	79.0	50-101	4.27	30	
2,3,4,6-Tetrachlorophenol	<487	µg/kg	1490	1329.3	<487	49.0	48-103	NC		U
2,4,5-Trichlorophenol	1140	µg/kg	737	1329.3	<394	86.0	54-98	14.0	30	
2,4,6-Trichlorophenol	824	µg/kg	737	1329.3	<177	62.0	56-97	12.9	30	
2,4-Dichlorophenol	1160	µg/kg	737	1329.3	<358	87.0	54-99	5.21	30	
2,4-Dimethylphenol	1780	µg/kg	737	1329.3	<342	134	47-102	0.959	30	S
2,4-Dinitrophenol	<4860	µg/kg	7430	1329.3	<4860	0.00	10-100	NC		US
2,4-Dinitrotoluene (2,4-DNT)	1410	µg/kg	737	1329.3	<432	106	62-105	12.3	30	S
2,6-Dinitrotoluene (2,6-DNT)	1330	µg/kg	737	1329.3	<170	100	62-103	3.72	30	
2-Chloronaphthalene	1180	µg/kg	149	1329.3	<92.9	89.0	57-101	6.30	30	
2-Chlorophenol	1170	µg/kg	737	1329.3	<435	88.0	52-102	11.2	30	
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	<555	µg/kg	737	1329.3	<555	0.00	42-104	NC		US
2-Methylnaphthalene	1180	µg/kg	149	1329.3	<67.6	89.0	55-102	11.9	30	
2-Methylphenol (o-Cresol)	1400	µg/kg	737	1329.3	<180	105	54-103	12.8	30	S
2-Nitroaniline	1170	µg/kg	737	1329.3	<369	88.0	57-103	9.05	30	
2-Nitrophenol	1090	µg/kg	737	1329.3	<189	82.0	52-102	10.9	30	
3&4-Methylphenol	1330	µg/kg	737	1329.3	<362	100	56-103	23.7	30	
3,3'-Dichlorobenzidine	<310	µg/kg	3720	1329.3	<310	116	41-91	NC		US

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

MSD	CLIENT ID: Batch QC	Lab ID: QC-2305039-006
-----	---------------------	------------------------

Method: EPA 8270E

Dilution: 20

Analysis Date: 10/31/25 16:59

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
3-Nitroaniline	1340	µg/kg	737	1329.3	<386	101	35-107	15.5	30	
4-Bromophenyl phenyl ether (BDE-3)	1250	µg/kg	737	1329.3	<364	94.0	63-104	2.46	30	
4-Chloro-3-methylphenol	1330	µg/kg	737	1329.3	<189	100	57-103	6.83	30	
4-Chloroaniline	<338	µg/kg	1490	1329.3	<338	62.0	32-99	NC		U
4-Chlorophenyl phenylether	1250	µg/kg	737	1329.3	<184	94.0	62-100	3.85	30	
4-Nitroaniline	<1030	µg/kg	3720	1329.3	<1030	99.0	19-124	NC		U
4-Nitrophenol	<1560	µg/kg	7430	1329.3	<1560	0.00	44-106	NC		US
Acenaphthene	1300	µg/kg	149	1329.3	<96.1	92.1	60-101	7.08	30	
Acenaphthylene	1200	µg/kg	149	1329.3	<115	90.0	59-101	6.25	30	
Acetophenone	1090	µg/kg	737	1329.3	<104	82.0	54-102	1.89	30	
Anthracene	1650	µg/kg	149	1329.3	470	92.5	63-96	16.0	30	
Atrazine	1330	µg/kg	737	1329.3	<390	100	60-110	9.62	30	
Benzaldehyde	<1020	µg/kg	1490	1329.3	<1020	13.0	10-143	NC		U
Benzo(a)anthracene	2170	µg/kg	149	1329.3	1150	86.1	66-102	19.7	30	
Benzo(a)pyrene	2150	µg/kg	149	1329.3	1160	84.1	66-105	19.8	30	
Benzo(b)fluoranthene	2370	µg/kg	149	1329.3	1480	78.4	67-105	23.0	30	
Benzo(g,h,i)perylene	1940	µg/kg	149	1329.3	881	86.8	59-110	14.1	30	
Benzo(k)fluoranthene	1650	µg/kg	149	1329.3	455	93.4	68-106	16.0	30	
bis(2-Chloroethoxy)methane	1080	µg/kg	737	1329.3	<421	81.0	54-102	6.76	30	
bis(2-Chloroethyl) ether	1050	µg/kg	737	1329.3	<188	79.0	51-101	9.08	30	
Butyl benzyl phthalate	1620	µg/kg	1490	1329.3	<832	122	59-107	10.3	30	S
Caprolactam	1530	µg/kg	737	1329.3	<600	115	49-103	71.4	30	RS
Carbazole	1410	µg/kg	737	1329.3	323	84.3	63-103	0.764	30	
Chrysene	1990	µg/kg	149	1329.3	910	88.9	66-105	21.8	30	
Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1640	µg/kg	737	1329.3	<550	123	63-101	5.85	30	S
Dibenz(a,h) anthracene	1400	µg/kg	737	1329.3	250	88.3	61-109	1.70	30	
Dibenzofuran	1300	µg/kg	737	1329.3	<97.7	98.0	61-101	5.20	30	
Diethyl phthalate	1240	µg/kg	737	1329.3	<226	93.0	63-105	7.23	30	
Dimethyl phthalate	1160	µg/kg	737	1329.3	<130	87.0	64-104	1.70	30	
Fluoranthene	3260	µg/kg	149	1329.3	2440	81.3	66-105	39.8	30	R
Fluorene	1280	µg/kg	149	1329.3	132	87.1	62-101	16.3	30	
Hexachlorobenzene	1180	µg/kg	737	1329.3	<193	89.0	61-104	1.70	30	
Hexachlorobutadiene	1170	µg/kg	737	1329.3	<157	88.0	52-99	4.00	30	
Hexachlorocyclopentadiene	<650	µg/kg	737	1329.3	<650	0.00	39-106	NC		US
Hexachloroethane	1180	µg/kg	737	1329.3	<275	89.0	59-99	11.9	30	
Indeno(1,2,3-cd) pyrene	2220	µg/kg	149	1329.3	998	99.9	57-114	13.3	30	
Isophorone	<130	µg/kg	3720	1329.3	<130	77.0	55-101	NC		U
Methylphenol, Total	2730	µg/kg	737	2659.5	<180	102	54-103	6.71	30	
Naphthalene	1120	µg/kg	149	1329.3	<85.0	84.0	54-99	5.20	30	
Nitrobenzene	<223	µg/kg	3720	1329.3	<223	99.0	53-100	NC		U
n-Nitrosodi-n-propylamine	1100	µg/kg	737	1329.3	<110	83.0	52-104	10.5	30	
N-Nitrosodiphenylamine	1490	µg/kg	737	1329.3	<385	112	61-104	32.4	30	RS
Pentachlorophenol	824	µg/kg	737	1329.3	<528	62.0	35-100	13.2	30	
Phenanthrene	2470	µg/kg	149	1329.3	1440	89.3	64-101	44.3	30	R
Phenol	1020	µg/kg	737	1329.3	<334	77.0	51-107	5.80	30	

QA/QC Report



Client: The Mannik & Smith Group, Inc.
Project: DETR0060
Matrix: SOIL/SOLID
QC Lot: 2305039

Work Order: HN2516152
Date Collected: NA
Date Received: NA
Run ID: 3655130

MSD	CLIENT ID: Batch QC	Lab ID: QC-2305039-006
-----	---------------------	------------------------

Method: EPA 8270E

Dilution: 20

Analysis Date: 10/31/25 16:59

Prep Date: 10/29/25 13:50

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
Pyrene	3030	µg/kg	149	1329.3	2080	87.9	52-114	35.8	30	R
Pyridine	<1310	µg/kg	3720	1329.3	<1310	74.0	40-84	NC		U
Surr: 2,4,6-Tribromophenol	2020	µg/kg		3323.7		60.8	48-94	32.8	30	R
Surr: 2-Fluorobiphenyl	2770	µg/kg		3323.7		83.2	50-103	7.13	30	
Surr: 2-Fluorophenol	2300	µg/kg		3323.7		69.2	43-105	22.1	30	
Surr: 4-Terphenyl-d14	3020	µg/kg		3323.7		90.8	55-111	9.01	30	
Surr: Nitrobenzene-d5	2370	µg/kg		3323.7		71.2	47-100	6.89	30	
Surr: Phenol-d6	2550	µg/kg		3323.7		76.8	49-110	13.3	30	

The following samples were analyzed in this batch: HN2516152-001