

May 18, 2022

NOTICE OF DENIAL

Brian Rebain Detroit Waldorf School Representative 779 Seminole Detroit MI 48214

RE: Application Number 22-7804, 7809 - 7812; 2555, 2508 – 2484 Burns; Indian Village Historic District

Dear Mr. Rebain,

At the Regular Meeting that was held on May 11, 2022, the Detroit Historic District Commission ("DHDC") reviewed the above-referenced application. Pursuant to Section 5(1) and 9(1) of the Michigan Local Historic District Act, as amended, being MCL 399.205 (1), MCL 399.209 (9) and Sections 21-2-78 and 21-2-80 of the 2019 Detroit City Code; the DHDC hereby issues a Denial for the following work, effective on May 17, 2022, as it will be inappropriate according to the Secretary of Interior's Standards for Rehabilitation and the district's Elements of Design:

Establish permanent outdoor teaching structures (12), per the submitted documents, drawings, and presentation materials.

The reasons for the denial are a failure to meet the following specific Standards:

- 1) A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.
- 2) The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

The application may be resubmitted for the Historic District Commission's review when suggested changes have been made that address the cited reasons for denial, if applicable.

Please be advised that, in accordance with MCL 399. 211 and Section 21-2-81 of the 2019 Detroit City Code, an applicant aggrieved by a decision of the DHDC may file an appeal with the State Historic Preservation Review Board. Within sixty (60) days of your receipt of this notice, an appeal may be filed with:

Jon Stuckey, Michigan Department of Attorney General 2nd Floor, G. Mennen Williams Building 525 West Ottawa Street P.O. Box 30754 Lansing, MI 48909

Phone: 517-335-0665

E-mail: stuckeyj@michigan.gov

If you have any questions regarding the foregoing, please contact staff at 313-224-1762 or hdc@detroitmi.gov.

For the Commission:

Audra Dye 🖊

Detroit Historic District Commission

DHDC 22-7804, 7809-7812

APPROVAL DOCUMENT - POST AT WORK LOCATION

CITY OF DETROIT HISTORIC DISTRICT COMMISSION 2 WOODWARD, SUITE 808 DETROIT, MICHIGAN 48226

May 18, 2022

NOTICE TO PROCEED

Brian Rebain Detroit Waldorf School Representative 779 Seminole Detroit MI 48214

RE: Application Number 22-7804, 7809 - 7812; 2555, 2508 – 2484 Burns; Indian Village Historic District

Dear Mr. Rebain,

At the Regular Meeting that was held on May 11, 2022, the Detroit Historic District Commission ("DHDC") reviewed the above-referenced application. Pursuant to Section 5(1)/5(6) of the Michigan Local Historic District Act, as amended, being MCL 399.205 (1) and (6), and Sections 21-2-73, 75 and 78 of the 2019 Detroit City Code; the DHDC hereby issues a Notice to Proceed ("NTP") for the following work, effective on May 17, 2022, as the work does not meet the Secretary of Interior's Standards for Rehabilitation and the district's Elements of Design, but is without substantial detriment to the public welfare and without substantial derogation from the intents and purposes of Article II, Chapter 21, and where one or more of the conditions of Section 21-2-75 have been met:

Establish permanent outdoor teaching structures (12) per the submitted documents, drawings, and presentation materials.

With the conditions that:

- New elements and/or alterations proposed for the 12 structures and site be submitted to HDC staff for review and approval prior to work taking place.
- This NTP will expire 10 years from issuance, on May 17, 2032.

Please retain this NTP for your files and post it at the subject property until work is complete. It is important to note that approval by the DHDC does not waive the applicant's responsibility to comply with any other applicable ordinances or statutes. If you have any questions regarding the foregoing, please contact staff at 313-224-1762 or hdc@detroitmi.gov.

For the Commission:

Andra Dve

Detroit Historic District Commission

CLASSROOM SHELTER

DETROIT WALDORF SCHOOL REVISED 05/03/22



PROJECT INFORMATION

2555 BURNS PROJECT LOCATION: DETROIT, MI 48214

DETROIT WALDORF SCHOOL OWNER:

> **2555 BURNS** DETROIT, MI 48214

KRAEMER DESIGN GROUP, LLC ARCHITECT OF RECORD:

BRIAN REBAIN, RA, NCARB

STATE OF MICHIGAN CERTIFICATE NO. 1301040246

1420 BROADWAY DETROIT, MI 48226 www.thekraemeredge.com

(313) 965-3399

RESURGET STRUCTURAL ENGINEER:

> MARC STEINHOBEL 4219 WOODWARD AVE

SUITE 306

DETROIT, MI 48201

CODE SUMMARY

PROJECT DESCRIPTION: EMERGENCY ERECTION OF TEMPORARY OUTDOOR WOOD CLASSROOM SHELTERS TO SERVE THE SCHOOL DURING THE COVID PANDEMIC. THERE ARE 14 PROPOSED SHELTERS. TEN MEASURE 20'X20', AND FOUR MEASURE 12'X12'. THE SHELTERS ARE SPACED THROUGHOUT THE SCHOOL GROUNDS TO ALLOW FOR EFFECTIVE PHYSICAL DISTANCING BETWEEN THE CLASSROOMS, WHILE ALSO PROVIDING GOOD LOCATIONS FOR OVERSIGHT OF THE STUDENTS AS WELL AS MAINTAIN EXISTING PLAYFIELD LOCATIONS. TWLEVE SHELTERS ARE LOCATED ON LOTS IN THE INDIAN VILLAGE HISTORIC DISTRICT CURRENTLY ZONED R1 AND APPROVED FOR EDUCATIONAL USE. TWO SHELTERS ARE LOCATED ON LOTS ADJACENT TO THE IV-HD ON FISCHER ST, CURRENTLY ZONED R2.

R1-H; R2 - SEE ATTACHED SITE PLAN

ZONING ORDINANCE SUMMARY: SHELTERS ARE BEING PROPOSED AS TEMPORARY ACCESSORY STRUCTURES TO THE PRIMARY SCHOOL FUNCTIONS AT THE MAIN BUILDING LOCATED AT 2555 BURNS, AT THE CORNER OF CHARLEVOIX AND BURNS ST. THE OWNER IS SEEKING TEMPORARY APPROVAL TO USE THESE STRUCTURES AS PART OF THEIR IN-SCHOOL LEARNING COVID PREPAREDNESS PLAN. APPROVAL IS BEING SOUGHT PURSUANT TO THE REQUIREMENTS OF THE FOLLOWING SECTIONS OF THE CITY OF DETROIT ZONING ORDINANCE:

Sec. 50-12-553. - Natural disasters and emergencies.

Temporary uses and structures needed as the result of a natural disaster or other health and safety emergencies are allowed for the duration of the emergency.

FURTHERMORE:

Sec. 50-12-559. - Other uses.

The Buildings, Safety Engineering, and Environmental Department may approve other temporary uses and activities or special events where it is determined that such uses would not jeopardize the health, safety or general welfare, or be injurious or detrimental to properties adjacent to, or in the vicinity of, the proposed location of

OCCUPANCY CLASSIFICATION: EDUCATIONAL (ACCESSORY USE)

CONSTRUCTION TYPE: OUTDOOR WOOD SHADE STRUCTURE

APPLICABLE CODES: BUILDING: MICHIGAN BUILDING CODE (MBC) 2015

Consultant

TEMPORARY OUTDOOR CLASSROOM SHELTER

Project / Owner

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, ARE THE PROPERTY OF KRAEMER DESIGN GROUP, LLC AND ARE NOT TO BE USED IN WHOLE OR IN PART FOR ANY REASON WITHOUT THE WRITTEN AUTHORIZATION OF KRAEMER DESIGN

©COPYRIGHT 2020 KRAEMER DESIGN GROUP, LLC

HDC UPDATES 05/03/22 FOR PERMIT 09/04/20

Date

09/04/20


Sheet Title COVER

Revision

Sheet Number

SUNFLOWER (Pre-K, built 2020, expanded 2021)





General View

Deck Dimensions (as built)






Side View

HONEYBEE (Pre-K, built 2020, expanded 2021)





General View








Side View

MOON (Pre-K, built 2020, expanded 2021)





General View

Deck Dimensions (as built)






Side View

BLUEBIRD (Pre-K, built 2020, expansion started 2021)





General View

Deck Dimensions (when complete)






Side View

RAINBOW KINDERGARTEN (built 2020)





General View

Deck Dimensions (as built)






Side View

SUNRISE KINDERGARTEN (built 2020)





General View

Deck Dimensions (as built)






Side View

1st GRADE (built 2020, expanded 2021)





General View

Deck Dimensions (as built)






Side View

2ND GRADE (built 2020)





General View

Deck Dimensions (as built)






Front View

Side View

3RD GRADE (built 2020)





General View

Deck Dimensions (as built)






Side View

4TH GRADE (built 2020)





General View








Side View

5TH GRADE (built 2020)





General View

Deck Dimensions (as built)






Side View

6TH GRADE (built 2020)






General View

Deck Dimensions (as built)





Side View



MIL DRIP EDGE

SEAM 2X10 FM

JUSTS & CIR
OF 2N6 CCLAR COL
EXTENSION, 1981

SOLT AT RIM JOIST

2X10 CEDAR RIM JOIST

2X10 CEDAR RIM JOIST

TOP OF 2X6

TOP OF 2X6

TREATED WO EMBED


TREATED WO EMBED

TREATED WD EMBED


D

SIDE ELEVATION

SCALE: 1/2"=1"-0"



REAR ELEVATION
SCALE: 1/2"=1"-0"



CANTILEVERED 14' DOUBLE 2×10 TREATED RIM JOIST, BOTH SIDES-

FLOOR FRAMING PLAN
SCALE: 1/2"=1'-0"

KraemerDesignGroup

Constitution

DETROIT WALDORF

Project / Owner



Bi Pet

THE EXPLANATION WE RECOVER RECOVERY RECOVERY AND RECOVERY AND RECOVERY OF PROPERTY AND RECOVERY AND RECOVERY OF THE PROPERTY O

FOR PERMIT

VESIDE

i alle

SheetTille 20X20 SHELTER PLANS AND ELEVS

Sheet Hum

A2

O 6° SCALE

-2×10 CEDAR RIM JOIST DOUBLE 1.75" ¥ 9.5" LVL W/ 2X WD SPACERS. THRU BOLTED � 5'-0" OC-2X10 CEBAR OUTER RIM JOIST CEDAR SHAKE ROOF OVER SELF-ADHERED ICE AND WATER SHIELD OVER 1/2" PLWD THRU BOLT INNER
AND OUTER RIM
JOIST ® 2X5 CEDAR
COL EXTENSION, TYP —THRU BOLT INNER AND OUTER RIM JOIST @ 2X+ CEDAR DIAG BRACE, TYP -EDGE OF CEDAR
SHAKE ROOF, TYP.
OWIG CEDAR SHAKES
1" BEYOND ROOF
FRAMING, PROVIDE
CONT DRIP EDGE -2X8 JOIST @ 16° OC — 274 LEDGER BD UNDER ROOF JOISTS ATTACHED TO INSIDE OF INNER RIM JOIST W/ SS SCREWS, TYP BOTH SIDES OF ROOF FRAME -2×10 CEDAR RIM JOIST, CAP W/ MTL FLASHING ROOF PLAN ROOF FRAMING PLAN SCALE: 1/2"=1'-0" SCALE: 1/2"=1'-0"

Kraemer**Design**Group

Consultar

DETROIT WALDORF
SEGEBRING
BETROIT M

Project / Owner



THE ACCOUNTY AND THE RECORDED BY STREET, ARAS REPRESENTED BY PROPERTIES. IN CASE AND THE PROPERTY OF THE PROPE

DR PERMIT 09/04/20 evision Date

le

SheetTille 20X20 SHELTER ROOF PLANS AND TYP GUTTER DETAIL

Sheet Humber

Α3

PLOTTED ON 9/11/2020 9:22 AM | PLOTTED BY BRIAN REBAIN

0 6" 1" 2" SONE: 1/2" =1"-0"

