


**KEY NOTES:**

- 1. EXISTING FOOTING
- 2. EXISTING FLOORING
- 3. NEW PROPOSED SILL PLATE 2"x6"
- 4. 5/8" x 12" ANCHOR "J" BOLT @36" O.C
- 5. GYPSUM BOARD 5/8"
- 6. INSULATION R13+5 PER TABLE N1102.1.2 (2015 MEC)  
CLIMATE ZONE 6A WAYNE COUNTY, TABLE 1101.7
- 7. PROPOSED NEW WALL 2"x6" @16 O.C.
- 8. TYVEK BUILDING WRAP
- 9. 7/16" OSB WALL SHEATHING
- 10. WOOD FURRING 1"x3" @24" O.C.
- 11. NEWTECHWOOD ULTRASHIELD ALL WEATHER WALL CLADDING  
OR APPROVED EQUAL - ROMAN ANTIQUE (AT-US31)
- 12. METAL FLASHING

**ws** Wall section  
 Scale: 1/8"=1'-0"

Project No. A-2020.06



12/02/2020

Revisions


△	

Notes:  
 - ISSUED FOR REVIEW  
 (NOT FOR CONSTRUCTION)

Prepared by:



Project North



Scale INDICATED

**PROPOSED  
 WALL SECTION  
 STOREFRONT**

**A1.4**