

Contract - Detailed

Pella Window and Door Showroom of Plymouth 44695 5 Mile Road

Plymouth, MI 48170

Phone: (734) 414-6050 Fax: (734) 414-6052

Sales Rep Phone: 248-496-9135

Sales Rep Fax:

Sales Rep E-Mail: millerpr1@pella.com

Customer Information	Project/Delivery Address	Order Information	ion
Lauren Taylor	Lauren Taylor - All Impervia	Quote Name: La	Lauren Taylor - All Impervia
19605 Stratford Rd	19605 Stratford Rd		
		Order Number:	742XPM002
Detroit, MI 48221-3501	Lot#	Quote Number:	13417940
Primary Phone: (703) 4071506	Detroit, MI 48221	Order Type:	Installed Sales
Mobile Phone:	County:	Payment Terms:	
Fax Number:	î	Tax Code:	INSTALLTAX
E-Mail: laurenst79@gmail.com		Quoted Date:	11/23/2020
Great Plains #:			
Customer Number: 1009868241			
Customer Account: 1006020760			

Line #	Location:	Attributes
10	Sun Rm Door	Impervia, Double Sliding Door Fixed / Vent Left, Black
7		
	******	1: Fixed / Vent Left Double Sliding Door PK# General Information: Standard, Duracast®, Block, Foam Insulated, 4 3/4", 4 3/4"
	0	2075 Exterior Color / Finish: Black Interior Color / Finish: Black
	_	Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Attitude
F		Hardware Options: Footbolt Included, Matte Black Screen: Sliding Screen, InView™
Viewed	Viewed From Exterior	Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.54, CPD PEL-N-123-00744-00001, Performance Class LC, PG 45, Calculated Positive DP
		Rating 45, Calculated Negative DP Rating 45, Year Rated 08 11

Overall Rough Opening Dimensions: 72 X 79 3/4

<u>그</u> 약

Project Name: Lauren Taylor - All Impervia

Order Number: 742XPM002

Quote Number: 13417940

Line # 15 Viewed From Exterior Sun Rm Back Yard Location: PX # 2075 Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-103-00851-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only) 2: SizeNon-Standard Size Vent Right / Fixed Double Slider Vertical Mull 1: AlignedWith, 0.5" Impervia, 3-Wide Sliding Window, Black Screen: Half Screen, InViewTM Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Exterior Color / Finish: Black General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" 1: SizeNon-Standard Size Vent Right / Fixed Double Silder General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Grille: No Grille, Hardware Options: Matte Black, No Limited Opening Hardware Interior Color / Finish: Black Attributes Qty

Exterior Color / Finish: Black

Interior Color / Finish: Black

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Matte Black, No Limited Opening Hardware Screen: Half Screen, InView™

Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only) Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-103-00851-00001, Performance Class LC, PG 30, Calculated Positive DP

Grille: No Grille,

Vertical Mull 2: AlignedWith, 0.5'

3: SizeNon-Standard Size Vent Right / Fixed Double Slider General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"

Exterior Color / Finish: Black Interior Color / Finish: Black

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Matte Black, No Limited Opening Hardware

Screen: Half Screen, InView™

Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-103-00851-00001, Performance Class LC, PG 30, Calculated Positive DP

Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)

Grille: No Grille,

INSTARDETR900003 - Field Mull (Each)	QUOMATDETM010074 - PF Cove/Stop Pine or Oak	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM040100 - Coil (LF)
φ	Qγ	φ	φ
_	63	63	ස

Line # Location:	Attributes
20 Sun Rm Side Yard	Impervia, 2-Wide Sliding Window, Black
PK#	1: SizeNon-Standard Size Vent Right / Fixed Double Slider General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"
2075	Exterior Color / Finish: Black
	Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Matte Black. No Limited Opening Hardware
	Screen: Half Screen, InView TM
viewed Florii Exterior	Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-103-00851-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)
	Vertical Multi 1: Earthon/Multi 1/2" Deliaforcina Multion Frame To Frame Width- 0.5" Multi Design Prossure- 20
	2: SizeNon-Standard Size Vent Right / Fixed Double Slider
	General Information: Standard, Duracast⊚, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Rlack
	Interior Color / Finish: Black
	Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Ontions: Matte Black No Limited Opening Hardware
	Screen: Half Screen, InView TM
	Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.53, CPD PEL-N-103-00851-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)
	Venting Width: Equal

QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak	
Q	Ş	φ	
28	28	28	

PK# 1:	01
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"	1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView ⁷⁷⁴

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com INSTARDETR020005 - Non Wood Drywall Return \$ \$ 17 17

Contract - Detailed

Page

ယ 으

23

QUOMATDETM010074 - PF Cove/Stop Pine or Oak

Printed on 11/23/2020

Customer: Lauren Taylor QUOMATDETM040100 - Coil (LF) Project Name: Lauren Taylor - All Impervia Order Number: 742XPM002 ş 17 Quote Number: 13417940

Vie	30	Line #
PK # 2075 Viewed From Exterior	Dining Rm Sd Yrd L	Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView™ Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3WZH / 3WZH), Black, Black	Impervia, Double Hung, Black	Attributes

QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
Q _Q	Qħ	Qty
17	17	17

Views	35	Line #
PK# 2075 Viewed From Exterior	Fireplace Rm R	Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3*, 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView** Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08[11, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes

QUOMATDETM010074 - PF Cove/Stop Pine or Oak

INSTARDETR020005 - Non Wood Drywall Return

Qby 17

QUOMATDETM040100 - Coil (LF)

Page

View	40	Line #
PK# 2075 Viewed From Exterior	Fireplace Rm L	Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Allitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes

45 Fireplc Rm Front R	Line # Location:			
Dom Front D	ion:			
Impositio Commont Diabt Black	Attributes	QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
		γΩ	Qy	Qξ
		17	17	17
Qty				

Viewe		45	Line #
Viewed From Exterior	PK# 2075	Fireplc Rm Front R	Location:
Hardware Screen: Full Screen, InView [™] Screen: Full Screen, InView [™] Performance Information: U-Factor 0.27, SHGC 0.24, VLT 0.44, CPD PEL-N-150-00678-00002, Performance Class LC, PG 50, Calculated Positive DP Performance Information: U-Factor 0.27, SHGC 0.24, VLT 0.44, CPD PEL-N-150-00678-00002, Performance Class LC, PG 50, Calculated Positive DP Performance Information Inf	1: SizeNon-Standard Size Right Casement General Information: Impervia Casement (Current), Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Attitude Hardware Options: Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening	Impervia, Casement Right, Black	Attributes

S 으

PK# 2075 Viewed From Exterior	55 Fireplc Rm Front L	Line # Location:		PK# 2075	50 Fireplc Rm Front C	Line # Location:
1: SizeNon-Standard Size Left Casement General Information: Impervia Casement (Current), Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware Screen: Full Screen, InView TM Performance Information: U-Factor 0.27, SHGC 0.24, VLT 0.44, CPD PEL-N-150-00678-00002, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Year Rated 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W5H), Black, Black	Impervia, Casement Left, Black	Attributes	QUOMATDETM010074 - PF Cove/Stop Pine or Oak INSTARDETR020005 - Non Wood Drywall Return QUOMATDETM040100 - Coil (LF) QUOMATDETM040100 - Coil (LF)	1: Fixed Frame Direct Set General Information: Impervia Direct Set (New), Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16", Interior Access Only Required Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.29, VLT 0.54, CPD PEL-N-257-00210-00002, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 55, Year Rated 11 Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (5W5H), Black, Black	Impervia, Direct Set Fixed Frame Rectangle, Black	Attributes

QUOMATDETM040100 - Coil (LF) INSTARDETR020005 - Non Wood Drywall Return

φ § § 4 4 4

Customer: Lauren Taylor Project Name: Lauren Taylor - All Impervia Order Number: 742XPM002

Quote Number: 13417940

60 Line # Viewed From Exterior Puppy's Rm Front Location: PK# 2075 Performance Information: U-Factor 0.33, SHGC 0.25, VLT 0.46, CPD PEL-N-103-00858-00001, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W4H / 2W4H / 2W4H), Black, Black Glass: Insulated Laminated (Annealed) Low-E Advanced Low-E Insulating Glass Argon Non High Attitude Hardware Options: Matte Black, No Limited Opening Hardware Screen: Half Screen, InView¹⁷⁴ Impervia, Sliding Window Vent Right / Fixed / Vent Left, Black Venting Width: 1/4 Vent Interior Color / Finish: Black 1: SizeNon-Standard Size Vent Right / Fixed / Vent Left Triple Slider General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Attributes ρţ

Viewed F	65	Line #	
PK # 2075	Puppy's Rm Side	Location:	
1: SizeNon-Standard Size Vent Right / Fixed Double Slider General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Matte Black, No Limited Opening Hardware Screen: Half Screen, InView "* Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.47, CPD PEL-N-103-00851-00004, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)	Impervia, Sliding Window Vent Right / Fixed, Black	Attributes	

INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak

ð

Ş φ

20 20

QUOMATDETM040100 - Coil (LF)

Venting Width: Equal

	Viewo	70	Line #
	PK # 2075 Viewed From Exterior	Downstairs Bath	Location:
Obscure Glass Style: Pattern62(Standard)	1: SizeNon-Standard Size Right Casement General Information: Impervia Casement (Current), Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Obscure Low-E Obscure Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware Screen: Full Screen, InView Merican O.27, SHGC 0.24, VLT 0.44, CPD PEL-N-150-00678-00004, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W3H), Black, Black	Impervia, Casement Right, Black	Attributes

	75	Line #			
	Kitchen Over Stove	Line # Location:			
	Impervia, Double Hung, Black	Attributes	QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
			Qty.	A _D	Qy
			10	10	10
.	Qty				

QUOMATDETM010074 - PF Cove/Stop Pine or Oak

QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
ОМ	Qty	νįο
13	13	ن

으

Customer: Lauren Taylor Project Name: Lauren Taylor - All Impervia Order Number: 742XPM002 Quote Number: 13417940

Viewec	80	Line #
PK# 2075 Viewed From Exterior	Kitchen Over Sink	Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes

85 Breakfast Rm	Line # Location:			
Impervia, Sliding Window Vent Right / Fixed, Black	Attributes	QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
		Q _b	οy	φ
Qty		13	/ 13	/ 13
	Breakfast Rm Impervia, Sliding Window Vent Right / Fixed, Black	Breakfast Rm Impervia, Sliding Window Vent Right / Fixed, Black	Preakfast Rm Impervia, Sliding Window Vent Right / Fixed, Black	INSTARDETR020005 - Non Wood Drywall Return Qly 13 QUOMATDETM040100 - Coil (LF) Qty 13 Te # Location: Attributes Breakfast Rm Impervia, Sliding Window Vent Right / Fixed, Black

QUOMATDETM040100 - Coil (LF)

INSTARDETR020005 - Non Wood Drywall Return QUOMATDETM010074 - PF Cove/Stop Pine or Oak

Q Q Q

	PK# 2075 Viewed From Exterior	95 Upstairs Blue Rm L	Line # Location:		PK # 2075 Viewed From Exterior	90 Upstairs Landing	Line # Location:
QUOMATDETM010074 - PF Cove/Stop Pine or Oak	1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView TM Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes	QUOMATDETM010074 - PF Cove/Stop Pine or Oak INSTARDETR020005 - Non Wood Drywall Return QUOMATDETM040100 - Coil (LF)	1: Fixed Frame Direct Set General Information: Impervia Direct Set (New), Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16", Interior Access Only Required Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.29, VLT 0.54, CPD PEL-N-257-00208-00002, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 55, Year Rated 11 Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (5W5H), Black, Black	Impervia, Direct Set Fixed Frame Rectangle, Black	Attributes
Qty 15	1 0862-00002, Performance Class LC, PG 30, Calculated Positive DP xt typical United States egress, but may comply with local code	Qty		Ofy 20 Ofy 20 Ofy 20	1 Insulated, 3 1/4", 1 15/16", Interior Access Only Required n High Altitude)0208-00002, Performance Class CW, PG 50, Calculated Positive DP	Qty	

Page

10 of

23

QUOMATDETM040100 - Coil (LF)

INSTARDETR020005 - Non Wood Drywall Return

£ & &

5 5 5

	The state of the s
Line# Ocation:	
100 Upstairs Blue Rm R	Impervia, Sliding Window Vent Right / Fixed, Black
	ı
PK#	1: SizeNon-Standard Size Vent Right / Fixed Double Silder General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"
2075	Exterior Color / Finish: Black
	Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Matte Black, No Limited Opening Hardware
Viewed From Exterior	Screen: Half Screen, InView TM
Arewed Libiti Extellor	Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.47, CPD PEL-N-103-00851-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)
	Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W4H / 2W4H), Black, Black Venting Width: Equal
	QUOMATDETM010074 - PF Cove/Stop Pine or Oak Qty 18
	The second secon

105	Line #	
Master Bath Viewed From Exterior	Location:	
Impervia, Double Hung, Black 1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Tempered Obscure Low-E Obscure Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView™ Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00004, Performance Class LC, PG 30, Calculated Positive DP	Attributes	

QUOMATDETM040100 - Coil (LF)

INSTARDETR020005 - Non Wood Drywall Return

§ § §

18 18

Obscure Glass Style: Pattern62(Standard)

QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak
νţΩ	φ	φ
ᇙ	15	15

PK# 2075 Viewed From Exterior	110 Master Bed Rm L	Line # Location:	
1: SizeNon-Standard Size Vent Right / Fixed Double Slider General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Matte Black, No Limited Opening Hardware Screen: Half Screen, In/Ivew™ Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.47, CPD PEL-N-103-00851-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only) Venting Width: Equal	Impervia, Sliding Window Vent Right / Fixed, Black	Attributes	

Viewe	115	Line #
PK# 2075 Viewed From Exterior	Master Bed Rm R	Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView™ Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Does not meet typical United States egress, but may comply with local code requirements	Impervia, Double Hung, Black	Attributes

QUOMATDETM040100 - Coil (LF)

INSTARDETR020005 - Non Wood Drywall Return QUOMATDETM010074 - PF Cove/Stop Pine or Oak

ş Ş ş

18 18

QUOMATDETM040100 - Coil (LF)	INSTARDETR020005 - Non Wood Drywall Return	QUOMATDETM010074 - PF Cove/Stop Pine or Oak	
Qy	Qty	Q _t y	
15	15	5	

requirements
Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black

Customer: Lauren Taylor Projec

Project Name: Lauren Taylor - All Impervia

Order Number: 742XPM002

Quote Number: 13417940

PK# 2075 Viewed From Exterior	125 Exercise Rm	Line # Location:	Viewed From Exterior	PK#	120 Exercise Rm Bath	Line # Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView™ Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes	Glass: Insulated Tempered Obscure Low-E Obscure Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView TM Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00004, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4* Contour, Traditional (3W2H / 3W2H), Black, Black Obscure Glass Style: Pattern62(Standard) QUOMATDETM010074 - PF Cove/Stop Pine or Oak INSTARDETR020005 - Non Wood Drywall Return Quomatdet Return Qty 15 QUOMATDETM040100 - Coil (LF)	1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black	Impervia, Double Hung, Black	Attributes
00862-00002, Performance et typical United States egr ck			lass Argon Non High Altitude 00862-00004, Performance i et typical United States egre ck Qty 15 Qty 15 Qty 15			
1 : Class LC, PG 30, Calculated Positive DP ess, but may comply with local code	Qty		de e Class LC, PG 30, Calculated Positive DP ress, but may comply with local code	_	Qty	

\$ \$ \$

5 5 5

PK # 2075	135 Upstairs Tree Rm L	Line # Location:	Newed F	130 Upstairs Bath	Line # Location:
1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView Performation: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08/11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes	ble Hung, Equal I, Duracast®, Block, Foam Insulated, 3", 1 11/16" I, Duracast®, Block, Foam Insulated, 3", 1 11/16" scure Low-E Obscure Advanced Low-E Insulating Glass Argon Non High Altitude n Lock, Matte Black ractor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00004, Performance Class LC, PG 30, Calc PRating 30, Year Rated 08[11, Egress Does not meet typical United States egress, but may comply with the state of the segress, but may comply with the segress of the segress	Impervia, Double Hung, Black	Attributes

QUOMATDETM040100 - Coil (LF)

QUOMATDETM010074 - PF Cove/Stop Pine or Oak INSTARDETR020005 - Non Wood Drywall Return

\$ \$ \$

15 15

Page

145 Admin Fee	Line # Location:		PK # 2075 Viewed From Exterior	140 Upstairs Tree Rm R	Line # Location:
ADDPRRDETR010010 - Administration & Processing Fee	Attributes	QUOMATDETM010074 - PF Cove/Stop Pine or Oak INSTARDETR020005 - Non Wood Drywall Return QUOMATDETM040100 - Coil (LF)	1: SizeNon-Standard Size Double Hung, Equal General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Low-E. Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, Matte Black Screen: Full Screen, InView TM Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.46, CPD PEL-N-126-00862-00002, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08/11, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), Black, Black	Impervia, Double Hung, Black	Attributes
		Qty 15 Qty 15 Qty 15	de 26-00862-00002, Performance Class LC meet typical United States egress, but m		
aty			1 ;, PG 30, Calculated Positive DP lay comply with local code	Qty	

Page

Line # 150 Customer: Lauren Taylor Branch Promo Location: PROMOTDETR010004 - Branch Promotion Project Name: Lauren Taylor - All Impervia Attributes Order Number: 742XPM002 Quote Number: 13417940 _ Q

Line #	Location:	Attributes
155	Large Job Promo	PROMOTDETR010006 - Large Job Promotion

Line # 160 Buy Today Promo Location: PROMOTDETR010005 - Buy Today Promotion Attributes - Qty

Thank You For Purchasing Pella® Products

PELLA WARRANTY:

proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of Pella written warranties. this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and

local building code to ensure your Pella products meet local egress requirements Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your

thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty. Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually,

acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale. Products Privacy Policy in effect at the time of sale, which can be found at Insynctive pella.com. By installing or using Your Insynctive Products you are INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive

to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR

event and take such reasonable action to mitigate the impacts of such an event. other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the

Product Performance Information:

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC) fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Order Number: 742XPM002 Quote Number: 13417940

any specific use

applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life. Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door

www.pella.com/performance. For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to

Pella General Installation Review

Pella Will:

- Deliver and unload products purchased per contract
- Place drop cloths on work area flooring
- Remove interior and exterior trim
- Provide all equipment and materials necessary to install new products
- Inspect all products purchased per contract
- Install all products per contract
- Insulate and caulk around products
- Verify that all products installed are in good working order
- Remove drop clothes, vacuum, and remove all debris
- Remove all old products from premises upon completion
- All work to be performed during normal working hours of 8:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made
- Installation and prefinish is warranted for the period of two years on materials and workmanship. Warranty time frame begins at date of completion.

Homeowner Will:

- Remove existing shutters and awnings Secure building permit if needed FELLA WILL POLL PERMIT
- Reinstall shutters and awnings
- Cut back or tie trees, bushes and shrubs two feet from exterior wall
- Arrange to have alarm system disconnected and reinstalled
- Arrange to have any plumbing and/or electrical repairs or changes made by appropriate licensed contractor prior to install date
- Provide site electricity for power tools
- All blinds and interior window treatments need to be removed prior to your installation date.
- All furniture needs to be moved at least 6 feet away from any window or door begin replaced.

 All personal items, wall hangings and collectibles must be removed prior to you installation date.

 Any non-movable furniture (example: pianos, built in cabinets, etc.) must be cleared of items and
- Any non-movable furniture (example: pianos, built in cabinets, etc.) must be cleared of items and be surface dusted prior to installation.

Quote Number: 13417940

Have pets controlled so they do not get loose Remove all stickers from products installed Wash all interior and exterior glass surfaces

Auburn Hills, Michigan 48326 PWD, LLC ("Seller") Michigan Builder License #: 2102182819 1940 Opdyke Ct.

Contract becomes binding only upon written acceptance PWD, LLC ("Pella Windows and Doors" or "Seller") management. conditions of the Pella Product Warranties available at www.pella.com and Seller's Installation Warranty and Seller's Finish Warranty (if Seller is providing finishing services) and referred to collectively as the "Contract". Contract must be signed within Fourteen (14) days of Quote Date for pricing to remain tirm. This sales agreement consists of and is subject to the Terms and Conditions set forth on subsequent pages of this document as well as the terms and

- * Customer certifies that their home was built in: 1947: (int.)
- * If the home was built prior to 1978, the Cystomer(s) has been provided with a "Renovate Right: Important Lead Hazard Information for Families, Child Care Providers and Schools" pamphlet: (int.)
- * Buyor understands the Pella Care Guarantee is the Seller's Installation Limited Warranty and Service Agreement and Pella product limited Warranty(ies) (int.)
- Buyer(s) has received the Seller's Installation Limited Warranty and Service Agreement for Pella products (int.)
- * Buyer(s) has received the Pella product Limited warranty or reviewed at pella.com/warranty(int.)
- * Seller is doing finishing and Buyer(s) has received the Seller's Finish Warranty (int.) Product is finished by Pella and the finish is covered as set forth in the Pella product warranty (int.) Product is not finished by Seller or Pella and Buyer(s) will undertake prompt finishing in accordance with applicable instructions (int.)
- * Customer authorizes Seller to charge on the credit of the customer the balance immediately upon substantial completion (int.)
- * Customer has reviewed and approved all pre-finish selections (int.)
- alarm contacts re-installed by the alarm company of choice. The installers can remove the existing contacts If you choose, but are not responsible for replacing them in the event that they are damaged during removal. *Pella Windows and Doors is not responsible for the removal or reinstallation of existing alarm contacts. It is the responsibility of the customer to have the
- *Customer is awaye that the clear oak threshold doesn't match the color/stain of the Impervia/Lifestyle/Architect sliding & hinged doors & fiberglass entry door systems.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Page

19 으

Quote Number: 13417940

Order Number: 742XPM002

and my project, including materials described below, without compensation. I understand that this material may be used in various communications (e.g. Website, e-newsletters, promotional materials, etc). *I hereby authorize Pella Corporation, its affiliates and/or subsidiaries to use, reproduce, and/or publish photographs and/or video that may pertain to me

sponsor deems appropriate. NA Consequently, the Corporation may publish materials, photographs, and/or make reference to the project in a manner that the Corporation or project

istomer Name (Please Prin

Pella Windows and Doors Sales Representative

Customer Signatur

Pella Windows and Doors Sales Representative Signature

TERMS AND CONDITIONS

shall provide and install the products and accessories and provide the services described above on premises of the Buyer(s) identified as the Project/Delivery ARTICLE 1 - SCOPE OF WORK. PWD, LLC ("Pella Windows and Doors" or "Seller") is a wholly-owned subsidiary of Pella Corporation ("Pella"). Seller Address (the "Property").

wallpaper, and the new Pella product may result in less visible glass area than that of the original product. product choice and the required installation method, Seller cannot guarantee that the newly installed Pella product will line up with the original paint line or All work to be performed during normal working hours of 7:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made. Depending on the Buyers'

make payment for the goods and services furnished as required by this Contract. attorneys' fees and collection costs and expenses that Seller incurs in enforcing its rights to payment under this Contract. Seller hereby gives notice of its lien upon the earliest date allowed by state and local law. If the Buyer(s) fails to pay any amount due under this Contract, the Buyer(s) agrees to pay reasonable remainder of the Contract Price immediately upon substantial completion of the services provided under this Contract. If the Buyer(s) fails to pay all amounts amount set forth on the first page of this Contract. If installation services are deferred at Buyer(s)' request beyond 7 days of the scheduled date set forth in this similar taxes. Taxes shall be added to the Contract Price. Buyer(s) shall deposit (the "Deposit") with Seller immediately upon execution of this Contract the rights as a provider of goods and services to the improvement of Buyer(s)' real property and of its Intention to assert those rights in the event Buyers fail to when due, the Buyer(s) agrees to pay a finance charge on the unpaid balance at the lesser of 1% per month or the maximum rate allowed by state and local law Contract, the Contract Price shall be subject to a 2% of Contract Price or \$25 a month warehousing charge, whichever is greater. The Buyer(s) shall pay the in addition for taxes or other charges expressly allowed under the Contract. The Contract Price does not include any taxes, including sales, consumer, use and ARTICLE 2 - PRICE AND PAYMENT TERMS. Buyer(s) agrees to pay Seller the amount set forth in this Contract (the "Contract Price") and any sums due

(s) agrees to pay the entire Contract Price and taxes attributable to the products as liquidated damages. In such event, Buyer(s) will be entitled to keep the MIDNIGHT OF THE THIRD BUSINESS DAY AFTER THE DATE OF THIS CONTRACT. If Buyer(s) cancels the Contract after the third business day, the Buyer(s) forfeits the entire Deposit. Furthermore, if this Contract provides for product specially made or the product has been delivered to the job site, the Buyer ARTICLE 3 - CANCELLATION. BUYER(S) MAY CANCEL THIS CONTRACT BY GIVING SELLER WRITTEN NOTICE TO SELLER PRIOR TO

Order Number: 742XPM002

products

scope of this Contract will be effective only upon an appropriate adjustment in the price and/or delivery date, and acceptance of the change by Seller in writing. Deletion of specific Goods shall be subject to the terms of the Cancellation provision of these Terms and Conditions. ARTICLE 4 - CHANGES. Any notice or instruction from Buyer(s) received after execution of this Contract, which has the effect of changing the terms or

notified by Buyer(s) in writing to the contrary within five (5) days following substantial completion of installation. ARTICLE 5 - ACCEPTANCE OF WORK. All work performed and materials supplied under this Contract shall be deemed in full compliance unless Seller is

direct, indirect or consequential damage or loss caused by delay in shipment or delay in installation for any reason. timely manner but there is no guarantee that shipment and installation will occur on the proposed date. Seller, installer and Pella shall not be liable for any Buyer(s) with at least seventy-two (72) hours notice of the commencement of work on the Project. Seller shall make reasonable effort to complete the Project in a ARTICLE 6 - TIME FOR COMPLETION. The work described under the terms of this Contract shall begin on or about the date indicated. Seller shall provide

opinion, site conditions render performance hazardous or impracticable, it shall so notify Buyer(s) and the Contract may be terminated pursuant to Article 8 of repairing such conditions or notifying Buyer(s) of such conditions. this Contract. Seller may become aware of such conditions but is not responsible for discovering such conditions, determining the extent of such conditions, Seller may notify Buyer(s) of such conditions and the Contract Price shall be amended for any cost increases resulting from such conditions. If, in Seller's plumbing that must be moved, construction defects, lead paint, or asbestos, Seller shall have no obligation under this agreement to repair such conditions, but performance of the Products, including such conditions as water infiltration, mold, damaged or rotted framing or structural members, termites, wiring, or ARTICLE 7 - PROBLEMATIC SITE CONDITIONS. If Seller is aware of conditions that make installation difficult, inefficient, or otherwise compromise the

remedies as set forth under the cancellation provision (Article 3) contained in this Contract and any sums owed under the Contract, including the recovery of reasonable attorneys' fees incurred in the exercise of Seller's rights under this Contract. Contract and does not cure said defaults within a reasonable period of time. In the event of such termination, Seller is entitled to recover from Buyer(s) such consecutive days through no fault of Seller; or for conditions described in Article 7 above or if Buyer(s) defaults on any of its obligations contained in this ARTICLE 8 - SELLER'S TERMINATION. Seller, in its sole discretion, may terminate this Contract if the work is stopped for a period of thirty (30)

request and may (but need not) be attached hereto or enclosed herewith. All product warranties for products manufactured by Pella or others are direct from Pella are made a part of this Contract as if expressly set forth herein. If finishing is not selected from the Seller or from the factory, Buyer(s) is responsible for Seller upon request and may (but need not) be attached hereto or enclosed herewith. Where applicable, all terms and limitations of the 2-Year Finishing Warranty warranties can be obtained directly from such manufacturer. Certain Pella products contain a factory finish. If the products purchased by Buyer(s) contain a products are available from Pella upon request and at pella.com/warranty, and may (but need not) be attached hereto or enclosed herewith. Other manufacturer its products only as set forth in Pella's separate product limited warranties, which are made a part of this Contract. The product limited warranties for Pella or others, respectively. Seller also agrees to service the Pella products purchased by Buyer for an 8-year period starting from the date of the expiration of the Service Agreement, which is made a part of this Contract. The Seller's Installation Limited Warranty and Service Agreement, is available from Seller upon ARTICLE 9 - WARRANTY AND LIMITATIONS. Seller warrants the installation services only as set forth in the Seller's Installation Limited Warranty and LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES ARISING OUT OF OR RELATED TO THE MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER OR PELLA OR ITS SUBSIDIARIES BE finishing. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF finishing by the Seller, Seller warrants the finishing only as set forth in the separate 2-Year Finishing Warranty. The 2-Year Finishing Warranty is available from factory finish, this finishing will be warranted as part of Pella's Product Warranties. These warranties are available at pella.com/warranty. If the Buyer(s) elects Installation Limited Warranty pursuant to the conditions and limitations set forth in the Service Agreement, which is made a part of this Contract. Pella warrants

ARTICLE 10 - WAIVER OF SUBROGATION. Buyer(s) waives all rights to recover against Seller any losses covered by Buyer(s)' property insurance and waives all rights of subrogation for losses to the extent covered by insurance.

within one (1) year after the cause of action has accrued. ARTICLE 11 - LIMITATION OF SUITS. Any controversy or claim arising out of, or relating to, the sale and/or installation of Products must be commenced

Customer: Lauren Taylor

Order Number: 742XPM002

utilize subcontractors for all or any portion of the work. ARTICLE 12 - SUBCONTRACTORS. Seller may contract with subcontractors to perform some or all of the installation work. Buyer(s) authorizes Seller to

written. If any one or more of the provisions of this Contract shall be held to be invalid, illegal, or unenforceable, the validity, legality, and enforceability of the contains the entire understanding of the parties concerning the subject matter hereof and supersedes all previous understandings relating thereto, whether oral or Contract shall be governed by and construed in accordance with the laws of the state where the Project is located remaining provisions of the Contract shall not be affected. Buyer(s) may not assign this Contract, in whole or in part, without prior written consent of Seller. This sale and limitations of warranty and liability, which may be modified only by written contract signed by a duly authorized representative of Seller. This Contract ARTICLE 13 - MISCELLANEOUS PROVISIONS. Seller offers this service and products, and Buyer(s) accepts them, subject to the foregoing conditions of

and homeowner and/or condominium association rules and restrictions. The customer also acknowledges that they have secured all the proper approvals from their homeowner association, condominium association and/or historical society prior to executing this purchase contract. rules and restrictions and that the materials and products they are ordering and their intended use, comply with all local building codes and ordinances The customer represents that they have reviewed the local building codes and ordinances as well as any homeowner and/or condominium association

22 으

X Lowren S. Taylor

Cusjoner Name (Please pmi)

Cuslomer Signature

Cuslomer Signature

X 11/125126

Credit Card Approval Signature

Pella Sales Rep Name (Piease print)

Pella Sales Rep Signature

Order Totals

Taxable Subtotal

Sales Tax @ 0%

Non-taxable Subtotal

Total

Deposit Received

Amount Due

\$51,809.90

\$0.00

\$12,959.37 \$51,809.90 \$38,850.53

\$0.00

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com