

12701 MIDDLEBELT RD.
LIVONIA, MI 48150
(734) 261-1470
(734) 793-3606

MENARDS
Design & Buy™ WINDOWS

Design #: 330859458793
Estimated Price: \$35,374.96

How to purchase at the store:

1. Take this packet to any Menards store.
2. Have a Menards Team Member enter the Design ID into the Window Designer Program.
3. Have a Menards Team Member print purchasing documents.
4. Take the Special Order Contract to the register and pay.

How to recall and purchase a saved design at home:

1. Go to Menards.com
2. Login to your account.
3. Go to the Window Designer from the Project Center and select Search Saved Designs.
4. Enter the Design ID or select from your open projects to load into the Window Designer.
5. Add your design to the cart and purchase.


Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

100-1	8	Clad W-2500, Direct Set, Half Round Above Springline,	\$2,543.94	\$20,351.52
-------	---	---	------------	-------------

Rough Opening: 51.5 x 95.5

Actual Size: 50.75 x 94.75

Room: None Assigned
Unit is viewed from the outside looking in.



50.75 x 94.75
ProductTileBackendName =
Assembly = Full Unit,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Measurement Type = Rough Opening Size,
Rough Opening Width = 51 1/2",
Rough Opening Height = Custom Size,
Custom Rough Opening Height = 95.5,
Rough Opening Leg Height = 70.125
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White
Extension Jamb = 4 9/16",
Thickness of extension jamb material = (Standard) 9/16 " Thick Jamb Extension
Performance Grade Rating = PG 35,
Radius Interior Casing Only = No Casing
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Finish = Brilliant White,
Grille Pattern = Open Hub,
Number of Squares Wide = 3,
Number of Radial Bars = 1,
Number of Squares High = 3,
Number of Spoke Bars = 3
U-Factor = 0.22,
Solar Heat Gain Coefficient = 0.21,
Visible Light Transmittance = 0.48,
Condensation Resistance = 44,
CPD# = JEL-N-889-03767-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Sunburst with Open Hub,
3W3H1R3S

Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


200-1	2	Clad W-2500, Direct Set, Half Round Above Springline,	\$1,724.52	\$3,449.04
-------	---	---	------------	------------

Rough Opening: 42.125 x 48

Actual Size: 41.375 x 47.25

Room: None Assigned

Unit is viewed from the outside looking in.



41.375 x 47.25
ProductTileBackendName =
Assembly = Full Unit,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Measurement Type = Rough Opening Size,
Rough Opening Width = 42 1/8",
Rough Opening Height = Custom Size,
Custom Rough Opening Height = 48,
Rough Opening Leg Height = 27.3125
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White
Extension Jamb = 4 9/16",
Thickness of extension jamb material = (Standard) 9/16 " Thick Jamb Extension
Performance Grade Rating = PG 35,
Radius Interior Casing Only = No Casing
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Finish = Brilliant White,
Grille Pattern = Open Hub,
Number of Squares Wide = 3,
Number of Radial Bars = 1,
Number of Squares High = 2,
Number of Spoke Bars = 3
U-Factor = 0.22,
Solar Heat Gain Coefficient = 0.21,
Visible Light Transmittance = 0.49,
Condensation Resistance = 45,
CPD# = JEL-N-889-03307-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Sunburst with Open Hub,
3W2H1R3S




Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

300-1	2	Clad W-2500, Direct Set,	\$450.63	\$901.26
-------	---	-----------------------------	----------	----------

Rough Opening: 30 x 22

Actual Size: 29.25 x 21.25

Room: right front fixed windows
Unit is viewed from the outside looking in.



29.25 x 21.25
ProductTileBackendName =
Assembly = Full Unit,
Jamb Alignment to Match = Double Hung,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Measurement Type = Rough Opening Size,
Rough Opening Width = Custom Size,
Custom Rough Opening Width = 30,
Rough Opening Height = Custom Size,
Custom Rough Opening Height = 22
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = PG 35,
Drip Cap = No Drip Cap
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon,
Glazing Stop Style = Sloped Sill Stop
Grille Type = 5/8" Flat GBG,
Grille Finish = Brilliant White,
Grille Pattern = Colonial,
Number of Squares Wide = 3,
Number of Squares High = 2
U-Factor = 0.22,
Solar Heat Gain Coefficient = 0.21,
Visible Light Transmittance = 0.49,
Condensation Resistance = 45,
CPD# = JEL-N-889-03307-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

400-1 1

Clad W-2500,
Direct Set,


\$550.44

\$550.44

Rough Opening: 28 x 36

Actual Size: 27.25 x 35.25

Room: right back fixed windows
Unit is viewed from the outside looking in.



27.25 x 35.25
ProductTileBackendName =
Assembly = Full Unit,
Jamb Alignment to Match = Double Hung,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Measurement Type = Rough Opening Size,
Rough Opening Width = Custom Size,
Custom Rough Opening Width = 28,
Rough Opening Height = Custom Size,
Custom Rough Opening Height = 36
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = PG 35,
Drip Cap = No Drip Cap
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon,
Glazing Stop Style = Sloped Sill Stop
Grille Type = 5/8" Flat GBG,
Grille Finish = Brilliant White,
Grille Pattern = Colonial,
Number of Squares Wide = 3,
Number of Squares High = 2
U-Factor = 0.22,
Solar Heat Gain Coefficient = 0.21,
Visible Light Transmittance = 0.49,
Condensation Resistance = 45,
CPD# = JEL-N-889-03307-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


500-1 1 Clad W-2500, Double Hung, \$464.20 \$464.20

Rough Opening: 30.125 x 40.75

Actual Size: 29.375 x 40

Room: None Assigned

Unit is viewed from the outside looking in.



29.375 x 40
ProductTileBackendName =
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Sash Split = Even Divide,
Measurement Type = Rough Opening Size,
Rough Opening Width = 30 1/8",
Rough Opening Height = 40 3/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = PG 35,
Drip Cap = No Drip Cap
Hardware Finish = White,
Number of Locks = 1,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
U-Factor = 0.25,
Solar Heat Gain Coefficient = 0.19,
Visible Light Transmittance = 0.45,
Condensation Resistance = 45,
CPD# = JEL-N-850-01686-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H




Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

700-1	1	Clad W-2500, Double Hung,	\$1,271.06	\$1,271.06
-------	---	------------------------------	------------	------------

Rough Opening: 76.875 x 40.75

Actual Size: 76.125 x 40

Room: back left 3 wide
Unit is viewed from the outside looking in.



76.125 x 40
ProductTileBackendName =
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
U-Factor = 0.3,
Solar Heat Gain Coefficient = 0.49,
Visible Light Transmittance = 0.56,
Condensation Resistance = 55,
CPD# = JEL-N-850-01687-00002,
Energy Star Qualified = Northern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Sash Split = Even Divide,
Measurement Type = Rough Opening Size,
Rough Opening Width = 76 7/8",
Rough Opening Height = 40 3/4",
Flanker Width = 25 3/8"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = DP 35,
Drip Cap = No Drip Cap
Hardware Finish = White,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48326,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunFlow,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Define Pattern Separately
Mull Assembly = Flat Mull,
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
Vertical,
Factory,
0" thick, 40" length



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

800-1 1

Clad W-2500,
Double Hung,

\$833.71


\$833.71

Rough Opening: 51.5 x 40.75

Actual Size: 50.75 x 40

Room: None Assigned

Unit is viewed from the outside looking in.



50.75 x 40
ProductTileBackendName =
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
U-Factor = 0.3,
Solar Heat Gain Coefficient = 0.49,
Visible Light Transmittance = 0.56,
Condensation Resistance = 55,
CPD# = JEL-N-850-01687-00002,
Energy Star Qualified = Northern
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Sash Split = Even Divide,
Measurement Type = Rough Opening Size,
Rough Opening Width = 51 1/2",
Rough Opening Height = 40 3/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Drip Cap = No Drip Cap
Hardware Finish = White,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48326,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunFlow,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Define Pattern Separately
Mull Assembly = Flat Mull,
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
Vertical,
Factory,
0" thick, 40" length



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

900-1 1

Clad W-2500,
Double Hung,

\$624.72


\$624.72

Rough Opening: 34.125 x 60.75

Actual Size: 33.375 x 60

Room: None Assigned

Unit is viewed from the outside looking in.



33.375 x 60
ProductTileBackendName =
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Sash Split = Even Divide,
Measurement Type = Rough Opening Size,
Rough Opening Width = 34 1/8",
Rough Opening Height = 60 3/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = PG 35,
Drip Cap = No Drip Cap
Hardware Finish = White,
Number of Locks = 1,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
U-Factor = 0.25,
Solar Heat Gain Coefficient = 0.19,
Visible Light Transmittance = 0.45,
Condensation Resistance = 45,
CPD# = JEL-N-850-01686-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H




Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

1000-1	1	Clad W-2500, Double Hung,	\$1,579.67	\$1,579.67
--------	---	------------------------------	------------	------------

Rough Opening: 100.875 x 48.75

Actual Size: 100.125 x 48

Room: back top 3 wide
Unit is viewed from the outside looking in.



100.125 x 48
ProductTileBackendName =
Performance Grade Rating = PG 35
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
U-Factor = 0.3,
Solar Heat Gain Coefficient = 0.49,
Visible Light Transmittance = 0.56,
Condensation Resistance = 55,
CPD# = JEL-N-850-01687-00002,
Energy Star Qualified = Northern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Not Certified)
Sash Split = Even Divide,
Measurement Type = Rough Opening Size,
Rough Opening Width = 100 7/8",
Rough Opening Height = 48 3/4",
Flanker Width = 33 3/8"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Drip Cap = No Drip Cap
Hardware Finish = White,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48326,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunFlow,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Define Pattern Separately
Mull Assembly = Flat Mull,
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
Vertical,
Factory,
0" thick, 48" length


Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------

1100-1	1	Clad W-2500, Double Hung,	\$1,040.30	\$1,040.30
--------	---	------------------------------	------------	------------

Rough Opening: 72 x 42

Actual Size: 71.25 x 41.25

Room: back right top 2 widw
Unit is viewed from the outside looking in.



71.25 x 41.25
ProductTileBackendName =
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
U-Factor = 0.3,
Solar Heat Gain Coefficient = 0.49,
Visible Light Transmittance = 0.56,
Condensation Resistance = 55,
CPD# = JEL-N-850-01687-00002,
Energy Star Qualified = Northern
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Not Certified)
Sash Split = Even Divide,
Measurement Type = Actual Size,
Frame Width = 71 1/4",
Frame Height = 41 1/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Drip Cap = No Drip Cap
Hardware Finish = White,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48326,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunFlow,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Define Pattern Separately
Mull Assembly = Flat Mull,
Spread Mull Width = 3/4",
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
Vertical,
Factory,
0.75" thick, 41.25" length

Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


1200-1 1

Rough Opening: 32 x 48

Actual Size: 31.25 x 47.25

Room: top bathroom

Unit is viewed from the outside looking in.



Clad W-2500,
 Double Hung,
 31.25 x 47.25
 ProductTileBackendName =
 Assembly = Full Unit,
 Sash Model = All Options,
 Exterior Trim Type = Nail Fin (Standard),
 Exterior Trim Options = No,
 Country Where Unit Will Be Installed = USA (Certified)
 Sash Split = Even Divide,
 Measurement Type = Actual Size,
 Frame Width = 31 1/4",
 Frame Height = 47 1/4"
 Interior Material Type = Auralast Pine,
 Interior Finish Type = Natural,
 Interior Finish = Unfinished,
 Exterior Finish = Brilliant White,
 Sash to Match Exterior Frame Finish = Yes,
 Exterior Sash Finish = Brilliant White
 Extension Jamb = 4 9/16"
 Performance Grade Rating = PG 35,
 Drip Cap = No Drip Cap
 Hardware Finish = White,
 Number of Locks = 1,
 Screen Options = BetterVue Mesh (Standard),
 Screen Frame Finish = Brilliant White
 Glass Energy Efficiency = Energy Star,
 Installation Zip Code = 48308,
 Energy Star Zone = Energy Star - Northern,
 Energy Star Low-E Options = SunResist with HeatSave,
 Glass Type = Standard,
 Neat Glass = No,
 Glass Thickness = Standard Default Thickness,
 Protective Film = No Protective Film,
 Glass Spacer Color = Black Spacer,
 Air Space Options = Argon
 Grille Type = 5/8" Flat GBG,
 Grille Location in Glass = All Lite(s),
 Grille Finish = Brilliant White,
 Grille Pattern = Colonial,
 Number of Squares Wide - Top = 3,
 Number of Squares Wide - Bottom = 3,
 Number of Squares High - Top = 2,
 Number of Squares High - Bottom = 2
 Jamb Liner = White Jamb Liner,
 Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
 U-Factor = 0.25,
 Solar Heat Gain Coefficient = 0.19,
 Visible Light Transmittance = 0.45,
 Condensation Resistance = 45,
 CPD# = JEL-N-850-01686-00001,
 Energy Star Qualified = Northern, North-Central, South-Central, Southern
 Is this a Reorder? = No
 Manufacturer = JELD-WEN, Rantoul(IL),
 Catalog Version Date = 09/17/2021,
 Catalog Version = 21.2.53.0
 5/8" Flat Grilles Between Glass (GBG),
 Colonial,
 3W2H



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


1300-1	2	Clad W-2500, Double Hung,	\$1,108.37	\$2,216.74
--------	---	------------------------------	------------	------------

Rough Opening: 64 x 54

Actual Size: 63.25 x 53.25

Room: front top

Unit is viewed from the outside looking in.



63.25 x 53.25
ProductTileBackendName =
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
U-Factor = 0.3,
Solar Heat Gain Coefficient = 0.49,
Visible Light Transmittance = 0.56,
Condensation Resistance = 55,
CPD# = JEL-N-850-01687-00002,
Energy Star Qualified = Northern
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Not Certified)
Sash Split = Even Divide,
Measurement Type = Actual Size,
Frame Width = 63 1/4",
Frame Height = 53 1/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Drip Cap = No Drip Cap
Hardware Finish = White,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48326,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunFlow,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Define Pattern Separately
Mull Assembly = Flat Mull,
Spread Mull Width = 3/4",
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
Vertical,
Factory,
0.75" thick, 53.25" length



Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


1400-1 1

Rough Opening: 32 x 54

Actual Size: 31.25 x 53.25

Room: top left

Unit is viewed from the outside looking in.



Clad W-2500,
Double Hung,
,
31.25 x 53.25
ProductTileBackendName =
Assembly = Full Unit,
Sash Model = All Options,
Exterior Trim Type = Nail Fin (Standard),
Exterior Trim Options = No,
Country Where Unit Will Be Installed = USA (Certified)
Sash Split = Even Divide,
Measurement Type = Actual Size,
Frame Width = 31 1/4",
Frame Height = 53 1/4"
Interior Material Type = Auralast Pine,
Interior Finish Type = Natural,
Interior Finish = Unfinished,
Exterior Finish = Brilliant White,
Sash to Match Exterior Frame Finish = Yes,
Exterior Sash Finish = Brilliant White
Extension Jamb = 4 9/16"
Performance Grade Rating = PG 35,
Drip Cap = No Drip Cap
Hardware Finish = White,
Number of Locks = 1,
Screen Options = BetterVue Mesh (Standard),
Screen Frame Finish = Brilliant White
Glass Energy Efficiency = Energy Star,
Installation Zip Code = 48308,
Energy Star Zone = Energy Star - Northern,
Energy Star Low-E Options = SunResist with HeatSave,
Glass Type = Standard,
Neat Glass = No,
Glass Thickness = Standard Default Thickness,
Protective Film = No Protective Film,
Glass Spacer Color = Black Spacer,
Air Space Options = Argon
Grille Type = 5/8" Flat GBG,
Grille Location in Glass = All Lite(s),
Grille Finish = Brilliant White,
Grille Pattern = Colonial,
Number of Squares Wide - Top = 3,
Number of Squares Wide - Bottom = 3,
Number of Squares High - Top = 2,
Number of Squares High - Bottom = 2
Jamb Liner = White Jamb Liner,
Secondary Vent Stop / Sash Limiter = No Window Opening Control Device
U-Factor = 0.25,
Solar Heat Gain Coefficient = 0.19,
Visible Light Transmittance = 0.45,
Condensation Resistance = 45,
CPD# = JEL-N-850-01686-00001,
Energy Star Qualified = Northern, North-Central, South-Central, Southern
Is this a Reorder? = No
Manufacturer = JELD-WEN, Rantoul(IL),
Catalog Version Date = 09/17/2021,
Catalog Version = 21.2.53.0
5/8" Flat Grilles Between Glass (GBG),
Colonial,
3W2H

Line Item	Quantity	Product Description	Unit Price	Total Price
-----------	----------	---------------------	------------	-------------


1500-1 1

Rough Opening: 30.125 x 66

Actual Size: 29.375 x 65.25

Room: front top center

Unit is viewed from the outside looking in.



Clad W-2500,
 Direct Set,
 Half Round Above Springline,
 29.375 x 65.25
 ProductTileBackendName =
 Assembly = Full Unit,
 Exterior Trim Type = Nail Fin (Standard),
 Exterior Trim Options = No,
 Country Where Unit Will Be Installed = USA (Certified)
 Measurement Type = Rough Opening Size,
 Rough Opening Width = 30 1/8",
 Rough Opening Height = Custom Size,
 Custom Rough Opening Height = 66,
 Rough Opening Leg Height = 51.3125
 Interior Material Type = Auralast Pine,
 Interior Finish Type = Natural,
 Interior Finish = Unfinished,
 Exterior Finish = Brilliant White
 Extension Jamb = 4 9/16",
 Thickness of extension jamb material = (Standard) 9/16 " Thick Jamb Extension
 Performance Grade Rating = PG 35,
 Radius Interior Casing Only = No Casing
 Glass Energy Efficiency = Energy Star,
 Installation Zip Code = 48308,
 Energy Star Zone = Energy Star - Northern,
 Energy Star Low-E Options = SunResist with HeatSave,
 Glass Type = Standard,
 Neat Glass = No,
 Glass Thickness = Standard Default Thickness,
 Protective Film = No Protective Film,
 Glass Spacer Color = Black Spacer,
 Air Space Options = Argon
 Grille Type = 5/8" Flat GBG,
 Grille Finish = Brilliant White,
 Grille Pattern = Open Hub,
Number of Squares Wide = 3,
Number of Radial Bars = 1,
Number of Squares High = 3,
Number of Spoke Bars = 3
 U-Factor = 0.22,
 Solar Heat Gain Coefficient = 0.21,
 Visible Light Transmittance = 0.49,
 Condensation Resistance = 45,
 CPD# = JEL-N-889-03307-00001,
 Energy Star Qualified = Northern, North-Central, South-Central, Southern
 Is this a Reorder? = No
 Manufacturer = JELD-WEN, Rantoul(IL),
 Catalog Version Date = 09/17/2021,
 Catalog Version = 21.2.53.0
 5/8" Flat Grilles Between Glass (GBG),
 Sunburst with Open Hub,
 3W3H1R3S

Total: \$35,374.96