



The Home Depot Special Order Quote

Customer Agreement #: H2722-183833-184865

Printed Date: 6/12/2023

Customer: YAKOV VALK
Address: 25766 SKYE CT
 AND NBSP
 FARMINGTON, MI 48336
Phone 1: 248-227-8000
Phone 2:
Phone 3:
Email: YAKOVVALK@GMAIL.COM

Store: 2722
Associate: DAVID
Address: 355 Haggerty Hwy
 Commerce Township, MI
 48390
Phone: (248)624-0196


Pre-Savings Total: \$43,337.59
Total Savings: (\$0.00)
Pre-Tax Price: \$43,337.59

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.



Catalog Version 230

38
WINDOWS



RO Size = 30 1/4" x 57 1/2"
Unit Size = 29 3/4" x 57 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	400 Series Double-Hung Equal Sash, AA, 29.75 x 57.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$1,352.74	\$1,352.74	1	\$0.00	\$1,352.74
100-2	Insect Screen 1: 400 Series Double-Hung, TW 29.75 x 57.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	1	\$0.00	\$67.13
Unit 100 Total:		\$1,419.87	\$1,419.87		\$0.00	\$1,419.87

Begin Line 100 Descriptions

--- Line 100-1 ---

400 Series Double-Hung
 Overall Rough Opening = 30 1/4" x 57 1/2"
 Overall Unit = 29 3/4" x 57 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 29 3/4"
 Frame Height = 57 1/2"
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Tempered
 Specialty Glass = Obscure
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)

Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.32
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05080-00002
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 26.046
 Clear Opening Height = 24.61
 Clear Opening Area = 4.4513
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023


Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Window Opening Control Device = No
 Insect Screen Type = Full Screen
 ---- Line 100-2 Description is the same as line 100-1 ----

End Line 100 Descriptions



Catalog Version 230



RO Size = 24 1/4" x 44 1/2"
 Unit Size = 23 3/4" x 44 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	400 Series Double-Hung Equal Sash, AA, 23.75 x 44.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$1,055.45	\$1,055.45	1	\$0.00	\$1,055.45
200-2	Insect Screen 1: 400 Series Double-Hung, TW 23.75 x 44.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$49.32	\$49.32	1	\$0.00	\$49.32
Unit 200 Total:		\$1,104.77	\$1,104.77		\$0.00	\$1,104.77

Begin Line 200 Descriptions

---- Line 200-1 ----

400 Series Double-Hung
 Overall Rough Opening = 24 1/4" x 44 1/2"
 Overall Unit = 23 3/4" x 44 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 23 3/4
 Frame Height = 44 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Tempered
 Specialty Glass = Obscure
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.32
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05080-00002
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 20.046
 Clear Opening Height = 17.394
 Clear Opening Area = 2.4214
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

---- Line 200-2 Description is the same as line 200-1 ----

End Line 200 Descriptions



Catalog Version 230



RO Size = 30 1/4" x 53 1/2"
 Unit Size = 29 3/4" x 53 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
-------------	--------------	-----------	-----------	----------	---------------	-------------

300-1	400 Series Double-Hung Equal Sash, AA, 29.75 x 53.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$880.77	\$880.77	3	\$0.00	\$2,642.31
300-2	Insect Screen 1: 400 Series Double-Hung, TW 29.75 x 53.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$58.23	\$58.23	3	\$0.00	\$174.69
Unit 300 Total:		\$939.00	\$939.00		\$0.00	\$2,817.00


Begin Line 300 Descriptions

---- Line 300-1 ----


<p>400 Series Double-Hung Overall Rough Opening = 30 1/4" x 53 1/2" Overall Unit = 29 3/4" x 53 1/2" Installation Method = Through the Jamb Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 29 3/4 Frame Height = 53 1/2 Frame Option = No Flange Venting / Handing = AA Exterior Frame Color = Sandtone Exterior Sash / Panel Color = Sandtone Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane</p>	<p>Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light Grille Pattern = Specified Equal Light Simulated Check Rail = No Grille Bar Width = 3/4" Exterior Grille Color = Sandtone Interior Grille Color = White 2W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Insect Screen Type = Full Screen</p>	<p>Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Stool Option = None Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.3 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-24-05040-00001 U.S. ENERGY STAR Certified = No Clear Opening Width = 26.046 Clear Opening Height = 21.394 Clear Opening Area = 3.8696 SKU = 407679 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 04/09/2023</p>
--	--	---

---- Line 300-2 Description is the same as line 300-1 ----

End Line 300 Descriptions



Catalog Version 230



RO Size = 28 1/4" x 37 1/2"
Unit Size = 27 3/4" x 37 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
400-1	400 Series Double-Hung Equal Sash, AA, 27.75 x 37.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$778.71	\$778.71	2	\$0.00	\$1,557.42
400-2	Insect Screen 1: 400 Series Double-Hung, TW 27.75 x 37.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$49.32	\$49.32	2	\$0.00	\$98.64
Unit 400 Total:		\$828.03	\$828.03		\$0.00	\$1,656.06

Begin Line 400 Descriptions

---- Line 400-1 ----

<p>400 Series Double-Hung Overall Rough Opening = 28 1/4" x 37 1/2" Overall Unit = 27 3/4" x 37 1/2" Installation Method = Through the Jamb Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = Custom</p>	<p>Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light</p>	<p>Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Stool Option = None Installation Material Options = No Re-Order Item = No Room Location =</p>
--	--	---

Standard Height = Custom
 Frame Width = 27 3/4
 Frame Height = 37 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 24.046
 Clear Opening Height = 13.394
 Clear Opening Area = 2.2366
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

---- Line 400-2 Description is the same as line 400-1 ----

End Line 400 Descriptions



Catalog Version 230



RO Size = 74 1/4" x 40"
 Unit Size = 73 3/4" x 39 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
500-1	Unit 1, 3: 400 Series Casement Unit 2: 400 Series Picture Window-CW, Left-Fixed-Right Unit 1: Left, Unit 2: Fixed, Unit 3: Right, 73.75 x 39.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Hinge with Wash Mode	\$2,163.79	\$2,163.79	1	\$0.00	\$2,163.79
500-2	Hardware: PSC Traditional Folding White PN:1361560 Version:04/09/2023	\$16.03	\$16.03	1	\$0.00	\$16.03
500-3	Insect Screen 1: 400 Series Casement, PSC 18.75 x 39.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$36.53	\$36.53	1	\$0.00	\$36.53
500-4	Hardware: PSC Traditional Folding White PN:1361560 Version:04/09/2023	\$16.03	\$16.03	1	\$0.00	\$16.03
500-5	Insect Screen 1: 400 Series Casement, PSC 18.75 x 39.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$36.53	\$36.53	1	\$0.00	\$36.53
Unit 500 Total:		\$2,268.91	\$2,268.91		\$0.00	\$2,268.91

Begin Line 500 Descriptions

---- Line 500-1 ----

Unit 1, 3: 400 Series Casement
 Unit 2: 400 Series Picture Window-CW
 Overall Joined Rough Opening = 74 1/4" x 40"
 Overall Joined Unit = 73 3/4" x 39 1/2"
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Unit 1, 3: Frame Width = 18 3/4
 Unit 1, 3: Frame Height = 39 1/2
 Unit 2: Frame Width = 36
 Unit 2: Frame Height = 39 1/2
 Unit 1: Frame Option = No Flange
 Unit 1: Combination Operation / Venting = Left-Fixed-Right
 Unit 1: Venting / Handing = Left
 Unit 1: Hinge Style = Hinge with Wash Mode
 Unit 1: Trim Stop Profile = Traditional
 Unit 2: Frame Option = No Flange

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Standard
 Glass Tint = No Tint
 Specialty Glass = None
 Gas Fill = Argon
 Art Glass Series = None
 Glass / Grille Spacer Color = Stainless
 Unit 1 Glass, 3 Glass: Finelight Grilles-Between-the-Glass
 Unit 1 Glass, 3 Glass: Specified Equal Light
 Unit 1 Glass, 3 Glass: Finelight Grille Profile = Contour
 Unit 1 Glass, 3 Glass: Grille Pattern = Specified Equal Light
 Unit 1 Glass, 3 Glass: Simulated Check Rail = No
 Unit 1 Glass, 3 Glass: Grille Bar Width = 3/4"
 Unit 1 Glass, 3 Glass: Exterior Grille Color =

Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit 1, 3: Unit U-Factor = 0.28
 Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = 0.29
 Unit 1, 3: Unit CPD Number = AND-N-1-01598-00001
 Unit 1, 3: U.S. ENERGY STAR Certified = No
 Unit 1, 3: Clear Opening Width = 9.048
 Unit 1, 3: Clear Opening Height = 34.648
 Unit 1, 3: Clear Opening Area = 2.177
 Unit 2: Unit U-Factor = 0.27
 Unit 2: Unit Solar Heat Gain Coefficient (SHGC) =


Unit 2: Combination Operation / Venting = Left-Fixed-Right
 Unit 2: Venting / Handing = Fixed
 Unit 2: Trim Stop Profile = Traditional
 Unit 3: Frame Option = No Flange
 Unit 3: Combination Operation / Venting = Left-Fixed-Right
 Unit 3: Venting / Handing = Right
 Unit 3: Hinge Style = Hinge with Wash Mode
 Unit 3: Trim Stop Profile = Traditional
 Unit 1, 3: Exterior Frame Color = Sandtone
 Unit 1, 3: Exterior Sash / Panel Color = Sandtone
 Unit 1, 3: Interior Frame Wood Species = Pine
 Unit 1, 3: Interior Frame Finish Color = White - Painted
 Unit 2: Exterior Frame Color = Sandtone
 Unit 2: Interior Frame Wood Species = Pine
 Unit 2: Interior Frame Finish Color = White - Painted
 Glass Construction Type = Dual Pane

Sandtone
 Unit 1 Glass, 3 Glass: Interior Grille Color = White
 Unit 1 Glass, 3 Glass: 2W3H
 Unit 2 Glass: Finelight Grilles-Between-the-Glass
 Unit 2 Glass: Specified Equal Light
 Unit 2 Glass: Finelight Grille Profile = Contour
 Unit 2 Glass: Grille Pattern = Specified Equal Light
 Unit 2 Glass: Simulated Check Rail = No
 Unit 2 Glass: Grille Bar Width = 3/4"
 Unit 2 Glass: Exterior Grille Color = Sandtone
 Unit 2 Glass: Interior Grille Color = White
 Unit 2 Glass: 3W3H
 DP/PG Upgrade = No
 Hardware Style = Traditional Folding
 Hardware Color/Finish = White
 Corrosion Resistant Hardware = None
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


0.31
 Unit 2: Unit CPD Number = AND-N-54-02483-00001
 Unit 2: U.S. ENERGY STAR Certified = Yes
 Hardware Part Number = 1361560
 Vertical
 Factory
 0.125" thick, 39.5" length
 Unit 1, 3: SKU = 1008729628
 Unit 1, 3: Vendor Name = S/O ANDERSEN LOGISTICS
 Unit 1, 3: Vendor Number = 60509030
 Unit 1, 3: Customer Service = (888) 888-7020
 Unit 1, 3: Catalog Version Date = 04/09/2023
 Unit 2: SKU = 1008729629
 Unit 2: Vendor Name = S/O ANDERSEN LOGISTICS
 Unit 2: Vendor Number = 60509030
 Unit 2: Customer Service = (888) 888-7020
 Unit 2: Catalog Version Date = 04/09/2023

--- Lines 500-2 to 500-5 have the same description as line 500-1 ---

End Line 500 Descriptions



Catalog Version 230



RO Size = 30 1/4" x 61 1/2"
 Unit Size = 29 3/4" x 61 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
600-1	400 Series Double-Hung Equal Sash, AA, 29.75 x 61.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$982.84	\$982.84	6	\$0.00	\$5,897.04
600-2	Insect Screen 1: 400 Series Double-Hung, TW 29.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	6	\$0.00	\$402.78
Unit 600 Total:		\$1,049.97	\$1,049.97		\$0.00	\$6,299.82

Begin Line 600 Descriptions

--- Line 600-1 ---

400 Series Double-Hung
 Overall Rough Opening = 30 1/4" x 61 1/2"
 Overall Unit = 29 3/4" x 61 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 29 3/4
 Frame Height = 61 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White


Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Standard
 Specialty Glass = None
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No

Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 26.046
 Clear Opening Height = 25.394
 Clear Opening Area = 4.5931
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

End Line 600 Descriptions



Catalog Version 230



RO Size = 24 1/4" x 61 1/2"

Unit Size = 23 3/4" x 61 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
700-1	400 Series Double-Hung Equal Sash, AA, 23.75 x 61.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$982.84	\$982.84	2	\$0.00	\$1,965.68
700-2	Insect Screen 1: 400 Series Double-Hung, TW 23.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	2	\$0.00	\$134.26
Unit 700 Total:		\$1,049.97	\$1,049.97		\$0.00	\$2,099.94

Begin Line 700 Descriptions

---- Line 700-1 ----

400 Series Double-Hung
 Overall Rough Opening = 24 1/4" x 61 1/2"
 Overall Unit = 23 3/4" x 61 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 23 3/4"
 Frame Height = 61 1/2"
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Standard
 Specialty Glass = None
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 20.046
 Clear Opening Height = 25.394
 Clear Opening Area = 3.5351
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

---- Line 700-2 Description is the same as line 700-1 ----

End Line 700 Descriptions



Catalog Version 230



RO Size = 30 1/4" x 57 1/2"

Unit Size = 29 3/4" x 57 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
-------------	--------------	-----------	-----------	----------	---------------	-------------

800-1	400 Series Double-Hung Equal Sash, AA, 29.75 x 57.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$982.84	\$982.84	9	\$0.00	\$8,845.56
800-2	Insect Screen 1: 400 Series Double-Hung, TW 29.75 x 57.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	9	\$0.00	\$604.17
Unit 800 Total:		\$1,049.97	\$1,049.97		\$0.00	\$9,449.73

Begin Line 800 Descriptions

---- Line 800-1 ----


<p>400 Series Double-Hung Overall Rough Opening = 30 1/4" x 57 1/2" Overall Unit = 29 3/4" x 57 1/2" Installation Method = Through the Jamb Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 29 3/4 Frame Height = 57 1/2 Frame Option = No Flange Venting / Handing = AA Exterior Frame Color = Sandtone Exterior Sash / Panel Color = Sandtone Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane</p>	<p>Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light Grille Pattern = Specified Equal Light Simulated Check Rail = No Grille Bar Width = 3/4" Exterior Grille Color = Sandtone Interior Grille Color = White 2W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Insect Screen Type = Full Screen</p>	<p>Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Stool Option = None Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.3 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-24-05040-00001 U.S. ENERGY STAR Certified = No Clear Opening Width = 26.046 Clear Opening Height = 24.61 Clear Opening Area = 4.4513 SKU = 407679 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 04/09/2023</p>
--	--	--

---- Line 800-2 Description is the same as line 800-1 ----

End Line 800 Descriptions



Catalog Version 230



RO Size = 36 1/4" x 61 1/2"
Unit Size = 35 3/4" x 61 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
900-1	400 Series Double-Hung Equal Sash, AA, 35.75 x 61.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$1,084.90	\$1,084.90	1	\$0.00	\$1,084.90
900-2	Insect Screen 1: 400 Series Double-Hung, TW 35.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$76.04	\$76.04	1	\$0.00	\$76.04
Unit 900 Total:		\$1,160.94	\$1,160.94		\$0.00	\$1,160.94

Begin Line 900 Descriptions

---- Line 900-1 ----

<p>400 Series Double-Hung Overall Rough Opening = 36 1/4" x 61 1/2" Overall Unit = 35 3/4" x 61 1/2" Installation Method = Through the Jamb Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = Custom</p>	<p>Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light</p>	<p>Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Stool Option = None Installation Material Options = No Re-Order Item = No Room Location =</p>
--	--	---

Standard Height = Custom
 Frame Width = 35 3/4
 Frame Height = 61 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 32.046
 Clear Opening Height = 25.394
 Clear Opening Area = 5.6512
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

--- Line 900-2 Description is the same as line 900-1 ---

End Line 900 Descriptions



Catalog Version 230



RO Size = 32 1/4" x 61 1/2"
 Unit Size = 31 3/4" x 61 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1000-1	400 Series Double-Hung Equal Sash, AA, 31.75 x 61.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$982.84	\$982.84	5	\$0.00	\$4,914.20
1000-2	Insect Screen 1: 400 Series Double-Hung, TW 31.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	5	\$0.00	\$335.65
Unit 1000 Total:		\$1,049.97	\$1,049.97		\$0.00	\$5,249.85

Begin Line 1000 Descriptions

--- Line 1000-1 ---

400 Series Double-Hung
 Overall Rough Opening = 32 1/4" x 61 1/2"
 Overall Unit = 31 3/4" x 61 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 31 3/4
 Frame Height = 61 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Standard
 Specialty Glass = None
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 28.046
 Clear Opening Height = 25.394
 Clear Opening Area = 4.9458
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

--- Line 1000-2 Description is the same as line 1000-1 ---

End Line 1000 Descriptions



Catalog Version 230



RO Size = 37 1/4" x 50 1/2"
Unit Size = 36 3/4" x 50 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1100-1	400 Series Double-Hung Equal Sash, AA, 36.75 x 50.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$982.84	\$982.84	1	\$0.00	\$982.84
1100-2	Insect Screen 1: 400 Series Double-Hung, TW 36.75 x 50.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	1	\$0.00	\$67.13
Unit 1100 Total:		\$1,049.97	\$1,049.97		\$0.00	\$1,049.97

Begin Line 1100 Descriptions

---- Line 1100-1 ----


<p>400 Series Double-Hung Overall Rough Opening = 37 1/4" x 50 1/2" Overall Unit = 36 3/4" x 50 1/2" Installation Method = Through the Jamb Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 36 3/4 Frame Height = 50 1/2 Frame Option = No Flange Venting / Handing = AA Exterior Frame Color = Sandtone Exterior Sash / Panel Color = Sandtone Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane</p>	<p>Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light Grille Pattern = Specified Equal Light Simulated Check Rail = No Grille Bar Width = 3/4" Exterior Grille Color = Sandtone Interior Grille Color = White 2W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Insect Screen Type = Full Screen</p>	<p>Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Stool Option = None Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.3 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-24-05040-00001 U.S. ENERGY STAR Certified = No Clear Opening Width = 33.046 Clear Opening Height = 20.394 Clear Opening Area = 4.6801 SKU = 407679 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 04/09/2023</p>
--	--	---

---- Line 1100-2 Description is the same as line 1100-1 ----

End Line 1100 Descriptions



Catalog Version 230



RO Size = 52 1/8" x 61 1/2"
Unit Size = 51 5/8" x 61 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1200-1	400 Series Double-Hung Equal Sash, Active (All) AA, 51.625 x 61.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$2,063.71	\$2,063.71	2	\$0.00	\$4,127.42

1200-2	Insect Screen 1: 400 Series Double-Hung, TW 25.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	2	\$0.00	\$134.26
1200-3	Insect Screen 1: 400 Series Double-Hung, TW 25.75 x 61.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$67.13	\$67.13	2	\$0.00	\$134.26
Unit 1200 Total:		\$2,197.97	\$2,197.97		\$0.00	\$4,395.94

Begin Line 1200 Descriptions

--- Line 1200-1 ---


<p>400 Series Double-Hung Overall Joined Rough Opening = 52 1/8" x 61 1/2" Overall Joined Unit = 51 5/8" x 61 1/2" Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 25 3/4 Frame Height = 61 1/2 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Frame Color = Sandtone Exterior Sash / Panel Color = Sandtone Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard</p>	<p>Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light Grille Pattern = Specified Equal Light Simulated Check Rail = No Grille Bar Width = 3/4" Exterior Grille Color = Sandtone Interior Grille Color = White 2W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = Sandtone Exterior Trim Style = None</p>	<p>Extension Jamb Type = None Stool Option = None Use VNotch = No Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.3 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-24-05040-00001 U.S. ENERGY STAR Certified = No Clear Opening Width = 22.046 Clear Opening Height = 25.394 Clear Opening Area = 3.8878 Vertical Factory 0.125" thick, 61.5" length SKU = 407679 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 04/09/2023</p>
--	--	---

--- Lines 1200-2 to 1200-3 have the same description as line 1200-1 ---

End Line 1200 Descriptions



Catalog Version 230



RO Size = 36" x 36"
Unit Size = 35 1/4" x 35 1/4"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1300-1	400 Series Gliding XX, Active-Passive, 35.25 x 35.25, Sandtone / Frame:Pine White - Painted Panel:Pine White - Painted	\$1,255.89	\$1,255.89	1	\$0.00	\$1,255.89
1300-2	Insect Screen 1: 400 Series Gliding XX, G33 Full Screen Aluminum Sandtone PN:1778206 Version:04/09/2023	\$71.33	\$71.33	1	\$0.00	\$71.33
Unit 1300 Total:		\$1,327.22	\$1,327.22		\$0.00	\$1,327.22

Begin Line 1300 Descriptions

--- Line 1300-1 ---

<p>400 Series Gliding XX Overall Rough Opening = 36" x 36" Overall Unit = 35 1/4" x 35 1/4" Installation Zip Code = 48390 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = G3XX - RO: 36" UNIT: 35 1/4" Standard Height = XX3 - RO: 36" UNIT: 35 1/4" Frame Width = 35 1/4</p>	<p>High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Finelight Grilles-Between-the-Glass Specified Equal Light Grille Pattern = Specified Equal Light</p>	<p>Insect Screen Color = Sandtone Exterior Trim Style = None Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.3 Unit Solar Heat Gain Coefficient (SHGC) = 0.26 Unit CPD Number = AND-N-19-01504-00001</p>
---	--	---


Frame Height = 35 1/4
 Unit Code = G33
 Venting / Handing = Active-Passive
 Exterior Frame Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Glass Construction Type = Dual Pane
 Glass Option = Low-E4

Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W3H
 DP/PG Upgrade = No
 Hardware Style = None
 Window Opening Control Device = No
 Insect Screen Type = Full Screen
 Insect Screen Material = Aluminum

U.S. ENERGY STAR Certified = No
 Clear Opening Width = 14.281
 Clear Opening Height = 30.125
 Clear Opening Area = 3
 Insect Screen 1 Part Number = 1778206
 SKU = 289185
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

---- Line 1300-2 Description is the same as line 1300-1 ----

End Line 1300 Descriptions



RO Size = 24 1/4" x 47 1/2"
 Unit Size = 23 3/4" x 47 1/2"

Catalog Version 230

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1400-1	400 Series Double-Hung Equal Sash, AA, 23.75 x 47.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$778.71	\$778.71	1	\$0.00	\$778.71
1400-2	Insect Screen 1: 400 Series Double-Hung, TW 23.75 x 47.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$49.32	\$49.32	1	\$0.00	\$49.32
Unit 1400 Total:		\$828.03	\$828.03		\$0.00	\$828.03

Begin Line 1400 Descriptions

---- Line 1400-1 ----


400 Series Double-Hung
 Overall Rough Opening = 24 1/4" x 47 1/2"
 Overall Unit = 23 3/4" x 47 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 23 3/4
 Frame Height = 47 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Standard
 Specialty Glass = None
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen


Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.3
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05040-00001
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 20.046
 Clear Opening Height = 18.394
 Clear Opening Area = 2.5606
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

---- Line 1400-2 Description is the same as line 1400-1 ----

End Line 1400 Descriptions



Catalog Version 230



RO Size = 22 1/8" x 44 1/2"
 Unit Size = 21 5/8" x 44 1/2"

Line Number	Item Summary	Was Price	Now Price	Quantity	Total Savings	Total Price
1500-1	400 Series Double-Hung Equal Sash, AA, 21.625 x 44.5, Sandtone w/Sandtone Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\$1,055.45	\$1,055.45	2	\$0.00	\$2,110.90
1500-2	Insect Screen 1: 400 Series Double-Hung, TW 21.625 x 44.5 Full Screen Aluminum Sandtone Version:04/09/2023	\$49.32	\$49.32	2	\$0.00	\$98.64
Unit 1500 Total:		\$1,104.77	\$1,104.77		\$0.00	\$2,209.54

Begin Line 1500 Descriptions

--- Line 1500-1 ---

400 Series Double-Hung
 Overall Rough Opening = 22 1/8" x 44 1/2"
 Overall Unit = 21 5/8" x 44 1/2"
 Installation Method = Through the Jamb
 Installation Zip Code = 48390
 U.S. ENERGY STAR® Climate Zone = Northern
 Search by Unit Code = No
 Standard Width = Custom
 Standard Height = Custom
 Frame Width = 21 5/8
 Frame Height = 44 1/2
 Frame Option = No Flange
 Venting / Handing = AA
 Exterior Frame Color = Sandtone
 Exterior Sash / Panel Color = Sandtone
 Interior Frame Wood Species = Pine
 Interior Frame Finish Color = White - Painted
 Interior Sash / Panel Wood Species = Pine
 Interior Sash / Panel Finish Color = White - Painted
 Jamb Liner Color = White
 Glass Construction Type = Dual Pane

Glass Option = Low-E4
 High Altitude Breather Tubes = No
 Glass Strength = Tempered
 Specialty Glass = Obscure
 Gas Fill = Argon
 Glass / Grille Spacer Color = Stainless
 Finelight Grilles-Between-the-Glass
 Specified Equal Light
 Grille Pattern = Specified Equal Light
 Simulated Check Rail = No
 Grille Bar Width = 3/4"
 Exterior Grille Color = Sandtone
 Interior Grille Color = White
 2W2H
 DP/PG Upgrade = No
 Sash Lift Type = None
 Lock Hardware Style = Traditional
 Number of Sash Locks = 1
 Lock Hardware Color/Finish = White (Factory Applied)
 Window Opening Control Device = No
 Insect Screen Type = Full Screen

Insect Screen Material = Aluminum
 Insect Screen Color = Sandtone
 Exterior Trim Style = None
 Extension Jamb Type = None
 Stool Option = None
 Installation Material Options = No
 Re-Order Item = No
 Room Location =
 Unit U-Factor = 0.32
 Unit Solar Heat Gain Coefficient (SHGC) = 0.28
 Unit CPD Number = AND-N-24-05080-00002
 U.S. ENERGY STAR Certified = No
 Clear Opening Width = 17.921
 Clear Opening Height = 17.394
 Clear Opening Area = 2.1647
 SKU = 407679
 Vendor Name = S/O ANDERSEN LOGISTICS
 Vendor Number = 60509030
 Customer Service = (888) 888-7020
 Catalog Version Date = 04/09/2023

--- Line 1500-2 Description is the same as line 1500-1 ---

End Line 1500 Descriptions

Limited Warranty

400 SERIES
200 SERIES

OWNER2OWNER
LIMITED WARRANTY

Units Manufactured After November 6, 2015

Para ver la versión, en español, de esta Garantía limitada y Proceso de resolución de controversias, visite andersenwindows.com

LIMITED WARRANTY AND DISPUTE RESOLUTION PROCESS

IMPORTANT: Please carefully read the Dispute Resolution Process that appears in this document after the Limited Warranty. The Dispute Resolution Process includes class action and jury trial waivers that affect your legal rights. To opt out of these waivers, you must visit our website at www.andersenwindows.com/ optout and complete the opt-out form within one year from the date of purchase of your Andersen® products from a dealer or retailer. The opt-out only applies to the terms of the Dispute Resolution Process.

400 Series/200 Series Windows & Doors Limited Warranty

Transferable Limited Warranty on Glass

The glass in Andersen® factory glazed windows and doors (including dual-pane glass, High-Performance Low-E4® glass, High-Performance Low-E4® Sun glass, High-Performance Low-E4® SmartSun™ glass, High-Performance Low-E4® PassiveSun® glass, Heatlock® glass, Low-E glass, patterned glass (including obscure, pebble, fern, reed and cascade designs)), Finelight™ grilles, divided light grilles and tempered versions of these glass options is warranted to be free from defects in manufacturing, materials and workmanship for twenty (20) years from the date of purchase from the retailer/dealer. It is also warranted not to develop, under normal conditions, any material obstruction of vision resulting from manufacturing defects or as a result of premature failure of the glass or organic seal for twenty (20) years from the date of purchase from the retailer/dealer. Patterned glass (including obscure, pebble, fern, reed and cascade designs) is warranted not to develop, under normal conditions, any material change in appearance resulting from manufacturing defects or as a result of premature failure of the glass or organic seal for twenty (20) years from the date of purchase from the retailer/dealer. This limited warranty on glass does not apply to special order glazings, Andersen® art glass, insulated art glass, impact-resistant glass, insulated glass with shades or blinds between the glass or glass that is not factory installed by Andersen.

In the event a glass failure occurs as a result of a defect in manufacturing, materials or workmanship within the limited warranty period, Andersen, at its option, will: (1) provide the appropriate replacement glass product to the Andersen retailer/dealer you specify — labor is not included; or (2) provide a factory-authorized repair to the existing glass at no cost to you; or (3) refund the original purchase price. Such replacement parts or repair are warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Components Other Than Glass

Non-glass portions of Andersen® windows and doors (including non-electric operators, locks, lifts, balance systems, hinges, handles, insect screens, weatherstripping, exterior trim, sash and frame members) are warranted to be free from defects in manufacturing, materials and workmanship for a period of ten (10) years from the date of purchase from the retailer/dealer. This limited warranty does not apply to Andersen electric window operators, retractable insect screens or finishes on bright brass and satin nickel door hardware. The non-glass portions of Andersen® windows and doors with wood exteriors and commercial doors are subject to a limited warranty with a five (5) year period, but otherwise identical to the ten (10) year limited warranty described above.

In the event a component other than glass fails as a result of a defect in manufacturing, materials or workmanship within the limited warranty period, Andersen, at its option, will: (1) provide replacement parts to the Andersen retailer/dealer you specify — labor is

not included; or (2) provide a factory-authorized repair to the existing component at no cost to you; or (3) refund the original purchase price. Such replacement parts or repairs are warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Patio Doors with Shades/Blinds in Insulated Glass

Andersen® patio doors with shades/blinds in insulated glass (including insulated glass, shade/blind, insulated glass seal and external control mechanisms attached to the glass, hinges, handles, insect screens, weatherstripping, and frame members) are warranted to be free from defects in manufacturing, materials and workmanship for a period of ten (10) years from the date of purchase from the retailer/dealer.

In the event of a glass failure or failure in the shades or blinds between the glass as a result of a defect in manufacturing, materials or workmanship within the limited warranty period, Andersen, at its option, will: (1) provide the appropriate glass replacement product to the Andersen retailer/dealer you specify — labor is not included; or (2) provide a factory-authorized repair to the existing glass component at no cost to you; or (3) refund the original purchase price. Such replacement parts or repairs are warranted for the remainder of the original limited warranty period.

No Other Warranties or Representations

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL WARRANTIES ARE LIMITED TO THE APPLICABLE STATUTE OF LIMITATIONS, BUT IN NO CASE WILL EXTEND BEYOND THE LIMITED WARRANTY PERIODS SPECIFIED ABOVE. ANDERSEN EXCLUDES AND WILL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER ARISING OUT OF CONTRACT, TORT OR OTHERWISE. THE REMEDY OF REPAIR, REPLACEMENT OR REFUND OF THE ACTUAL PURCHASE PRICE OF THE PRODUCT PROVIDED BY THIS LIMITED WARRANTY IS THE EXCLUSIVE REMEDY WITH RESPECT TO ANY AND ALL LOSS OR DAMAGE.

Applicable Law

This Limited Warranty is only applicable in the U.S.A. (i.e., the fifty states and the District of Columbia). This Limited Warranty gives you specific legal rights, and you may also have other rights which may vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages or limitation of the duration of an implied warranty, so the above limitations or exclusions may not apply to you. If any specific term of this Limited Warranty is prohibited by any applicable law, it shall be null and void, but the remainder of this Limited Warranty shall remain in full force and effect.

What Is NOT Covered by this Limited Warranty: Specific Additional Exclusions

In addition to any other limitations or exclusions in this Limited Warranty, Andersen shall have no obligation for product failure, damage or costs due to or related to the following:

- Product modifications or glass shading devices (e.g., glass tinting, security systems, improper painting or staining, insulated coverings, etc.).
- Units improperly assembled or improperly mullied by others.
- Failure due to the application of non-Andersen hardware (e.g., locksets, trim sets, hinges, panic hardware, closers, etc.).
- Failure to properly install Andersen hardware and/or exterior trim.
- Adjustments or corrections due to improper installation.
- Improper installation or use, including use of a non-commercial door as a main entrance or exit door for a building other than a single-family residential unit or re-installing an Andersen window or door after it has been removed from a building and re-sold and/or re-installed in a different building.
- Exposure to conditions beyond published performance specifications.
- Water infiltration other than as a result of a defect in manufacturing, materials or workmanship.
- Condensation.
- Improper maintenance, such as use of brick wash, razor blades, sealants, sanding or improper washing.
- Failing to properly seal and maintain the exposed wood portions of a product. This includes, but is not limited to, the exposed wood on all sides of a door panel (e.g., exterior, interior, top, bottom, and both sides), a door frame and wood grilles.
- Chemicals or airborne pollutants, such as salt or acid rain.
- Delivery by others.

- Accidents.
- Acts of God.
- Normal wear and tear.

Additional items excluded from this limited warranty:

- Labor to replace sash or door panels, glass or other components.
- Labor and other costs related to the removal and disposal of defective product.
- Labor and materials to paint or stain any repaired or replaced product, component, trim or other carpentry work that may be required.

Products not manufactured by Andersen.

- The performance of the low-maintenance exterior glass coating on products with High-Performance Low-E4® glass. Performance will vary depending on environmental conditions.
- Minor warping of wood and clad-wood doors. Andersen may defer actions on any claim for warping for a period of up to twelve (12) months from the date of the claim in order to permit conditioning and equalization to humidity and temperature conditions.
- Slight glass curvature, minor scratches or other imperfections in the glass that do not impair structural integrity or significantly obscure normal vision.
- Rattling of grille bars within an air space.
- Insects passing through or around the insect screen.
- Tarnish or corrosion to hardware finishes.
- Special glazings. Contact us concerning the limited warranty on special glazings.
- Andersen® art glass and decorative insulated art glass, impact-resistant glass, electric window operators, retractable insect screens and bright brass and satin nickel finishes on door hardware. Contact us or refer to the specific limited warranties for these products.
- Andersen® 400 Series windows with Stormwatch® protection and with impact-resistant glass, A-Series windows and doors, E-Series/Eagle® windows and doors, 100 Series windows and doors, storm doors, Renewal by Andersen® windows, Silver Line® windows and doors, American Craftsman® windows and doors and Weiland® windows and doors have their own limited warranties and are not covered by this limited warranty.
- Service trips to provide instruction on product use.

How to register your Owner-To-Owner® Limited Warranty

Andersen offers quick, easy warranty registration on our website. Just go to www.andersenwindows.com/warranty and submit your warranty information online. By registering, you will expedite any warranty service you may have in the future. In addition, you can receive product information updates, safety notices and special offers regarding new products, as well as information regarding enhancements for the windows and doors you've registered. All warranty information is treated confidentially and will not be sold or traded to any person or organization outside of Andersen and the Andersen Dealer Network.

**EASY Online
Registration**

Warranty Claim Procedure

To make a claim under this Limited Warranty, contact the Andersen retailer/dealer who sold you your Andersen® product. Or, you may contact us at:

Andersen Windows, Inc./Andersen Service Center
100 Fourth Avenue North
Bayport, MN 55003-1096

You may also contact us using the Parts & Service section of our website at www.andersenwindows.com or reach us by phone at 1-888-888-7020.

You can help us serve you faster by providing the following important information:

- Description of the product such as the exterior color, unit type and size and inside visible glass measurements.
- Glass logo information etched in the inside corner of the glass.
- Description of product concerns.
- Documentation of the purchase date, if available.
- Your name, address (with zip code) where the product is installed and telephone numbers.

Non-Warranty Repair

You will be responsible for all costs related to any repair that is not covered by this Limited Warranty or which is outside of the limited warranty period. When warranty coverage is unclear, Andersen may charge an inspection fee for any on-site product inspection. If the inspector determines the Andersen® product has a defect covered by this Limited Warranty, the inspection fee will be waived.

For specific warranty information outside the United States, please contact your local distributor or write to:

Andersen Windows, Inc. / International Division
100 Fourth Avenue North
Bayport, MN 55003-1096

DISPUTE RESOLUTION PROCESS

General

If you are dissatisfied with the remedy provided to you under the Limited Warranty set forth above or have any other claim against Andersen related to your Andersen® products, you and Andersen agree to resolve the claim using the following process ("Dispute Resolution Process"). This Dispute Resolution Process will apply to claims of any nature relating to your Andersen product ("Dispute(s)"). Disputes include, but are not limited to, claims for breach of contract or breach of warranty, claims for violation of state or federal laws or regulations, claims based in tort, negligence or product liability, claims based in fraud or fraud in the inducement, marketing or advertising claims and claims related to the enforceability or effect of any term of the Limited Warranty or the Dispute Resolution Process, including, but not limited to, the waivers of class action and jury trials.

Notice Required

To assert a Dispute, you must first provide Andersen with written notice. A Notice of Dispute form is available for your use on Andersen's website at www.andersenwindows.com/noticeofdispute.

Andersen Response

Andersen will have 60 days from receipt of your Notice of Dispute to respond to you in writing. In that response or at any later time, Andersen may make one or more written offers to you to resolve your Dispute.

No Class Action or Jury Trials

YOU AGREE THAT YOU MAY ASSERT DISPUTES AGAINST ANDERSEN ONLY ON AN INDIVIDUAL BASIS AND NOT AS A PLAINTIFF OR CLASS MEMBER IN ANY CLASS OR REPRESENTATIVE ACTION OR PROCEEDING. AS PART OF THIS DISPUTE RESOLUTION PROCESS, YOU AND ANDERSEN ALSO AGREE TO WAIVE ANY RIGHT TO A JURY AND AGREE TO HAVE ALL DISPUTES HEARD AND DECIDED SOLELY BY THE FEDERAL OR STATE COURT JUDGE.

Opt-Out Procedure

You may opt out of this Dispute Resolution Process by completing and submitting a written Opt-Out Notice. The Opt-Out Notice is located on Andersen's website at www.andersenwindows.com/optout. Whether or not you opt out of the Dispute Resolution Process, all terms of the Limited Warranty set forth above remain in force and effect.

Applicable Law and Severability

This Dispute Resolution Process, including, but not limited to, issues related to its enforceability and effect, will be governed by the laws of the State of Minnesota without regard to conflict of law principles. If any term of this Dispute Resolution Process is found to be invalid or unenforceable in any particular jurisdiction, that term will not apply to that issue in that jurisdiction. Instead, that term will be severed with the remaining terms continuing in full force and effect.

Questions

If you have questions about the Dispute Resolution Process or Opt-Out Procedure, contact us at 844-332-7972.