


Detroit Music Hall Expansion Center for the Performing Arts











Metal Cladding



Screen

Screen Embroidery

Alley Pavers



Glazed Brick


Roof Ceiling Soffit

Stone Panels













Stone Panels

Stone clad wall and base. Provide 2" thick stone wall panels (up to 3' x 8') and base panels with flamed and brushed finish. Provide matching stone in ¼" thickness backed by aluminum honeycomb and aluminum backer sheet for cladding of egress doors with the stone wall areas.

Exposed edges of stone panels shall be finished in the same manner as the faces.












Metal Panels


Alucobond Plus rainscreen system with continuous thermal insulation and splines at the panel to panel joints.


2" thick aluminum composite metal (ACM) panel system with painted finish .















Sun Screen


BOK System Kynar painted folded aluminum panel system with custom perforation pattern and attached decorative elements.


Screen wall consisting of folded aluminum sheet panels with overall 2" depth and custom perforation as designed by the Architect is to be hung from the roof structure via 300 series stainless steel rods. Additionally, the suspension rods are to hang the header beam, intermediate horizontal supports tube and a bottom beam. The suspension rod can be stabilized laterally by outriggers attached to the wall.



	STOL STOL		2.007.520 1.000 eX 60.60		WANTER STREET			CALCULATION OF THE OWNER
A	6.9.34		HALMAN.	00.02:00			語言語習品	孤海
N. 9.90	1'2 Q'	389: Natio		04000 8			語語語	羅羅
	1. 9. 90	- Start I	0.000				影响認	罷運
A	120000	10000			18 (1699) - B	新日報()	思念。如	認強
	10 9 0 S	0.000	0:0:00	AND W	後 招格 (an ar o	能提喻	製船
	00000	0.000	0.00	0.000		部的地位	西西亚	10 × 1
	S 3: 1)	10 pt		120.0	i 10 ani 12 a	新生活的 [4]	选船题	識濃
	adie a	1 P 2 0 0		10.00 :20			思認短	截頭
		0.00	0.00 0.00.0	06.4 17	and Street	22 新新 3	犯论领	器韻
	10			8000.0	1 C	all strait	现金出版	認知
-C	00.043	3.5 . 9. 0		1.8.900 H			an and the	審難
0.000	-0.0	0.0. 10		6.0.0. 04	en Dirich	新发出法 为	出出和	ALCON ALCON
	6:00:2:	66.3 6	00. 00 Ro	0.040	64 400) P	体和道德	应福雅	義惠
	A	0.000.00		0.9.00	0		常动刺出	羅燕
	0.0.0				en Rite i	(法) 法法人	廣場領	建制的
				09/09/11		194 第二日	影高温	操造
0.0	:0.0.0			100.00	60 A.	恐"急•	监影影	影师
A	Tanka at a s			ROAM	GA WALL		當怒飛	艱艷
	29.88	36. Cos a:	Deine with all	10.0.1	oran (orang) (90) (A) (化蒸发	銀箔
1690.0	TA DEF	8 44 S 16		90000.00	int villed a	Ante varia	100 #103 #103	A REAR .
25072	a a va	or a set	2424 6240	2.00		XARAA	思想师	660.660
LOW	0.00	300.20	Manya	IF QO F	0.0		***	
470490		30.0 32	0.00 170.0	1980年1月	2.5 曾经:	新花 岩龙 ·	化出版机	
ATOM	HOOK	Sec. 1	044 404	140 Au 11	脉的脉	逃迎)	影響調	
Section 2	HORAN PA	State B	WYO DRINC	CHANCE M	a. (70.)		保護部	
r cord	0.0	10.548	6403 64463	CACH BY		20 20 i	的、新聞新聞	1.0.14.02
MOLA	1000	· · · · · · · · ·	9409 0164	10:01.11 i 0i	6127, (81802), n	recent citrat	261 252 372	電影
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	.0.0	90-30-10 00		10000 18	0 00 0		新福和	28886
		·:: 10 30 10	1 - O O X			04 H (c)	節部門	
	6.0.0	0.3 0 0		0.0	60 604 I	RH (100	胀滞。	<b>清范</b>
	10.00	OR CO O	140: 000	<b>Lexter</b> i	en alleri	80,924	游戏公司	(總)第一一一
		608 9	740 MOC	l karo Qû	10. N.W.		總施設	総張
00000	0.0	A 0.0.		0.00		the Hall	當處海	<b>游派</b>
10-20	0.0.0	11 HOS V		0.00 .0	16. WAA	派派。	医泪法	
0.0.0.0	0.00.			0.00	96 V (M)	1218 A.C.	影神理	and fill
16 A.O.S.	.0.0.0;	000	Y HAVA	10.00		988.220		<b>我派的</b>
<b>0.00.</b>		0.0	OF DAY	0.4016		Ne trai	调频编辑	
		170.20 Q	OHA DIAO	10.01	202 02	199 H.W.	58 AV 93	(1)233
0400		0.043	3 <b>-101</b> 107-2	120.07	1 610	100 (Q)) (	前。沿海	
64 A 4	041400			10 10	CH DUL	<b>织、</b> 研加	化现象	
		6 0		0:0 0		增长100%	あい 新花	A COL
1.00	000.0	Sec. 3. 19	0.0	1.1.1.1.1		an an	的现在	122.25
	€00°	0.0	ACHEORIAL	W Hall	11 12 12		11. 1. 11	的品质
0	'A.8'	0.400.		<b>LAXAN</b>	0.77 87.02	Sec. Sec.	<b>公用的</b>	<b>建設</b> 能
· · · · · ·		30Y . 0.	0000444	0.000 8	10 2 2000	1111-1	the the lit	
0.0.	10 0 0 S		<b>2010 17.4</b> 744	MICH &	10. St. 0.	To the	$w_{0} \in W_{0}$	(加索)
10	Conde X	10:00		0.00000	1040 01	4942, 619 <i>6</i>	的情况。	0.82.0%












# **Screen Embroidery**

Bent and painted aluminum pieces and other decorative elements that display a handmade quality











### **Thin Glazed Brick**


StoPanel MVES

Thin modular brick with glazed face (glaze as selected by the Architect). Subcontractor is responsible for complete system from face of back-up wall (CMU, Cold Formed Metal Framing/Sheathing, or Poured In-Place Concrete, provided by Others) including water/vapor barrier on back-up wall, adhered insulation board, reinforcing mesh, scratch coat, veneer adhesive, veneer grout and seals between thin brick cladding and adjacent systems.














## Standing Seam Roof

Painted Aluminum













# **Roof Underside Ceiling**


Alucobond Plus Elements Series reflective mirror finish in FaceFastened rainscreen system.

2" thick aluminum composite metal (ACM) panel system with reflective mirror finish.

















































**Detroit Music Hall Expansion** Center for the Performing Arts












1 BUILDING ELEVATION - WEST - SCREEN SCALE : 1/8" = 1'-0"







1 BUILDING ELEVATION - SOUTH SCALE : 1/8" = 1'-0"

