NOTE: Based on the scope of work, additional documentation may be required. See www.detroitmi.gov/hdc for scope-specific requirements.

PROJECT DETAILS – TELL US ABOUT YOUR PROJECT

Instructions: Add project details using the text box in each section. If your details exceed the space provided, attach the details via the attachment icon for that section.

ePLANS PERMIT NUMBER:

(only applicable if you've already applied for permits through ePLANS)

N/A

GENERAL

1. DESCRIPTION OF EXISTING CONDITION

Please tell us about the current appearance and conditions of the areas you want to change. You may use a few sentences or attach a separate prepared document on the right. (For example, "existing roof on my garage is covered in gray asphalt shingles in poor condition.")

Existing windows / jambs and frame have been compromised due metal window cages that went in them and have rotten over time.



2. PHOTOGRAPHS

Help us understand your project. Please attach photographs of all areas where work is proposed.

3. DESCRIPTION OF PROJECT

In this box, tell us about what you want to do at the areas described above in box #1. (For example, Install new asphalt shingle roofing at garage.)

Install new proposed windows

4. DETAILED SCOPE OF WORK

In this box, please describe all steps necessary to complete the work described in box #3. (For example, "remove existing shingles, replace wood deck as necessary, replace wood eaves, install roof vents, replace rotted fascia boards, paint, clean worksite.")

\square

5. BROCHURES/CUT SHEETS

Please provide information on the products or materials you are proposing to install. For example, a brochure on the brand and color of the shingles proposed.

|--|

ADDITIONAL DETAILS

6. WINDOWS/DOORS

Detailed photographs of window(s) and/or door(s) proposed for replacement showing the condition of the interior and exterior of the window(s) and/or door(s)

Replacing Existing Windows Reason

In general, the wood has been decaying and rotten from the inside. We found that since we purchased our home, we couldn't open our windows without damaging what was preexisting do to rot. The windows were covered in paint inside and outside to conceal the decay and conditions of our windows and structural sliding frames/ jambs. When I did unlock the sash lock and attempt to force the windows up or down, thereby departing the paint from it, the windows would either slide down and couldn't put back up without hammering, or when putting the window back it would not level with the check rails or the still frame. It was taking effort and work to put back in place and keep it in place and the best thing to do was to fasten the window back with new sash locks. We had to keep locked until we could find someone to repair our windows. The following year 2018 and gravitating towards next door app recommendation I had reached out to various places and due to the scope of my project no one wanted the work or didn't have the employees for the work to maintain the charm & elegance of our home. Just to site a few.

- H&R Window Repair (the most responsive)
- Michigan Historic Windows
- All Season Window Restoration
- Ypsilanti Restoration
- Aruba Home repair and Improvement
- Abatron WPA (where I learned to glazed)
- Pella and many others
- And many others

Reasonable care and safety for my family is why we must replace the windows and not neglect and ignore the window liability of this historic home that has been impose on us because it wasn't cared for by the previous owner or renovators. This house was setup in suites for multiple tenants and we still get there mail today. Far too long trying to get a company to fulfill this restoration journey for me and waiting for opening and slots while risking the safety of my family since 2017 under the constraints I've been given has us in distressed, even more when power is out, always thinking in case of fire. It's time for this born and raised Detroit family to feel safe and enjoy a home we set ourselves in Boston-Edison not just to be enamored with the historic home past, but the future to live the life as those historic families who enjoyed their windows open, light entering their home, and feeling safe in their community, not barricaded. We have not lived safe in this home even after the house was fully renovated, the joy was temporal until this home showed its true condition.

This committee has a shared interest on the outside appearance of historical homes – this has been made known to me, and I really do appreciate this and respect your comment to preservation, and with my first encounter with a preservationist I feel a sense of authenticity and trust. By living in this home and not feeling safe in this home, due to the issues of this home the internal health is essential for the overall well-being of the windows appearance to work together to maintain functionality, ensuring the safety and security of windows is crucial for the well-being of a home exterior and its

occupants. Windows play a vital role in providing natural light, ventilation, and views of the outside community as we all know. We have vulnerable points for potential accidents, proper locking mechanisms, sturdy frames, jambs, and sash. We need new windows to prioritize the safety of windows where a homeowner can create a secure and comfortable living environment for our family and friends. A preservationist asked me what a historical home is? I poorly responded because I didn't know, "A 100-year-old home". I should have said preserving the past, building the future where history lives on in our homes and heart. For years, I couldn't find a company to do the work of a preservationist that we needed and for the choice of windows we wanted to echo the past that would be a legacy for the future where our historic home and family may intertwine. The removed windows will stay on this property out of respect to all while the new windows customized to pay homage and reflect on what was well designed. Richard Moe, a national trust for historic preservation once said, "Preservation is simply having the good sense to hold on to things that are well designed, that link us with our past in a meaningful way, and that have plenty of good use left in them."


The opportunity to address the condition of our windows should have been founded and noted with previous work on Project #PRJ2017-00479 permit #BLD2017-00661 CASE # 2017 00249 when walls were in good faith taken down to the studs and inspected since new electrical wire was put in. All pictures show the rotten post that where just painted over, and the caps fail off those post to the ground with nails attached to them. My plan is to fully restore those post and beams the right way and under the right process by going to this committee first because we do have a shared interest in the outside appearance of this historic home and our loved City that we wish to serve in.

1





 2^{ND} LEVEL FRONT jambs walls damaged preventing top window from staying up unless fastened.




2310 EDISION ST. BOSTON-EDISON

2

3

1ST LEVEL EAST OF PROPERTY




4

5



Water damaged that has rotten the window jambs over time and effected the sash.



BACK OF PROPERTY

I initially thought this was a glass tinted window, but just recently this year I found out it was a plastic material to where all the water was coming from during harsh rains.

Jambs/sash. I had to hold a wood piece to keep this window from coming down. One night the window came down and the alarm siren off.

Jambs compromised

6




At one point metal cages where on all windows imbedded in the jambs of the window structure ruining the integrity of the wood over time.




WEST OF PROPERTY

7



8





Our Sister house that we could compliment to make this community a very special place

9

Materials

- 1. Windows Description and Specs see attachment.
- 2. Quad Core Foam
- 3. 1x6 Rough Cedar
- 4. Aluminum Coil .024 gauge in Tan Color
- 5. OSI Quad Advanced Sealant in Tan Color

Detail Scope of Work

- Test existing paint for led.
- Contain areas.
- Remove existing windows.
- Remove rotten wood from jambs with exception to sill and the existing frame. Preserve and do not replace.
- Screw in new vinyl window level and fasten with screws.
- Install Quad Core Foam Insulation.
- Install custom bent aluminum Coil .024 gauge around the new window to pre-existing window frame covering wood and ending at brick and Stone (trim to exterior).
- Install casing and jambs as needed to the interior.
- Caulk as necessary to make seamless.
- Store Historic windows in Garage.
- Clean up and haul away debris.

Replacing Existing Windows Reason

In general, the windows have not been functional or safe to use. We found that since we purchased our home, we couldn't open our windows without damaging what was preexisting do to rot, fractured wood, or leveled check rails. The windows were covered in paint interior and exterior to conceal the decay and conditions of our windows and structural sliding frames/ jambs. When I did unlock a sash lock and attempt to force the windows up or down, thereby departing the paint from it, the windows would either slide down and I couldn't put back up without hammering, or when putting the window back it would not level with the check rails or the still frame. It was taking effort and work to put back in place and keep it in place and the best thing to do was to fasten the window back with new sash locks that couldn't be level. We had to keep locked until we could find someone to repair our windows. The following year 2018 and gravitating towards next door app recommendation I had reached out to various places and due to the scope of my project no one wanted the work or didn't have the employees for the work to maintain the charm & elegance of our home. Just to site a few.

- H&R Window Repair (the most responsive)
- Michigan Historic Windows
- All Season Window Restoration
- Ypsilanti Restoration
- Aruba Home repair and Improvement
- Abatron WPA (where I learned to glazed)
- Pella
- Champspros
- And many others

Reasonable care and safety for my family is why we must replace the windows and not neglect and ignore this great liability that wasn't taken cared of by the previous owners or renovators. This house was setup in suites for multiple tenants and we still get there mail today. Far too long trying to get a company to fulfill this restoration journey for me and waiting for opening and slots while risking the safety of my family since 2017 under the constraints I've been given has me in distress, even more when power is out, always thinking in case of fire. We were born and raised in Detroit and never wanted to leave the city to raise a family. We wanted to move here and create a haven right here in the City where many look down upon. We want to feel safe and enjoy a home we envision we could in Boston-Edison not just to be enamored with the historic home past, but the future to live the life as those historic families who enjoyed their windows open with guest, light entering their home, and feeling safe in their community, not barricaded. We have not lived safe in this home even after the house was fully renovated, the joy was temporal until this home showed its true condition.

This committee has a shared interest on the outside appearance of historical homes – this has been made known to me, and I really do appreciate this and respect

your comment to preservation, and with my first encounter with a preservationist I feel a sense of authenticity and trust. By living in this home and not feeling safe in this home, due to the issues of this home the internal health is essential for the overall well-being of the windows appearance to work together to maintain functionality, ensuring the safety and security of windows is crucial for the well-being of a home exterior and its occupants. Windows play a vital role in providing natural light, ventilation, and views of the outside community as we all know. We have vulnerable points for potential accidents, proper locking mechanisms, sturdy frames, jambs, and sash that not one company we found to be interested. We need new windows to prioritize the safety of windows where a homeowner can create a secure and comfortable living environment for our family and friends. A preservationist asked me what a historical home is? I poorly responded because I didn't know, "A 100-year-old home". I should have said preserving the past, building the future where history lives on in our homes and heart. For years, I couldn't find a company to do the work of a preservationist that we needed and for the choice of windows we selected to echo the past that would be a legacy for the future where our historic home and family may intertwine. The removed windows will stay on this property out of respect to all while the new windows customized to pay homage and reflect on what was well designed. Richard Moe, a national trust for historic preservation once said, "Preservation is simply having the good sense to hold on to things that are well designed, that link us with our past in a meaningful way, and that have plenty of good use left in them."

The opportunity to address the condition of our windows should have been founded and noted with previous work on Project #PRJ2017-00479 permit #BLD2017-00661 CASE # 2017 00249 when walls were in good faith taken down to the studs and inspected since new electrical wire was put in. All pictures show the rotten post that where just painted over, and the caps fail off those post to the ground with nails attached to them shows the plan deterioration that has permeated our exterior home. This is one steppingstone to fully restoring those post and beams like our sister house four houses down from us. This is just to show that we too have a shared interest in the outside appearance of this historic home and a love and appreciation for our city that we serve.

Materials

- 1. Windows Description and Specs see attachment
- 2. Quad Core Foam
- 3. 1x6 Rough Cedar
- 4. Aluminum Coil .024 gauge in Tan Color
- 5. OSI Quad Advanced Sealant in Tan Color

Detail Scope of Work

- Remove windows from jambs.
- Remove rotten wood from jambs with exception to sill and the existing frame. Preserve and do not replace.
- Screw in new window from all recommended sides of the new window frame into the existing house frame.
- Fill gaps with Quad Core Foam
- Aluminum Coil .024 gauge around the new window to pre-existing window frame covering wood and ending at brick and Stone.
- Seal cracks with sealant to make seamless.
- Store Historic windows in Garage.

PEST CONTROL DOWN TO A SCIENCE."	2310 EDISON ST DETROIT, MI 48206-2069	Orkin, 555-WAYNE, MI 3769 COMMERCE CT WAYNE, MI 48184-2803 (800) 332-4501 License # 82306	Invoice/Service Ticket #: Account #: Balance: Current Svc: Tax: Total Amt Due:	237350913 \$0.00 \$98.00 \$0.00 \$98.00
Date of Service 10/26/2022 Time In 10/26/2022 10:37 AM Time O	Customer Since: 2022 ut 10/26/2022 11:17 AM	Matt Dion Rt# 555-15 MATT DION License #	Amt Collected: Payment Type:	\$98.00
PC Standard - Seasonal , PC Standard Previous Services 09/29/2022 Callback 07/12/2022 Callback 07/05/2022 PC Standard	Pesticide Product Labels Are Available Upon Request		Auto Pay Exp	Sep 2023

Services Provided

Inspected/Treated Basement, Inspected/Treated Bathrooms, Inspected/Treated Guest Rooms, Inspected/Treated Kitchen for Pest Activity, PDS - Exterior Granular Barrier Treatment, THANK YOU FOR YOUR BUSINESS.

General Comments

treated around perimeter of the home. Treated around kitchen, basement, bedroom, bathroom, living room, and exterior perimeter of the home If you have any questions, please give us a call thank you for choosing Orkin pest control and you have a great day. Our office number is 734-447-3577.

Observation Information

		Status	Responsibility	Date Entered	Location
Observation:	Activity - Dead	Pending	Technician	06/30/2022	Basement Level, Common Area(s)
Recommendation	Activity Found/Treatment Req	Pest Type:	Carpenter Ants		

Product Application Details (Consumer post application precautionary statements on back)

				Active Ingredient	App Method	<u>App Equip</u>	<u>Target Pest(s)</u>	Location
Product: Formulation:	SUSPEND POLYZONE Liquid	<u>QTY:</u> EPA # :	0.03 OUNCE(S) 432-1514	DELTAMETHRIN 4.75%	General Surface Spray	Compressed Sprayer	Ants, Spiders	Basement Level, Bathroom, Bedroom, Kitchen
App Rate:	0.01% - 0.25 fl oz (7.5 ml) per gal per 1000 sqft	<u>LOT #:</u>						Kichen

Printed 10/26/2022 11:17 AM

National Poison Control Center: 1-800-222-1222

CO - Commercial applicators are licensed by the Colorado Department of Agriculture

AZ - Warning - Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information, contact Orkin Pest Control - C4029BCD at 1-800-346-7546

Page: 1 Of 2



2310 EDISON ST

DETROIT, MI 48206-2069

Orkin, 555-WAYNE, MI 3769 COMMERCE CT WAYNE, MI 48184-2803 (800) 332-4501 License # 82306 Invoice/Service Ticket #:237350913
Account #
Date of Service: 10/26/2022
Time In: 10/26/2022 10:37 AM
Time Out: 10/26/2022 11:17 AM

Product Application Details (Consumer post application precautionary statements on back)

				Active Ingredient	App Method	<u>App Equip</u>	<u> Target Pest(s)</u>	Location
Product:	TALSTAR PL GRANULAR INSECTICIDE	<u>QTY:</u>	0.03 OUNCE(S)	BIFENTHRIN 0.2%	Broadcast	No Equipment	Ants, Spiders	Exterior - Structure
Formulation:	Granular	EPA # :	279-3168			used		Perimeter
App Rate:	2.3 - 4.6 lbs per 1000 sqft (water treated areas within 24-48 hours after application)	<u>LOT #:</u>						
<u>Product:</u> Formulation:	TEKKO PRO IGR CONCENTRATE Liquid	<u>QTY:</u> EPA # :	0.03 OUNCE(S) 53883-335	PYRIPROXYFEN 1.3%, NOVALURON 1.3%	General Surface Spray	Compressed Sprayer	Ants, Spiders	Basement Level, Bathroom, Bedroom, Kitchen
<u>App Rate:</u>	1 oz per gallon water / 1 gallon per 1500 sqft	<u>LOT #:</u>						

Customer Signature:

CUSTOMER NAME:

CUSTOMER EMAIL:

* This work has been performed to my satisfaction.

If you experience pest issues between scheduled visits, we will come back and address the problem at no additional charge.

Remit To: Orkin, 555-WAYNE, MI P O BOX 740589 CINCINNATI, OH 45274-0589

Printed 10/26/2022 11:17 AM

National Poison Control Center: 1-800-222-1222

Page: 2 Of 2

CO - Commercial applicators are licensed by the Colorado Department of Agriculture

AZ - Warning - Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information, contact Orkin Pest Control - C4029BCD at 1-800-346-7546

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com. Item # SVPC1026iOS rev. 02.18

CONSUMER NOTIFICATION(S) / POST APPLICATION STATEMENTS

Treated Area(s) - Do not allow unprotected person(s), children, or pets to touch, enter or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Reoccupying - Vacate and keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) well for up to 2 hours before reoccupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment and surfaces with an effective cleaning compound and rinse with clean water if not removed or covered during treatment. This area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn or sod clippings to livestock after bait applications.

Granular Application(s) - Do not water to the point of run off.

Do not burn treated fire wood for one month after treatment.

National Poison Control Center: 1-800-222-1222



32640 Dequindre Rd. Waren, MI 48092 PH: (586)222-8111

QUOTE

INVOICE INFORMATION

2310 Edison St Detroit, MI 48206

SHIPPING INFORMATION

2310 Edison St Detroit, MI 48206

SHIP VIA:

OF	RDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERMS	6
42	2531	1/11/2024	JT		JT			
ITEM		DESCRIPTI	ON	QTY	SIZE	PRICE	TOTAL	
1	FORTIS	PICTURE WINDOW	1	6	18 1/2 W X 63 1/2 H	\$894.10	\$5,364.60	LOWERS
	INSTALI	_ LOCATION=[Living	g Room]			\$0.00	\$0.00	
	EXACT	SIZE				\$0.00	\$0.00	
	WHITE I	FRAME				\$0.00	\$0.00	
	EXTERI	OR PAINT				\$0.00	\$0.00	
	ROYAL	WICKER				\$0.00	\$0.00	
	DUAL G	LAZE				\$0.00	\$0.00	
	DOUBLE	E STRENGTH				\$0.00	\$0.00	
		RIPLE SILVER (366	5)			\$8.20	\$49.20	
	ARGON					\$0.00	\$0.00	
		SPACER				\$0.00	\$0.00	
		XPANDER				\$0.00	\$0.00	
		LATION SCREWS				\$0.00	\$0.00	
		TENDER				\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	247-00001]			\$0.00	\$0.00	
		HEAT GAIN=[0.23]				\$0.00	\$0.00	
		OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=				\$0.00	\$0.00	
	ENERG	Y STAR 7 CERTIFIE S.]	D IN ZONE:=			\$0.00	\$0.00	
					ITEM SUBTOTAL:	\$902.30	\$5,413.80	

	e ID: 7BB319F0-3A3A-4						
ORDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
42531	1/11/2024	JT		JT			
ITEM	DESCRIPTI	ON	QTY	SIZE	PRICE	TOTAL	
2 CASEM	IENT		1	21 W X 23 1/4 H	\$813.53	\$813.53	
INSTAL	L LOCATION=[Living	Room]			\$0.00	\$0.00	
EXACT	SIZE				\$0.00	\$0.00	
WHITE	FRAME				\$0.00	\$0.00	
	IOR PAINT				\$0.00	\$0.00	
-	WICKER				\$0.00	\$0.00	
	OPERATING (ISLO)				\$0.00	\$0.00	
DUAL C					\$0.00	\$0.00	
	E STRENGTH				\$0.00	\$0.00	
	TRIPLE SILVER (366				\$8.20	\$8.20	
ARGON	-				\$0.00	\$0.00	
	SPACER				\$0.00	\$0.00	
	IIAL=[3Hx2VP]				\$27.00	\$27.00	
FLAT G					\$0.00	\$0.00	
	ERIOR COLOR{WHI	E}			\$0.00	\$0.00	
BRONZ					\$0.00	\$0.00	
[WHITE	IENT HANDLE{FOLD]}	ING HANDLE=			\$0.00	\$0.00	
HEAD E	EXPANDER				\$0.00	\$0.00	
INSTAL	LATION SCREWS				\$0.00	\$0.00	
SILL EX	TENDER				\$0.00	\$0.00	
SCREE Mesh]}	N{CASEMENT SCRE	EN=[VyClear			\$0.00	\$0.00	
AIR LE	AKAGE VALUE=[0.3]				\$0.00	\$0.00	
	DDE=[VYW-A-54-003	50-00002]			\$0.00	\$0.00	
SOLAR	HEAT GAIN=[0.16]	-			\$0.00	\$0.00	
U FACT	OR=[0.24]				\$0.00	\$0.00	
VISUAL	. TRANSMITTANCE=	[0.38]			\$0.00	\$0.00	
ENERG [NC.SC	Y STAR 7 CERTIFIE .S.]	D IN ZONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$848.73	\$848.73	

	e ID: 7BB319F0-3A3A-4						
ORDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
42531	1/11/2024	JT		JT			
ITEM	DESCRIPTI	NC	QTY	SIZE	PRICE	TOTAL	
3 CASEM	ENT		1	21 W X 23 1/4 H	\$813.53	\$813.53	Lowes
INSTAL	L LOCATION=[Living	Room]			\$0.00	\$0.00	
EXACT	SIZE	-			\$0.00	\$0.00	
WHITE	FRAME				\$0.00	\$0.00	ARGN
EXTER	IOR PAINT				\$0.00	\$0.00	
	WICKER				\$0.00	\$0.00	
	PERATING (ISLO)				\$0.00	\$0.00	
DUAL G					\$0.00	\$0.00	
	E STRENGTH				\$0.00	\$0.00	
	TRIPLE SILVER (366)			\$8.20	\$8.20	
ARGON	-				\$0.00	\$0.00	
	SPACER				\$0.00	\$0.00	
	IAL=[3Hx2VP]				\$27.00	\$27.00	
FLAT G					\$0.00	\$0.00	
	ERIOR COLOR{WHI	IE}			\$0.00	\$0.00	
	WICKER				\$0.00	\$0.00	
[WHITE	ENT HANDLE{FOLD]}	ING HANDLE=			\$0.00	\$0.00	
HEAD E	EXPANDER				\$0.00	\$0.00	
INSTAL	LATION SCREWS				\$0.00	\$0.00	
SILL EX	TENDER				\$0.00	\$0.00	
SCREE Mesh]}	N{CASEMENT SCRE	EN=[VyClear			\$0.00	\$0.00	
AIR LËA	AKAGE VALUE=[0.3]				\$0.00	\$0.00	
CPD CC	DDE=[VYW-A-54-003	50-00002]			\$0.00	\$0.00	
SOLAR	HEAT GAIN=[0.16]				\$0.00	\$0.00	
	OR=[0.24]				\$0.00	\$0.00	
VISUAL	TRANSMITTANCE=	[0.38]			\$0.00	\$0.00	
ENERG [NC.SC	Y STAR 7 CERTIFIE .S.]	D IN ZONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$848.73	\$848.73	

DocuSign Envelope ID: 7BB319F0-3A3A-4E06-BC40-FEAC2374829F

	Envelope ID: 7BB319F0-3A3A-4		91				
ORE	DER ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
425	31 1/11/2024	JT		JT			
ITEM	DESCRIPTIC	N	QTY	SIZE	PRICE	TOTAL	
4 F	ORTIS DOUBLE HUNG		8	29 3/4 W X 57 H	\$962.30	\$7,698.40	
	NSTALL LOCATION=[Dining	& Plavroom1			\$0.00	\$0.00	4
1	EXACT SIZE				\$0.00	\$0.00	÷
1	VHITE FRAME				\$0.00	\$0.00	m
E	XTERIOR PAINT				\$0.00	\$0.00	
F	ROYAL WICKER				\$0.00	\$0.00	
[DUAL GLAZE				\$0.00	\$0.00	
[OUBLE STRENGTH				\$0.00	\$0.00	
L	OWE TRIPLE SILVER (366)				\$0.00	\$0.00	
A	RGON				\$0.00	\$0.00	
5	SUPER SPACER				\$0.00	\$0.00	
	GRIDS BY SASH				\$0.00	\$0.00	
	COLONIAL=[5Hx1VP]				\$0.00	\$0.00	
1	LAT GRID				\$0.00	\$0.00	
1	R INTERIOR COLOR{WHIT	E}			\$0.00	\$0.00	
1	ROYAL WICKER				\$0.00	\$0.00	
	SLIM LOCK=[WHITE]				\$0.00	\$0.00	
1	OUBLE LOCK				\$0.00	\$0.00	
1	NIGHT LATCHES				\$0.00	\$0.00	
1	IEAD EXPANDER				\$0.00	\$0.00	
1	NSTALLATION SCREWS				\$0.00	\$0.00	
	SILL EXTENDER				\$0.00	\$0.00	
	ULL FLEX SCREEN=[VyCle	ar Mesh]			\$0.00	\$0.00	
1	IR LEAKAGE VALUE=[0.3]				\$0.00	\$0.00	
1	CPD CODE=[VYW-A-50-0028	7-00002]			\$0.00	\$0.00	
1	OLAR HEAT GAIN=[0.18]				\$0.00	\$0.00	
1	J FACTOR=[0.27]	- /-1			\$0.00	\$0.00	
	ISUAL TRANSMITTANCE=[\$0.00	\$0.00	
	ENERGY STAR 7 CERTIFIED SC.S.]) IN ∠ONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$962.30	\$7,698.40	

	be ID: 7BB319F0-3A3A-4		29F					
ORDER	ORDER DATE	PO NUMBER			CUSTOMER F	REF	TERMS	S
42531	1/11/2024	JT			JT			
ITEM	DESCRIPTI	N	QTY	SIZ	E	PRICE	TOTAL	
5 FORTI	S DOUBLE HUNG		1	27 1/2 W X 44	7/8 H	\$1,062.30	\$1,062.30	
INSTAL	L LOCATION=[First L	evel Bath]				\$0.00	\$0.00	
EXACT	-					\$0.00	\$0.00	\$
WHITE	FRAME					\$0.00	\$0.00	
EXTER	IOR PAINT					\$0.00	\$0.00	
-	WICKER					\$0.00	\$0.00	
DUAL						\$0.00	\$0.00	
	E STRENGTH					\$0.00	\$0.00	
	BY SASH					\$0.00	\$0.00	
LOWE	TRIPLE SILVER SAS	Η				\$0.00	\$0.00	
-	TRIPLE SILVER SAS					\$0.00	\$0.00	
	OPTION LS{OBSCU	RE SASH}				\$0.00	\$0.00	
ARGO						\$0.00	\$0.00	
SUPER	R SPACER					\$0.00	\$0.00	
GRIDS	BY SASH					\$0.00	\$0.00	
	NIAL=[5Hx1VP]					\$0.00	\$0.00	
FLAT G						\$0.00	\$0.00	
	ERIOR COLOR{WHI	FE}				\$0.00	\$0.00	
	WICKER					\$0.00	\$0.00	
	OCK=[WHITE]					\$0.00	\$0.00	
	LE LOCK					\$0.00	\$0.00	
NIGHT	LATCHES					\$0.00	\$0.00	
HEAD	EXPANDER					\$0.00	\$0.00	
INSTAL	LATION SCREWS					\$0.00	\$0.00	
SILL EX	XTENDER					\$0.00	\$0.00	
	LEX SCREEN=[VyCle	ear Mesh]				\$0.00	\$0.00	
AIR LE	AKAGE VALUE=[0.3]					\$0.00	\$0.00	
CPD C	ODE=[VYW-A-50-002	87-00002]				\$0.00	\$0.00	
SOLAR	R HEAT GAIN=[0.18]					\$0.00	\$0.00	
	TOR=[0.27]					\$0.00	\$0.00	
	_ TRANSMITTANCE=					\$0.00	\$0.00	
ENERC [SC.S.]	BY STAR 7 CERTIFIE	D IN ZONE:=				\$0.00	\$0.00	
				ITEM	SUBTOTAL:	\$1,062.30	\$1,062.30	

		e ID: 7BB319F0-3A3A-4								
0	RDER	ORDER DATE	PO NUMBER			CUSTO	MER REF		TERM	S
4	2531	1/11/2024	JT				JT			
ITEM		DESCRIPTI	ON	QTY		SIZE		PRICE	TOTAL	
6	FORTIS	DOUBLE HUNG		4	27 3/4 W	' X 45 H		\$1,062.30	\$4,249.20	
	INSTALL	_LOCATION=[Kitche	en Dining]					\$0.00	\$0.00	
	EXACTS	SIZE						\$0.00	\$0.00	*
	WHITE F	FRAME						\$0.00	\$0.00	MIR_
	EXTERI	OR PAINT						\$0.00	\$0.00	
	-	WICKER						\$0.00	\$0.00	
	DUAL G							\$0.00	\$0.00	
		E STRENGTH						\$0.00	\$0.00	
		RIPLE SILVER (366)					\$0.00	\$0.00	
	ARGON							\$0.00	\$0.00	
		SPACER						\$0.00	\$0.00	
		BY SASH						\$0.00	\$0.00	
		AL=[5Hx1VP]						\$0.00	\$0.00	
	FLAT G							\$0.00	\$0.00	
		RIOR COLOR{WHI	IE}					\$0.00	\$0.00	
	-							\$0.00	\$0.00	
		CK=[WHITE]						\$0.00 \$0.00	\$0.00	
								\$0.00 \$0.00	\$0.00 \$0.00	
	-	XPANDER						\$0.00 \$0.00	\$0.00	
		ATION SCREWS						\$0.00 \$0.00	\$0.00	
	-	TENDER						\$0.00 \$0.00	\$0.00	
		EX SCREEN=[VyCl	ear Meshl					\$0.00 \$0.00	\$0.00	
		KAGE VALUE=[0.3]						\$0.00	\$0.00	
		DE=[VYW-A-50-002	87-000021					\$0.00	\$0.00	
		HEAT GAIN=[0.18]	,					\$0.00	\$0.00	
		OR=[0.27]						\$0.00	\$0.00	
		TRANSMITTANCE=	[0.43]					\$0.00	\$0.00	
		Y STAR 7 CERTIFIE						\$0.00	\$0.00	
	[SC.S.]									
					-		TAL:	\$1.062.30	\$4.249.20	
								+.,	÷.,=.5120	

DocuSign En ORDE	velope ID: 7BB319F0-3A3A-4E06-BC40-F R ORDER DATE PO N	EAC2374829F	CUSTOMER RE	F	TERMS
42531	I I	JT	JT		
ITEM	DESCRIPTION	JI QTY	SIZE	PRICE	TOTAL
			30 W X 44 3/4 H		
		2	30 W X 44 3/4 H	\$960.30	\$1,920.60
1	STALL LOCATION=[Kitchen Sink]			\$0.00	\$0.00
1	ACT SIZE HITE FRAME			\$0.00 \$0.00	\$0.00 \$0.00
1				\$0.00	\$0.00
1	DYAL WICKER			\$0.00	\$0.00
1	IAL GLAZE			\$0.00	\$0.00
DO	UBLE STRENGTH			\$0.00	\$0.00
LO	WE TRIPLE SILVER (366)			\$0.00	\$0.00
1	GON			\$0.00	\$0.00
	PER SPACER			\$0.00	\$0.00
1				\$0.00	\$0.00
1	DLONIAL=[5Hx1VP]			\$0.00 \$0.00	\$0.00 \$0.00
1	AT GRID NTERIOR COLOR{WHITE}			\$0.00 \$0.00	\$0.00 \$0.00
1	YAL WICKER			\$0.00	\$0.00
1	IM LOCK=[WHITE]			\$0.00	\$0.00
	DUBLE LOCK			\$0.00	\$0.00
NIC	GHT LATCHES			\$0.00	\$0.00
	AD EXPANDER			\$0.00	\$0.00
1	STALLATION SCREWS			\$0.00	\$0.00
1	L EXTENDER			\$0.00	\$0.00
	LL FLEX SCREEN=[VyClear Mesh]			\$0.00	\$0.00 \$0.00
	R LEAKAGE VALUE=[0.3] D CODE=[VYW-A-50-00287-00002]			\$0.00 \$0.00	\$0.00 \$0.00
1	DLAR HEAT GAIN=[0.18]			\$0.00	\$0.00
1	FACTOR=[0.27]			\$0.00	\$0.00
	SUAL TRANSMITTANCE=[0.43]			\$0.00	\$0.00
EN	ERGY STAR 7 CERTIFIED IN ZONE	:=		\$0.00	\$0.00
[SC	C.S.]				
			ITEM SUBTOTAL:	\$960.30	\$1,920.60
8 CA	SEMENT	1	16 W X 35 H	\$813.53	\$813.53
		I	10 W X 33 11		
1	STALL LOCATION=[Staircase] ACT SIZE			\$0.00 \$0.00	\$0.00 \$0.00
1	HITE FRAME			\$0.00	\$0.00
				\$0.00	\$0.00
1	YAL WICKER			\$0.00	\$0.00
LEI	FT OPERATING (ISLO)			\$0.00	\$0.00
DU	IAL GLAZE			\$0.00	\$0.00
1	OUBLE STRENGTH			\$0.00	\$0.00
1	WE TRIPLE SILVER (366)			\$8.20	\$8.20
1	MPERED			\$58.33	\$58.33
1	GON PER SPACER			\$0.00 \$0.00	\$0.00 \$0.00
	SEMENT HANDLE{FOLDING HAND	IF=		\$0.00 \$0.00	\$0.00 \$0.00
1	HITE]}			ψ0.00	ψ0.00
-				\$0.00	\$0.00
1	STALLATION SCREWS			\$0.00	\$0.00
1	L EXTENDER			\$0.00	\$0.00
	REEN{CASEMENT SCREEN=[VyCle	ar		\$0.00	\$0.00
1				# 2.22	<u> </u>
1				\$0.00 \$0.00	\$0.00 \$0.00
1	D CODE=[VYW-A-54-00350-00001] DLAR HEAT GAIN=[0.18]			\$0.00 \$0.00	\$0.00 \$0.00
1	FACTOR=[0.24]			\$0.00 \$0.00	\$0.00 \$0.00
	SUAL TRANSMITTANCE=[0.42]			\$0.00	\$0.00
	ERGY STAR 7 CERTIFIED IN ZONE	:=		\$0.00	\$0.00
1	C.SC.S.]			+0.00	,
			ITEM SUBTOTAL:	\$880.06	\$880.06

	elope ID: 7BB319F0-3A3A-4				E	TEDMO		
ORDER			κ.		F	TERMS		
42531	1/11/2024	JT		JT				
ITEM	DESCRIPTIC		QTY	SIZE	PRICE	TOTAL		
9 FOF	TIS PICTURE WINDOW		2	16 W X 35 H	\$894.10	\$1,788.20	Barr	
	TALL LOCATION=[Stairca	ase]			\$0.00	\$0.00		
	CT SIZE				\$0.00	\$0.00		
	TE FRAME				\$0.00	\$0.00		
	ERIOR PAINT				\$0.00	\$0.00		
					\$0.00	\$0.00		
					\$0.00	\$0.00		
					\$0.00	\$0.00		
	VE TRIPLE SILVER (366) IPERED				\$8.20 \$58.33	\$16.40 \$116.66		
ARG					\$0.00	\$110.00		
	PER SPACER				\$0.00	\$0.00		
	D EXPANDER				\$0.00	\$0.00		
	TALLATION SCREWS				\$0.00	\$0.00		
	EXTENDER				\$0.00	\$0.00		
	LEAKAGE VALUE=[0.3]				\$0.00	\$0.00		
	CODE=[VYW-A-48-0024	47-00001]			\$0.00	\$0.00		
	AR HEAT GAIN=[0.23]				\$0.00	\$0.00		
	ACTOR=[0.25]				\$0.00	\$0.00		
VISU	JAL TRANSMITTANCE=	0.55]			\$0.00	\$0.00		
	RGY STAR 7 CERTIFIE				\$0.00	\$0.00		
[NC.	SC.S.]							
				ITEM SUBTOTAL:	\$960.63	\$1,921.26		
10 CAS	EMENT		1	16 W X 35 H	\$813.53	\$813.53		
		1		10 W X 33 11				
	TALL LOCATION=[Stairca	asej			\$0.00 \$0.00	\$0.00 \$0.00		
	.CT SIZE TE FRAME				\$0.00 \$0.00	\$0.00 \$0.00		
					\$0.00	\$0.00		
1	AL WICKER				\$0.00	\$0.00		
	HT OPERATING (ISLO)				\$0.00	\$0.00		
	L GLAZE				\$0.00	\$0.00		
	JBLE STRENGTH				\$0.00	\$0.00		
	VE TRIPLE SILVER (366)	1			\$8.20	\$8.20		
	IPERED				\$58.33	\$58.33		
ARG	SON				\$0.00	\$0.00		
SUF	PER SPACER				\$0.00	\$0.00		
	EMENT HANDLE FOLD	NG HANDLE=			\$0.00	\$0.00		
-	ITE]}				.	.		
					\$0.00	\$0.00		
	TALLATION SCREWS				\$0.00	\$0.00		
					\$0.00 \$0.00	\$0.00		
Mes	REEN{CASEMENT SCRE	EIN=[VyClear			\$0.00	\$0.00		
	LEAKAGE VALUE=[0.3]				\$0.00	\$0.00		
	CODE=[VYW-A-54-003	50-00001]			\$0.00	\$0.00		
	AR HEAT GAIN=[0.18]	-			\$0.00	\$0.00		
	ACTOR=[0.24]				\$0.00	\$0.00		
VISU	JAL TRANSMITTANCE=	[0.42]			\$0.00	\$0.00		
	RGY STAR 7 CERTIFIEI	D IN ZONE:=			\$0.00	\$0.00		
[NC.	.SC.S.]							
				ITEM SUBTOTAL:	\$880.06	\$880.06		
L					+ 300.00	+000.00		

	lope ID: 7BB319F0-3A3A-4E06					
ORDER	ORDER DATE	PO NUMBER	CUSTOMER F	REF	TERM	S
42531	1/11/2024	JT	JT			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
11 FOR	TIS DOUBLE HUNG	1	28 W X 45 H	\$1,174.80	\$1,174.80	
	ALL LOCATION=[Second L	evel Bath]		\$0.00	\$0.00	
	CT SIZE			\$0.00	\$0.00	*
WHI	TE FRAME			\$0.00	\$0.00	
EXT	ERIOR PAINT			\$0.00	\$0.00	
ROY	AL WICKER			\$0.00	\$0.00	
DUA	L GLAZE			\$0.00	\$0.00	
DOL	BLE STRENGTH			\$0.00	\$0.00	
GLA	SS BY SASH			\$0.00	\$0.00	
LOW	/E TRIPLE SILVER SASH			\$0.00	\$0.00	
GLA	SS OPTION KS{OBSCURE	SASH}		\$0.00	\$0.00	
TEM	PERED KS			\$0.00	\$0.00	
-	E TRIPLE SILVER SASH			\$0.00	\$0.00	
	SS OPTION LS{OBSCURE	SASH}		\$0.00	\$0.00	
	PERED LS			\$0.00	\$0.00	
ARG				\$0.00	\$0.00	
	ER SPACER			\$0.00	\$0.00	
	DS BY SASH			\$0.00	\$0.00	
	ONIAL=[5Hx1VP]			\$0.00	\$0.00	
	r grid			\$0.00	\$0.00	
	NTERIOR COLOR{WHITE}			\$0.00	\$0.00	
-	AL WICKER			\$0.00	\$0.00	
	1 LOCK=[WHITE]			\$0.00	\$0.00	
	BLE LOCK			\$0.00	\$0.00	
	HT LATCHES			\$0.00	\$0.00	
1	DEXPANDER			\$0.00	\$0.00	
-	ALLATION SCREWS			\$0.00	\$0.00	
-	EXTENDER			\$0.00	\$0.00	
	_ FLEX SCREEN=[VyClear	Meshj		\$0.00	\$0.00	
	LEAKAGE VALUE=[0.3]			\$0.00	\$0.00	
	CODE=[VYW-A-50-00287-0	00002]		\$0.00	\$0.00	
	AR HEAT GAIN=[0.18]			\$0.00	\$0.00	
	CTOR=[0.27]	01		\$0.00	\$0.00	
	JAL TRANSMITTANCE=[0.4	-		\$0.00	\$0.00	
[SC.	RGY STAR 7 CERTIFIED IN S.]	N ZONE:=		\$0.00	\$0.00	
			ITEM SUBTOTAL:	\$1,174.80	\$1,174.80	

		D: 7BB319F0-3A3A-4					TEDMO	
	RDER	ORDER DATE	PO NUMBE	R	CUSTOMER R	EF	TERMS	5
	2531	1/11/2024	JT		JT			
ITEM		DESCRIPTIO	NC	QTY	SIZE	PRICE	TOTAL	
12	FORTIS	PICTURE WINDOW		1	14 W X 28 3/4 H	\$894.10	\$894.10	LOWID
	INSTALL	LOCATION=[Maste	r Closet]			\$0.00	\$0.00	
	EXACT	SIZE				\$0.00	\$0.00	
	WHITE F					\$0.00	\$0.00	
		OR PAINT				\$0.00	\$0.00	
		WICKER				\$0.00	\$0.00	
	DUAL G					\$0.00	\$0.00	
						\$0.00	\$0.00	
	ARGON	RIPLE SILVER (366))			\$8.20 \$0.00	\$8.20 \$0.00	
		SPACER				\$0.00	\$0.00	
		AL=[2Hx1VP]				\$0.00 \$13.50	\$0.00 \$13.50	
	FLAT G					\$0.00	\$0.00	
			E}			\$0.00	\$0.00	
		ERIOR COLOR{WHI				\$0.00	\$0.00	
		XPANDER				\$0.00	\$0.00	
	INSTALL	ATION SCREWS				\$0.00	\$0.00	
	SILL EX	TENDER				\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	47-00002]			\$0.00	\$0.00	
		HEAT GAIN=[0.21]				\$0.00	\$0.00	
		OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=				\$0.00	\$0.00	
		Y STAR 7 CERTIFIE	D IN ZONE:=			\$0.00	\$0.00	
	[NC.SC.	J.]						
					ITEM SUBTOTAL:	\$915.80	\$915.80	
13	FORTIS	PICTURE WINDOW		4	23 3/4 W X 49 H	\$894.10	\$3,576.40	Lehveja
		LOCATION=[Maste				\$0.00	\$0.00	
	EXACT	_				\$0.00	\$0.00	
	WHITE F					\$0.00	\$0.00	AREN
	EXTERI	OR PAINT				\$0.00	\$0.00	
	ROYAL	WICKER				\$0.00	\$0.00	
	DUAL G	LAZE				\$0.00	\$0.00	
		E STRENGTH				\$0.00	\$0.00	
		RIPLE SILVER (366))			\$8.20	\$32.80	
	ARGON					\$0.00	\$0.00	
		SPACER				\$0.00	\$0.00	
		AL=[5Hx1VP]				\$27.00	\$108.00	
	FLAT G					\$0.00 \$0.00	\$0.00	
			IE}			\$0.00 \$0.00	\$0.00 \$0.00	
		WICKER XPANDER				\$0.00 \$0.00	\$0.00 \$0.00	
		ATION SCREWS				\$0.00	\$0.00	
	-	TENDER				\$0.00	\$0.00	
	-	KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	47-00002]			\$0.00	\$0.00	
		HEAT GAIN=[0.21]	-			\$0.00	\$0.00	
	U FACT	OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=				\$0.00	\$0.00	
		Y STAR 7 CERTIFIE	D IN ZONE:=			\$0.00	\$0.00	
	[NC.SC.	S.]						
					ITEM SUBTOTAL:	\$929.30	\$3,717.20	
					TEW SUBTUTAL:	\$\$ 2 3.30	ψ3,111.20	

DocuSign Envelope ID: 7BB319F0-3A3A-4E06-BC40-FEAC237	4829F
	40201

	lope ID: 7BB319F0-3A3A-4E0					
ORDER	ORDER DATE	PO NUMBER	CUSTOMER F	REF	TERMS	5
42531	1/11/2024	JT	JT			
EM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
14 FOR	TIS DOUBLE HUNG	4	23 3/4 W X 49 H	\$962.30	\$3,849.20	المللمين
INST	ALL LOCATION=[Master B	ed]		\$0.00	\$0.00	0
EXAC	CT SIZE			\$0.00	\$0.00	
WHIT	TE FRAME			\$0.00	\$0.00	
EXTE	ERIOR PAINT			\$0.00	\$0.00	
ROY	AL WICKER			\$0.00	\$0.00	
DUAI	L GLAZE			\$0.00	\$0.00	
DOU	BLE STRENGTH			\$0.00	\$0.00	
LOW	E TRIPLE SILVER (366)			\$0.00	\$0.00	
ARG	ON			\$0.00	\$0.00	
SUPE	ER SPACER			\$0.00	\$0.00	
GRID	DS BY SASH			\$0.00	\$0.00	
COLO	ONIAL=[5Hx1VP]			\$0.00	\$0.00	
FLAT	r grid			\$0.00	\$0.00	
GR II	NTERIOR COLOR{WHITE}			\$0.00	\$0.00	
ROY	AL WICKER			\$0.00	\$0.00	
SLIM	I LOCK=[WHITE]			\$0.00	\$0.00	
SING	GLE LOCK			\$0.00	\$0.00	
NIGH	IT LATCHES			\$0.00	\$0.00	
HEAD	D EXPANDER			\$0.00	\$0.00	
INST	ALLATION SCREWS			\$0.00	\$0.00	
SILL	EXTENDER			\$0.00	\$0.00	
FULL	_ FLEX SCREEN=[VyClear	Mesh]		\$0.00	\$0.00	
AIR L	EAKAGE VALUE=[0.3]			\$0.00	\$0.00	
CPD	CODE=[VYW-A-50-00287-	00002]		\$0.00	\$0.00	
SOLA	AR HEAT GAIN=[0.18]			\$0.00	\$0.00	
U FA	CTOR=[0.27]			\$0.00	\$0.00	
VISU	JAL TRANSMITTANCE=[0.4	43]		\$0.00	\$0.00	
ENEI [SC.S	RGY STAR 7 CERTIFIED I S.]	N ZONE:=		\$0.00	\$0.00	
			ITEM SUBTOTAL:	\$962.30	\$3,849.20	

	ope ID: 7BB319F0-3A3A-4E		29				_
ORDER	ORDER DATE	PO NUMBER		CUSTOMER I	REF	TERM	S
42531	1/11/2024	JT		JT			
ITEM	DESCRIPTIC	N	QTY	SIZE	PRICE	TOTAL	
15 FORT	IS DOUBLE HUNG		1	24 W X 33 H	\$894.10	\$894.10	Longia wan
INSTA	LL LOCATION=[Master	Bed]			\$0.00	\$0.00	
EXAC	T SIZE	-			\$0.00	\$0.00	÷
WHITI	E FRAME				\$0.00	\$0.00	10003
EXTE	RIOR PAINT				\$0.00	\$0.00	
ROYA	L WICKER				\$0.00	\$0.00	
DUAL	GLAZE				\$0.00	\$0.00	
DOUB	BLE STRENGTH				\$0.00	\$0.00	
LOWE	TRIPLE SILVER (366)				\$8.20	\$8.20	
ARGC	N				\$0.00	\$0.00	
	R SPACER				\$0.00	\$0.00	
	S BY SASH				\$0.00	\$0.00	
	NIAL=[4Hx1VP]				\$27.00	\$27.00	
FLAT	-				\$0.00	\$0.00	
	TERIOR COLOR{WHIT	E}			\$0.00	\$0.00	
-	L WICKER				\$0.00	\$0.00	
	LOCK=[WHITE]				\$0.00	\$0.00	
	E LOCK				\$0.00	\$0.00	
-	T LATCHES				\$0.00	\$0.00	
	EXPANDER				\$0.00	\$0.00	
-	LLATION SCREWS				\$0.00	\$0.00	
-	EXTENDER				\$0.00	\$0.00	
	FLEX SCREEN=[VyCle	ar Mesh]			\$33.00	\$33.00	
	EAKAGE VALUE=[0.3]				\$0.00	\$0.00	
	CODE=[VYW-A-50-0028	7-00002]			\$0.00	\$0.00	
	R HEAT GAIN=[0.18]				\$0.00	\$0.00	
	CTOR=[0.27]				\$0.00	\$0.00	
	L TRANSMITTANCE=[\$0.00	\$0.00	
ENER [SC.S.	GY STAR 7 CERTIFIED .]) IN ZONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$962.30	\$962.30	

ORDE	ivelope ID: 7BB319F0-3A3A-4E06-B	PO NUMBER		CUST	OMER REF	TERM	S
4253	1 1/11/2024	JT			JT		
EM	DESCRIPTION		QTY	SIZE	PRICE	TOTAL	
16 FC	RTIS DOUBLE HUNG		7	29 W X 57 H	\$962.30	\$6,736.10	
INS	STALL LOCATION=[Bed 2, Bed	3, and Bed 4]			\$0.00	\$0.00	
	ACT SIZE				\$0.00	\$0.00	+
	HITE FRAME				\$0.00	\$0.00	
					\$0.00	\$0.00	
					\$0.00	\$0.00	
	JAL GLAZE DUBLE STRENGTH				\$0.00 \$0.00	\$0.00 \$0.00	
	WE TRIPLE SILVER (366)				\$0.00	\$0.00	
	GON				\$0.00	\$0.00	
	IPER SPACER				\$0.00	\$0.00	
	RIDS BY SASH				\$0.00	\$0.00	
	DLONIAL=[5Hx1VP]				\$0.00	\$0.00	
FL	AT GRID				\$0.00	\$0.00	
GF	R INTERIOR COLOR{WHITE}				\$0.00	\$0.00	
RC	OYAL WICKER				\$0.00	\$0.00	
	IM LOCK=[WHITE]				\$0.00	\$0.00	
	OUBLE LOCK				\$0.00	\$0.00	
	GHT LATCHES				\$0.00	\$0.00	
					\$0.00	\$0.00	
	STALLATION SCREWS				\$0.00 \$0.00	\$0.00	
-	LL FLEX SCREEN=[VyClear Me	e bl			\$0.00 \$0.00	\$0.00 \$0.00	
	R LEAKAGE VALUE=[0.3]	511]			\$0.00	\$0.00	
	PD CODE=[VYW-A-50-00287-000	0021			\$0.00	\$0.00	
	DLAR HEAT GAIN=[0.18]	1			\$0.00	\$0.00	
	FACTOR=[0.27]				\$0.00	\$0.00	
VIS	SUAL TRANSMITTANCE=[0.43]				\$0.00	\$0.00	
	IERGY STAR 7 CERTIFIED IN Z C.S.]	ONE:=			\$0.00	\$0.00	
				ITEM SUB	TOTAL: \$962.30	\$6,736.10	
17 FC	RTIS PICTURE WINDOW		1	23 1/2 W X 20 H	\$894.10	\$894.10	·
ΕX	ACT SIZE				\$0.00	\$0.00	LOWEIS
	HITE FRAME				\$0.00	\$0.00	
	TERIOR PAINT				\$0.00	\$0.00	Ansa
RC	OYAL WICKER				\$0.00	\$0.00	
	JAL GLAZE				\$0.00	\$0.00	
	OUBLE STRENGTH				\$0.00	\$0.00	
	WE TRIPLE SILVER (366)				\$8.20	\$8.20	
	GON IPER SPACER				\$0.00 \$0.00	\$0.00 \$0.00	
	DLONIAL=[3Hx1VP]				\$0.00 \$13.50	\$0.00 \$13.50	
	AT GRID				\$0.00	\$0.00	
	R INTERIOR COLOR{WHITE}				\$0.00	\$0.00	
	R EXTERIOR COLOR{WHITE}				\$0.00	\$0.00	
	AD EXPANDER				\$0.00	\$0.00	
	STALLATION SCREWS				\$0.00	\$0.00	
	L EXTENDER				\$0.00	\$0.00	
	R LEAKAGE VALUE=[0.3]	_			\$0.00	\$0.00	
	PD CODE=[VYW-A-48-00247-00	002]			\$0.00	\$0.00	
	DLAR HEAT GAIN=[0.21]				\$0.00	\$0.00	
	FACTOR=[0.25]				\$0.00	\$0.00	
	SUAL TRANSMITTANCE=[0.49] IERGY STAR 7 CERTIFIED IN Z				\$0.00 \$0.00	\$0.00 \$0.00	
	ERGY STAR 7 CERTIFIED IN 2 C.SC.S.]	UNE:=			\$0.00	\$0.00	

					T	OTAL:	\$40,000.00
			TOTALS: 4	3	SUBT	OTAL:	\$40,000.00
					ITEM SUBTOTAL:	\$0.00	\$0.00
	6 storm	window installation inc	cluded.				
9	LABOR-	Standard Windows	1			\$0.00	\$0.00
					ITEM SUBTOTAL:	(\$3,994.34)	(\$3,994.34)
		aluminum trim, interio			lead certified processes, pr ce any rotted wood, smooth		
8	LABOR	Standard Windows	1			(\$3,994.34)	(\$3,994.34)
EM		DESCRIPTIC	N Q1	Y	SIZE	PRICE	TOTAL
4	2531	1/11/2024	JT		JT		
01	RDER	ORDER DATE	PO NUMBER		CUSTOMER RE	:F	TERM

This is a quote only and will not go into production until confirmed by you. By signing this quote, you are agreeing to purchase the products and options specified at the quoted prices. Any alterations or additions may alter the price. This quote is valid for 60 days only.

(Before Signing this quote please check it carefully to ensure it is accurate.)

Approved By: Date: Tag Name/PO:	Approved By:	Date:	Tag Name/PO:
---------------------------------	--------------	-------	--------------

_



32640 Dequindre Rd. Waren, MI 48092 PH: (586)222-8111

QUOTE

INVOICE INFORMATION

2310 Edison St Detroit, MI 48206

SHIPPING INFORMATION

2310 Edison St Detroit, MI 48206

SHIP VIA:

ORDER ORDER DATE PO NUMBER		PO NUMBER		CUSTOMER I JT	TERMS		
ITEM	DESCRIPTION	• •	QTY	SIZE	PRICE	TOTAL	
1 FORTIS INSTAL EXACT WHITE EXTER ROYAL DUAL G DOUBL LOWE ARGON SUPER HEAD E INSTAL SILL EX AIR LEA	S PICTURE WINDOW L LOCATION=[Living R SIZE FRAME IOR PAINT WICKER SLAZE E STRENGTH TRIPLE SILVER (366)	.oom]	6	SIZE 18 1/2 W X 63 1/2 H	PRICE \$894.10 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$8.20 \$0.00	TOTAL \$5,364.60 \$0.00	
U FACT VISUAL	HEAT GAIN=[0.23] OR=[0.25] TRANSMITTANCE=[0 Y STAR 7 CERTIFIED .S.]	-			\$0.00 \$0.00 \$0.00 \$0.00	\$0.00 \$0.00 \$0.00 \$0.00	
				ITEM SUBTOTAL:	\$902.30	\$5,413.80	

	e ID: 7BB319F0-3A3A-4						
ORDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
42531	42531 1/11/2024 JT			JT			
ITEM	DESCRIPTI	N	QTY	SIZE	PRICE	TOTAL	
2 CASEM	IENT		1	21 W X 23 1/4 H	\$813.53	\$813.53	
INSTALL LOCATION=[Living Room]				\$0.00	\$0.00		
EXACT	SIZE				\$0.00	\$0.00	
WHITE	FRAME				\$0.00	\$0.00	
	IOR PAINT			\$0.00	\$0.00		
-	WICKER			\$0.00	\$0.00		
	OPERATING (ISLO)	\$0.00	\$0.00				
DUAL GLAZE					\$0.00	\$0.00	
	E STRENGTH			\$0.00	\$0.00		
	TRIPLE SILVER (366)			\$8.20	\$8.20	
ARGON	-			\$0.00	\$0.00		
	SPACER				\$0.00	\$0.00	
	IIAL=[3Hx2VP]				\$27.00	\$27.00	
FLAT G				\$0.00	\$0.00		
	ERIOR COLOR{WHI	IE}		\$0.00	\$0.00		
BRONZ				\$0.00	\$0.00		
[WHITE	IENT HANDLE{FOLD]}	ING HANDLE=		\$0.00	\$0.00		
HEAD E	HEAD EXPANDER				\$0.00	\$0.00	
INSTALLATION SCREWS					\$0.00	\$0.00	
SILL EX	TENDER			\$0.00	\$0.00		
SCREE Mesh]}	N{CASEMENT SCRE	EN=[VyClear		\$0.00	\$0.00		
AIR LEAKAGE VALUE=[0.3]				\$0.00	\$0.00		
CPD CODE=[VYW-A-54-00350-00002]				\$0.00	\$0.00		
SOLAR HEAT GAIN=[0.16]					\$0.00	\$0.00	
U FACTOR=[0.24]					\$0.00	\$0.00	
VISUAL TRANSMITTANCE=[0.38]					\$0.00	\$0.00	
ENERG [NC.SC	Y STAR 7 CERTIFIE .S.]	D IN ZONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$848.73	\$848.73	

	e ID: 7BB319F0-3A3A-4						
ORDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
42531 1/11/2024 JT			JT				
ITEM	DESCRIPTI	NC	QTY	SIZE	PRICE	TOTAL	
3 CASEM	ENT		1	21 W X 23 1/4 H	\$813.53	\$813.53	Lowes
INSTALL LOCATION=[Living Room]				\$0.00	\$0.00		
EXACT	SIZE	-		\$0.00	\$0.00		
WHITE	FRAME			\$0.00	\$0.00	ARGN	
EXTER	EXTERIOR PAINT				\$0.00	\$0.00	
	WICKER	\$0.00	\$0.00				
	PERATING (ISLO)	\$0.00	\$0.00				
DUAL G		\$0.00	\$0.00				
	E STRENGTH		\$0.00	\$0.00			
	TRIPLE SILVER (366)		\$8.20	\$8.20		
ARGON				\$0.00	\$0.00		
	SPACER			\$0.00	\$0.00		
	IAL=[3Hx2VP]			\$27.00	\$27.00		
FLAT GRID					\$0.00	\$0.00	
	ERIOR COLOR{WHI	IE}		\$0.00	\$0.00		
	WICKER			\$0.00	\$0.00		
[WHITE	ENT HANDLE{FOLD]}	ING HANDLE=			\$0.00	\$0.00	
HEAD E	HEAD EXPANDER				\$0.00	\$0.00	
INSTALLATION SCREWS				\$0.00	\$0.00		
SILL EX	TENDER			\$0.00	\$0.00		
SCREEN{CASEMENT SCREEN=[VyClear Mesh]}					\$0.00	\$0.00	
AIR LEAKAGE VALUE=[0.3]				\$0.00	\$0.00		
CPD CODE=[VYW-A-54-00350-00002]					\$0.00	\$0.00	
SOLAR HEAT GAIN=[0.16]					\$0.00	\$0.00	
U FACTOR=[0.24]					\$0.00	\$0.00	
VISUAL TRANSMITTANCE=[0.38]					\$0.00	\$0.00	
ENERG [NC.SC	Y STAR 7 CERTIFIE .S.]	D IN ZONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$848.73	\$848.73	

DocuSign Envelope ID: 7BB319F0-3A3A-4E06-BC40-FEAC2374829F

	Envelope ID: 7BB319F0-3A3A-4		91				
ORE	DER ORDER DATE	PO NUMBER		CUSTOMER	REF	TERM	S
425	31 1/11/2024	JT		JT			
ITEM	DESCRIPTIC	N	QTY	SIZE	PRICE	TOTAL	
4 F	ORTIS DOUBLE HUNG		8	29 3/4 W X 57 H	\$962.30	\$7,698.40	
	NSTALL LOCATION=[Dining	& Plavroom1			\$0.00	\$0.00	4
1	EXACT SIZE				\$0.00	\$0.00	÷
1	VHITE FRAME				\$0.00	\$0.00	m
E	XTERIOR PAINT				\$0.00	\$0.00	
F	ROYAL WICKER				\$0.00	\$0.00	
[DUAL GLAZE				\$0.00	\$0.00	
[OUBLE STRENGTH				\$0.00	\$0.00	
L	OWE TRIPLE SILVER (366)				\$0.00	\$0.00	
A	RGON				\$0.00	\$0.00	
5	SUPER SPACER				\$0.00	\$0.00	
	GRIDS BY SASH				\$0.00	\$0.00	
	COLONIAL=[5Hx1VP]				\$0.00	\$0.00	
1	LAT GRID				\$0.00	\$0.00	
1	R INTERIOR COLOR{WHIT	E}			\$0.00	\$0.00	
1	ROYAL WICKER				\$0.00	\$0.00	
	SLIM LOCK=[WHITE]				\$0.00	\$0.00	
1	OUBLE LOCK				\$0.00	\$0.00	
1	NIGHT LATCHES				\$0.00	\$0.00	
1	IEAD EXPANDER				\$0.00	\$0.00	
1	NSTALLATION SCREWS				\$0.00	\$0.00	
	SILL EXTENDER				\$0.00	\$0.00	
	ULL FLEX SCREEN=[VyCle	ar Mesh]			\$0.00	\$0.00	
1	IR LEAKAGE VALUE=[0.3]				\$0.00	\$0.00	
1	CPD CODE=[VYW-A-50-0028	7-00002]			\$0.00	\$0.00	
1	OLAR HEAT GAIN=[0.18]				\$0.00	\$0.00	
1	J FACTOR=[0.27]	- /-1			\$0.00	\$0.00	
	ISUAL TRANSMITTANCE=[\$0.00	\$0.00	
	ENERGY STAR 7 CERTIFIED SC.S.]) IN ∠ONE:=			\$0.00	\$0.00	
				ITEM SUBTOTAL:	\$962.30	\$7,698.40	

	be ID: 7BB319F0-3A3A-4		29F					
ORDER	ORDER DATE	PO NUMBER			CUSTOMER F	REF	TERMS	
42531	1/11/2024	JT			JT			
ITEM	DESCRIPTI	N	QTY	SIZ	E	PRICE	TOTAL	
5 FORTI	S DOUBLE HUNG		1	27 1/2 W X 44	7/8 H	\$1,062.30	\$1,062.30	
INSTAL	L LOCATION=[First L	evel Bath]				\$0.00	\$0.00	
EXACT	-					\$0.00	\$0.00	\$
WHITE	FRAME					\$0.00	\$0.00	
EXTER	IOR PAINT					\$0.00	\$0.00	
-	WICKER					\$0.00	\$0.00	
DUAL						\$0.00	\$0.00	
	E STRENGTH					\$0.00	\$0.00	
	BY SASH					\$0.00	\$0.00	
LOWE	TRIPLE SILVER SAS	Η				\$0.00	\$0.00	
-	TRIPLE SILVER SAS					\$0.00	\$0.00	
	OPTION LS{OBSCU	RE SASH}				\$0.00	\$0.00	
ARGO						\$0.00	\$0.00	
SUPER	R SPACER					\$0.00	\$0.00	
GRIDS	BY SASH					\$0.00	\$0.00	
	NIAL=[5Hx1VP]					\$0.00	\$0.00	
FLAT G						\$0.00	\$0.00	
	ERIOR COLOR{WHI	FE}				\$0.00	\$0.00	
	WICKER					\$0.00	\$0.00	
	OCK=[WHITE]					\$0.00	\$0.00	
	LE LOCK					\$0.00	\$0.00	
NIGHT	LATCHES					\$0.00	\$0.00	
HEAD	EXPANDER					\$0.00	\$0.00	
INSTAL	LATION SCREWS					\$0.00	\$0.00	
SILL EX	XTENDER					\$0.00	\$0.00	
	LEX SCREEN=[VyCle	ear Mesh]				\$0.00	\$0.00	
AIR LE	AKAGE VALUE=[0.3]					\$0.00	\$0.00	
CPD C	ODE=[VYW-A-50-002	87-00002]				\$0.00	\$0.00	
SOLAR	R HEAT GAIN=[0.18]					\$0.00	\$0.00	
	TOR=[0.27]					\$0.00	\$0.00	
	_ TRANSMITTANCE=					\$0.00	\$0.00	
ENERC [SC.S.]	BY STAR 7 CERTIFIE	D IN ZONE:=				\$0.00	\$0.00	
				ITEM	SUBTOTAL:	\$1,062.30	\$1,062.30	

		e ID: 7BB319F0-3A3A-4								
0	RDER	ORDER DATE	PO NUMBER			CUSTO	MER REF		TERM	S
4	2531	1/11/2024	JT				JT			
ITEM		DESCRIPTI	ON	QTY		SIZE		PRICE	TOTAL	
6	FORTIS	DOUBLE HUNG		4	27 3/4 W	' X 45 H		\$1,062.30	\$4,249.20	
	INSTALL	_LOCATION=[Kitche	en Dining]					\$0.00	\$0.00	
	EXACTS	SIZE						\$0.00	\$0.00	*
	WHITE F	FRAME						\$0.00	\$0.00	MIR_
	EXTERI	OR PAINT						\$0.00	\$0.00	
	-	WICKER						\$0.00	\$0.00	
	DUAL G							\$0.00	\$0.00	
		E STRENGTH						\$0.00	\$0.00	
		RIPLE SILVER (366)					\$0.00	\$0.00	
	ARGON							\$0.00	\$0.00	
		SPACER						\$0.00	\$0.00	
		BY SASH						\$0.00	\$0.00	
		AL=[5Hx1VP]						\$0.00	\$0.00	
	FLAT G							\$0.00	\$0.00	
		RIOR COLOR{WHI	IE}					\$0.00	\$0.00	
	-							\$0.00	\$0.00	
		CK=[WHITE]						\$0.00 \$0.00	\$0.00	
								\$0.00 \$0.00	\$0.00 \$0.00	
	-	XPANDER						\$0.00 \$0.00	\$0.00	
		ATION SCREWS						\$0.00 \$0.00	\$0.00	
	-	TENDER						\$0.00 \$0.00	\$0.00	
		EX SCREEN=[VyCl	ear Meshl					\$0.00 \$0.00	\$0.00	
		KAGE VALUE=[0.3]						\$0.00	\$0.00	
		DE=[VYW-A-50-002	87-000021					\$0.00	\$0.00	
		HEAT GAIN=[0.18]	,					\$0.00	\$0.00	
		OR=[0.27]						\$0.00	\$0.00	
		TRANSMITTANCE=	[0.43]					\$0.00	\$0.00	
		Y STAR 7 CERTIFIE						\$0.00	\$0.00	
	[SC.S.]									
					-		TAL:	\$1.062.30	\$4.249.20	
								+.,	÷ .,= . 5.20	

DocuSign En ORDE	velope ID: 7BB319F0-3A3A-4E06-BC40-F R ORDER DATE PO N	EAC2374829F	CUSTOMER RE	F	TERMS
42531	I I	JT	JT		
ITEM	DESCRIPTION	JI QTY	SIZE	PRICE	TOTAL
			30 W X 44 3/4 H		
		2	30 W X 44 3/4 H	\$960.30	\$1,920.60
1	STALL LOCATION=[Kitchen Sink]			\$0.00	\$0.00
1	ACT SIZE HITE FRAME			\$0.00 \$0.00	\$0.00 \$0.00
1				\$0.00	\$0.00
1	DYAL WICKER			\$0.00	\$0.00
1	IAL GLAZE			\$0.00	\$0.00
DO	UBLE STRENGTH			\$0.00	\$0.00
LO	WE TRIPLE SILVER (366)			\$0.00	\$0.00
1	GON			\$0.00	\$0.00
	PER SPACER			\$0.00	\$0.00
1				\$0.00	\$0.00
1	DLONIAL=[5Hx1VP]			\$0.00 \$0.00	\$0.00 \$0.00
1	AT GRID NTERIOR COLOR{WHITE}			\$0.00 \$0.00	\$0.00 \$0.00
1	YAL WICKER			\$0.00	\$0.00
1	IM LOCK=[WHITE]			\$0.00	\$0.00
	DUBLE LOCK			\$0.00	\$0.00
NIC	GHT LATCHES			\$0.00	\$0.00
	AD EXPANDER			\$0.00	\$0.00
1	STALLATION SCREWS			\$0.00	\$0.00
1	L EXTENDER			\$0.00	\$0.00
	LL FLEX SCREEN=[VyClear Mesh]			\$0.00	\$0.00
	R LEAKAGE VALUE=[0.3] D CODE=[VYW-A-50-00287-00002]			\$0.00 \$0.00	\$0.00 \$0.00
1	DLAR HEAT GAIN=[0.18]			\$0.00	\$0.00
1	FACTOR=[0.27]			\$0.00	\$0.00
	SUAL TRANSMITTANCE=[0.43]			\$0.00	\$0.00
EN	ERGY STAR 7 CERTIFIED IN ZONE	:=		\$0.00	\$0.00
[SC	C.S.]				
			ITEM SUBTOTAL:	\$960.30	\$1,920.60
8 CA	SEMENT	1	16 W X 35 H	\$813.53	\$813.53
		I	10 W X 33 11		
1	STALL LOCATION=[Staircase] ACT SIZE			\$0.00 \$0.00	\$0.00 \$0.00
1	HITE FRAME			\$0.00	\$0.00
				\$0.00	\$0.00
1	YAL WICKER			\$0.00	\$0.00
LEI	FT OPERATING (ISLO)			\$0.00	\$0.00
DU	IAL GLAZE			\$0.00	\$0.00
1	OUBLE STRENGTH			\$0.00	\$0.00
1	WE TRIPLE SILVER (366)			\$8.20	\$8.20
1	MPERED			\$58.33	\$58.33
1	GON PER SPACER			\$0.00 \$0.00	\$0.00 \$0.00
	SEMENT HANDLE{FOLDING HAND	IF=		\$0.00 \$0.00	\$0.00 \$0.00
1	HITE]}			ψ0.00	ψ0.00
-				\$0.00	\$0.00
1	STALLATION SCREWS			\$0.00	\$0.00
1	L EXTENDER			\$0.00	\$0.00
	REEN{CASEMENT SCREEN=[VyCle	ar		\$0.00	\$0.00
1				# 2.22	<u> </u>
1				\$0.00 \$0.00	\$0.00 \$0.00
1	D CODE=[VYW-A-54-00350-00001] DLAR HEAT GAIN=[0.18]			\$0.00 \$0.00	\$0.00 \$0.00
1	FACTOR=[0.24]			\$0.00 \$0.00	\$0.00 \$0.00
	SUAL TRANSMITTANCE=[0.42]			\$0.00	\$0.00
	ERGY STAR 7 CERTIFIED IN ZONE	:=		\$0.00	\$0.00
1	C.SC.S.]			+0.00	,
			ITEM SUBTOTAL:	\$880.06	\$880.06

		D: 7BB319F0-3A3A-4	E06-BC40-FEAC237	74829F		-	TEDMO	
	RDER	ORDER DATE		R	CUSTOMER RE	:F	TERMS	
	2531	1/11/2024	JT		JT			
ITEM		DESCRIPTIO	NC	QTY	SIZE	PRICE	TOTAL	
9	FORTIS	PICTURE WINDOW	,	2	16 W X 35 H	\$894.10	\$1,788.20	Barr
	INSTALL	LOCATION=[Stairc	ase]			\$0.00	\$0.00	
	EXACTS	SIZE				\$0.00	\$0.00	
	WHITE F	FRAME				\$0.00	\$0.00	
		OR PAINT				\$0.00	\$0.00	
		WICKER				\$0.00	\$0.00	
	DUAL G					\$0.00	\$0.00	
		E STRENGTH				\$0.00	\$0.00	
		RIPLE SILVER (366)			\$8.20	\$16.40	
						\$58.33 \$0.00	\$116.66 \$0.00	
	ARGON	SPACER				\$0.00 \$0.00	\$0.00 \$0.00	
		XPANDER				\$0.00	\$0.00	
		ATION SCREWS				\$0.00	\$0.00	
		TENDER				\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	47-000011			\$0.00	\$0.00	
		HEAT GAIN=[0.23]				\$0.00	\$0.00	
		OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=	[0.55]			\$0.00	\$0.00	
		Y STAR 7 CERTIFIE				\$0.00	\$0.00	
	[NC.SC.	S.]						
					ITEM SUBTOTAL:	\$960.63	\$1,921.26	
10	CASEM			1	16 W X 35 H	\$900.03 \$813.53	\$813.53	
			,	1	10 W A 33 H			(and
		LOCATION=[Stairc	asej			\$0.00	\$0.00	
	EXACT					\$0.00 \$0.00	\$0.00 \$0.00	
						\$0.00 \$0.00	\$0.00 \$0.00	
		WICKER				\$0.00 \$0.00	\$0.00	
		DPERATING (ISLO)				\$0.00	\$0.00	
	DUAL G	· · · ·				\$0.00	\$0.00	
						\$0.00	\$0.00	
		RIPLE SILVER (366)			\$8.20	\$8.20	
	TEMPER					\$58.33	\$58.33	
	ARGON					\$0.00	\$0.00	
	SUPER	SPACER				\$0.00	\$0.00	
		ENT HANDLE{FOLD	ING HANDLE=			\$0.00	\$0.00	
	[WHITE]					.	.	
						\$0.00	\$0.00	
	-	LATION SCREWS				\$0.00	\$0.00	
						\$0.00 \$0.00	\$0.00 \$0.00	
	Mesh]}	N{CASEMENT SCRE	EIN=[vyClear			\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-54-003	50-000011			\$0.00	\$0.00	
		HEAT GAIN=[0.18]	1			\$0.00	\$0.00	
		OR=[0.24]				\$0.00	\$0.00	
		TRANSMITTANCE=	[0.42]			\$0.00	\$0.00	
		Y STAR 7 CERTIFIE	D IN ZONE:=			\$0.00	\$0.00	
	[NC.SC.	S.]						
					ITEM SUBTOTAL:	\$880.06	\$880.06	
					TILW SUBTUTAL.	ψυου.υυ	ψοου.υο	

	be ID: 7BB319F0-3A3A-4E0					
ORDER		PO NUMBER	CUSTOMER F	REF	TERMS	5
42531	1/11/2024	JT	JT			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
11 FORTIS	S DOUBLE HUNG	1	28 W X 45 H	\$1,174.80	\$1,174.80	Internet Internet
INSTAL	L LOCATION=[Second	Level Bath]		\$0.00	\$0.00	4 I
EXACT	-			\$0.00	\$0.00	\$
WHITE	FRAME			\$0.00	\$0.00	m
EXTER	IOR PAINT			\$0.00	\$0.00	
ROYAL	WICKER			\$0.00	\$0.00	
DUAL C	GLAZE			\$0.00	\$0.00	
DOUBL	E STRENGTH			\$0.00	\$0.00	
GLASS	BY SASH			\$0.00	\$0.00	
	TRIPLE SILVER SASH			\$0.00	\$0.00	
GLASS	OPTION KS{OBSCURE	E SASH}		\$0.00	\$0.00	
	RED KS			\$0.00	\$0.00	
	TRIPLE SILVER SASH			\$0.00	\$0.00	
	OPTION LS{OBSCURE	SASH}		\$0.00	\$0.00	
	REDLS			\$0.00	\$0.00	
ARGO				\$0.00	\$0.00	
	SPACER			\$0.00	\$0.00	
	BY SASH			\$0.00	\$0.00	
	NAL=[5Hx1VP]			\$0.00	\$0.00	
FLAT G				\$0.00	\$0.00	
	ERIOR COLOR{WHITE]	•		\$0.00	\$0.00	
-				\$0.00	\$0.00	
	OCK=[WHITE]			\$0.00 \$0.00	\$0.00	
	.E LOCK LATCHES			\$0.00 \$0.00	\$0.00 \$0.00	
	EXPANDER			\$0.00 \$0.00	\$0.00 \$0.00	
	LATION SCREWS			\$0.00 \$0.00	\$0.00 \$0.00	
	XTENDER			\$0.00 \$0.00	\$0.00	
	LEX SCREEN=[VyClear	Meshl		\$0.00 \$0.00	\$0.00 \$0.00	
	AKAGE VALUE=[0.3]	MC911		\$0.00 \$0.00	\$0.00	
	ODE=[VYW-A-50-00287	-000021		\$0.00 \$0.00	\$0.00	
	HEAT GAIN=[0.18]	00002]		\$0.00	\$0.00	
	TOR=[0.27]			\$0.00	\$0.00	
	_ TRANSMITTANCE=[0	43]		\$0.00	\$0.00	
	GY STAR 7 CERTIFIED I	-		\$0.00	\$0.00	
			ITEM SUBTOTAL:	\$1,174.80	\$1,174.80	

		D: 7BB319F0-3A3A-4					TEDMO	
	RDER	ORDER DATE	PO NUMBE	R	CUSTOMER R	EF	TERMS	5
	2531	1/11/2024	JT		JT			
ITEM		DESCRIPTIO	NC	QTY	SIZE	PRICE	TOTAL	
12	FORTIS	PICTURE WINDOW		1	14 W X 28 3/4 H	\$894.10	\$894.10	LOWID
	INSTALL	LOCATION=[Maste	r Closet]			\$0.00	\$0.00	
	EXACT	SIZE				\$0.00	\$0.00	
	WHITE F					\$0.00	\$0.00	
		OR PAINT				\$0.00	\$0.00	
		WICKER				\$0.00	\$0.00	
	DUAL G					\$0.00	\$0.00	
						\$0.00	\$0.00	
	ARGON	RIPLE SILVER (366))			\$8.20 \$0.00	\$8.20 \$0.00	
		SPACER				\$0.00	\$0.00	
		AL=[2Hx1VP]				\$0.00 \$13.50	\$0.00 \$13.50	
	FLAT G					\$0.00	\$0.00	
			E}			\$0.00	\$0.00	
		ERIOR COLOR{WHI				\$0.00	\$0.00	
		XPANDER				\$0.00	\$0.00	
	INSTALL	ATION SCREWS				\$0.00	\$0.00	
	SILL EX	TENDER				\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	47-00002]			\$0.00	\$0.00	
		HEAT GAIN=[0.21]				\$0.00	\$0.00	
		OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=				\$0.00	\$0.00	
		Y STAR 7 CERTIFIE	D IN ZONE:=			\$0.00	\$0.00	
	[NC.SC.	J.]						
					ITEM SUBTOTAL:	\$915.80	\$915.80	
13	FORTIS	PICTURE WINDOW		4	23 3/4 W X 49 H	\$894.10	\$3,576.40	Lehveja
		LOCATION=[Maste				\$0.00	\$0.00	
	EXACT	_				\$0.00	\$0.00	
	WHITE F					\$0.00	\$0.00	AREN
	EXTERI	OR PAINT				\$0.00	\$0.00	
	ROYAL	WICKER				\$0.00	\$0.00	
	DUAL G	LAZE				\$0.00	\$0.00	
		E STRENGTH				\$0.00	\$0.00	
		RIPLE SILVER (366))			\$8.20	\$32.80	
	ARGON					\$0.00	\$0.00	
		SPACER				\$0.00	\$0.00	
		AL=[5Hx1VP]				\$27.00	\$108.00	
	FLAT G					\$0.00 \$0.00	\$0.00	
			IE}			\$0.00 \$0.00	\$0.00 \$0.00	
		WICKER XPANDER				\$0.00 \$0.00	\$0.00 \$0.00	
		ATION SCREWS				\$0.00	\$0.00	
	-	TENDER				\$0.00	\$0.00	
	-	KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-48-002	47-00002]			\$0.00	\$0.00	
		HEAT GAIN=[0.21]	-			\$0.00	\$0.00	
	U FACT	OR=[0.25]				\$0.00	\$0.00	
		TRANSMITTANCE=				\$0.00	\$0.00	
		Y STAR 7 CERTIFIE	D IN ZONE:=			\$0.00	\$0.00	
	[NC.SC.	S.]						
					ITEM SUBTOTAL:	\$929.30	\$3,717.20	
					TEW SUBTUTAL:	\$\$ 2 3.30	ψ3,111.20	

DocuSign Envelope ID: 7BB319F0-3A3A-4E06-BC40-FEAC237	4829F
	40201

		ID: 7BB319F0-3A3A-4E		9F				
O	RDER	ORDER DATE	PO NUMBER		CUSTOMER	REF	TERMS	5
4	2531	1/11/2024	JT		JT			
ITEM		DESCRIPTIO	N (Ω ΤΥ	SIZE	PRICE	TOTAL	
14	FORTIS I	DOUBLE HUNG		4	23 3/4 W X 49 H	\$962.30	\$3,849.20	
	INSTALL	LOCATION=[Master	Bed]			\$0.00	\$0.00	
	EXACT S	SIZE				\$0.00	\$0.00	*
	WHITE F	RAME				\$0.00	\$0.00	MN
	EXTERIC	DR PAINT				\$0.00	\$0.00	
	ROYAL V	VICKER				\$0.00	\$0.00	
	DUAL GL					\$0.00	\$0.00	
	DOUBLE	STRENGTH				\$0.00	\$0.00	
		RIPLE SILVER (366)				\$0.00	\$0.00	
	ARGON					\$0.00	\$0.00	
	SUPER S	-				\$0.00	\$0.00	
	GRIDS B					\$0.00	\$0.00	
		AL=[5Hx1VP]				\$0.00	\$0.00	
	FLAT GR					\$0.00	\$0.00	
		RIOR COLOR{WHITE	}			\$0.00	\$0.00	
	ROYAL V					\$0.00	\$0.00	
		CK=[WHITE]				\$0.00	\$0.00	
	SINGLE I					\$0.00	\$0.00	
	NIGHT L					\$0.00	\$0.00	
		PANDER				\$0.00	\$0.00	
	-	ATION SCREWS				\$0.00	\$0.00	
	SILL EXT					\$0.00	\$0.00	
		EX SCREEN=[VyClea	r Mesh]			\$0.00	\$0.00	
		KAGE VALUE=[0.3]				\$0.00	\$0.00	
		DE=[VYW-A-50-00287	-00002]			\$0.00	\$0.00	
		IEAT GAIN=[0.18]				\$0.00	\$0.00	
	U FACTO					\$0.00	\$0.00	
		FRANSMITTANCE=[0	•			\$0.00	\$0.00	
	ENERGY [SC.S.]	STAR 7 CERTIFIED	IN ZONE:=			\$0.00	\$0.00	
					ITEM SUBTOTAL:	\$962.30	\$3,849.20	

42531 1/11/2024 JT JT ITEM DESCRIPTION QTY SIZE PRICE TOTAL 15 FORTIS DOUBLE HUNG 1 24 W X 33 H \$894.10 \$\$994.10 INSTALL LOCATION=[Master Bed] \$0.00 \$0.00 \$0.00 \$\$0.00 \$\$0.00 EXACT SIZE \$0.00 \$0.00 \$\$0.00 \$\$0.00 \$\$0.00 WHITE FRAME \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 EXTERIOR PAINT \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 DUBLE STRENGTH \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 DUWE TRIPLE SILVER (366) \$\$8.20 \$\$8.20 \$\$8.20 \$\$8.20 ARGON \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 SUPE SPACER \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 GRIDS BY SASH \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 \$\$0.00 ROLAL [4Hxi1VP] \$\$0.00 \$\$0.00 <th></th> <th>ope ID: 7BB319F0-3A3A-4</th> <th></th> <th>329F</th> <th></th> <th></th> <th></th> <th>-</th>		ope ID: 7BB319F0-3A3A-4		329F				-
TEM DESCRIPTION QTY SIZE PRICE TOTAL 15 FORTIS DOUBLE HUNG 1 24 W X 33 H \$894.10 \$894.10 \$894.10 INSTALL LOCATION=[Master Bed] \$0.00 \$0.00 \$0.00 \$0.00 EXACT SIZE \$0.00 \$0.00 \$0.00 \$0.00 WHITE FRAME \$0.00 \$0.00 \$0.00 EXTERIOR PAINT \$0.00 \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 \$0.00 DUBLE STRENGTH \$0.00 \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 \$8.20 ARGON \$0.00 \$0.00 \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 \$0.00 SUID COLONIAL=[4Hx1VP] \$0.00 \$0.00 \$0.00 SUID COLONIAL=[4Hx1VP] <td>ORDER</td> <td>ORDER DATE</td> <td>PO NUMBER</td> <td></td> <td>CUSTOMER I</td> <td>REF</td> <td>TERM</td> <td>S</td>	ORDER	ORDER DATE	PO NUMBER		CUSTOMER I	REF	TERM	S
15 FORTIS DOUBLE HUNG 1 24 W X 33 H \$894.10 \$894.10 INSTALL LOCATION=[Master Bed] \$0.00 \$0.00 \$0.00 EXACT SIZE \$0.00 \$0.00 \$0.00 WHITE FRAME \$0.00 \$0.00 EXTERIOR PAINT \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 DUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SUM LOCK-[WHITE]	42531	1/11/2024	JT		JT			
INSTALL LOCATION=[Master Bed] \$0.00 \$0.00 EXACT SIZE \$0.00 \$0.00 WHITE FRAME \$0.00 \$0.00 EXTERIOR PAINT \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GRINTERIOR COLOR(WHITE) \$0.00 \$0.00 SUIM LOCK=[WHITE] \$0.00 \$0.00 SILM LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 INGHT LATCHES \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 INEATON S	ITEM	DESCRIPTIC	ON	QTY	SIZE	PRICE	TOTAL	
EXACT SIZE \$0.00 \$0.00 * WHITE FRAME \$0.00 \$0.00 \$0.00 EXTERIOR PAINT \$0.00 \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 SUIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 SULL EXTENDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SULL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN[VyClear Mesh] \$0.00 \$0.00 AIR LEAKAGE VALUE=[0.3] <td< td=""><td>15 FORT</td><td>IS DOUBLE HUNG</td><td></td><td>1</td><td>24 W X 33 H</td><td>\$894.10</td><td>\$894.10</td><td>Long</td></td<>	15 FORT	IS DOUBLE HUNG		1	24 W X 33 H	\$894.10	\$894.10	Long
WHITE FRAME \$0.00 \$0.00 EXTERIOR PAINT \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SULL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIL EAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-AN50-0287-00002] \$0.00 \$0.00 SOLAR HEAT GAINE[0.18] \$0.00	INST	ALL LOCATION=[Maste	r Bed]			\$0.00	\$0.00	
EXTERIOR PAINT \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 SUIGLE LOCK \$0.00 \$0.00 SUIGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00 SUL EXTENDER \$0.00 \$0.00	EXAC	T SIZE	-			\$0.00	\$0.00	÷
ROYAL WICKER \$0.00 \$0.00 DUAL GLAZE \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INTERIOR COLOR=[VyClear Mesh] \$33.00 \$33.00 SILL EXTENDER \$0.00 \$0.00 SOLO \$0.00 \$0.00 SOLE EXPENSE \$0.00 \$0.00 SILM LOCK=[WHITE] \$0.00 \$0.00 SILM LOCK=[WHITE] \$0.00 \$0.00	WHIT	E FRAME				\$0.00	\$0.00	1963 1954
DUAL GLAZE \$0.00 \$0.00 DOUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 SULT FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE	EXTE	RIOR PAINT				\$0.00	\$0.00	
DOUBLE STRENGTH \$0.00 \$0.00 LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4H:X1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 INGT LATCHES \$0.00 \$0.00 INGT LATCHES \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 SILL EXTENDER \$0.00 \$0.00 GR SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 <t< td=""><td>ROYA</td><td>AL WICKER</td><td></td><td></td><td></td><td></td><td>\$0.00</td><td></td></t<>	ROYA	AL WICKER					\$0.00	
LOWE TRIPLE SILVER (366) \$8.20 \$8.20 ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00	-	-						
ARGON \$0.00 \$0.00 SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR{WHITE} \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$0.00 \$0.00 AIR EAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A:50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
SUPER SPACER \$0.00 \$0.00 GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SLIM LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3]								
GRIDS BY SASH \$0.00 \$0.00 COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR{WHITE} \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
COLONIAL=[4Hx1VP] \$27.00 \$27.00 FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR(WHITE) \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
FLAT GRID \$0.00 \$0.00 GR INTERIOR COLOR{WHITE} \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
GR INTERIOR COLOR{WHITE} \$0.00 \$0.00 ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
ROYAL WICKER \$0.00 \$0.00 SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-0002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]		•···-						
SLIM LOCK=[WHITE] \$0.00 \$0.00 SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]			E}					
SINGLE LOCK \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]	-							
NIGHT LATCHES \$0.00 \$0.00 HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
HEAD EXPANDER \$0.00 \$0.00 INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
INSTALLATION SCREWS \$0.00 \$0.00 SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
SILL EXTENDER \$0.00 \$0.00 FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
FULL FLEX SCREEN=[VyClear Mesh] \$33.00 \$33.00 AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]	-							
AIR LEAKAGE VALUE=[0.3] \$0.00 \$0.00 CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]			ar Meshl			•		
CPD CODE=[VYW-A-50-00287-00002] \$0.00 \$0.00 SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]								
SOLAR HEAT GAIN=[0.18] \$0.00 \$0.00 U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]			37-000021					
U FACTOR=[0.27] \$0.00 \$0.00 VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]		-						
VISUAL TRANSMITTANCE=[0.43] \$0.00 \$0.00 ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]							+	
ENERGY STAR 7 CERTIFIED IN ZONE:= \$0.00 \$0.00 [SC.S.]			[0.43]					
			D IN ZONE:=			\$0.00	\$0.00	
					ITEM SUBTOTAL:	\$962.30	\$962.30	

ORDE	ivelope ID: 7BB319F0-3A3A-4E06-B	PO NUMBER		CUST	OMER REF	TERM	S
4253	1 1/11/2024	JT			JT		
EM	DESCRIPTION		QTY	SIZE	PRICE	TOTAL	
16 FC	RTIS DOUBLE HUNG		7	29 W X 57 H	\$962.30	\$6,736.10	
INS	STALL LOCATION=[Bed 2, Bed	3, and Bed 4]			\$0.00	\$0.00	
	ACT SIZE				\$0.00	\$0.00	+
	HITE FRAME				\$0.00	\$0.00	
					\$0.00	\$0.00	
					\$0.00	\$0.00	
	JAL GLAZE DUBLE STRENGTH				\$0.00 \$0.00	\$0.00 \$0.00	
	WE TRIPLE SILVER (366)				\$0.00	\$0.00	
	GON				\$0.00	\$0.00	
	IPER SPACER				\$0.00	\$0.00	
	RIDS BY SASH				\$0.00	\$0.00	
	DLONIAL=[5Hx1VP]				\$0.00	\$0.00	
FL	AT GRID				\$0.00	\$0.00	
	R INTERIOR COLOR{WHITE}				\$0.00	\$0.00	
RC	OYAL WICKER				\$0.00	\$0.00	
	IM LOCK=[WHITE]				\$0.00	\$0.00	
	OUBLE LOCK				\$0.00	\$0.00	
	GHT LATCHES				\$0.00	\$0.00	
					\$0.00	\$0.00	
	STALLATION SCREWS				\$0.00 \$0.00	\$0.00	
-	LL FLEX SCREEN=[VyClear Me	e bl			\$0.00 \$0.00	\$0.00 \$0.00	
	R LEAKAGE VALUE=[0.3]	511]			\$0.00	\$0.00	
	PD CODE=[VYW-A-50-00287-000	0021			\$0.00	\$0.00	
	DLAR HEAT GAIN=[0.18]	1			\$0.00	\$0.00	
	FACTOR=[0.27]				\$0.00	\$0.00	
VIS	SUAL TRANSMITTANCE=[0.43]				\$0.00	\$0.00	
	IERGY STAR 7 CERTIFIED IN Z C.S.]	ONE:=			\$0.00	\$0.00	
				ITEM SUB	TOTAL: \$962.30	\$6,736.10	
17 FC	RTIS PICTURE WINDOW		1	23 1/2 W X 20 H	\$894.10	\$894.10	·
ΕX	ACT SIZE				\$0.00	\$0.00	LOWEIS
	HITE FRAME				\$0.00	\$0.00	
	TERIOR PAINT				\$0.00	\$0.00	Ansa
RC	OYAL WICKER				\$0.00	\$0.00	
	JAL GLAZE				\$0.00	\$0.00	
	OUBLE STRENGTH				\$0.00	\$0.00	
	WE TRIPLE SILVER (366)				\$8.20	\$8.20	
	GON IPER SPACER				\$0.00 \$0.00	\$0.00 \$0.00	
	DLONIAL=[3Hx1VP]				\$0.00 \$13.50	\$0.00 \$13.50	
	AT GRID				\$0.00	\$0.00	
	R INTERIOR COLOR{WHITE}				\$0.00	\$0.00	
	R EXTERIOR COLOR{WHITE}				\$0.00	\$0.00	
	AD EXPANDER				\$0.00	\$0.00	
	STALLATION SCREWS				\$0.00	\$0.00	
	L EXTENDER				\$0.00	\$0.00	
	R LEAKAGE VALUE=[0.3]	_			\$0.00	\$0.00	
	PD CODE=[VYW-A-48-00247-00	002]			\$0.00	\$0.00	
	DLAR HEAT GAIN=[0.21]				\$0.00	\$0.00	
	FACTOR=[0.25]				\$0.00	\$0.00	
	SUAL TRANSMITTANCE=[0.49] IERGY STAR 7 CERTIFIED IN Z				\$0.00 \$0.00	\$0.00 \$0.00	
	ERGY STAR 7 CERTIFIED IN 2 C.SC.S.]	UNE:=			\$0.00	\$0.00	

					T(OTAL:	\$40,000.00
			TOTALS: 4	3	SUBT	OTAL:	\$40,000.00
					ITEM SUBTOTAL:	\$0.00	\$0.00
	6 storm	window installation ind	cluded.				
9	LABOR-	Standard Windows	1			\$0.00	\$0.00
					ITEM SUBTOTAL:	(\$3,994.34)	(\$3,994.34)
		aluminum trim, interio			lead certified processes, processes, proce any rotted wood, smooth		
8	LABOR-	Standard Windows	1			(\$3,994.34)	(\$3,994.34)
EM		DESCRIPTIC	N Q1	Υ	SIZE	PRICE	TOTAL
4	2531	1/11/2024	JT		JT		
ORDER		ORDER DATE	PO NUMBER		CUSTOMER RE	:F	TERM

This is a quote only and will not go into production until confirmed by you. By signing this quote, you are agreeing to purchase the products and options specified at the quoted prices. Any alterations or additions may alter the price. This quote is valid for 60 days only.

(Before Signing this quote please check it carefully to ensure it is accurate.)

Approved By:	Date:	Tag Name/PO:

_











 2^{ND} LEVEL FRONT jambs walls damaged preventing top window from staying up unless fastened.



2310 EDISION ST. BOSTON-EDISON

3

1ST LEVEL EAST OF PROPERTY



5



Water damaged that has rotten the window jambs over time and effected the sash.



BACK OF PROPERTY

I initially thought this was a glass tinted window, but just recently this year I found out it was a plastic material to where all the water was coming from during harsh rains.

Jambs/sash. I had to hold a wood piece to keep this window from coming down. One night the window came down and the alarm siren off.

Jambs compromised


6




At one point metal cages where on all windows imbedded in the jambs of the window structure ruining the integrity of the wood over time.



WEST OF PROPERTY



8





Our Sister house that we could compliment to make this community a very special place

9

Materials

- 1. Windows Description and Specs see attachment.
- 2. Quad Core Foam
- 3. 1x6 Rough Cedar
- 4. Aluminum Coil .024 gauge in Tan Color
- 5. OSI Quad Advanced Sealant in Tan Color

Detail Scope of Work

- Test existing paint for led.
- Contain areas.
- Remove existing windows.
- Remove rotten wood from jambs with exception to sill and the existing frame. Preserve and do not replace.
- Screw in new vinyl window level and fasten with screws.
- Install Quad Core Foam Insulation.
- Install custom bent aluminum Coil .024 gauge around the new window to pre-existing window frame covering wood and ending at brick and Stone (trim to exterior).
- Install casing and jambs as needed to the interior.
- Caulk as necessary to make seamless.
- Store Historic windows in Garage.
- Clean up and haul away debris.









HOLD HER A LITTLE LONGER ROCK HER A LITTLE MORE TELL HER ANOTHER STORY (YOU'VE ONLY TOLD HER 4) LET HER SLEEP ON YOUR SHOULDER REJOICE IN HER HAPPY SMILE SHE IS ONLY A LITTLE GIRL FOR SUCH A Cittle while



St

























1 T -





π.









