






NOTE: Based on the scope of work, additional documentation may be required. See www.detroitmi.gov/hdc for scope-specific requirements.

PROJECT DETAILS – TELL US ABOUT YOUR PROJECT


Instructions: Add project details using the text box in each section. If your details exceed the space provided, attach the details via the attachment icon for that section.

ePLANS PERMIT NUMBER: <small>(only applicable if you've already applied for permits through ePLANS)</small>	NA
---	----


GENERAL


<p>1. DESCRIPTION OF EXISTING CONDITION <i>Please tell us about the current appearance and conditions of the areas you want to change. You may use a few sentences or attach a separate prepared document on the right. (For example, "existing roof on my garage is covered in gray asphalt shingles in poor condition.")</i></p>	
Rotten wood, single pane and no longer open or close all the way	
<p>2. PHOTOGRAPHS <i>Help us understand your project. Please attach photographs of all areas where work is proposed.</i></p>	
<p>3. DESCRIPTION OF PROJECT <i>In this box, tell us about what you want to do at the areas described above in box #1. (For example, Install new asphalt shingle roofing at garage.)</i></p>	
Replace windows and trim	
<p>4. DETAILED SCOPE OF WORK <i>In this box, please describe all steps necessary to complete the work described in box #3. (For example, "remove existing shingles, replace wood deck as necessary, replace wood eaves, install roof vents, replace rotted fascia boards, paint, clean worksite.")</i></p>	
Complete removal and rebuild of windows and encasement	
<p>5. BROCHURES/CUT SHEETS <i>Please provide information on the products or materials you are proposing to install. For example, a brochure on the brand and color of the shingles proposed.</i></p>	


ADDITIONAL DETAILS

6. WINDOWS/DOORS <i>Detailed photographs of window(s) and/or door(s) proposed for replacement showing the condition of the interior and exterior of the window(s) and/or door(s)</i>	











































Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: Unassigned Project

Quote Name: Unassigned Quote

Quote Number: 5311806


Order Date: Quote Not Ordered

PO Number:

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------


Line Item: 100-1	Main area	*** PRODUCT ***	
Quantity: 1	stairway 306	Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H	
RO Size: 24.25" X 37.25"		*** DIMENSIONS ***	
Unit Size: 24" X 37"		24W x 37H x 36.5Rad x 28Leg	
		*** FRAME ***	
		East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White	
		*** GLASS ***	
		Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box	
		*** GRILLES ***	
		Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial	
		Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		*** SCREEN ***	
		Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No	
		*** HARDWARE ***	
		Nitelocks, Hardware Color - Standard	
		*** WRAPPING ***	
		Frame Trim - None, Interior Trim Kit - No	
		*** PERFORMANCE ***	
		Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22	



V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 200-1 Bathroom 302
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 300-1 Bathroom 303
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 400-1 **Main area 301**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 500-1 **Main area 304**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 600-1 **Main area 305**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 700-1 **Bedroom 308**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 800-1 **Bedroom 307**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 900-1 **Bedroom 309**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1000-1 **Main area 310**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1100-1 **Main area 311**

Quantity: 1

RO Size: 24.25" X 40.25"

Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior



Submitted By: _____ Please Print Name

Signature: _____

Date: _____

Accepted By: _____ Please Print Name

Signature: _____

Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.



Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: Unassigned Project

Quote Name: Unassigned Quote

Quote Number: 5311806


Order Date: Quote Not Ordered

PO Number:

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------


Line Item: 100-1	Main area	*** PRODUCT ***	
Quantity: 1	stairway 306	Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H	
RO Size: 24.25" X 37.25"		*** DIMENSIONS ***	
Unit Size: 24" X 37"		24W x 37H x 36.5Rad x 28Leg	
		*** FRAME ***	
		East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White	
		*** GLASS ***	
		Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box	
		*** GRILLES ***	
		Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial	
		Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		*** SCREEN ***	
		Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No	
		*** HARDWARE ***	
		Nitelocks, Hardware Color - Standard	
		*** WRAPPING ***	
		Frame Trim - None, Interior Trim Kit - No	
		*** PERFORMANCE ***	
		Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22	



V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 200-1 Bathroom 302
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 300-1 Bathroom 303
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 400-1 **Main area 301**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 500-1 **Main area 304**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 600-1 **Main area 305**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 700-1 **Bedroom 308**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 800-1 **Bedroom 307**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H

***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg

***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White

***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box

***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2

***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No

***** HARDWARE *****
 Nitelocks, Hardware Color - Standard

***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No

***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 900-1 **Bedroom 309**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H

***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg

***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White

***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box

***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2

***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No

***** HARDWARE *****
 Nitelocks, Hardware Color - Standard

***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No

***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1000-1 **Main area 310**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1100-1 **Main area 311**

Quantity: 1

RO Size: 24.25" X 40.25"


Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior



Submitted By: _____ Please Print Name

Signature: _____

Date: _____

Accepted By: _____ Please Print Name

Signature: _____

Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.



Customer Name:

Address:

Phone:

Fax:

Customer Information:

Project Name: Unassigned Project

Quote Name: Unassigned Quote

Quote Number: 5311806

Order Date: Quote Not Ordered


PO Number:

Comments:

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------


Line Item: 100-1	Main area	*** PRODUCT ***	
Quantity: 1	stairway 306	Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H	
RO Size: 24.25" X 37.25"		*** DIMENSIONS ***	
Unit Size: 24" X 37"		24W x 37H x 36.5Rad x 28Leg	
		*** FRAME ***	
		East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White	
		*** GLASS ***	
		Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box	
		*** GRILLES ***	
		Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial	
		Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		*** SCREEN ***	
		Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No	
		*** HARDWARE ***	
		Nitelocks, Hardware Color - Standard	
		*** WRAPPING ***	
		Frame Trim - None, Interior Trim Kit - No	
		*** PERFORMANCE ***	
		Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22	



V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 200-1 Bathroom 302
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 300-1 Bathroom 303
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 400-1 **Main area 301**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 500-1 **Main area 304**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 600-1 **Main area 305**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 700-1 **Bedroom 308**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 800-1 **Bedroom 307**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 900-1 **Bedroom 309**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1000-1 **Main area 310**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1100-1 **Main area 311**

Quantity: 1

RO Size: 24.25" X 40.25"

Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior



Submitted By: _____ Please Print Name

Signature: _____

Date: _____

Accepted By: _____ Please Print Name

Signature: _____

Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.



Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: Unassigned Project

Quote Name: Unassigned Quote

Quote Number: 5311806


Order Date: Quote Not Ordered

PO Number:

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------


Line Item: 100-1	Main area	*** PRODUCT ***	
Quantity: 1	stairway 306	Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H	
RO Size: 24.25" X 37.25"		*** DIMENSIONS ***	
Unit Size: 24" X 37"		24W x 37H x 36.5Rad x 28Leg	
		*** FRAME ***	
		East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White	
		*** GLASS ***	
		Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box	
		*** GRILLES ***	
		Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial	
		Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		*** SCREEN ***	
		Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No	
		*** HARDWARE ***	
		Nitelocks, Hardware Color - Standard	
		*** WRAPPING ***	
		Frame Trim - None, Interior Trim Kit - No	
		*** PERFORMANCE ***	
		Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22	



V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 200-1 Bathroom 302
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 300-1 Bathroom 303
Quantity: 1
RO Size: 24.25" X 41.25"
Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 400-1 **Main area 301**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 500-1 **Main area 304**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 600-1 **Main area 305**

Quantity: 1

RO Size: 24.25" X 40.25"

Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 700-1 **Bedroom 308**

Quantity: 1

RO Size: 24.25" X 40.25"

Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 800-1 **Bedroom 307**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H

***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg

***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White

***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box

***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2

***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No

***** HARDWARE *****
 Nitelocks, Hardware Color - Standard

***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No

***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 900-1 **Bedroom 309**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H

***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg

***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White

***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box

***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2

***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No

***** HARDWARE *****
 Nitelocks, Hardware Color - Standard


***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No

***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 1000-1 **Main area 310**
Quantity: 1
RO Size: 24.25" X 38.25"
Unit Size: 24" X 38"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 1100-1 **Main area 311**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior



Submitted By: _____ Please Print Name

Signature: _____

Date: _____

Accepted By: _____ Please Print Name

Signature: _____

Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.



Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: Unassigned Project

Quote Name: Unassigned Quote

Quote Number: 5311806


Order Date: Quote Not Ordered

PO Number:

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 100-1	Main area	*** PRODUCT ***	
Quantity: 1	stairway 306	Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H	
RO Size: 24.25" X 37.25"		*** DIMENSIONS ***	
Unit Size: 24" X 37"		24W x 37H x 36.5Rad x 28Leg	
		*** FRAME ***	
		East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White	
		*** GLASS ***	
		Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box	
		*** GRILLES ***	
		Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial	
		Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2	
		*** SCREEN ***	
		Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No	
		*** HARDWARE ***	
		Nitelocks, Hardware Color - Standard	
		*** WRAPPING ***	
		Frame Trim - None, Interior Trim Kit - No	
		*** PERFORMANCE ***	
		Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22	



V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 200-1 Bathroom 302

Quantity: 1

RO Size: 24.25" X 41.25"

Unit Size: 24" X 41"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 300-1 Bathroom 303

Quantity: 1

RO Size: 24.25" X 41.25"

Unit Size: 24" X 41"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 41H
***** DIMENSIONS *****
 24W x 41H x 30Rad x 29Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366 and Obscure, Obscure Placement - Full, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - GBG, Grille Thickness/Style - 11/16" Sculptured, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 400-1 **Main area 301**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 500-1 **Main area 304**
Quantity: 1
RO Size: 24.25" X 37.25"
Unit Size: 24" X 37"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 37H
***** DIMENSIONS *****
 24W x 37H x 36.5Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 600-1 **Main area 305**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"




***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Tempered Location - Full, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

Line Item: 700-1 **Bedroom 308**
Quantity: 1
RO Size: 24.25" X 40.25"
Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 800-1 **Bedroom 307**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 900-1 **Bedroom 309**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1000-1 **Main area 310**

Quantity: 1

RO Size: 24.25" X 38.25"

Unit Size: 24" X 38"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Half Operating Arch Top - Vent - 1 Units - 24W x 38H
***** DIMENSIONS *****
 24W x 38H x 33.8Rad x 28Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Half Operating Arch Top - Vent - No Call Width - No Call Height


Units are viewed from the Exterior

Line Item: 1100-1 **Main area 311**

Quantity: 1

RO Size: 24.25" X 40.25"


Unit Size: 24" X 40"



***** PRODUCT *****
 Row 1 Restorations - V-1920 Operating Arch Top - Vent - 1 Units - 24W x 40H
***** DIMENSIONS *****
 24W x 40H x 72.5Rad x 39Leg
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Foam Enhanced, Meeting Rail and Stiles, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Dual, Order by Glass Package, Omega 12, Glass Tint - Clear, Low-E 366, Argon Gas, Glass Strength - DSB, SS Box
***** GRILLES *****
 Grille Type - SDL-IS & OS w/ GBG, Grille Thickness/Style - 5/8" Sculptured SDL, Grille Pattern - Colonial
 Bottom Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 2
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Opti View, Screens Packed Separately - No
***** HARDWARE *****
 Nitelocks, Hardware Color - Standard
***** WRAPPING *****
 Frame Trim - None, Interior Trim Kit - No
***** Performance *****
 Series V-1920::SingleHung, Calculated Positive DP Rating::-1, Calculated Negative DP Rating::-1, DP Rule ID::, Rating Type::DesignPressure, Performance Grade::, Water Rating::, FL ID::, STC Rating::29, OITC Data::22

V-1920 Operating Arch Top - Vent - No Call Width - No Call Height

Units are viewed from the Exterior



Submitted By: _____ Please Print Name

Signature: _____

Date: _____

Accepted By: _____ Please Print Name

Signature: _____

Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.