

Leslie Wilson

Quote #: **228380**

A Proposal for Window and Door Products prepared for:
Project Site:

SHIP TO:

47705 West Rd Ste B-106
Wixom, MI 48393-4738

INFINITY[®]

from **MARVIN[®]**

REPLACEMENT WINDOWS

Window Pro-Wixom
47705 West Rd Ste B-106
Wixom, MI 48393-4738
Phone: (248) 305-1400

This report was generated using Marvin Web Order System. Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring Products From:

INFINITY[®]


from **MARVIN[®]**

REPLACEMENT WINDOWS

Line Item Summary


Line	Qty	Room	Product Type Name	Measurement Type	Width & Height	Customer Price
1	1	101 Living Front	Infinity Insert Double Hung	IO	52" x 65"	
2	1	102 Dining Front	Infinity Insert Double Hung	IO	48" x 65"	
3	1	103 Dining Side	Infinity Insert Double Hung	IO	36" x 55"	
4	1	104 Kitchen Sink	Infinity Insert Double Hung	IO	39" x 40"	
5	1	105 Office Side	Infinity Insert Double Hung	IO	28" x 53"	
6	1	106 Office Back	Infinity Insert Double Hung	IO	28" x 53"	
7	1	107 Master Bed	Infinity Insert Double Hung	IO	36" x 50"	
8	1	108 Master Bed	Infinity Insert Double Hung	IO	36" x 50"	
9	1	109 Den Side	Infinity Insert Double Hung	IO	30" x 55"	
10	1	110 Bath Side	Infinity Insert Double Hung	IO	23" x 45"	
11	1	211 Upstairs	Infinity Insert Double Hung	IO	36" x 55"	
12	1	212 Upstairs	Infinity Insert Double Hung	IO	36" x 55"	
13	1	213 Upstairs	Infinity Insert Double Hung	IO	36" x 55"	

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 101 Living Front	1
1-1	<p>Infinity Insert Double Hung Inside Opening 52" x 65" Frame Size 51 5/8" x 64 3/4" **Extended Size Unit**</p> <p>Stone White Exterior Stone White Interior Top Sash IG Low E2 w/Argon Stainless Perimeter Bar 23/32" GBG Rectangular 4W 3H 12 Rectangle Lites Stone White Ext - White Int Bottom Sash IG Tempered Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package 2 White Sash Lock(s) 2 White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0</p> <p>3 1/4" Jambs</p>	
	 <p>As Viewed From The Exterior</p>	
	<p>Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.29 Visible Light Transmittance: 0.5 Condensation Resistance: 57 CPD Number: MAR-N-244-01498-00001</p>	

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 102 Dining Front	1
2-1	<p>Infinity Insert Double Hung Inside Opening 48" x 65" Frame Size 47 5/8" x 64 3/4"</p> <p>Stone White Exterior Stone White Interior Top Sash IG Low E2 w/Argon Stainless Perimeter Bar 23/32" GBG Rectangular 4W 3H 12 Rectangle Lites Stone White Ext - White Int Bottom Sash IG Tempered Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0</p> <p>3 1/4" Jambs</p>	




As Viewed From
The Exterior

Performance Information A1
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 57
CPD Number: MAR-N-244-01498-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	


Line #	Description	Qty
	Room: 103 Dining Side	1
3-1	<p>Infinity Insert Double Hung Inside Opening 36" x 55" Frame Size 35 5/8" x 54 3/4"</p> <p>Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0</p> <p>3 1/4" Jambs</p>	



As Viewed From
The Exterior


Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 104 Kitchen Sink Side	1
4-1	Infinity Insert Double Hung Inside Opening 39" x 40" Frame Size 38 5/8" x 39 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	
	 <p style="text-align: center;">As Viewed From The Exterior</p> <p>Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.33 Visible Light Transmittance: 0.56 Condensation Resistance: 57 CPD Number: MAR-N-244-01468-00001</p>	

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE		PO NUMBER		SALES REP	
08/15/2024					
				QUOTED BY	
				Jason Ribits	

Line #	Description	Qty
	Room: 105 Office Side	1
5-1	<p>Infinity Insert Double Hung Inside Opening 28" x 53" Frame Size 27 5/8" x 52 3/4"</p> <p>Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0</p> <p>3 1/4" Jambs</p>	




As Viewed From
The Exterior

Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 106 Office Back	1
6-1	Infinity Insert Double Hung Inside Opening 28" x 53" Frame Size 27 5/8" x 52 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	




As Viewed From
The Exterior

Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	


Line #	Description	Qty
	Room: 107 Master Bed Side Right	1
7-1	Infinity Insert Double Hung Inside Opening 36" x 50" Frame Size 35 5/8" x 49 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	




**As Viewed From
The Exterior**

Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001


PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 108 Master Bed Side Left	1
8-1	Infinity Insert Double Hung Inside Opening 36" x 50" Frame Size 35 5/8" x 49 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	 <p style="text-align: center;">As Viewed From The Exterior</p> <p>Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.33 Visible Light Transmittance: 0.56 Condensation Resistance: 57 CPD Number: MAR-N-244-01468-00001</p>

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	


Line #	Description	Qty
	Room: 109 Den Side	1
9-1	Infinity Insert Double Hung Inside Opening 30" x 55" Frame Size 29 5/8" x 54 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	 <p>As Viewed From The Exterior</p> <p>Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.33 Visible Light Transmittance: 0.56 Condensation Resistance: 57 CPD Number: MAR-N-244-01468-00001</p>

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 110 Bath Side	1
10-1	Infinity Insert Double Hung Inside Opening 23" x 45" Frame Size 22 5/8" x 44 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Tempered Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Tempered Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	 <p>As Viewed From The Exterior</p> <p>Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.33 Visible Light Transmittance: 0.56 Condensation Resistance: 57 CPD Number: MAR-N-244-01468-00001</p>

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	

Line #	Description	Qty
	Room: 211 Upstairs	1
11-1	Infinity Insert Double Hung Inside Opening 36" x 55" Frame Size 35 5/8" x 54 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	




As Viewed From
The Exterior

Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP		QUOTED BY	
08/15/2024				Jason Ribits	


Line #	Description	Qty
	Room: 212 Upstairs	1
12-1	Infinity Insert Double Hung Inside Opening 36" x 55" Frame Size 35 5/8" x 54 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	



As Viewed From
The Exterior

Performance Information A1
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.56
 Condensation Resistance: 57
 CPD Number: MAR-N-244-01468-00001

PROJECT NAME		QUOTE NAME		QUOTE NUMBER	
Infinity Designer		Leslie Wilson		228380	
DATE	PO NUMBER	SALES REP	QUOTED BY		
08/15/2024			Jason Ribits		

Line #	Description	Qty
	Room: 213 Upstairs	1
13-1	Infinity Insert Double Hung Inside Opening 36" x 55" Frame Size 35 5/8" x 54 3/4" Stone White Exterior Stone White Interior Top Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar Bottom Sash IG - 1 Lite Low E2 w/Argon Stainless Perimeter Bar White Interior Weatherstrip Package White Sash Lock(s) White Sash Lift(s) Extruded Full Screen Stone White Surround Bright View Mesh Existing Sill Angle 0 3 1/4" Jambs	
		
	Performance Information A1 U-Factor: 0.29 Solar Heat Gain Coefficient: 0.33 Visible Light Transmittance: 0.56 Condensation Resistance: 57 CPD Number: MAR-N-244-01468-00001	

This report was generated using Marvin Web Order System. Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

BUYER SIGNATURE _____ DATE _____

SELLER SIGNATURE _____ DATE _____

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements. The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.