

VISUAL COMFORT & Co.

OL14401SBL: Extra Small Lantern



Dimensions:

Width: 6.0" **Extends:** 6.875'
Height: 10.88" **Wire:** 8" (color;Black/White)
Weight: 3.0 lbs. **Mounting Proc.:** Cap Nuts
Connection: Mounted To Box

Bulbs:

1 - Medium A19 75.0w Max. 120v Not included

Features:

- Easily converts to LED with optional replacement lamps
- Meets Title 24 energy efficiency standards
- Title 24 compliant if used with Joint Appendix (JA8) approved light bulbs listed in the California Energy Commission Appliance database.

Material List:

1 Body - Stainless Steel - Sable

Safety Listing:

Safety Listed for Wet Locations

Instruction Sheets:

Trilingual (English, Spanish, and French) (OL14401)

Collection: Galena

Featured in the decorative Galena collection

1 A19 Medium 75 watt light bulb

clear seeded glass plates

cETL listed for wet locations

A great choice for your do-it-yourself project

UPC #:014817580563

Finish: Sable (SBL)

Shade / Glass / Diffuser Details:

Part	Material	Finish	Quantity	Item Number	Length	Width	Height	Diameter	Fitter Diameter	Shade Top Length	Shade Top Width	Shade Top Diameter
Panel	Glass	Clear Seeded	4			4.5	5.5					

Backplate / Canopy Details:

Type	Height / Length	Width	Depth	Diameter	Outlet Box Up	Outlet Box Down
Back Plate	4.5	4.5	0.75		4.0	

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	OL14401SBL	1	014817580563	13.0	9.75	9.0	0.66	3.6	0	Yes
Master Pack	OL14401SBL	0	10014817580560							No
NJ Pallet		120		48.0	40.0	74.0	82.22	432.0		No
NV Pallet		120		48.0	40.0	74.0	82.22	432.0		No

VISUAL COMFORT & Co.

OL14404SBL: Large Lantern



Collection: Galena

Featured in the decorative Galena collection

4 Torpedo Candelabra 60 watt light bulbs

clear seeded glass plates

cETL listed for wet locations

A great choice for your do-it-yourself project

UPC #:014817580594

Finish: Sable (SBL)

Dimensions:

Width: 13.25"

Height: 25.38"

Weight: 9.0 lbs.

Extends: 14.75'

Wire: 8" (color;Black/White)

Mounting Proc.: Cap Nuts

Connection: Mounted To Box

Bulbs:

4 - Candelabra Torpedo 60.0w Max. 120v Not included

Features:

- Easily converts to LED with optional replacement lamps
- Meets Title 24 energy efficiency standards
- Title 24 compliant if used with Joint Appendix (JA8) approved light bulbs listed in the California Energy Commission Appliance database.

Material List:

1 Body - Stainless Steel - Sable

Safety Listing:

Safety Listed for Wet Locations

Instruction Sheets:

Trilingual (English, Spanish, and French) (OL14403-OL14404)

Shade / Glass / Diffuser Details:

Part	Material	Finish	Quantity	Item Number	Length	Width	Height	Diameter	Fitter Diameter	Shade Top Length	Shade Top Width	Shade Top Diameter
Panel	Glass	Clear Seeded	4			11.75	12.62					

Backplate / Canopy Details:

Type	Height / Length	Width	Depth	Diameter	Outlet Box Up	Outlet Box Down
Back Plate	12.0	5.0	0.75		9.0	

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	OL14404SBL	1	014817580594	29.5	18.25	18.0	5.61	16.7	0	Yes
Master Pack	OL14404SBL	0	10014817580591							No
NJ Pallet		12		48.0	40.0	76.5	85.0	200.4		No
NV Pallet		12		48.0	40.0	76.5	85.0	200.4		No

VISUAL COMFORT & Co.

OL2601ORB: Medium Lantern



Dimensions:

Width: 6.75" **Extends:** 5'
Height: 19.0" **Wire:** 8" (color;Black/White)
Weight: 13.2 lbs. **Connection:** Mounted To Box

Bulbs:

2 - Candelabra B Torpedo 60.0w Max. 120v Not included

Features:

.

Material List:

1 Body - Stainless Steel - Oil Rubbed Bronze

Safety Listing:

Safety Listed for Wet Locations

Instruction Sheets:

English (OL2601)

Collection: Market Square

Supplied with 8-inches of wire

Designed with a back plate to allow for easy installation

For an eco-friendly lighting design, convert to LED bulbs to offer savings and reduce energy

Designed for damp and wet environments allowing for direct water contact

1-year manufacturer warranty

UPC #:014817251944

Finish: Oil Rubbed Bronze (ORB)

Shade / Glass / Diffuser Details:

Part	Material	Finish	Quantity	Item Number	Length	Width	Height	Diameter	Fitter Diameter	Shade Top Length	Shade Top Width	Shade Top Diameter
Panel	Glass	Clear Seeded	1			7.5	10.38					
Panel	Glass	Clear Seeded	2			5.0	10.38					

Backplate / Canopy Details:

Type	Height / Length	Width	Depth	Diameter	Outlet Box Up	Outlet Box Down
Back Plate	10.0	5.62	0.5		6.75	

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	OL2601ORB	1	014817251944	18.0	10.0	8.0	0.83	6.6	0	Yes
Master Pack	OL2601ORB	2	10014817251941	18.0	10.0	16.0	1.67	13.2	0	Yes
NJ Pallet		80		48.0	40.0	68.0	75.56	528.0		No
NV Pallet		80		48.0	40.0	68.0	75.56	528.0		No

SHAW

12984BK

LARGE WALL MOUNT LANTERN

Traditional in style and unique in character, Shaw is a showstopper for indoor and outdoor spaces.


Distinguished by its dramatic frame and enchanting design elements, Shaw's robust, clear glass panels, rich two-tone finish, and captivating details unite to deliver dashing heritage charm.

DETAILS	
FINISH:	Black
MATERIAL:	Aluminum
GLASS:	Clear
DIMMABLE:	YES, WITH DIMMABLE LAMP (NOT INCLUDED)

DIMENSIONS	
WIDTH:	6.8"
HEIGHT:	24"
WEIGHT:	9.3lb
BACK PLATE:	6.25"W X 23.75"H
EXTENSION:	6.3"
TOP TO OUTLET:	4.75"

LIGHT SOURCE	
LIGHT SOURCE:	Socketed
WATTAGE:	37877
VOLTAGE:	120v

SHIPPING	
CARTON LENGTH:	9.8
CARTON WIDTH:	9
CARTON HEIGHT:	27.3
CARTON WEIGHT:	10.7



PRODUCT DETAILS

- Mounting hardware is hidden on the back plate to ensure a clean silhouette
- Suitable for use in wet (outdoor direct rain) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards
- Ideal for vintage filament bulbs (not included)
- Adjustable mounting hardware. Top to outlet range 4.75" to 19.25"
- 2-year finish warranty
- Classic lines and heritage details complement traditional architecture

HINKLEY

HINKLEY
33000 Pin Oak Parkway
Avon Lake, OH 44012

PHONE: (440) 653-5500
Toll Free: 1 (800) 446-5539

hinkley.com