

Proposal - Detailed

Sales Rep Name: Sales Rep Phone: Sales Rep E-Mail: Sales Rep Fax:

Customer Information	Project/Delivery Address	Order Information
	OPEN	Quote Name: HURST -HISTORIC
Primary Phone: Mobile Phone: Fax Number: E-Mail: Contact Name: Great Plains #: Customer Number: Customer Account:	Lot # , County: Owner Name: Owner Phone:	Order Number: 742 Quote Number: 13214553 Order Type: Installed Sales Wall Depth: Payment Terms: Tax Code: INSTALLTAX Cust Delivery Date: None Quoted Date: 10/5/2020 Contracted Date: Booked Date: Customer PO #:

Customer Notes: SPECS FOR DUPLEX 3960 & 3966 W. 7 MILE DETROIT, MI.

SUBMITTING TO HISTORIC FOR APPROVAL.

Line # Location: Attributes

10 UPSTAIR SITTING ROOM

Lifestyle, 3-Wide Double Hung, Without HGP, White

Qty 1

22



2180

Viewed From Exterior

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard

aty 39

INSTARDETR900201 - Lead Safe Install (per opening)

B B PK# 2180

Viewed From Exterior

Lifestyle, 2-Wide Double Hung, Without HGP, White

Qty 1

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)


Vertical Mull 1: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard INSTARDETR900201 - Lead Safe Install (per opening)

Qty 26 Qty 1

Line # Location:

20 MAIN BEDROOM SIDE



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty

22

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Attributes

Screen: Full Screen. White. InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard

Qty 16

INSTARDETR900201 - Lead Safe Install (per opening)

Line # **Attributes** Location: 25 MAIN BDRM REAR LFT Lifestyle, Double Hung, Without HGP, White 1: SizeNon-Standard Size Double Hung, Equal PK# General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White 2180

Viewed From Exterior

Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude


Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 16 INSTARDETR900201 - Lead Safe Install (per opening) Qty

Line # **Attributes** Location: 30 MAIN BDRM REAR RGHT Qty



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

1: SizeNon-Standard Size Double Hung, Equal General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Screen: Full Screen, White, InView™


Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 16 Qty INSTARDETR900201 - Lead Safe Install (per opening)

Line # Location: Attributes

UPSTR BATH TMP/DIFFR

35



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty 1

22

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Glazing Differs Low E Obscure Low E Obscure NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™


Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Obscure Glass Style: Pattern62(Standard)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 13
INSTARDETR900201 - Lead Safe Install (per opening) Qty 1

Line #	Location:	Attributes

40 KITCHEN REAR



Viewed From Exterior

Lifestyle, 2-Wide Casement, Without HGP, White

_____Qty_____1

1: SizeNon-Standard Size Left Casement

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated

Sensor

Screen: Full Screen, White, InView™

Grille: SDL. No Custom Grille. 7/8". Traditional (2W3H)

2: SizeNon-Standard Size Right Casement

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated

Sensor

Screen: Full Screen. White. InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (2W3H)

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

INSTARDETR900201 - Lead Safe Install (per opening)

Qty 1

INSTARDETR010004 - Wood Drywall Return

Qty 16

QUOMATDETM010074 - PF Cove/Stop Pine or Oak

Qty 16

QUOMATDETM040100 - Coil (LF)

Qty 16

Line # Location: Attributes 45 DINING RM REAR Lifestyle, 3-Wide Double Hung, Without HGP, White Qty 1



Viewed From Exterior

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 45
INSTARDETR900201 - Lead Safe Install (per opening) Qty 1

Line # Location:

FIREPLACE LEFT

Lifestyle, Double Hung, Without HGP, White

1: SizeNon-Standard Size Double Hung, Equal
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraciad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

22

Screen: Full Screen, White, InView™

2180


Viewed From Exterior

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR900201 - Lead Safe Install (per opening)	Qty	1
INSTARDETR010004 - Wood Drywall Return	Qty	16
QUOMATDETM010074 - PF Cove/Stop Pine or Oak	Qty	16
QUOMATDETM040100 - Coil (LF)	Qtv	16

Line # Location: Attributes	
-----------------------------	--

55 FIREPLACE RGHT



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty 1

22

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR900201 - Lead Safe Install (per opening)

INSTARDETR010004 - Wood Drywall Return

Qty 16

QUOMATDETM010074 - PF Cove/Stop Pine or Oak

Qty 16

QUOMATDETM040100 - Coil (LF)

Qty 16

Line # Location: Attributes

60 LIVING RM FRONT

PK#

Viewed From Exterior

Lifestyle, Double Hung, Lifestyle, Direct Set Fixed Frame Rectangle, Double Hung, Without HGP, White

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Fixed Frame Direct Set

General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Dual Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Grille: No Grille,

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard

Qtv 52

22

INSTARDETR900201 - Lead Safe Install (per opening)

Line # Location: Attributes

65 REAR DOOR Pella Entry Doors, Entry Door, Inswing, White, 4 9/16"

Qty
1



.00

Viewed From Exterior

1: Entry Door
Unit Type: Left Inswing, Standard Sill, No Fire Rating, No Fire Rating

Dimensions: 32, 80

Dimension Options: No Cut Down

General Information: Standard, 4 9/16", 4 9/16"

Panel Style: Fan Light Rectangle **Glass:** Tempered Low-E Air Filled

Grilles: No Grille

Panel Selection: Smooth Fiberglass, Painted, White, Painted, White

Frame Selection: Clad, Black Threshold, No Panel Reinforcement, Painted, White, Wood, Painted, White

Hardware Options: Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, Del Mar/Napa Lever, Del Mar/Napa Lever, Satin Brass, Standard

Deadbolt, Standard Steel Ball Bearing, Brass, Mill Finish Sill

QUOMATDETM010202 - PF Interior Trim - ED FF (LF)Qty20QUOMATDETM010074 - PF Cove/Stop Pine or OakQty20INSTARDETR900090 - Entry Door LF Installation - StandardQty20QUOMATDETM040100 - Coil (LF)Qty20


Line # Location: Attributes

80 2 UPSTR SITTING ROOM

Lifestyle, 3-Wide Double Hung, Without HGP, White

Qty 1

22



2180

Viewed From Exterior

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard

aty 39

INSTARDETR900201 - Lead Safe Install (per opening)

Line # Location: Attributes

85 2 1ST BEDROOM

в в рк# 2180

Viewed From Exterior

Lifestyle, 2-Wide Double Hung, Without HGP, White

Qty

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8"


INSTARDETR010003 - Wood Pocket LF Installation - Standard

Qty 26

INSTARDETR900201 - Lead Safe Install (per opening)

Qty 1

Line # Location:
90 2 MAIN BDRM SIDE



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty 1

22

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Attributes

Screen: Full Screen. White. InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard

Qty 16

INSTARDETR900201 - Lead Safe Install (per opening)

Line # **Attributes** Location: 95 2 MAIN BDRM REAR LFT Lifestyle, Double Hung, Without HGP, White 1: SizeNon-Standard Size Double Hung, Equal PK# General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White 2180

Viewed From Exterior

Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude


Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 16 INSTARDETR900201 - Lead Safe Install (per opening) Qty

Line # **Attributes** Location: 100 2 MAIN BDRM REAR RT Qty



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 16 Qty INSTARDETR900201 - Lead Safe Install (per opening)

Line # Location: Attributes

105 2 UPSTR BATH TMP/DIF

PK # 2180

Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty 1

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Glazing Differs Low E Obscure Low E Obscure NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Obscure Glass Style: Pattern62(Standard)

INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty 13
INSTARDETR900201 - Lead Safe Install (per opening) Qty 1

Line #	Location:	Attributes

110 2 KITCHEN REAR

PK# 2180

Viewed From Exterior

Lifestyle, 2-Wide Casement, Without HGP, White

Qty

1: SizeNon-Standard Size Left Casement

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated

Sensor

Screen: Full Screen, White, InView™

Grille: SDL. No Custom Grille. 7/8". Traditional (2W3H)

2: SizeNon-Standard Size Right Casement

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated

Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (2W3H)

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

INSTARDETR900201 - Lead Safe Install (per opening)	Qty	1
INSTARDETR010004 - Wood Drywall Return	Qty	16
QUOMATDETM010074 - PF Cove/Stop Pine or Oak	Qty	16
QUOMATDETM040100 - Coil (LF)	Qty	16

Line # **Attributes** Location: 115 2 DINING RM REAR Lifestyle, 3-Wide Double Hung, Without HGP, White

Viewed From Exterior

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL. No Custom Grille. 7/8". Traditional (1W2H / 1W2H)

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

> INSTARDETR010003 - Wood Pocket LF Installation - Standard Qty INSTARDETR900201 - Lead Safe Install (per opening) Qtv

Line # Attributes Location: 120 2 FIREPLACE LEFT Lifestyle, Double Hung, Without HGP, White

PK# 2180

Viewed From Exterior

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraciad. White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor


Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR900201 - Lead Safe Install (per opening)	Qty	1
INSTARDETR010004 - Wood Drywall Return	Qty	16
QUOMATDETM010074 - PF Cove/Stop Pine or Oak	Qty	16
QUOMATDETM040100 - Coil (LF)	Qtv	16

Line #	Location:	Attributes
--------	-----------	------------

125 2 FIREPLACE RGHT



Viewed From Exterior

Lifestyle, Double Hung, Without HGP, White

Qty 1

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

INSTARDETR900201 - Lead Safe Install (per opening)

INSTARDETR010004 - Wood Drywall Return

Qty 16

QUOMATDETM010074 - PF Cove/Stop Pine or Oak


Qty 16

QUOMATDETM040100 - Coil (LF)

Qty 16

Line # Location: Attributes

130 2 LIVING RM FRONT



Viewed From Exterior

Lifestyle, Double Hung, Lifestyle, Direct Set Fixed Frame Rectangle, Double Hung, Without HGP, White

1: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

2: SizeNon-Standard Size Fixed Frame Direct Set

General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Dual Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Grille: No Grille,

3: SizeNon-Standard Size Double Hung, Equal

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Jambliner Color: Gray

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Grille: SDL, No Custom Grille, 7/8", Traditional (1W2H / 1W2H)

Vertical Mull 1: AlignedWith, 8" Vertical Mull 2: AlignedWith, 8"

INSTARDETR010003 - Wood Pocket LF Installation - Standard

Qtv 52

22

INSTARDETR900201 - Lead Safe Install (per opening)

Line # **Attributes** Location: 2 REAR DOOR 135 Pella Entry Doors, Entry Door, Inswing, White, 4 9/16" 1: Entry Door Unit Type: Left Inswing, Standard Sill, No Fire Rating, No Fire Rating PK# Dimensions: 32, 80 2180 Dimension Options: No Cut Down General Information: Standard, 4 9/16", 4 9/16" Panel Style: Fan Light Rectangle Viewed From Exterior Glass: Tempered Low-E Air Filled Grilles: No Grille Panel Selection: Smooth Fiberglass, Painted, White, Painted, White Frame Selection: Clad, Black Threshold, No Panel Reinforcement, Painted, White, Wood, Painted, White Hardware Options: Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, Del Mar/Napa Lever, Del Mar/Napa Lever, Satin Brass, Standard Deadbolt, Standard Steel Ball Bearing, Brass, Mill Finish Sill QUOMATDETM010202 - PF Interior Trim - ED FF (LF) Qty 20 QUOMATDETM010074 - PF Cove/Stop Pine or Oak 20 Qty INSTARDETR900090 - Entry Door LF Installation - Standard 20 Qty QUOMATDETM040100 - Coil (LF) 20 Qty Line # Attributes Location: **ADMIN** 140 Qty

Line #	Location:	Attributes	
145	PRESUMED LEAD 1952	ADDPRRDETR010006 - Presumed Positive Lead Test	Qty
			1

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

BRANCH WARRANTY:

Pella General Installation Review

rena win:
☐ Deliver and unload products purchased per contract
☐ Place drop cloths on work area flooring
☐ Remove interior and exterior trim
☐ Provide all equipment and materials necessary to install new products
☐ Inspect all products purchased per contract
☐ Install all products per contract
☐ Insulate and caulk around products
☐ Verify that all products installed are in good working order
☐ Remove drop clothes, vacuum, and remove all debris
☐ Remove all old products from premises upon completion
☐ All work to be performed during normal working hours of 8:00 a.m. to 5:00 pm Monday-Friday, unless other arrangements are made.
☐ Installation and prefinish is warranted for the period of two years on materials and workmanship. Warranty time frame begins at date of completion.
Homeowner Will:
☐ Secure building permit if needed
☐ Remove existing shutters and awnings

·
☐ Reinstall shutters and awnings
☐ Cut back or tie trees, bushes and shrubs two feet from exterior wall
☐ Arrange to have alarm system disconnected and reinstalled
☐ Arrange to have any plumbing and/or electrical repairs or changes made by appropriate licensed contractor prior to install date
☐ Provide site electricity for power tools
☐ All blinds and interior window treatments need to be removed prior to your installation date.
☐ All furniture needs to be moved at least 6 feet away from any window or door begin replaced.
☐ All personal items, wall hangings and collectibles must be removed prior to you installation date.
☐ Any non-movable furniture (example: pianos, built in cabinets, etc.) must be cleared of items and be surface dusted prior to installation.
☐ Have pets controlled so they do not get loose
☐ Remove all stickers from products installed
☐ Wash all interior and exterior glass surfaces
TERMS & CONDITIONS:
Quotes is valid for 30 days.

Project Name: OPEN

Quote Number: 13214553

22

Customer:

Order Totals	
Taxable Subtotal	\$102,231.78
Sales Tax @ 0%	\$0.00
Non-taxable Subtotal	\$22,978.63
Total	\$125,210.41
Deposit Received	\$0.00
Amount Due	\$125,210.41