

1090 VINEWOOD RENOVIATION

1090 VINEWOOD ST.,
DETROIT, MI 48216

ARCHITECT
4545 ARCHITECTURE | DESIGN
TIMOTHY FLINTOFF
2761 E. JEFFERSON, SUITE 302
DETROIT, MI 48207

PROJECT DATA

BUILDING CODE AUTHORITY:
CITY OF DETROIT

APPLICABLE CODES:

BUILDING CODE
ALSO KNOWN AS THE "MICHIGAN RESIDENTIAL BUILDING CODE"
2015 MICHIGAN RESIDENTIAL CODE (MRBC) AS AMENDED

MECHANICAL CODE
ALSO KNOWN AS THE "MICHIGAN MECHANICAL CODE"
2021 MICHIGAN MECHANICAL CODE AS AMENDED

PLUMBING CODE
ALSO KNOWN AS THE "MICHIGAN PLUMBING CODE"
2021 MICHIGAN PLUMBING CODE AS AMENDED

ELECTRICAL CODE
ALSO KNOWN AS THE "MICHIGAN ELECTRICAL CODE"
2023 MICHIGAN ELECTRICAL CODE AS AMENDED

ENERGY CODE
2015 UNIFORM ENERGY CODE

BARRIER FREE REQUIREMENTS
AMERICANS WITH DISABILITIES ACT (ADA)
MBC-2015, CHAPTER 11
ICC / ANSI 117.1 - 2010, EXCEPT SECTION 611 & 707

PROJECT DESCRIPTION: INTERIOR RENOVATION AND ADDITION OF TWO DORMERS TO A SINGLE-FAMILY HOME IN A HISTORIC DISTRICT

BUILDING DATA:
STORIES: 2 + ATTIC

SPRINKLERED: NO

ENERGY EFFICIENCY
COMPLY WITH SECTION N102 OF THE 2015 MICHIGAN RESIDENTIAL CODE
CLIMATE ZONE: 5A

CEILING:	R-38
WOOD FRAMED WALL:	R-20 OR R-13(CAVITY)+R5(SHEATHING)
MASS WALL:	R-20/R-17
FLOOR:	R-30 OR FILL CAVITY, R-19 MIN.
SLAB:	R-10 (2'-0" DEEP)

BUILDING HEIGHTS:	FROM GRADE	CEILING HEIGHT
FIRST FLOOR	4'-0"	9'-0"
SECOND FLOOR	14'-0"	8'-6"
ATTIC	23'-4"	VARIES
ROOF (HIGH POINT) ALLOWABLE	36'-6" (EXISTING)	
	35'-0"	

PARKING
2-CAR GARAGE

BUILDING AREAS:	AREA
FIRST FLOOR	903 GSF
SECOND FLOOR	837 GSF
ATTIC	298 GSF

TOTAL BUILDING 2038 GSF



PROJECT LOCATION:
1090 VINEWOOD ST.,
DETROIT, MI 48216

1 LOCATION PLAN




SHEET INDEX


SP1.1	ARCHITECTURAL SITE PLAN
A1.1	FIRST AND SECOND FLOOR PLANS
A1.2	THIRD FLOOR AND ROOF PLANS
A2.1	REFLECTED CEILING PLANS
A3.1	EXTERIOR ELEVATIONS
A3.2	EXTERIOR ELEVATIONS
A4.1	BUILDING SECTIONS
A5.1	3D VIEWS

SYMBOL LEGEND


Drawing Navigation



Section Callout



Detail Callout



Other

- ? Keynote Tag - refer to keynotes on that sheet
- 11 Wall Tag - refer to Wall Schedule
- 101 Door Tag - refer to Door Schedule
- 1t Window Tag - refer to Window Schedule
- Name Elevation Floor Level Elevation

ABBREVIATIONS

@	At
ACOUST	Acoustical
ACT	Acoustic Ceiling Tile
ADJ	Adjacent
AFF	Above Finish Floor
ALUM	Aluminum
ANOD	Anodized
BD	Board
BLDG	Building
BLK	Block
BLKG	Blocking
CEM	Cement
CJ	Control Joint
CLG	Ceiling
CL	Centerline
CO	Clean Out
COL	Column
CONC	Concrete
CG	Corner Guard
CONST	Construction
CONT	Continuous
COORR	Corrugated
CPT	Carpet
CT	Ceramic Tile
DET	Detail
DIA	Diameter
DM	Dimension
DN	Down
DO	Door Opening
DR	Door
DWG	Drawing
EA	Each
ELEV	Elevation
EW	Each Way
EXG	Existing
EXIST	Existing
EXP	Expansion, Exposed
FD	Floor Drain
FDN	Foundation
FRP	Fiber Reinforced Panels
FIN	Finish
FLR	Floor
FO	Face Of
FOS	Face of Stud
FR	Frame
FTG	Footing
FV	Field Verify
GA	Gauge
GALV	Galvanized
GYP	Gypsum
HDW	Hardware
HM	Hollow Metal
HORIZ	Horizontal
HT	Height
ID	Inside Diamtere
INSUL	Insulation
INT	Interior
JT	Joint
LAV	Lavatory
LG	Long
LLO	Long Leg Outstanding
LLV	Long Leg Vertical
MAX	Maximum
MECH	Mechanical
MET	Metal
MEZZ	Mezzanine
MI	Miscellaneous Iron
MIN	Minimum
MISC	Miscellaneous
MO	Masonry Opening
NIC	Not In Contract
NTS	Not To Scale
OC	On Center
OD	Outside Diameter
OPNG	Opening
OPP	Opposite
PLG	Plate Glass
PLS	Plate Steel
PLAM	Plastic Laminate
PLAS	Plaster
PREFAB	Prefabricated
PROJ	Project, Projection
PSF	Pounds per Square Foot
PT	Paint, Point, Pressure
Treated	
R	Riser
RA	Return Air
RB	Rubber Base
RC	Roof Conductor
RCP	Reflected Ceiling Plan
RD	Roof Drain
RF	Rubber Flooring
REINF	Reinforced,
REINFORCING	Reinforcing
REQD	Required
RFG	Roofing
RM	Room
RS	Roof Sump
RT	Rubber Tile
SAN	Sanitary
SCHED	Schedule
SHT	Sheet
SIM	Similar
SPEC	Specification
SS	Service Sink
STL	Steel
STD	Standard
STOR	Storage
STRUCT	Structural
SUSP	Suspended
SW	Switch
SYM	Symmetrical
T	Tread
T&B	Top and Bottom
TEL	Telesphone
TERR	Terrazzo
T&G	Tongue and Groove
THK	Thick, Thickness
THRES	Threshold
TOS	Top Of Steel
TYP	Typical
U/C	Undercut
UNO	Unless Noted Otherwise
VB	Vinyl Base
VCT	Vinyl Composition Tile
VIF	Verify In Field
W	Wide
VERT	Vertical
WAINS	Wainscot
WC	Water Closet
WD WIN	Wood Window
WT	Wight
WWF	Welded Wire Fabric

ARCHITECT:

4545 architecture

2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :

1090 VINEWOOD
RENOVIATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :

HDC REVIEW 03/18/2025



Drawn by :

AUTHOR

Checked by :

AUTHOR

Sheet Title :

TITLE SHEET

Project No. :

2024040

Sheet No. :

TS1.1


DO NOT SCALE DRAWINGS © 2021 Timothy Flintoff Architect, PLLC



DO NOT SCALE DRAWINGS | ©2021 Timothy Flintoff Architecture, PLLC


VINEWOOD STREET

ALLEY




1 SITE PLAN
 SCALE: 3/16" = 1'-0"

SENDER: SITE PLAN LOCATION



2 SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"



1 FIRST FLOOR PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
- ALL DIMENSIONS ARE SHOWN FROM FINISH FACE TO FINISH FACE OF PARTITION UNLESS OTHERWISE NOTED.
- WALL THICKNESS ARE NOMINAL NOT ACTUAL DIMENSIONS. SEE WALL SCHEDULE FOR ACTUAL DIMENSIONS.
- ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
- DO NOT BACKFILL WALLS UNTIL FLOOR DECKS ARE INSTALLED
- ALL POSTS CONTINUOUS TO FOUNDATION
- SHEAR WALLS TO BE PERSCRPTIVE PER MBC 2015

ARCHITECT:
4545 architecture
2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :
1090 VINEWOOD
RENOVATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :
HDC REVIEW 03/18/2025




Drawn by :
Author
Checked by :
Author

Sheet Title :
FIRST AND SECOND
FLOOR PLANS


Project No. :
2024040

Sheet No. :

A1.1



2 ROOF PLAN
SCALE: 1/4" = 1'-0"



1 THIRD FLOOR PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
- ALL DIMENSIONS ARE SHOWN FROM FINISH FACE TO FINISH FACE OF PARTITION UNLESS OTHERWISE NOTED.
- WALL THICKNESS ARE NOMINAL NOT ACTUAL DIMENSIONS. SEE WALL SCHEDULE FOR ACTUAL DIMENSIONS.
- ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
- DO NOT BACKFILL WALLS UNTIL FLOOR DECKS ARE INSTALLED
- ALL POSTS CONTINUOUS TO FOUNDATION
- SHEAR WALLS TO BE PERSCRPTIVE PER MBC 2015

FLOOR / ROOF PLAN KEY NOTES:

(TYPICAL THIS SHEET ONLY)

- 1 VANITY WITH 2 SINKS AND STONE COUNTERTOP
- 2 SHOWER WITH TILE FLOOR AND WALLS, HINGED GLASS DOOR
- 3 TOILET
- 4 RELOCATE EXISTING A/C SYSTEM; CONTRACTOR TO ENSURE ADEQUATE CLEARANCES
- 5 UTILITY ACCESS DOOR
- 6 PROVIDE HANGING ROD AND SHELF
- 7 HALF WALL, FINISHED HEIGHT 36"
- 8 KNEE WALLS TO BE PLACED AT MAX. 5'-0" TALL
- 9 NEW RAILING, 36" TALL
- 10 ASPHALT SHINGLES ON WATER & ICE BARRIER ON 3/4" WOOD SHEATHING ON WOOD ROOF JOISTS; SHINGLES TO BE CERTAINTEEED LANDMARK PRO, COLOR MAX DEF MOIRE BLACK

ARCHITECT:

4545 architecture

2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :

1090 VINEWOOD
RENOVATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :

HDC REVIEW 03/18/2025



Drawn by :

TRF

Checked by :

TRF

Sheet Title :
THIRD FLOOR AND
ROOF PLANS

Project No. :
2024040

Sheet No. :

A1.2



GENERAL REFLECTED CEILING PLAN NOTES:


- SWITCH SYMBOL INDICATES THE LOCATION FOR SWITCHING ALL FIXTURES WITHIN THAT ROOM UNLESS NOTED OTHERWISE. REFER TO ELECTRICAL DRAWINGS FOR FURTHER INFORMATION AS REQUIRED.
- CONTRACTOR TO CENTER ALL CEILING MOUNTED ITEMS (i.e., RECESSED LIGHT FIXTURES, SMOKE DETECTORS, FIRE SUPPRESSION HEADS) WITHIN THE ASSOCIATED CEILING TILE AS SHOWN. COORDINATE FINAL LOCATION WITH THE APPROPRIATE MECHANICAL, ELECTRICAL, FIRE ALARM, AND FIRE SUPPRESSION DRAWINGS AS REQUIRED.
- REFER TO WALL TYPES FOR WALLS THAT PENETRATE CEILINGS.
- REFER TO MECHANICAL HVAC PLANS FOR DIFFUSER / GRILLE SIZES.
- FOR LIGHT FIXTURE TYPES SEE ELECTRICAL LIGHTING PLANS.
- REFER TO DIMENSIONS ON REFLECTED CEILING PLAN TO LOCATE / LAYOUT CEILING GRID AND LIGHT FIXTURES.
- ACCESS PANELS TO BE INDEPENDENTLY MOUNTED, DO NOT SUPPORT ON CEILING GRID. COORDINATE SIZE, QUANTITY AND LOCATIONS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
- ALL ELECTRICAL OUTLETS TO BE 18" AFF, UNLESS AT KITCHEN/BATHROOM COUNTER, CONTRACTOR TO INSTALL GFCI AND SPACING BETWEEN OUTLETS PER MI. ELEC. CODE.
- CONTRACTOR TO PROVIDE FIRE DAMPERS WHEN HVAC IS LOCATED IN CONCEALED SPACE. FIELD VERIFY AS REQUIRED WITH AUTHORITY HAVING JURISDICTION.

REFLECTED CEILING LEGEND


SYMBOL	DESCRIPTION
	GYPSUM BOARD HIGH CEILING
	GYPSUM BOARD LOW CEILING OR SOFFIT
	SEMI-FLUSH MOUNT LIGHT FIXTURE
	4" RECESSED DOWNLIGHT FIXTURE
	PENDANT LIGHT FIXTURE
	CEILING FAN W/ LED LIGHTS
	WALL SCONCE FIXTURE
	SMOKE DETECTOR, INTER CONNECTED
	COMBINED SMOKE/CARBON MONOXIDE DETECTOR, INTER CONNECTED
	EXHAUST FAN
	HEIGHT ELEVATION ABOVE FINISHED FLOOR

REFLECTED CEILING PLAN KEY NOTES:
 (TYPICAL THIS SHEET ONLY)

- 1 1/2" GYP. BD. OVER EXISTING EXPOSED ROOF JOISTS AS REQ'D (TYP.)



1 THIRD FLOOR RCP
 SCALE: 1/4" = 1'-0"



1 WEST ELEVATION
SCALE: 1/4" = 1'-0"



2 SOUTH ELEVATION
SCALE: 1/4" = 1'-0"

GENERAL ELEVATION/SECTION NOTES:

1. THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
2. ALL DIMENSIONS ARE SHOWN FROM FINISH FACE TO FINISH FACE OF PARTITION UNLESS OTHERWISE NOTED.
3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
4. REFER TO SIDING MANUFACTURER INSTALLATION INSTRUCTIONS AND STANDARD DETAILS
5. CONTRACTOR TO VERIFY/COORDINATE CODE REQUIRED WINDOW EGRESS REQUIREMENTS

EXTERIOR KEY NOTES:

(TYPICAL THIS SHEET ONLY)

- 1 WOOD LAP SIDING, W/ 3" COLOR-MATCHED WOOD TRIM AT ALL SIDES/EDGES/WINDOWS; PAINTED 'NIGHT GRAY'
- 2 6" WOOD FRIEZE BOARD, COLOR-MATCH TO LAP SIDING
- 3 10" WOOD FASCIA BOARD, BLACK
- 4 ANDERSON E-SERIES ALUMINUM-CLAD WOOD WINDOWS, BLACK
- 5 CERTAINTEED LANDMARK PRO ASPHALT SHINGLE ROOF; COLOR MAX DEF MOIRE BLACK
- 6 PROVIDE FLASHING AS REQ'D (TYP.)
- 7 WINDOWS TO BE SINGLE MULLED UNIT

ARCHITECT:
4545 architecture
2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :
1090 VINEWOOD
RENOVATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :
HDC REVIEW 03/18/2025



Drawn by :
Author
Checked by :
Author

Sheet Title :
EXTERIOR
ELEVATIONS


Project No. :
2024040

Sheet No. :


A3.1

DO NOT SCALE DRAWINGS | ©2021 Timothy Flintoff Architecture, PLLC

BINDER STRIP LOCATION



1 EAST ELEVATION
SCALE: 1/4" = 1'-0"



2 NORTH ELEVATION
SCALE: 1/4" = 1'-0"

GENERAL ELEVATION/SECTION NOTES:

1. THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
2. ALL DIMENSIONS ARE SHOWN FROM FINISH FACE TO FINISH FACE OF PARTITION UNLESS OTHERWISE NOTED.
3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
4. REFER TO SIDING MANUFACTURER INSTALLATION INSTRUCTIONS AND STANDARD DETAILS
5. CONTRACTOR TO VERIFY/COORDINATE CODE REQUIRED WINDOW EGRESS REQUIREMENTS

EXTERIOR KEY NOTES:

(TYPICAL THIS SHEET ONLY)

- 1 WOOD LAP SIDING, W/ 3" COLOR-MATCHED WOOD TRIM AT ALL SIDES/EDGES/WINDOWS; PAINTED 'NIGHT GRAY'
- 2 6" WOOD FRIEZE BOARD, COLOR-MATCH TO LAP SIDING
- 3 10" WOOD FASCIA BOARD, BLACK
- 4 ANDERSON E-SERIES ALUMINUM-CLAD WOOD WINDOWS, BLACK
- 5 CERTAINTEED LANDMARK PRO ASPHALT SHINGLE ROOF; COLOR MAX DEF MOIRE BLACK
- 6 PROVIDE FLASHING AS REQ'D (TYP.)
- 7 WINDOWS TO BE SINGLE MULLED UNIT

ARCHITECT:

4545 architecture

2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :

1090 VINEWOOD
RENOVATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :

HDC REVIEW 03/18/2025



Drawn by :

Author
Checked by :
Author

Sheet Title :
EXTERIOR
ELEVATIONS

Project No. :
2024040


Sheet No. :

A3.2




GENERAL ELEVATION/SECTION NOTES:


1. THIS DRAWING IS DIAGRAMMATIC AND SHOULD BE USED TO DETERMINE THE DESIGN INTENT. THE CONTRACTOR IS RESPONSIBLE FOR THE COMPLETE SET OF WORK AS INDICATED AND SHALL FIELD VERIFY ALL WORK, COORDINATE ALL DRAWINGS / NEW WORK AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES IN THE DOCUMENTS BEFORE PROCEEDING. FAILURE TO DO SO WILL RESULT IN THE CONTRACTOR TAKING FULL RESPONSIBILITY AND LIABILITY FOR SAID DISCREPANCIES.
2. ALL DIMENSIONS ARE SHOWN FROM FINISH FACE TO FINISH FACE OF PARTITION UNLESS OTHERWISE NOTED.
3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL LOCAL, STATE, COUNTY CODE REGULATIONS, O.S.H.A., AND THE AMERICAN WITH DISABILITIES ACT (ADA). REFER TO THE CODE PLAN FOR MORE INFORMATION.
4. REFER TO SIDING MANUFACTURER INSTALLATION INSTRUCTIONS AND STANDARD DETAILS
5. CONTRACTOR TO VERIFY/COORDINATE CODE REQUIRED WINDOW EGRESS REQUIREMENTS



1 BUILDING SECTION
 SCALE: 1/4" = 1'-0"




2 BUILDING SECTION
 SCALE: 1/4" = 1'-0"



1 3D View 1
SCALE:



2 3D View 2
SCALE:



3 3D View 3
SCALE:

ARCHITECT:
4545 architecture
2761 E. JEFFERSON
SUITE 302
DETROIT, MI 48207
P. 313.450.4545
TM.FLINTOFF@4545ARCHITECTURE.COM

CONSULTANT:

Project :
1090 VINEWOOD
RENOVATION
1090 VINEWOOD ST.,
DETROIT, MI 48216

Issued for :
HDC REVIEW 03/18/2025



Drawn by :
Author
Checked by :
Author

Sheet Title :
3D VIEWS

Project No. :
2024040

Sheet No. :

A5.1