



City of Detroit - Planning & Development Department
2 Woodward Avenue, Suite 808
Detroit, Michigan 48226

HISTORIC DISTRICT COMMISSION ADDITIONAL INFORMATION REQUEST

Date:

Application Number: HDC2025-00060

APPLICANT & PROPERTY INFORMATION

NAME: Valrie May Bennett

COMPANY NAME:

ADDRESS:

CITY:

STATE:

ZIP:

PROJECT ADDRESS: 14520 Ashton Rd

HISTORIC DISTRICT: Rosedale Park

REQUESTED INFORMATION

We have received your application, but it is not yet complete for review. Please provide additional details based on the comments and questions listed below. Should you need to attach additional files per this request, use the paperclip icons at the end of this form. You may attach up to (5) files per icon up to 25MB:

This application is not complete. Please provide a window schedule that shows which proposed window is being placed where. Please provide photos of the exterior of the house with labels that show which windows are being placed where. Please provide a product sheet that shows the proposed new windows, their material, operation, dimensions and color. Please note if the window's brick mould will be kept in place, removed or covered and how. Product sheets can be taken from a website, please be sure that these are NOT just links to website, but actual screen shots or documents that show what the product is.

PSR: 250220dr

APPLICANT RESPONSE

Response Date: 03/09/2025



Pictures and descriptions have been attached







PROTECTED BY
1-800-STAY-OUT





Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: Hansons Detroit


Quote Name: 363472 Bennett

Quote Number: 5602327

Order Date: Quote Not Ordered

PO Number: 363472

RO size for Flange is for standard 1x buck with precast sill. Please contact your supplier for other Flange opening RO's.


ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
Line Item: 100-1	Kitchen	*** PRODUCT *** Row 1 1652 Double Hung - Vent - 1 Units - 29.875W x 37.75H	1600 Extreme Package \$231.37
Quantity: 1		*** DIMENSIONS *** 29.875W x 37.75H	
RO Size: 30.375" X 38.25"		*** FRAME *** East, Vinyl, Frame Type - Finless, Order by Package, Extreme, Foam Tape, Foam Enhanced, Exterior Color - White	
Unit Size: 29.875" X 37.75" ✓		*** GLASS *** Glazing Type - Insulated, Glass Tint - Clear, High Performance, R5 - SSB-Triple Glazed, Argon Gas, Glass Strength - SSB	
		*** SCREEN *** Screen - Extruded Half, Screen Mesh Type - Clarity, Screens Packed Separately - No	
		*** WRAPPING *** Extension Jambes - None, Frame Trim - None	
		*** NFRC *** Series 1600::DoubleHung, U-Factor::0.22, SHGC::0.22, VT::0.39	
		*** Performance *** Series 1600::DoubleHung, Calculated Positive DP Rating::20.05, Calculated Negative DP Rating::20.05, DP Rule ID::1652 DH, Rating Type::DesignPressure, Performance Grade::R-PG20, Water Rating::3.13, FL ID::N/A	
			<hr/> Unit Price: \$231.37
			Extended Price: \$231.37

1652 Double Hung - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 200-1 Kitchen
 Quantity: 1
 RO Size: 34.5" X 39.375"
 Unit Size: 34" X 38.875"



*** PRODUCT ***
 Row 1 1652 Double Hung - Vent - 1 Units - 34W x 38.875H
 *** DIMENSIONS ***
 34W x 38.875H
 *** FRAME ***
 East, Vinyl, Frame Type - Finless, Order by Package, Extreme, Foam Tape, Foam Enhanced, Exterior Color - White
 *** GLASS ***
 Glazing Type - Insulated, Glass Tint - Clear, High Performance, R5 - SSB-Triple Glazed, Argon Gas, Glass Strength - SSB
 *** SCREEN ***
 Screen - Extruded Half, Screen Mesh Type - Clarity, Screens Packed Separately - No
 *** WRAPPING ***
 Extension Jamb - None, Frame Trim - None
 *** NFRC ***
 Series 1600::DoubleHung, U-Factor::0.22, SHGC::0.22, VT::0.39
 *** Performance ***
 Series 1600::DoubleHung, Calculated Positive DP Rating::20.05, Calculated Negative DP Rating::20.05, DP Rule ID::1652 DH, Rating Type::DesignPressure, Performance Grade::R-PG20, Water Rating::3.13, FL ID::N/A

1600 Extreme Package \$231.37

Unit Price: \$231.37


Extended Price: \$231.37

1652 Double Hung - Vent - No Call Width - No Call Height

Units are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 300-1 Kitchen
 Quantity: 1
 RO Size: 59.25" X 33.875"
 Unit Size: 58.75" X 33.375"



*** PRODUCT ***
 Row 1 1685 2 Lite Double Slider - XX-LT - 1 Units - 58.75W x 33.375H
 *** DIMENSIONS ***
 58.75W x 33.375H
 *** FRAME ***
 East, Vinyl, Frame Type - Finless, Order by Package, Extreme, Foam Tape, Exterior Color - White
 *** GLASS ***
 Glazing Type - Insulated, Glass Tint - Clear, High Performance, R5 - SSB-Triple Glazed, Argon Gas
 *** SCREEN ***
 Screen - Extruded Half, Screen Mesh Type - Clarity, Screens Packed Separately - No
 *** WRAPPING ***
 Extension Jamb - None
 *** NFRC ***
 Series 1685::DoubleSlider, U-Factor::0.22, SHGC::0.22, VT::0.39
 *** Performance ***
 Series 1685::DoubleSlider, Calculated Positive DP Rating::35.09, Calculated Negative DP Rating::35.09, DP Rule ID::1685 SLIDER2, Rating Type::DesignPressure, Performance Grade::LC-PG35, Water Rating::5.43, FL ID::20759

1600 Extreme Package \$271.84

Unit Price: \$271.84


Extended Price: \$271.84

1685 2 Lite Double Slider - XX-LT - No Call Width - No Call Height

Units are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 400-1 Family Room
Quantity: 1
RO Size: 73.25" X 50.25"
Unit Size: 72.75" X 49.75" ✓



***** PRODUCT *****
 Row 1 1685 3 Lite Slider - XOX - 1 Units - 72.75W x 49.75H
***** DIMENSIONS *****
 72.75W x 49.75H
***** FRAME *****
 East, Vinyl, Frame Type - Finless, Order by Package, Extreme, Foam
 Tape, Exterior Color - White
***** GLASS *****
 Glazing Type - Insulated, Glass Tint - Clear, High Performance, Low-E
 189 Upgrade, R5 - DSB-Triple Glazed, Argon Gas, Glass Strength -
 DSB
***** SCREEN *****
 Screen - Extruded Half, Screen Mesh Type - Clarity, Screens Packed
 Separately - No
***** WRAPPING *****
 Extension Jamb - None
***** NFRC *****
 Series 1685::TripleSlider, U-Factor::0.22, SHGC::0.21, VT::0.39
***** Performance *****
 Series 1685::TripleSlider, Calculated Positive DP Rating::25.06,
 Calculated Negative DP Rating::25.06, DP Rule ID::1685 SLIDER3,
 Rating Type::DesignPressure, Performance Grade::LC-PG25, Water
 Rating::3.76, FL ID::N/A

1600 Extreme Package \$320.38
 Loel89 Glass Upgrade \$76.86

Unit Price: **\$397.24**

1685 3 Lite Slider - XOX - No Call Width - No Call Height

Extended Price: **\$397.24**

Units are viewed from the Exterior



Total Unit Count:	4
Sub Total:	\$1,131.82
Freight:	\$0.00
Labor:	\$0.00
Sales Tax:	\$0.00
Total Order Price:	\$1,131.82

Submitted By: _____ Please Print Name
 Signature: _____
 Date: _____

Accepted By: _____ Please Print Name
 Signature: Patricia Terry
 Date: _____

All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.

MI is not responsible for quoting errors. Verify that the quote is up-to-date and the accuracy of all information on the quote before placing an order. Line-Item Comments should not be used to alter configurations. Also verify product options and ratings on the Order Acknowledgment as it gives the most up-to-date product information and product ratings. Immediately report any differences to MI.

All sales are subject to and incorporate MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty, which are available from MI and should be reviewed prior to placing an order. Any additional terms submitted by a customer or contained on its purchase order are rejected and shall not apply to this quote or any later sale unless expressly agreed by MI in writing. See MI's Field Testing Policy for field testing requirements and associated costs. The scope of responsibility of MI for product supplied is stated exclusively within this quote and the aforementioned documents.

For Information regarding MI's Product Handling Recommendations, please visit miwindows.com/handling.

ACKNOWLEDGEMENT

Warehouse: 116 - Temperance, MI

ORDER NO # 2174746
ORDER DATE 01/22/25
PAGE NO 1 of 2
ACCOUNT NO 300080-001

S
O
L
D
-
T
O

ACCOUNTS PAYABLE
1-800-HANSONS
977 E 14 MILE RD
TROY MI 48083
248-581-3030

S
H
I
P
-
T
O

1-800 HANSONS-TROY
977 E 14 MILE RD
TROY MI 48083
248-581-3030

CSG / UID	LOAD DATE	CUSTOMER PO NUMBER	QUOTE NO	REQUEST DATE		
14 KLK		363472	5602327	02/06/25		
ORDER TYPE	SHIP VIA	TERMS	TAXABLE	SALES REPRESENTATIVE		
Paradigm	OUR TRUCK D1	1% 10 DAYS NET	TAXABLE	1802 Cormac Smith		
Line	Item Number/Description	Qty Ord	Qty Ship	Qty BO	Unit Price	Ext Price
001	1652 REPLACEMENT WDW	1			231.37	231.37
	as entered: 29 7/8 X 37 3/4					
	id: 29 7/8 X 37 3/4					
	"XTRM", INV COIL BAL,SSB-(2)LOE&ARGON,EX WDW,LO					
	E SURF 2-5,WSI,EXT HLF SCR,FOAM EN,CLARITY,WH,					
	FINLESS,FTAPE,NTLCKS,INS,6.17,SSB,ARGON,7/8"GL					
	S THK					
	KITCHEN-					
	U-F(.22) SHGC(.24) VLT(.41)					
	DP(+20.05/-20.05) Water Rating(3.13)					
002	1652 REPLACEMENT WDW	1			231.37	231.37
	as entered: 34 X 38 7/8					
	id: 34 X 38 7/8					
	"XTRM", INV COIL BAL,SSB-(2)LOE&ARGON,EX WDW,LO					
	E SURF 2-5,WSI,EXT HLF SCR,FOAM EN,CLARITY,WH,					
	FINLESS,FTAPE,NTLCKS,INS,6.17,SSB,ARGON,7/8"GL					
	S THK					
	KITCHEN-					
	U-F(.22) SHGC(.24) VLT(.41)					
	DP(+20.05/-20.05) Water Rating(3.13)					

ACKNOWLEDGEMENT

ACCOUNT NO 300080-001	ORDER NO # 2174746	ORDER DATE 01/22/25	PAGE 2 of 2
BILL TO 1-800-HANSONS		CUSTOMER PO NO 363472	

Line	Item Number/Description	Qty Ord	Qty Ship	Qty BO	Unit Price	Ext Price
003	1685 VINYL 2-LITE SLIDER	1			271.84	271.84
	as entered: 58 3/4 X 33 3/8					
	id: 58 3/4 X 33 3/8					
	"XTRM",XX-LT,EX WDW,REV.B LK LOC,SSB-(2)LOE&AR					
	GON,LOE SURF 2-5,WSI,HALF SCRNL,CLARITY,WH,FINL					
	ESS,FTAPE,NTLKS,1/1,INS,6.17,SSB,ARGON,7/8"GLS					
	THK					
	KITCHEN					
	U-F(.22) SHGC(.23) VLT(.41)					
	DP(+30.08/-30.08) Water Rating(4.60) STC(28.00)					
004	16853L VINYL 3-LITE SLIDER	1			397.24	397.24
	as entered: 72 3/4 X 49 3/4					
	id: 72 3/4 X 49 3/4					
	"XTRM",EX WDW,REV.B LK LOC,TRPL GLZ DS LOE270-					
	LOEI89,LOE_SURF_2-5,WSI,EXT SCRNL,CLARITY,WH,FI					
	NLESS,FTAPE,NTLKS,1/1,INS,DSB,ARGON,STD,7/8"GL					
	S THK					
	FAMILY ROOM					
	U-F(.22) SHGC(.21) VLT(.39)					
	DP(+25.06/-25.06) Water Rating(3.76)					
	Total Qtys 4					
	All ratings are for individual windows and doors only. Contact your sales representative for information regarding mulled or stacked units.					
	Review this Order Acknowledgement to confirm correct order information; changes must be made within 24 hours of receipt or buyer is responsible for any inaccuracies.					
	This sale is subject to MI's Terms and Conditions of Sale and Limited Lifetime Product Warranty. Click the links below, visit www.miwindows.com , or call (717) 365-2500 to obtain copies of the documents. These documents govern, exclusively control, and are incorporated into all sales of MI products.					

Goods Total: 1,131.82
Sales Tax: 67.91
Order Total: 1,199.73