
3261 SHERBOURNE RD., DETROIT, MI

SHERBOURNE ROAD



ALT	ALTERNATE
ALUM	ALUMINUM
APPROX	APPROXIMATE
AVG	AVERAGE
-	
B.O.	BOTTOM OF
BDRM	BEDROOM
BLKG	BLOCKING
BOT BRDG	BOTTOM BRIDGE, BRIDGING
	BEARING
BRG BRKT	BRACKET
BSMT	BASEMENT
BTW	BETWEEN
DIVV	BEIWEEN
CEM	CEMENT
CL	CENTER LINE
CLG	CEILING
CMU	CONCRETE MASONRY UNIT
CNTR	CENTER
COL	COLUMN
CONC	CONCRETE
CONT	CONTINUOUS
CRPT	CARPET
CSMT	CASEMENT
СТ	CERAMIC TILE
DBL	DOUBLE
DEMO	DEMOLISH, DEMOLITION
DH	DOUBLE HUNG
DN	DOWN
DWL	DOWEL
EIFS	EXTERIOR INSULATION & FINISH SYSTEM
EJ	EXPANSION JOINT
ELEC	ELECTRICAL
EQ	EQUAL
EQUIP	EQUIPMENT
EXIST	EXISTING
FDTN	FOUNDATION
FF	FINISHED FLOOR
FIXT	FIXTURE
FLEX	FLEXIBLE
FLG	FLOORING
FTG	FOOTING
FURN	FURNISH, FURNITURE
0.501	
GFCI	GROUND FAULT CIRCUIT INTERRUPTED
GLAZ	
GYP	GYPSUM BOARD

PROJECT INFO:

PROSPECTIVE OWNER:

ROBIN GLASCO

PROJECT ADDRESS: 3261 SHERBOURNE RD

DETROIT, MI 48221 **DESIGNER:**

VANGUARD DESIGN GROUP 25120 CULVER ST.

ST. CLAIR SHORES, MI 48081

CONTACT: BRYAN SHISHAKLY PHONE: 586.879.3223 EMAIL: BRYAN@GUARDTHEVAN.COM **SCOPE OF WORK:**

RESTORATION OF HISTORIC EXTERIOR AND CONSTRUCTION OF AN APPROX. 842 SQ. FT. REAR 2 STORY ADDITION. ADDITION TO INCLUDE EXPANDED KITCHEN AND LIVING SPACES, EXPANDED PRIMARY SUITE AND SECONDARY BEDROOM. ALL NECESSARY STRUCTURAL REPAIRS. LEGAL DESCRIPTION:

S SHERBOURNE 429 SHERWOOD FOREST SUB L39 P11

PLATS, W C R 2/148 60x171.10A **BUILDING SUMMARY:**

EXISTING GROSS BUILDING AREAS

FIRST FLOOR:	1,553 SQ. FT.
SECOND FLOOR:	1,428 SQ. FT.
THIRD FLOOR:	493 SQ. FT.
BASEMENT:	1,338 SQ. FT.

TOTAL EXISTING GROSS BUILDING AREA 4,812 SQ. FT. PROPOSED GROSS BUILDING AREAS

FIRST FLOOR:	1,836 SQ. FT.
SECOND FLOOR:	1,826 SQ. FT.
THIRD FLOOR:	493 SQ. FT.
BASEMENT:	1,338 SQ. FT.
TOTAL PROPOSED GROSS BUILDING	G AREA 5,493 SQ. FT.

ZONING REQUIREMENTS:

LOCAL AUTHORITY: **CITY OF DETROIT** LOCAL ORDINANCE: DETROIT ZONING ORDINANCE **ZONING CLASSIFICATION: R-1 RESIDENTIAL USE CLASSIFICATION:**

SINGLE FAMILY DWELLING / BY RIGHT (§ 50-8-14)

REQUIRED SETBACKS:

FRONT: Sides: Rear:	20 FT.	50 FT. 4.7 FT.	I SETBACK	ACTUAL PROPOSED SETBACK NO CHANGE NO CHANGE NO CHANGE NO CHANGE
	MUM LOT S			
AREA: WIDTH:	5000 SQ. FT. 50 FT.	ACTUAL AREA: ACTUAL WIDTH:	10520 SQ 62 FT.). FT.
MAX	IMUM HEIG	HT:		
HEIGHT :	35 FT.	ACTUAL HEIGHT:	33.6 FT.	
LOT	COVERAGE	:		

MAX PERCENTAGE ALLOWED: 35% ACTUAL PERCENTAGE: 24.1%

BUILDING CODE REQUIREMENTS:


GOVERNING CODE:

2015 MICHIGAN RESIDENTIAL CODE (MRC 2015) **USE AND OCCUPANCY: R-1 RESIDENTIAL PRIMARY USE:**

ABBREVIATIONS

ABBREVIATIONS HEADER HARDWOOD HEIGHT HDR HDWD HGT HVAC HEATING, VENTILATING & AIR CONDITIONING INSUL LAMINATE, LAMINATED LAM MECH MEMB MFG MIN MECHANICAL MEMBRANE MANUFACTURER MINIMUM MISC MISCELLANEOUS NATURAL NOMINAL NOM ON CENTER PERFORATED PERP PLYWD PREFAB PREFIN PVMT PWR PERPENDICULAR PLYWOOD PREFABRICATED PREFINISHED PAVEMENT POWER RISER REQD REQUIRED SQUARE FOOT/FEET SPEC SPECIFICATION(S) TOP OF T.O. thru Trd Typ THROUGH TREAD TYPICAL UNEXC UNFIN UNO UNEXCAVATED UNFINISHED UNLESS NOTED OTHERWISE VINYL COMPOSITION TILE VCT VERIFY IN FIELD with Without W/ W/O

VICINITY MAP:



DRAWING INDEX

SHEET NAME

COVER SHEET

EXISTING PLANS

EXISTING PLANS

PROPOSED PLANS

PROPOSED PLANS AND SOUTH

ELEVATION

CEILING PLANS & WEST

EAST AND NORTH ELEVATIONS

ELEVATION



25120 Culver, St. Clair Shores, MI 48081 EST. 2014


PROJECT GLASCO RESIDENCE



NOTES

- 1. ALL DIMENSIONS SHOWN ARE TO F.O. STUD UNLESS OTHERWISE NOTED.
- 2 THIS IS NOT A SEALED ARCHITECTURAL DRAWING








COVER SHEET

SCALE As indicated










2

LEVEL 1 FF - EXISTING/DEMO SCALE: 1/4" = 1'-0"




25120 Culver, St. Clair Shores, MI 48081 EST. 2014

PROJECT GLASCO RESIDENCE

DATE	04/01/25
LIENT	0260
ROJECT	0260
REVISION	REV 2E

NOTES









scale 1/4" = 1'-0"

DRAWN B. SHISHAKLY










LEVEL 3 FF - EXISTING/DEMO

SCALE: 1/4" = 1'-0"




25120 Culver, St. Clair Shores, MI 48081 EST. 2014

PROJECT GLASCO RESIDENCE

04/01/25
0260
0260
REV 2E

NOTES






EXISTING PLANS

SCALE 1/4" = 1'-0"








25120 Culver, St. Clair Shores, MI 48081 EST. 2014


PROJECT GLASCO RESIDENCE

DETROIT, MICHIGA	AN
DATE	04/01/25
CLIENT	0260
PROJECT	0260
REVISION	REV 2B

NOTES








PROPOSED Plans

SCALE 1/4" = 1'-0"







SCALE: 1/4" = 1'-0"


						WINDOW SCHEDULE	
WINDOW NO	WIDTH	HEIGHT	SILL HEIGHT	TYF	PE COU	INT	REMARKS
A	2'-6"	4' - 6"	2'-2"	30" x 54"	1	ANDERSON E-SERIES A	RCH. COLLECTION - CASEMENT - RIGHT
В	5' - 6"	4' - 6"	<varies></varies>	66" x 54"	2	ANDERSON E-SERIES A	RCH. COLLECTION - CASEMENT - RIGHT
C	7' - 0"	6' - 0"	0' - 8"	84" x 72"	2	ANDERSON E-SERIES A	RCH. COLLECTION - CASEMENT - RIGHT
D	10' - 0''	4' - 6"	3' - 6"	120" x 54	. " 1	ANDERSON E-SERIES A	RCH. COLLECTION - CASEMENT - RIGHT
						DOOR SCHEDULE	
DOOR NO	COUNT	WIDTH	HEIGHT	THICKNESS		TYPE	REM
1	1	10' - 0"	7' - 0''	0'-8 11/16"		e-Pella-Architect-Contempora serve Traditional	ry Pella Reserve Traditional - Bi-Parting Individual Panel Thickness - 2"
2	1	2'-6"	6' - 8"	0'-13/4"	Door-Exterior-S	ingle-Entry-Historic: 30" x 80"	Custom built wood door to match example and glass lite.
4	1	3' - 4"	8' - 4"			/all-Double-Glass: /all-Double-Glass	

GHT SWING - BLACK TRIM GHT SWING - BLACK TRIM GHT SWING - BLACK TRIM GHT SWING - BLACK TRIM

EMARKS

ing 6 Panel Sliding Door -Black Trim.


existing front entry door style ,color,






ELEVATION 1/4" = 1'-0" SCALE A004

DRAWN B. SHISHAKLY




WEST 3 SCALE: 1/4" = 1'-0"





DATE	05/12/25
CLIENT	0260
PROJECT	0260
REVISION	REV 2E


DRAWN B. SHISHAKLY



1 EAST SCALE: 1/4" = 1'-0"


> ╸║╴╸╡╼┑┥╸╢╶╕╡╶┼╸╢╴╡┟╖┥╴║╌╴╡╌┑╴╢╴╶╡╸┑╢╴╢╸┥╸╢╴╡╸╸╢╴╡╸╴╢╴╡╴╸╢╴╶┤╸╢╴╶╢╸╶┤╴╴ ╢╷╪╬╾╫┶╫╾╫╾╢╵╢╪╕╢╵╢╪╕╢╵╢╪┼╅╢┿╫╅┾╴╢╶┽┥╴╢╴┽╸╢╴╪┿┱╢┾┼╫╾╢╵╫╪╕║╴╫╅┾╅╫┯╫┿╴╢┝╌╢╴ 1'-0" ASPHALT SHINGLE ROOF TO BE REPAIRED AS A FULL TEAR OFF INSPECTION OF SUBSTRATE REQUIRED. IF DAMAGED, REPLACE WITH MIN. 5/8" PLYWOOD. CERTAINTEED SHINGLES. MAX DEF COBBLESTONE GRAY PROVIDE FULL COVER BUILDING 1'-4" PROVIDE FULL COVER BUILDING PAPER & ICE AND WATER SHIELD OVER MIN. 6' OF ROOF SLOPE. (TYP.) ┕┯╘┛┯┥┝┥┥┝╸┥╴╽╴ ┍┰╏╴╛┥┲┖╻╏╴╛┥┲┝╶╏╴╛┥┲┝╴┨╴┝┶┝╶╎╴╞┶┝┶╎ ╶┲╴┰┙╴┙╴╴┙╴┙╴┙╴┙╴┙╴┙╴╸╴ ┑╴┫╴┝╴┫╷┝╶┙┝┙┑╏╌┙┥╍┙┙╎┟╌╞┶┍┶╷╎╴╌╡╸┍┥╶╎╴╶╛╸┙┙╶╎╸╛┙┙╵╎╴┝╸┾╸╎╴┝╸╪┿╌╄╌┾╸╎╴╴╴╴┙╸╴ ╤╬╤╕┥╶╎┍╤╬╴╷┝╤┿╾╬═╪┿╤┿╶╎╴╤┥╸╷╎╴╤┥╴╴ \times X | X | X | X | X**** _____ ___

2



BSMT. -6' - 0"

LEVEL 1 FOYER +1' - 0" GRADE +0' - 0"




25120 Culver, St. Clair Shores, MI 48081 EST. 2014

PROJECT GLASCO RESIDENCE

DATE	05/12/25
CLIENT	0260
PROJECT	0260
REVISION	REV 2B

NOTES





EAST AND NORTH ELEVATIONS

SCALE 1/4" = 1'-0"

