

HISTORIC DISTRICT COMMISSION APPLICATION FOR WORK APPROVAL

City of Detroit - Planning & Development Department 2 Woodward Avenue, Suite 808 Detroit, Michigan 48226

AP	PLI	CATI	ON	ID

HDC2025-00291

PROPERTY INFORMATION		
ADDRESS(ES): 1068 Hubbard Street		
HISTORIC DISTRICT: Hubbard Farms		
SCOPE OF WORK: (Check ALL that apply)		
Windows/ Walls/ Painting Siding	Roof/Gutters/ Chimney	Porch/Deck/Balcony Other
☐ Demolition ☐ Signage ☐ New Building ☐		Site Improvements landscape, trees, fences,
BRIEF PROJECT DESCRIPTION:	p	atios, etc.)
Replace the windows on the first and second floors.		
APPLICANT IDENTIFICATION		
TYPE OF APPLICANT: Property Owner/Homeowner		
NAME: Matthew Ryan Lenhoff	COMPANY NAME: N/A	
ADDRESS: 1068 Hubbard Street	CITY: Detroit	STATE : MI ZIP : 48209
PHONE: +1 (734) 276-8627	EMAIL: mlenhoff@gmail.com	1
I AGREE TO AND AFFIRM THE FOLLOWI	NG:	
I understand that the failure to upload all required d project and/or a denied application.	ocumentation may result in e	extended review times for my
I understand that the review of this application by the		•
responsibility to comply with any other applicable or sign, etc.) or other department approvals prior to be		g appropriate permits (building,
I hereby certify that I am the legal owner and occupant of	f the subject property and that th	ne information on this application is
true and correct.		
Matthew Ryan Lenhoff	N/A	
Matthew Kyan Linhoff	05/22/2025	
SIGNATURE	DATE	
1068 Hubbard Street		etroit MI 48209
+1 (734) 276-8627	mlenhoff@gr	nail.com

NOTE: Based on the scope of work, additional documentation may be required. See www/detroitmi.gov/hdc

for scope-specific requirements.

PROJECT DETAILS - TELL US ABOUT YOUR PROJECT

Instructions: Add project details using the text box in each section. If your details exceed the space provided, attach the details via the attachment icon for that section.

ePLANS PERMIT NUMBER:

(only applicable if you've already applied for permits through ePLANS)

N/A

GENERAL

1. DESCRIPTION OF EXISTING CONDITION

Please tell us about the current appearance and conditions of the areas you want to change. You may use a few sentences or attach a separate prepared document on the right. (For example, "existing roof on my garage is covered in gray asphalt shingles in poor condition.")

Windows on the first and second floor are in bad condition, some do not open. A few were sealed shut by the previous owner from the outside. Glass is very thin and there are gaps in the trim causing issues with dust, noise and cold in the winter. Third floor and back of the house windows were replaced during renovation in 2017-2018.

2. PHOTOGRAPHS

Help us understand your project. Please attach photographs of all areas where work is proposed.



3. DESCRIPTION OF PROJECT

In this box, tell us about what you want to do at the areas described above in box #1. (For example, Install new asphalt shingle roofing at garage.)

Pocket fit install on all windows. Replacing thirteen windows in total.

4. DETAILED SCOPE OF WORK

In this box, please describe all steps necessary to complete the work described in box #3. (For example, "remove existing shingles, replace wood deck as necessary, replace wood eaves, install roof vents, replace rotted fascia boards, paint, clean worksite.")

Removing sashes of original windows to install new, historically accurate windows with simulated divided light grills where existing. Exact pattern match for new windows to be installed. Fixed windows above double hungs with decorative glass and metal grill patterns will remain untouched. New windows to be shimmed, insulated and caulked. All original interior casing to be kept and reused.

5. BROCHURES/CUT SHEETS

Please provide information on the products or materials you are proposing to install. For example, a brochure on the brand and color of the shingles proposed.



ADDITIONAL DETAILS

6. WINDOWS/DOORS Detailed photographs of window(s) and/or door(s) proposed for replacement showing the condition of the interior and exterior of the window(s) and/or door(s)	

Docusign Envelope ID: 38B386F5-9FC0-4188-9848-25F3E1A7DCEC Customer Quote



Pella Corporation pella.com

MCGLINCH & SONS CO 29565 Grand River Ave

FARMINGTON HILLS, MI 48336-562' (248) 987-6300

Distributed by: Pella Windows and Doors

Customer Name	Deliver To Address	Order Information		
Primary Phone: (248) খড/-চ300	,	Estimated Delivery Date: Order Number: Quote Number: Final Wall Depth: Customer PO:	None 189 19492598	

Customer Notes

PRECISION FIT POCKET INSTALL ON ALL WINDOWS EXCEPT CASEMENTS. NEW CASING INCLUDED WITH THOSE TWO PREFINSIHED TO MATCH WINDOWS.

	Outside View	Line #	Qty	Description	Item Price	Ext'd Price
		10	1	Lifestyle, Double Hung, Without HGP, White		les.
Lo	प्रे cation: LIVING RO	OM		1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, O Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White	Clad, Pine, 5", 3 11/16",	No Certification,

Interior Color / Finish: Provincial Stain Interior

1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™ Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00516-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL12952, STC 27, OITC 23, Clear Opening Width 24.812, Clear Opening Height 29.375, Clear Opening Area 5.061476, Egress Meets minimum clear opening and 5.0 sq.ft Grille: SDL, No Custom Grille, 7/8", Traditional (3W2H / 0W0H) Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied,

Hardware Options: Cam-Action Lock, 1 Lock, Brown, No Limited Opening Hardware, Order Sash Lift,

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Manufacturer Recommended Clearance, Perimeter Length = 187".

8

Opening Area 5.061476, Egress Meets minimum clear opening and 5.0 sq.ft

Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied,

Mary Dales Estal Dales

Grille: SDL, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)

Manufacturer Recommended Clearance, Perimeter Length = 187".

Outside View	Line#	Qty	Description	Item Price	Ext'd Price
	20	1	Lifestyle, Direct Set, Fixed Frame, Without HGP, White		3
Location: LIVING RO	OOM		1: Fixed Frame Direct Set Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Interior 3 11/16", No Certification Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon N Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD Performance Class AW, PG 60, Calculated Positive DP Rating 60, Calcul FL10354, STC 27, OITC 22 Grille: No Grille, Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/1 Manufacturer Recommended Clearance, Perimeter Length = 178".	lon High Altitude PEL-N-18-04208- ated Negative DP	00001, Rating 60, FPA

Outside View	Line #	Qty	Description Item Price Ext a Price
	25	1	Lifestyle, Direct Set, Fixed Frame, Without HGP, White
Location: ENTRY WA	Y		1: Fixed Frame Direct Set Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16", No Certification Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 60, Calculated Positive DP Rating 60, Calculated Negative DP Rating 60, FPA FL10354, STC 27, OITC 22 Grille: No Grille, Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 178".

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Printed on 5/8/2025 Proposal Page 2 of 8

cGlinch

Outside View Description **Item Price Ext'd Price** Line # Qty 30 1 Lifestyle, Double Hung, Without HGP, White Л 1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Location: KITCHEN NOOK Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Bright White Paint Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, White, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.57, CPD PEL-N-35-00514-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL12952, STC 27, OITC 23, Clear Opening Width 30.812, Clear Opening Height 21.25, Clear Opening Area 4.54691, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,
Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied,
Manufacturer Recommended Clearance, Perimeter Length = 166".

Quote Number: 19492598

Item Price **Ext'd Price Outside View** Line# Qty Description Lifestyle, Double Hung, Without HGP, White 35 1 1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Location: DINING ROOM Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Brown, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, White, InView™

Grille: No Grille,
Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied,
Manufacturer Recommended Clearance, Perimeter Length = 226".

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.57, CPD PEL-N-35-00514-00001, Performance Class LC, PG 25, Calculated Positive DP Rating 25, Calculated Negative DP Rating 25, FPA FL12952, STC 27, OITC 23, Clear Opening Width 44.562, Clear Opening Height 29.375, Clear

Opening Area 9.090339, Egress Meets minimum clear opening and 5.7 sq.ft

Printed on 5/8/2025 Proposal Page 3 of 8

Ext'd Price **Item Price** Description **Outside View** Line# Qty Lifestyle, Double Hung, Without HGP, White 1 40 1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification, Location: BEDROOM 1 Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Brown, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, White, InView™ Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00516-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL12952, STC 27, OITC 23, Clear Opening Width 37.062, Clear Opening Height 27.375, Clear Opening Area 7.04564, Egress Meets minimum clear opening and 5.7 sq.ft Grille: SDL, No Custom Grille, 7/8", Traditional (4W2H / 0W0H) Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 203".

Outside View	Line#	Qty	Description	Item Price	Ext'd Price
Hel	45	1	Lifestyle, Double Hung, Without HGP, White	and and	
£ Location: BEDROOM	2		1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon N Hardware Options: Cam-Action Lock, 1 Lock, Brown, No Limited Op 1 Lift, No Integrated Sensor Screen: Full Screen, White, InView™ Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD Performance Class LC, PG 40, Calculated Positive DP Rating 40, Ca FPA FL12952, STC 27, OITC 23, Clear Opening Width 24.812, Clear Opening Area 4.716865, Egress Does not meet typical United States local code requirements Grille: SDL, No Custom Grille, 7/8", Traditional (3W2H / 0W0H) Wrapping Information: No Attachment Method, No Exterior Trim, 3 11 Manufacturer Recommended Clearance, Perimeter Length = 179".	lon High Altitude bening Hardware, C PEL-N-35-00516-0 alculated Negative Opening Height 27 s egress, but may	Order Sash Lift, 0001, DP Rating 40, 7.375, Clear comply with

8


Quote Number: 19492598

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	50	1	Lifestyle, Double Hung, Without HGP, White		
Û					
			1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program		
Location: BEDROOM	2		General Information: No Package, Without Hinged Glass Panel, Clad, Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon N Hardware Options: Cam-Action Lock, 1 Lock, Brown, No Limited Op 1 L.ft, No Integrated Sensor Screen: Full Screen, White, InView™	Non High Altitude	
			Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD Performance Class LC, PG 40, Calculated Positive DP Rating 40, Ca FPA FL12952, STC 27, OITC 23, Clear Opening Width 24.812, Clear Opening Area 4.716865, Egress Does not meet typical United States local code requirements Grille: SDL, No Custom Grille, 7/8", Traditional (3W2H / 0W0H)	alculated Negative Opening Height 27. s egress, but may c	DP Rating 40, 375, Clear comply with
			Wrapping Information: No Attachment Method, No Exterior Trim, 3 11 Manufacturer Recommended Clearance, Perimeter Length = 179".	I/16", 5", Factory A	pplied,

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	55	1	Lifestyle, Double Hung, Without HGP, White		*
ि the Location: BEDROOM 2	2		1: SizeNon-Standard Size Double Hung, Equal Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Jambliner Color: Gray Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Nothardware Options: Cam-Action Lock, 2 Locks, Brown, No Limited Op Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, White, InView™ Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD F Performance Class LC, PG 30, Calculated Positive DP Rating 30, Ca FPA FL12952, STC 27, OITC 23, Clear Opening Width 41.062, Clear Opening Area 7.806057, Egress Meets minimum clear opening and Grille: SDL, No Custom Grille, 7/8", Traditional (4W2H / 0W0H)	on High Altitude pening Hardware, PEL-N-35-00516-0 Ilculated Negative Opening Height 27	Order Sash 0001, DP Rating 30,
			THE RESIDENCE TO A STATE OF THE PARTY OF THE	MOU FU Factore !	t on and the and

Manufacturer Recommended Clearance, Perimeter Length = 211".

Wrapping Information: No Attachment Method, No Exterior Trim, 3 11/16", 5", Factory Applied,



Line#	Qty	Description	Item Price	Ext'd Price
65	1	Lifestyle, 2-Wide Awning, Without HGP, White		
B0000000000000000000000000000000000000			Ellie if Get	65 1 Lifestyle, 2-Wide Awning, Without HGP, White

Location: BEDROOM 3

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Quote Number: 19492598

Exterior Color / Finish: Standard Enduraclad, White

Interior Color / Finish: Provincial Stain Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Large Awning Hardware, Fold-Away Crank, Brown, No Limited Opening Hardware,

No Integrated Sensor, Sill

Screen: Full Screen, Brown, InView™

Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-37-00714-00001,

Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA

FL20532, STC 25, OITC 22, Egress Not Applicable Grille: No Grille,

2: SizeNon-Standard Size Vent Awning

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White

Interior Color / Finish: Provincial Stain Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Large Awning Hardware, Fold-Away Crank, Brown, No Limited Opening Hardware,

No Integrated Sensor, Sill

Screen: Full Screen, Brown, InView™

Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-37-00714-00001,

Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA

FL20532, STC 25, OITC 22, Egress Not Applicable

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction-

Wrapping Information: No Attachment Method, No Head Drip Cap, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter

8

Length = 189".

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Page 6 of Proposal Printed on 5/8/2025

70

Quote Number: 19492598

Outside View Line # Qty Description Item Price Ext'd Price

1 Lifestyle, 2-Wide Awning, Without HGP, White



Location: BEDROOM 4

1: SizeNon-Standard Size Vent Awning

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Large Awning Hardware, Fold-Away Crank, Brown, No Limited Opening Hardware,

No Integrated Sensor, Sill

Screen: Full Screen, Brown, InView™

Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-37-00714-00001,

Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20532, STC 25, OITC 22, Egress Not Applicable

Grille: No Grille,

2: SizeNon-Standard Size Vent Awning

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", No Certification

Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Provincial Stain Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Large Awning Hardware, Fold-Away Crank, Brown, No Limited Opening Hardware,

No Integrated Sensor, Sill

Screen: Full Screen, Brown, InView™

Performance Information: U-Factor 0.29, SHGC 0.27, VLT 0.51, CPD PEL-N-37-00714-00001,

Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, FPA FL20532, STC 25, OITC 22, Egress Not Applicable

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction-

Vertical

Wrapping Information: No Attachment Method, No Head Drip Cap, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 189".

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Printed on 5/8/2025 Proposal Page 7 of 8







































