



**4221 Cortland - Before Vinyl Siding was removed**



**4221 Cortland - Vinyl Siding removed**



4221 Cortland -Dimensions



4221 Cortland - Proposed



**4221 Cortland - Existing 6" Wood Lap Siding  
(Exposure 4-1/2")**

**LAP SIDING**

- 38 Series 6" - 5.84 in. (148 mm) x 192 in. (4.9 m) •
- 38 Series 8" - 7.84 in. (199 mm) x 192 in. (4.9 m) •
- 38 Series 12" - 11.84 in. (301 mm) x 192 in. (4.9 m)



**TRIM**

- 440/540 Series 2" - 1.50 (38 mm)
- 440/540 Series 3" - 2.46 in. (62 mm)
- 440/540 Series 4" - 3.46 in. (88 mm)
- 440/540 Series 6" - 5.47 in. (139 mm)
- 440/540 Series 8" - 7.21 in. (183 mm)
- 440/540 Series 10" - 9.21 in. (234 mm)
- 440/540 Series 12" - 11.21 in. (285 mm)



**Propose Lap Siding:  
LP SmartSide Primed, Brushed Smooth, 6" Lap Siding  
LP SmartSide Primed 4" Trim**

# LAP SIDING

## Brushed Smooth

### Products:

LP® SmartSide® 38 Series Lap Siding  
LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### 38 Series Lap - Brushed Smooth


3/8" Nominal Thickness  
Primed Lap: 6" | 8" | 12"



**Application Instructions:**  
LPCorp.com/Literature



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth Lap	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45089
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45090
	16 ft. (92 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45091

### 38 Series Lap - Brushed Smooth

3/8" Nominal Thickness  
ExpertFinish® Core Collection Lap: 6" | 8" | 12"  
NATURALS COLLECTION™ Lap: 8"

### ExpertFinish® Color Specifications and PIDs:



#### 38 SERIES EXPERTFINISH® BRUSHED SMOOTH LAP JOINT SIDING

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45083
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45087
Sand Dunes	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45082
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45086
Desert Stone	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45074
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45078
Quarry Gray	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45079
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45083
Prairie Clay	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45078
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45082
Terra Brown	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45085
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45089
Harvest Honey	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45076
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45080
Timberland Suede	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45086
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45090
Garden Sage	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45075
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45079
Redwood Red	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45081
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45085
Tundra Gray	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45087
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45091
Summit Blue	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45084
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45088
Rapids Blue	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45080
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45084
Cavern Steel	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45073
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45077
Midnight Shadow	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45077
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45081
Abyss Black	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45072
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45076
Washed White	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45075
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45079
Smoky Slate	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45074
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45078
Bonsai Black	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45073
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45077
Weathered Walnut	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45072
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45076
Aged Amber	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45071
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45075
Saffron Cedar	16 ft. (92 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45070
	16 ft. (92 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45074

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.