



Clad-Wood Fixed Frame Direct Set Windows

Exterior Glazed Detailed Product Description

Consult with your local Pella sales representative for current availability, limitations may apply.

Frame

- Select softwood, immersion treated with Pella's EnduraGuard® wood protection formula in accordance with WDMA I.S.-4. The EnduraGuard formula includes three active ingredients for protection against the effects of moisture, decay, stains from mold and mildew. Plus, an additional ingredient adds protection against termite damage.
- Interior exposed surfaces are [clear pine] [mahogany] [douglas fir].
- Exterior surfaces are clad with aluminum.
- Components are assembled with screws, staples, and concealed corner locks.
- Overall frame depth is 5" (127mm) for a wall depth of 3-11/16" (94mm).
- Optional factory-applied jamb extensions available.

Glazing System¹

- Quality float glass complying with ASTM C 1036.
- Custom and high altitude glazing available.
- Urethane-glazed clear single-light with removable aluminum stops.
 - or –
- Urethane-glazed dual-seal insulating glass [[annealed] [tempered]] [[[clear] [Advanced] [SunDefense™] [AdvancedComfort] [NaturalSun] Low-E [with Argon]] [[bronze] [gray] [green] Advanced Low-E with Argon] with removable aluminum stops.

Exterior

- Aluminum clad exteriors shall be finished with EnduraClad® protective finish, in a multi-step, baked-on finish.
 - Color is [standard] [feature] [custom]₂.
 - or –
- Aluminum clad exteriors shall be finished with EnduraClad Plus protective finish with 70% fluoropolymer resin in a multi-step, baked-on finish.
 - Color is [standard] [feature] [custom]₂.

Interior

- [Unfinished, ready for site finishing] [factory primed with one coat acrylic latex] [factory prefinished [paint] [stain]₂].

Optional Products

Grilles

- Grilles-Between-the-Glass
 - Insulating glass contains 3/4" contoured aluminum grilles permanently installed between two panes of glass.
 - Patterns are [Traditional] [Prairie] [Cross] [Top Row] [Custom – Equally Divided].
 - Interior color is [White] [Black] [Tan₃] [Brown₃] [Putty₃] [Ivory] [Brickstone] [Harvest] [Cordovan].
 - Exterior color₄ is [standard₂].

(1) Insulating glass with Argon is Low-E coated (except high altitude). All other insulating glass (including high altitude Low-E) is Air-filled.

(2) Contact your local Pella sales representative for current designs and color options.


(3) Tan, Brown and Putty GBG colors are available in single-tone only (Brown/Brown, Tan/Tan or Putty/Putty) (Putty mono), other interior/exterior color restrictions may apply.

(4) Appearance of exterior grille color will vary depending on Low-E coating on glass.



Clad-Wood Fixed Frame Direct Set Windows

Unit Sections - Interior Glazed Curved Shapes



Scale 3" = 1' 0"

All dimensions are approximate.

Rev. 08/13/21


Pella 2026 Architectural Design Manual | Division 08 – Openings | Windows and Doors | www.Pella.com

W-FW-25



Clad-Wood Fixed Frame Direct Set Windows


Unit Sections - Interior Glazed Curved Shapes w/Impact-Resistant Glass





Clad-Wood Fixed Frame Direct Set Windows

Unit Sections - Interior Glazed Rectangular and Angled Shapes



Scale 3" = 1' 0"

All dimensions are approximate.

See www.PellaADM.com for mullion limitations and reinforcing requirements.

Rev. 08/30/21


Pella 2026 Architectural Design Manual | Division 08 - Openings | Windows and Doors | www.Pella.com

W-FW-27




Clad-Wood Fixed Frame Direct Set Windows




Unit Sections - Interior Glazed Rectangular and Angled Shapes w/Impact-Resistant Glass



1" Impact IG



1-1/4" Impact IG




Scale 3" = 1' 0"
All dimensions are approximate.



Clad-Wood Fixed Frame Direct Set Windows

Unit Sections - Exterior Glazed Rectangular

Consult with your local Pella sales representative for current availability, limitations may apply.









Scale 3" = 1' 0"

All dimensions are approximate.



Clad-Wood Fixed Frame Direct Set Windows

Unit Sections - Mitered Corner



Reserve Contemporary fixed casement mitered corner shown for comparison purposes. See Casement section or contact your local Pella sales representative for product details

Scale 3" = 1' 0"

All dimensions are approximate.