DHDC 23-8391

APPROVAL DOCUMENT - POST AT WORK LOCATION

CITY OF DETROIT HISTORIC DISTRICT COMMISSION 2 WOODWARD, SUITE 808 DETROIT, MICHIGAN 48226

6/20/23

CERTIFICATE OF APPROPRIATENESS

Gary Brownell 2108 Burns St. Detroit, MI 48214

RE: Application Number 23-8391; 2108, 2120, 2146 Burns St.; Indian Village Historic District

Dear Applicant,

At the Regular Meeting that was held on June 14, 2023, the Detroit Historic District Commission ("DHDC") reviewed the above-referenced application. Pursuant to Section 5(1) of the Michigan Local Historic District Act, as amended, being MCL 399.205 (1) and Sections 21-2-73/21-2-78 of the 2019 Detroit City Code; the DHDC hereby issues a Certificate of Appropriateness ("COA") for the following work, effective on June 20, 2023, as it meets the Secretary of Interior's Standards for Rehabilitation and the district's Elements of Design:

- Erect one accessory structure per the attached plans
- Install landscaping, pool, cabana and other hardscape features per the attached plans

The Certificate of Appropriateness is issued with the following conditions:

- The roof material of the proposed structure be asphalt.
- The windows of the front elevation hallway more closely express the design, scale, and operation of the house at its front elevation.
- HDC staff review the above changes for approval prior to implementation.

Please retain this COA for your files and post it at the subject property until work is complete. It is important to note that approval by the DHDC does not waive the applicant's responsibility to comply with any other applicable ordinances or statutes. If you have any questions regarding the foregoing, please contact staff at 313-224-1762 or hdc@detroitmi.gov.

For the Commission:

V. KIEST

Daniel Rieden, Detroit Historic District Commission

2108 Burns Summary

Our request here is a small alteration of our ongoing project that received HDC approval in May of 2021. The main six points of approval from the 2021 COA are included below for quick reference. There are two items we are requesting approval for that are in deviation to the original approval:

- 1) We have removed the carriage house as an intended use, and instead will use the previously allocated space as a workshop. In doing so, we have also made the decision to create a single building instead of two separate buildings as previously shown (and approved). To do so, a new hallway has been introduced connecting the two buildings. Nearly all elements of design on each building, material selections and angles have remained the same to the original project that was unanimously approved.
- 2) We have updated our landscaping plan in a few key areas pointed out in the original issued COA for compliance.

The original COA did also call for a new color for the main house. However, that new color has been selected, submitted to the HDC for review, and a COA was issued in July of 2022. That new color will be incorporated into this construction and is included in the 3D renderings shown below.

Originally approved project elements for reference:

- Install new patio with attached hot tub and fireplace
- Install new pool with cabana and sunken lounge
- Install landscape plantings, walking path and patio
- Construct 2 parking space, parking lot with driveway
- Construct new conservatory building, also called "four seasons room"
- Construct carriage house with garage

Gary Brownell

Gabby Brown

2108 Burns



The City of Detroit Historic District Commission Hearing for a new structure, pool, and landscaping at:

2108 Burns Avenue Detroit, MI 48214

Three lots at the northeast corner of Burns Avenue & Kercheval Avenue

Property Owners: Gary Brownell & Gabby Brown

Architect: ad | ROOM architecture + design kevin@adroomarch.com

Project Description:

The proposed project includes no work to the existing residence. Removal of an existing two car garage is included with this application. The garage is in disrepair and has structural damage due to a tree growing into the side of it, and years of water damage.

To the east of the existing residence, a new one story, 1,748 SF, accessory structure is proposed.

Near the center of the rear yard, a new 270 SF open-air Cabana is proposed adjacent to a new in-ground pool.

At the rear of the existing house, a new 560 SF raised patio is proposed.

Zoning = R1H

Lot size = $172.3' \times 200' = 34,460 \text{ SF}$

Existing residence (no work) footprint = 1,092 SF




adroomarch.com




architecture+design
734.646.5934
adroomarch.com















Existing Canopy at Entry Door


Precedent Images












KERCHEVAL AVENUE









HISTORIC DISTRICT COMMISSION 5/8/2023 2108 BURNS AVENUE

PROPOSED SITE PLAN



















2108 BURNS AVENUE







HISTORIC DISTRICT COMMISSION 5/8/2023 2108 BURNS AVENUE


PROPOSED ACCESSORY STRUCTURE ELEVATIONS








architecture + design




East Elevation



HISTORIC DISTRICT COMMISSION 5/8/2023 2108 BURNS AVENUE

PROPOSED ACCESSORY STRUCTURE EAST WING ELEVATIONS




















HISTORIC DISTRICT COMMISSION 5/8/2023 2108 BURNS AVENUE

WINDOW AND DOOR ELEVATIONS

West Elevation

















HISTORIC DISTRICT COMMISSION MAY 8, 2023

STAINED CEDAR SIDING - PAINTED BRICK & STUCCO



COLOR SYSTEM D

ASSOCIATED ARCHITECTURAL STYLES: (13) ENGLISH REVIVAL

Detroit is particularly rich in examples of the Tudor, Gothic, and English Cottage Styles erected after the turn of the century. Usually of stone, brick, and heavy timber construction, these houses were often influenced by the Arts and Crafts Movement which stressed the use of such natural materials. As a consequence, the colors used on these houses should reflect this concern for nature and an understanding of the original English prototypes on which the styles were based.

A particular problem is encountered with the half-timbering that is so typical of these styles. In the original medieval buildings, these exposed timbers were the structural supports of the frame and roof with spaces between filled with lime plaster or rough cast sand stucco, stone, or brick. With this in mind, these heavy frames should be painted to look like weathered English oak; black, dark brown, or, perhaps, dark green, or olive. When the infill is brick, that area is not a problem unless it has been painted, in which case the paint should be removed or repainted in dark red or dark brown to match the original brick color. If, however, the infill between the framing is stucco, it should be painted white, as so many English originals are, to suggest the lime rich plastering which is naturally white or one of the river sand stuccoes which are more nearly yellow or cream when left in their natural state. On rare occasions when the sand used was of a reddish cast, the stucco assumed a faint rose beige.

Normally, the window and door frames and the projecting cornices will be painted the color selected for the heavy timber frames or a gray, brown or greenish stone color to match the actual stone trim of the house if such exists, or, a dark color such as black, dark brown, or dark green to suggest the metal casement windows which were normally iron and lead set in oak, frames which, like the heavy framing, darkened with age.

The trim of such houses rarely looks well done in a color lighter than the stone trim and certainly not in light reds, blues, yellows or greens. Occasionally, these houses were trimmed in white, but this generally provides too great a contrast to the usual brick and stone construction; as a consequence it is not recommended.

The more self-consciously Art and Crafts houses will hew closely to the guidelines set down above, stressing the darker browns, reds and greens and a concern for stucco that is natural in color and lighter than the dark framing of heavy wood and stone.



COLOR SYSTEM D

ACCEPTABLE COLOR COMBINATIONS *MS = MUNSELL STANDARD

BODY	TRIM	SASH	SHUTTERS
Stucco: Leave natural or match original stucco color, or A:3, A:4, C:4, C:5, D:1, D:2		B:18, B:19	Match trim color or match sash color
Half-timbering: A:8, B:6, B:8, B:11, B:12, B:13, B:14, B:19			
Shingles/Clapboard: B:6, B:8, B:11 (rare), B:12, B:13, B:14			
Existing brick or stone			



FIND OUT MORE! www.detroitmi.gov/hdc SUBMIT ALL DOCUMENTATION TO: hdc@detroitmi.gov

HISTORIC DISTRICT COMMISSION MAY 8, 2023

ad ROOM
architecture+design



decomposed granite walking path with stabilizer



thermal cut bluestone hardscape

WALKING PATH - HARDSCAPE



100 SERIES WINDOWS & DOORS

DELIVER BEAUTY, PERFORMANCE & DURABILITY.

ATTRACTIVE CORNER SEAMS.

100 Series products feature low-visibility corner seams for a cleaner and more contemporary look.

COLORS THAT LAST.

Durable, factory-finished interiors and exteriors never need painting and won't fade, flake, blister or peel," even in extreme cold or heat.

ATTRACTIVE MATTE INTERIORS.

Premium matte finish isn't shiny like vinyl and is available in white, Sandtone, dark bronze and black."

ENERGY EFFICIENT IN EVERY CLIMATE.

Energy-efficient 100 Series products are available with options that make them ENERGY STAR® certified throughout the U.S., so they can help reduce heating and cooling bills. What's more, Fibrex® composite material blocks thermal transfer nearly 700 times better than aluminum.





DESIGNED FOR PERFORMANCE.

100 Series products are designed to meet or exceed performance requirements in all 50 states! See pages 103-104 for details.



EASY OPERATION FOR YEARS TO COME.

All 100 Series products are tested to the extreme to deliver years' of smooth, reliable operation.

SUPERIOR WEATHER RESISTANCE.

Our weather-resistant construction seals out drafts, wind and water so well that your reputation is protected whatever the weather.

QUALITY SO SOLID, THE WARRANTY IS TRANSFERABLE.

Most other window and door warranties end when a home is sold, but our coverage - 20 years on glass, 10 years on non-glass parts - transfers from each homeowner to the next. And, because it's not prorated, the coverage offers full benefits, year after year, owner after owner for real added value.

COLOR OPTIONS EXTERIOR COLORS

100 Series windows and patio doors come in five exterior colors, including dark bronze and black - colors that are darker and richer than those of most vinyl windows.



Dark Bronze

INTERIOR COLORS

100 Series windows and patio doors feature a premium matte finish inside for an attractive appearance.



Products with dark bronze, black and Sandtone Infariors have matching exteriors.
 Printing limitations prevent exact duplication of colors. See your Anderson supplier for actual color samples



Visit anderserwindows.com/warranty for details.

** Units with black, dark bronze or Sandtone Interiors have matching exteriors.

1 Say your local code official for code requirements in your area.
11 LOSS-900E DELF II SESSO (MAMANDAMCSA 101A.S.200440-08 & -11). Optional PGSD Pentermance Upgrade is available for mod state.
For more information, wot anticomenious conn/1006act.



E-SERIES Patio Doors Architectural Collection



UNMATCHED FREEDOM

Whether you're looking for traditional styling or a more contemporary look - if it's possible, it's possible with E-Series windows and patio doors. With custom colors, unlimited interior options and dynamic sizes and shapes, every E-Series product is made to your exact specifications. Giving you unmatched flexibility and design freedom.



- . Virtually maintenance-free exteriors never need painting and won't peel, blister or flake"
- · Extruded aluminum exteriors provide greater structural capabilities than thinner, roll-form aluminum
- · Weather-resistant construction for greater comfort and energy efficiency
- · Many E-Series windows and patio doors have options that make them ENERGY STAR* v. 6.0 certified throughout the U.S.



- . 50 exterior colors, seven anodized finishes and custom colors
- · Variety of wood species and interior finishes
- · Extensive hardware selection, grilles, decorative glass options and more
- Available with Stormwatch* Protection for coastal areas



PRODUCT TYPES

- Hinged inswing patio doors
- Hinged arch inswing patio doors: single-, double- and triple-panel configurations available
- · Hinged outswing patio doors
- · Hinged arch outswing patio doors: single-, double- and triple-panel configurations available
- Gliding patio doors
- French gliding patio doors

*Vait and ensenwindows.com/warranty for details.

E-SERIES Patio Doors

PRODUCT OPTIONS **EXTERIOR COLORS** Anodized Finishes

INTERIOR OPTIONS



Factory-Finished Interiors



Painted Interiors Available on pine




HARDWARE OPTIONS*



Rold some denotes freich als

FSB" HARDWARE





For more information, visit andersenwindows.com/e-series

"Actual wood species is either Sopele or Spo, both non-endangered species grown in Africa, with color and characteristics similar to Central Arenton moleogratis. ""Dath Biserie and black are also analable on maple. I Anadased after analable on maple only. "Hardware is sold separately. \$758 ayls 1020 is not available in black anadase deliminum. Printing Institution prevent exact in substance (Institution of colors and histhers.

See your Anderson supplier for contact color and histhers.

All todeworks where devoted one make of their traspective compared.

620020 Anderson Corporation. All rights reserved. 10/20



Andersen BIG DOORS



2019-20 PRODUCT GUIDE FOR PROFESSIONALS - MULTIGLIDE™ & FOLDING OUTSWING DOORS

MULTIGLIDE™ DOORS

ALUMINUM-CLAD WOOD DOOR EXTERIOR Colory White Abelane Balsa Carross Maple Harvest Syrup Gold Grass Flagstone Sandtone Pebble Carrost Terratone Hot Chocolate Bourbon Acorn Collise Cocca Shara Berouse Carryon Bourbon Acorn Grass Grass Balsan Berouse Bronze Carryon Bourbon Acorn Collise Cocca Shara Berouse Bronze Carryon Blace Chargen Bland Moss Forest Grass Grass Grass Black Grass Grass Grass Black Grass Grass Black Black Black Black Noody Black Black Black Black Noody Black Black Black Black Black Noody Black Blac






ALUMINUM DOOR EXTERIOR & INTERIOR



* Actual wood species is either Sapote or Sipe, both non-endangers species grown in Miscs, with color and characteristics striate Childric Amstructure management "* Dark brown and black ship washelds on maging f Andolderd ship weekfelds or magin or Priviling limitations present exact replication of colors and frieth Ser user Andorsen succide in serial colors and frieth serials.

8





Skylight types



Solar-powered "Fresh Air" skylights

- Features a solar panel to recharge battery-powered operator and control system.
- Integrated rain sensor closes the sky light automatically, in case of inclement weather.
- Remote control included.

Deck-mounted- Model VSS Curb-mounted- Model VCS

For more information visit valux usa.com/Eaxorables



Electric "Fresh Alr" skylights

- Single hard wire connects into a standard junction box.
- Integrated rain sensor closes the skylight automatically, in case of inclement weather.
- Remote control included.



Manual "Fresh Air" skylights

- Opens and closes manually with VELUX control rods for cut-ofreach applications and smooth turning handle for in-reach applications. (Sold separately)
- · Go Solar model available.

Deck mounted - Model VS Curb-mounted - Model VCM

Deck mounted - Model FS Curb-mounted - Model FCM Self-flashed - Model QPF


10 VELUX

Fixed skylights

- Economical choice to transform dark spaces with natural light.
- · Go Solar model available.



HISTORIC DISTRICT COMMISSION MAY 8, 2023



CARRIAGE HOUSE - LOUVER - MODERN

CARRIAGE HOUSE 4-LAYER CONSTRUCTION

- 4-layer faux-wood doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 20 for specialty glass options.
- Attractive beveled edge, clip-in window grilles are removable for easy cleaning.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- = 10-ball nylon rollers for quiet operation.
- Heavy-duty 14 gauge steel hinges for long-lasting performance.
- Clopays's Safe-T-Bracket[®] prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Comes complete with spade lift handles and step plates. See page 21 for details.

All doors designs shown in Medium Finish with Clear Cypress overlay







Design 23



Design 35

